



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2024 – 10:04 PM EDT

PDB ID : 1OVZ
Title : Crystal structure of human FcaRI
Authors : Herr, A.B.; Ballister, E.R.; Bjorkman, P.J.
Deposited on : 2003-03-27
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2511 (3.00-3.00)
Clashscore	180529	2866 (3.00-3.00)
Ramachandran outliers	177936	2778 (3.00-3.00)
Sidechain outliers	177891	2781 (3.00-3.00)
RSRZ outliers	164620	2523 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	
1	B	207	
2	C	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	C	1	X	-	-	-
4	TRS	A	401	-	-	X	-

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 2884 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Immunoglobulin alpha Fc receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	193	1468	943	242	275	8	0	0	0
1	B	181	1338	860	227	244	7	0	0	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	196	ALA	-	expression tag	UNP P24071
A	197	ILE	-	expression tag	UNP P24071
A	198	ASP	-	expression tag	UNP P24071
A	199	GLY	-	expression tag	UNP P24071
A	200	ARG	-	expression tag	UNP P24071
A	201	ALA	-	expression tag	UNP P24071
A	202	HIS	-	expression tag	UNP P24071
A	203	HIS	-	expression tag	UNP P24071
A	204	HIS	-	expression tag	UNP P24071
A	205	HIS	-	expression tag	UNP P24071
A	206	HIS	-	expression tag	UNP P24071
A	207	HIS	-	expression tag	UNP P24071
B	196	ALA	-	expression tag	UNP P24071
B	197	ILE	-	expression tag	UNP P24071
B	198	ASP	-	expression tag	UNP P24071
B	199	GLY	-	expression tag	UNP P24071
B	200	ARG	-	expression tag	UNP P24071
B	201	ALA	-	expression tag	UNP P24071
B	202	HIS	-	expression tag	UNP P24071
B	203	HIS	-	expression tag	UNP P24071
B	204	HIS	-	expression tag	UNP P24071
B	205	HIS	-	expression tag	UNP P24071
B	206	HIS	-	expression tag	UNP P24071
B	207	HIS	-	expression tag	UNP P24071

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	2	28	16	2	10	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0

- Molecule 4 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	8	4	1	3	0	0

4 Data and refinement statistics i

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	158.15Å 158.15Å 39.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.79 – 3.00 24.79 – 3.00	Depositor EDS
% Data completeness (in resolution range)	93.9 (24.79-3.00) 93.7 (24.79-3.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 2.99Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.235 , 0.292 0.225 , 0.286	Depositor DCC
R_{free} test set	991 reflections (10.33%)	wwPDB-VP
Wilson B-factor (Å ²)	46.8	Xtrriage
Anisotropy	0.826	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 68.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.036 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	2884	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/1506	0.70	1/2053 (0.0%)
1	B	0.40	0/1374	0.66	0/1875
All	All	0.42	0/2880	0.68	1/3928 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	6	PRO	N-CA-CB	5.64	110.07	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1468	0	1374	93	0
1	B	1338	0	1189	101	0
2	C	28	0	25	2	0
3	A	14	0	13	1	0
3	B	28	0	26	0	0
4	A	8	0	12	6	0
All	All	2884	0	2639	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:ALA:HB2	1:B:123:LEU:HD23	1.47	0.93
1:A:145:LEU:HD12	1:A:146:PRO:HD2	1.50	0.89
1:B:18:ILE:HG21	1:B:69:MET:HG3	1.59	0.84
1:B:169:ILE:HA	1:B:191:GLU:HA	1.63	0.80
1:A:41:ILE:HB	1:A:50:ILE:HG21	1.62	0.80
1:A:53:ARG:HH12	4:A:401:TRS:H21	1.47	0.80
1:A:36:LEU:HD23	1:A:82:ARG:HH12	1.47	0.79
1:B:84:GLY:O	1:B:87:ARG:HG2	1.83	0.78
1:B:9:PHE:CD2	1:B:29:GLN:HB2	2.20	0.77
1:A:115:LEU:HD13	1:A:162:VAL:HG21	1.66	0.77
1:B:15:SER:OG	1:B:17:VAL:HG22	1.86	0.76
1:A:133:ASP:HB3	1:A:177:ASN:ND2	2.01	0.75
1:A:196:ALA:H	1:B:3:GLY:HA2	1.52	0.74
1:A:145:LEU:HD12	1:A:146:PRO:CD	2.17	0.73
1:A:196:ALA:HB3	1:B:3:GLY:H	1.55	0.71
1:B:8:PRO:HB3	1:B:29:GLN:HG2	1.71	0.70
1:A:101:LEU:CD1	1:A:182:LEU:HD22	2.22	0.70
1:A:28:CYS:O	1:A:61:ASP:HB3	1.92	0.70
1:B:9:PHE:CE2	1:B:29:GLN:HB2	2.28	0.68
1:B:134:ARG:NH2	2:C:2:NAG:H62	2.07	0.68
1:B:133:ASP:HB3	1:B:177:ASN:ND2	2.09	0.68
1:A:196:ALA:HB3	1:B:3:GLY:N	2.09	0.67
1:B:74:ALA:HB2	1:B:98:VAL:HG23	1.77	0.67
1:B:133:ASP:HB3	1:B:177:ASN:HD22	1.60	0.67
1:A:36:LEU:HD23	1:A:82:ARG:NH1	2.09	0.66
1:B:136:SER:HA	1:B:148:HIS:O	1.96	0.66
1:B:42:ILE:HD12	1:B:42:ILE:N	2.11	0.64
1:A:113:LEU:HD22	1:A:190:LEU:HD21	1.80	0.64
1:B:101:LEU:HD22	1:B:182:LEU:HD13	1.80	0.63
1:B:109:ALA:CB	1:B:123:LEU:HD23	2.24	0.63
1:B:75:GLY:HA2	1:B:181:TYR:CD1	2.33	0.63
1:B:14:SER:OG	1:B:24:VAL:HG23	1.99	0.62
1:A:106:PHE:HE1	1:B:45:SER:HB2	1.63	0.62
1:B:88:PHE:N	1:B:88:PHE:HD1	1.97	0.62
1:A:9:PHE:CD2	1:A:29:GLN:HB2	2.35	0.61
1:A:137:LEU:HD11	1:A:170:TYR:HB3	1.81	0.61
1:A:174:GLY:HA3	1:A:184:SER:HB3	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:THR:HG22	1:A:183:TRP:HB2	1.83	0.60
1:B:88:PHE:N	1:B:88:PHE:CD1	2.68	0.60
1:B:83:ILE:HG13	1:B:87:ARG:HH11	1.66	0.60
1:B:52:ARG:HD3	1:B:67:ASP:OD2	2.02	0.60
1:B:17:VAL:O	1:B:17:VAL:HG23	2.01	0.59
1:B:31:ILE:HG12	1:B:81:TYR:CE2	2.37	0.59
1:B:102:TYR:H	1:B:184:SER:HA	1.67	0.59
1:B:109:ALA:HB2	1:B:123:LEU:CD2	2.27	0.59
1:A:12:ALA:HB2	1:A:94:LEU:HD11	1.84	0.59
1:A:133:ASP:HB3	1:A:177:ASN:HD22	1.66	0.59
1:B:137:LEU:HD12	1:B:171:ARG:O	2.02	0.59
1:B:85:HIS:HD2	1:B:87:ARG:HH21	1.49	0.59
1:B:174:GLY:O	1:B:175:TRP:CB	2.51	0.59
1:A:116:MET:N	1:A:119:GLU:OE1	2.37	0.58
1:B:175:TRP:HZ3	1:B:177:ASN:HA	1.68	0.58
1:B:25:LYS:HE2	1:B:63:GLU:OE2	2.03	0.58
1:B:83:ILE:HG13	1:B:87:ARG:NH1	2.19	0.57
1:A:42:ILE:HD11	1:A:47:TYR:CE2	2.38	0.57
1:B:28:CYS:O	1:B:61:ASP:HB3	2.04	0.57
1:B:174:GLY:HA3	1:B:184:SER:HB3	1.85	0.57
1:B:174:GLY:O	1:B:175:TRP:HB2	2.04	0.57
1:B:137:LEU:O	1:B:146:PRO:HB3	2.04	0.57
1:A:82:ARG:HG2	1:A:84:GLY:O	2.05	0.56
1:A:111:ARG:O	1:B:76:ARG:NH2	2.38	0.56
1:A:134:ARG:HG2	1:A:134:ARG:HH11	1.71	0.55
1:A:18:ILE:N	1:A:18:ILE:HD12	2.21	0.55
1:B:138:ALA:HB2	1:B:146:PRO:HG3	1.87	0.55
1:A:174:GLY:O	1:A:175:TRP:CB	2.55	0.55
1:B:18:ILE:HD12	1:B:18:ILE:N	2.22	0.55
1:B:20:LEU:O	1:B:69:MET:O	2.24	0.55
1:B:102:TYR:HB2	1:B:184:SER:HB3	1.89	0.55
1:B:123:LEU:HD22	1:B:190:LEU:CD1	2.37	0.54
1:A:41:ILE:HD13	1:A:42:ILE:N	2.23	0.54
1:A:195:THR:HG21	1:B:5:PHE:O	2.08	0.54
1:B:26:ILE:HD12	1:B:39:LEU:HD21	1.90	0.54
1:A:196:ALA:CB	1:B:3:GLY:H	2.22	0.53
1:B:134:ARG:O	1:B:175:TRP:HB3	2.09	0.53
1:A:13:LYS:HG3	1:A:25:LYS:HD3	1.91	0.53
1:A:129:HIS:O	1:A:131:PRO:HD3	2.09	0.53
1:A:105:PRO:O	1:A:187:SER:HB2	2.09	0.52
1:A:53:ARG:HH12	4:A:401:TRS:C2	2.18	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:ARG:HH21	1:A:149:GLN:HE21	1.56	0.52
1:B:57:TRP:CG	1:B:58:ASN:N	2.77	0.52
1:B:102:TYR:HB2	1:B:184:SER:CB	2.39	0.52
1:B:50:ILE:HG12	1:B:51:GLY:N	2.25	0.52
1:A:134:ARG:HH21	1:A:149:GLN:HG3	1.74	0.52
1:B:83:ILE:HG13	1:B:87:ARG:HG3	1.91	0.52
1:A:101:LEU:HD12	1:A:182:LEU:HB3	1.91	0.51
1:A:30:ALA:O	1:A:31:ILE:HD13	2.11	0.51
1:A:114:VAL:HG22	1:A:193:VAL:CG1	2.40	0.51
1:A:140:GLU:OE1	1:A:171:ARG:HG3	2.11	0.51
1:A:10:ILE:HG12	1:A:10:ILE:O	2.11	0.51
1:A:13:LYS:HA	1:A:13:LYS:HE2	1.93	0.51
1:B:134:ARG:HH21	2:C:2:NAG:H62	1.73	0.51
1:B:178:ARG:C	1:B:180:PRO:HD3	2.31	0.51
1:A:175:TRP:HE3	1:A:176:TYR:N	2.08	0.50
1:A:37:THR:N	4:A:401:TRS:O1	2.44	0.50
1:A:31:ILE:HG12	1:A:81:TYR:CE2	2.46	0.50
1:A:101:LEU:HD11	1:A:182:LEU:HD22	1.92	0.50
1:B:41:ILE:HB	1:B:50:ILE:HG21	1.94	0.50
1:A:137:LEU:HD23	1:A:148:HIS:HD2	1.76	0.49
1:B:123:LEU:HD22	1:B:190:LEU:HD13	1.95	0.49
1:A:114:VAL:HG22	1:A:193:VAL:HG13	1.95	0.49
1:B:178:ARG:O	1:B:180:PRO:HD3	2.13	0.49
1:A:53:ARG:NH1	4:A:401:TRS:H21	2.23	0.49
1:A:163:ASP:O	1:A:165:ASN:N	2.46	0.49
1:A:26:ILE:HD11	1:A:96:LEU:HD11	1.93	0.49
1:B:8:PRO:HD2	1:B:91:SER:HA	1.94	0.48
1:B:95:GLU:O	1:B:96:LEU:HD23	2.13	0.48
1:A:26:ILE:HD12	1:A:39:LEU:HD21	1.95	0.48
1:A:134:ARG:O	1:A:175:TRP:HB3	2.14	0.48
1:A:71:ALA:HA	1:A:182:LEU:HD21	1.96	0.48
1:A:36:LEU:HA	4:A:401:TRS:O1	2.13	0.48
1:A:119:GLU:O	1:A:162:VAL:HG22	2.14	0.48
1:A:174:GLY:N	1:A:184:SER:OG	2.44	0.47
1:B:76:ARG:CD	1:B:93:THR:HG21	2.44	0.47
1:A:74:ALA:HB2	1:A:98:VAL:HG23	1.97	0.47
1:B:10:ILE:O	1:B:10:ILE:HG23	2.14	0.47
1:A:178:ARG:C	1:A:180:PRO:HD3	2.35	0.47
1:A:178:ARG:O	1:A:180:PRO:HD3	2.15	0.47
1:A:196:ALA:N	1:B:3:GLY:HA2	2.22	0.47
1:B:123:LEU:O	1:B:157:PHE:N	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:SER:O	1:A:129:HIS:N	2.43	0.46
1:A:140:GLU:OE1	1:A:171:ARG:NH1	2.48	0.46
1:B:95:GLU:HB2	1:B:145:LEU:HD11	1.97	0.46
1:A:82:ARG:HD2	1:A:85:HIS:O	2.15	0.46
1:B:135:PHE:O	1:B:149:GLN:HA	2.16	0.46
1:B:24:VAL:HG11	1:B:96:LEU:CD1	2.45	0.46
1:A:36:LEU:CA	4:A:401:TRS:O1	2.64	0.46
1:B:79:CYS:O	1:B:90:TYR:HA	2.16	0.46
1:B:102:TYR:HE1	1:B:182:LEU:O	1.99	0.46
1:B:83:ILE:O	1:B:87:ARG:NH1	2.48	0.45
1:B:123:LEU:O	1:B:157:PHE:CB	2.64	0.45
1:A:58:ASN:HD22	1:A:58:ASN:HA	1.58	0.45
1:A:75:GLY:HA2	1:A:181:TYR:CG	2.51	0.45
1:A:134:ARG:HG2	1:A:134:ARG:NH1	2.32	0.45
1:A:174:GLY:O	1:A:175:TRP:HB3	2.17	0.45
1:B:170:TYR:CD1	1:B:170:TYR:N	2.85	0.45
1:A:20:LEU:O	1:A:69:MET:O	2.34	0.44
1:B:75:GLY:HA2	1:B:181:TYR:CG	2.52	0.44
1:A:197:ILE:HG13	1:B:3:GLY:HA3	2.00	0.44
1:A:133:ASP:CB	1:A:177:ASN:HD22	2.30	0.44
1:B:76:ARG:HD3	1:B:93:THR:HG21	1.98	0.44
1:B:19:PRO:O	1:B:20:LEU:C	2.56	0.44
1:A:107:LEU:HD11	1:A:123:LEU:HB3	2.00	0.44
1:B:52:ARG:HG3	1:B:65:VAL:O	2.18	0.44
1:B:76:ARG:HG3	1:B:181:TYR:OH	2.17	0.44
1:B:138:ALA:HB2	1:B:146:PRO:CG	2.48	0.44
1:A:153:HIS:HB2	1:A:154:PRO:HD3	1.99	0.44
1:B:42:ILE:HD12	1:B:42:ILE:H	1.82	0.43
1:B:56:PHE:HB2	1:B:59:GLU:HB2	2.00	0.43
1:B:24:VAL:HG22	1:B:25:LYS:N	2.33	0.43
1:A:9:PHE:CE2	1:A:29:GLN:HB2	2.54	0.43
1:A:19:PRO:O	1:A:20:LEU:C	2.57	0.43
1:B:174:GLY:N	1:B:184:SER:OG	2.50	0.43
1:A:169:ILE:CG2	1:A:189:ALA:HB1	2.48	0.43
1:A:106:PHE:O	1:A:125:CYS:HA	2.19	0.43
1:B:83:ILE:CG1	1:B:87:ARG:HG3	2.49	0.43
1:B:123:LEU:CD2	1:B:190:LEU:HD13	2.48	0.43
1:A:149:GLN:HA	1:A:157:PHE:HE2	1.84	0.43
3:A:320:NAG:O3	3:A:320:NAG:C7	2.65	0.43
1:B:10:ILE:O	1:B:10:ILE:HG12	2.18	0.43
1:B:18:ILE:HG22	1:B:19:PRO:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:GLY:HA2	1:B:181:TYR:CE1	2.54	0.43
1:A:10:ILE:O	1:A:10:ILE:HG23	2.18	0.42
1:A:15:SER:HA	1:A:16:PRO:HD3	1.83	0.42
1:B:5:PHE:HA	1:B:6:PRO:HD3	1.83	0.42
1:B:108:SER:O	1:B:123:LEU:HA	2.20	0.42
1:A:105:PRO:HB2	1:A:125:CYS:SG	2.59	0.42
1:A:77:TYR:CE1	1:A:96:LEU:HD12	2.55	0.42
1:A:115:LEU:O	1:A:194:VAL:HA	2.19	0.42
1:B:132:PHE:HB2	1:B:135:PHE:CE2	2.55	0.42
1:B:146:PRO:HD2	1:B:183:TRP:HH2	1.85	0.42
1:B:165:ASN:C	1:B:167:SER:H	2.24	0.42
1:B:101:LEU:HD13	1:B:182:LEU:HD22	2.02	0.41
1:A:90:TYR:CD1	1:A:90:TYR:N	2.89	0.41
1:A:79:CYS:O	1:A:90:TYR:HA	2.20	0.41
1:A:134:ARG:HD3	1:A:175:TRP:CH2	2.56	0.41
1:A:134:ARG:NH2	1:A:149:GLN:HG3	2.36	0.41
1:B:66:ILE:CG2	1:B:73:LYS:HD3	2.51	0.41
1:A:14:SER:OG	1:A:24:VAL:HG23	2.21	0.41
1:B:129:HIS:O	1:B:131:PRO:HD3	2.21	0.41
1:B:145:LEU:HA	1:B:146:PRO:HD3	1.97	0.41
1:A:102:TYR:CZ	1:A:176:TYR:HD1	2.39	0.40
1:A:156:ASN:OD1	1:A:156:ASN:C	2.60	0.40
1:B:40:MET:HG3	1:B:80:GLN:HB2	2.02	0.40
1:A:163:ASP:H	1:A:166:VAL:HG23	1.87	0.40
1:B:10:ILE:HG22	1:B:92:ASP:OD1	2.21	0.40
1:B:18:ILE:HA	1:B:19:PRO:HD3	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	191/207 (92%)	165 (86%)	17 (9%)	9 (5%)	2	11
1	B	177/207 (86%)	147 (83%)	18 (10%)	12 (7%)	1	5
All	All	368/414 (89%)	312 (85%)	35 (10%)	21 (6%)	1	8

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	20	LEU
1	A	128	ALA
1	A	129	HIS
1	A	160	GLY
1	A	164	LEU
1	A	174	GLY
1	B	3	GLY
1	B	4	ASP
1	B	20	LEU
1	B	59	GLU
1	B	105	PRO
1	B	129	HIS
1	B	166	VAL
1	B	174	GLY
1	B	160	GLY
1	B	162	VAL
1	B	164	LEU
1	A	127	SER
1	A	144	SER
1	A	175	TRP
1	B	175	TRP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	151/180 (84%)	140 (93%)	11 (7%)	11	39
1	B	123/180 (68%)	116 (94%)	7 (6%)	17	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	274/360 (76%)	256 (93%)	18 (7%)	14	43

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ILE
1	A	58	ASN
1	A	59	GLU
1	A	76	ARG
1	A	79	CYS
1	A	88	PHE
1	A	115	LEU
1	A	124	THR
1	A	171	ARG
1	A	175	TRP
1	A	193	VAL
1	B	29	GLN
1	B	33	GLU
1	B	52	ARG
1	B	88	PHE
1	B	101	LEU
1	B	172	CYS
1	B	175	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	GLN
1	A	58	ASN
1	A	80	GLN
1	A	148	HIS
1	A	149	GLN
1	A	177	ASN
1	B	78	GLN
1	B	85	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.69	0	17,19,21	0.76	0
2	NAG	C	2	2	14,14,15	0.56	0	17,19,21	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	1/1/5/7	3/6/23/26	0/1/1/1
2	NAG	C	2	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	1	NAG	C1

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	C	2	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	2	NAG	O7-C7-N2-C2
2	C	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	C	1	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TRS	A	401	-	7,7,7	1.32	1 (14%)	9,9,9	1.73	3 (33%)
3	NAG	B	300	1	14,14,15	0.82	0	17,19,21	0.63	0
3	NAG	B	310	1	14,14,15	0.66	0	17,19,21	0.70	0
3	NAG	A	320	1	14,14,15	0.67	0	17,19,21	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TRS	A	401	-	-	3/9/9/9	-
3	NAG	B	300	1	-	3/6/23/26	0/1/1/1
3	NAG	B	310	1	-	5/6/23/26	0/1/1/1
3	NAG	A	320	1	-	5/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	401	TRS	O2-C2	2.82	1.51	1.42

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	401	TRS	C3-C-C1	-3.22	102.08	110.66
4	A	401	TRS	C1-C-N	2.36	114.19	108.17
4	A	401	TRS	C3-C-C2	2.12	116.31	110.66

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	320	NAG	C3-C2-N2-C7
3	A	320	NAG	C8-C7-N2-C2
3	A	320	NAG	O7-C7-N2-C2
3	B	300	NAG	C8-C7-N2-C2
3	B	300	NAG	O7-C7-N2-C2
3	B	310	NAG	C8-C7-N2-C2
3	B	310	NAG	O7-C7-N2-C2
4	A	401	TRS	C2-C-C1-O1
4	A	401	TRS	N-C-C1-O1
3	B	310	NAG	C4-C5-C6-O6
3	B	300	NAG	O5-C5-C6-O6
3	B	310	NAG	O5-C5-C6-O6
3	A	320	NAG	C4-C5-C6-O6
4	A	401	TRS	C3-C-C1-O1
3	A	320	NAG	O5-C5-C6-O6
3	B	310	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	TRS	6	0
3	A	320	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	193/207 (93%)	-0.12	5 (2%) 57 35	9, 40, 92, 154	0
1	B	181/207 (87%)	0.29	12 (6%) 26 14	7, 55, 113, 160	0
All	All	374/414 (90%)	0.08	17 (4%) 39 22	7, 46, 107, 160	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	198	ASP	5.7
1	B	4	ASP	3.9
1	B	188	ASN	3.3
1	B	152	GLU	3.3
1	B	193	VAL	3.2
1	B	153	HIS	3.1
1	B	147	GLN	3.1
1	B	172	CYS	3.0
1	A	56	PHE	2.9
1	B	163	ASP	2.8
1	A	59	GLU	2.8
1	A	153	HIS	2.7
1	B	167	SER	2.5
1	B	103	GLY	2.5
1	B	125	CYS	2.4
1	A	154	PRO	2.3
1	B	151	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	C	2	14/15	0.22	0.17	130,138,144,151	0
2	NAG	C	1	14/15	0.49	0.19	95,110,119,120	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	320	14/15	0.49	0.18	88,103,112,113	0
3	NAG	B	300	14/15	0.58	0.17	75,90,100,100	0
3	NAG	B	310	14/15	0.65	0.20	94,109,118,119	0
4	TRS	A	401	8/8	0.84	0.14	47,47,47,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.