



# Full wwPDB NMR Structure Validation Report ⓘ

Mar 5, 2026 – 02:51 AM UTC

PDB ID : 1OY2 / pdb\_00001oy2  
Title : Coupling of Folding and Binding in the PTB Domain of the Signaling Protein Shc  
Authors : Farooq, A.; Zeng, L.; Yan, K.S.; Ravichandran, K.S.; Zhou, M.-M.  
Deposited on : 2003-04-03

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	207	

## 2 Ensemble composition and analysis

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2944 atoms, of which 1476 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called SHC transforming protein.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	191	2944	916	1476	269	271	12	0

## 4 Residue-property plots [i](#)

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: SHC transforming protein



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry, simulated annealing, molecular dynamics*.

Of the 200 calculated structures, 1 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	structure solution	
ARIA	structure solution	
ARIA	refinement	

No chemical shift data was provided.

## 6 Model quality

### 6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1468	1476	1470	69
All	All	1468	1476	1470	69

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:50:VAL:HG22	1:A:126:VAL:HG22	0.97	1.32
1:A:115:LEU:O	1:A:115:LEU:HD22	0.72	1.85
1:A:50:VAL:CG2	1:A:126:VAL:HG22	0.71	2.15
1:A:82:ILE:HD13	1:A:160:THR:OG1	0.69	1.86
1:A:77:VAL:HA	1:A:110:LEU:HD11	0.66	1.66
1:A:60:VAL:HG12	1:A:113:SER:OG	0.65	1.92
1:A:133:LEU:N	1:A:133:LEU:HD23	0.63	2.08
1:A:109:ILE:HG12	1:A:110:LEU:HD12	0.61	1.72
1:A:73:THR:HG21	1:A:109:ILE:HG21	0.60	1.72
1:A:115:LEU:HD22	1:A:115:LEU:C	0.59	2.22
1:A:109:ILE:H	1:A:109:ILE:HD13	0.58	1.58
1:A:60:VAL:HG22	1:A:177:CYS:O	0.58	1.98
1:A:54:VAL:HG12	1:A:182:CYS:HB2	0.58	1.76
1:A:107:SER:O	1:A:109:ILE:HD13	0.57	2.00
1:A:69:LEU:C	1:A:69:LEU:HD23	0.56	2.24

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:122:ILE:C	1:A:122:ILE:HD12	0.55	2.26
1:A:109:ILE:HD13	1:A:109:ILE:N	0.54	2.18
1:A:60:VAL:HG11	1:A:81:ALA:HB1	0.54	1.79
1:A:40:HIS:CB	1:A:41:PRO:CD	0.52	2.88
1:A:109:ILE:CG1	1:A:110:LEU:HD12	0.52	2.35
1:A:85:VAL:O	1:A:89:VAL:HG12	0.52	2.05
1:A:50:VAL:HG22	1:A:126:VAL:CG2	0.52	2.22
1:A:40:HIS:CB	1:A:41:PRO:HD3	0.51	2.35
1:A:89:VAL:HG13	1:A:89:VAL:O	0.51	2.06
1:A:76:GLN:CB	1:A:105:PRO:CB	0.49	2.90
1:A:60:VAL:HG23	1:A:60:VAL:O	0.49	2.07
1:A:38:TRP:CE2	1:A:126:VAL:HG21	0.49	2.43
1:A:50:VAL:HG23	1:A:50:VAL:O	0.49	2.08
1:A:122:ILE:HA	1:A:136:ALA:HB3	0.48	1.85
1:A:187:ALA:O	1:A:191:ILE:HG22	0.48	2.08
1:A:133:LEU:N	1:A:133:LEU:CD2	0.47	2.77
1:A:62:VAL:C	1:A:63:LEU:HD22	0.47	2.35
1:A:69:LEU:CD1	1:A:76:GLN:NE2	0.47	2.78
1:A:106:LEU:O	1:A:109:ILE:HD12	0.47	2.08
1:A:87:GLU:OE2	1:A:96:THR:HG21	0.46	2.10
1:A:82:ILE:O	1:A:85:VAL:HG12	0.46	2.11
1:A:133:LEU:HD12	1:A:142:ILE:HG21	0.46	1.86
1:A:54:VAL:CG2	1:A:124:LEU:CB	0.45	2.94
1:A:190:VAL:HG23	1:A:191:ILE:N	0.45	2.26
1:A:60:VAL:HG21	1:A:81:ALA:HB1	0.45	1.88
1:A:81:ALA:HB2	1:A:110:LEU:HD21	0.45	1.89
1:A:73:THR:O	1:A:77:VAL:HG23	0.44	2.12
1:A:168:ALA:HB2	1:A:178:HIS:CD2	0.43	2.47
1:A:61:GLU:CB	1:A:112:ARG:O	0.43	2.67
1:A:76:GLN:CB	1:A:105:PRO:HB3	0.43	2.44
1:A:39:LEU:HD13	1:A:52:TYR:OH	0.42	2.13
1:A:42:ASN:O	1:A:45:VAL:CG2	0.42	2.67
1:A:60:VAL:CG1	1:A:113:SER:OG	0.42	2.67
1:A:105:PRO:HG2	1:A:109:ILE:HD11	0.42	1.90
1:A:107:SER:O	1:A:109:ILE:CD1	0.42	2.67
1:A:38:TRP:O	1:A:40:HIS:N	0.42	2.52
1:A:75:THR:OG1	1:A:76:GLN:N	0.42	2.51
1:A:44:LYS:O	1:A:49:GLY:N	0.42	2.51
1:A:50:VAL:CG2	1:A:50:VAL:O	0.42	2.67
1:A:69:LEU:HD23	1:A:70:ASP:CB	0.42	2.44
1:A:198:PHE:O	1:A:199:GLU:CB	0.42	2.68
1:A:32:ASN:OD1	1:A:32:ASN:N	0.42	2.52

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:46:MET:HG2	1:A:128:THR:HG21	0.42	1.92
1:A:82:ILE:O	1:A:85:VAL:CG1	0.42	2.68
1:A:187:ALA:O	1:A:191:ILE:CG2	0.42	2.68
1:A:38:TRP:NE1	1:A:189:ASP:CB	0.42	2.83
1:A:77:VAL:HG13	1:A:110:LEU:HG	0.42	1.90
1:A:54:VAL:CG2	1:A:124:LEU:HB3	0.41	2.45
1:A:76:GLN:HB3	1:A:105:PRO:CB	0.41	2.45
1:A:170:ASP:N	1:A:171:PRO:O	0.41	2.53
1:A:133:LEU:HD12	1:A:142:ILE:CG2	0.40	2.46
1:A:172:VAL:O	1:A:173:ASN:CB	0.40	2.69
1:A:38:TRP:HB2	1:A:197:ALA:HB2	0.40	1.92
1:A:80:GLU:HB2	1:A:105:PRO:CD	0.40	2.47

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	189/207 (91%)	116 (61%)	49 (26%)	24 (13%)	0	6
All	All	189/207 (91%)	116 (61%)	49 (26%)	24 (13%)	0	6

All 24 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	22	GLU
1	A	32	ASN
1	A	40	HIS
1	A	58	GLY
1	A	64	GLN
1	A	65	SER
1	A	73	THR
1	A	93	LYS
1	A	94	GLY
1	A	98	ARG
1	A	104	ARG

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	111	GLY
1	A	116	LYS
1	A	149	SER
1	A	151	SER
1	A	160	THR
1	A	173	ASN
1	A	174	GLN
1	A	193	THR
1	A	195	GLY
1	A	196	GLN
1	A	199	GLU
1	A	200	LEU
1	A	204	GLN

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	159/170 (94%)	107 (67%)	52 (33%)	<b>1</b> <b>13</b>
All	All	159/170 (94%)	107 (67%)	52 (33%)	<b>1</b> <b>13</b>

All 52 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	19	LEU
1	A	24	TRP
1	A	25	THR
1	A	29	SER
1	A	33	LYS
1	A	43	ASP
1	A	44	LYS
1	A	45	VAL
1	A	52	TYR
1	A	54	VAL
1	A	55	ARG
1	A	64	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	65	SER
1	A	66	MET
1	A	73	THR
1	A	75	THR
1	A	76	GLN
1	A	83	SER
1	A	84	LEU
1	A	86	CYS
1	A	93	LYS
1	A	100	LYS
1	A	107	SER
1	A	109	ILE
1	A	115	LEU
1	A	116	LYS
1	A	120	MET
1	A	123	THR
1	A	126	VAL
1	A	127	SER
1	A	128	THR
1	A	129	SER
1	A	131	LEU
1	A	133	LEU
1	A	134	MET
1	A	138	CYS
1	A	139	LYS
1	A	144	ASN
1	A	146	HIS
1	A	150	ILE
1	A	154	SER
1	A	160	THR
1	A	162	GLU
1	A	163	TYR
1	A	166	TYR
1	A	180	LEU
1	A	189	ASP
1	A	192	SER
1	A	199	GLU
1	A	200	LEU
1	A	202	PHE
1	A	203	LYS

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided