

Full wwPDB X-ray Structure Validation Report (i)

May 29, 2024 - 06:09 PM EDT

PDB ID : 1VBB

Title: POLIOVIRUS (TYPE 3, SABIN STRAIN) (P3/SABIN, P3/LEON/12A(1)B)

COMPLEXED WITH R80633

Authors: Grant, R.A.; Hiremath, C.N.; Filman, D.J.; Syed, R.; Andries, K.; Hogle, J.M.

Deposited on : 1996-01-02

Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : NOT EXECUTED

EDS : NOT EXECUTED

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\ DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain	
1	0	4	75%	25%
2	1	300	73%	16% • • 7%
3	2	271	79%	17% ••
4	3	235	87%	12%
5	4	68	72%	16% • 9%



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 6660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	0	4	Total 30	C 19	N 4	O 7	0	0	0

• Molecule 2 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
2	1	279	Total	С	N	О	S	0	0	0
	1	219	2214	1408	383	416	7			

• Molecule 3 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
3	2	266	Total 2088	C 1330	N 354	O 392	S 12	0	0	0

• Molecule 4 is a protein called POLIOVIRUS TYPE 3.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
4	3	235	Total 1812	C 1150	N 296	O 348	S 18	0	0	0

• Molecule 5 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
5	4	62	Total 472	C 291	N 79	O 102	0	0	0


• Molecule 6 is (METHYLPYRIDAZINE PIPERIDINE BUTYLOXYPHENYL)ETHYLACE TATE (three-letter code: J80) (formula: C₂₃H₃₁N₃O₃).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	1	1	Total	С	N	О	0	0
0	1	1	29	23	3	3	0	U

 \bullet Molecule 7 is MYRISTIC ACID (three-letter code: MYR) (formula: $\mathrm{C_{14}H_{28}O_2}).$



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	4	1	Total 15	C 14	O 1	0	0



Chain 4:

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

• Molecule 1: POLIOVIRUS TYPE 3 Chain 0: 75% 25% • Molecule 2: POLIOVIRUS TYPE 3 Chain 1: 73% • Molecule 3: POLIOVIRUS TYPE 3 Chain 2: 17% • Molecule 4: POLIOVIRUS TYPE 3 Chain 3: 87% • Molecule 5: POLIOVIRUS TYPE 3

72%



16%





4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants	321.06Å 358.62Å 381.82Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.80	Depositor
% Data completeness	(Not available) ((Not available)-2.80)	Depositor
(in resolution range)		Берозгог
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.278 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6660	wwPDB-VP
Average B, all atoms (Å ²)	6.0	wwPDB-VP



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, J80

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bo	ond angles
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	0	0.96	0/29	1.65	1/38~(2.6%)
2	1	0.73	0/2278	1.44	28/3111 (0.9%)
3	2	0.76	0/2146	1.52	$25/2926 \ (0.9\%)$
4	3	0.74	0/1857	1.35	$11/2533 \ (0.4\%)$
5	4	0.70	0/479	1.38	1/647~(0.2%)
All	All	0.74	0/6789	1.44	$66/9255 \ (0.7\%)$

There are no bond length outliers.

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
3	2	87	ARG	NE-CZ-NH1	10.30	125.45	120.30
3	2	62	ARG	NE-CZ-NH2	-9.96	115.32	120.30
2	1	288	ARG	NE-CZ-NH2	-9.81	115.39	120.30
3	2	62	ARG	NE-CZ-NH1	8.98	124.79	120.30
3	2	103	ARG	NE-CZ-NH1	8.49	124.55	120.30
2	1	170	TRP	CD1-CG-CD2	8.36	112.98	106.30
3	2	226	TRP	CD1-CG-CD2	8.29	112.93	106.30
4	3	110	TRP	CD1-CG-CD2	8.25	112.90	106.30
3	2	87	ARG	NE-CZ-NH2	-8.23	116.18	120.30
2	1	175	TRP	CD1-CG-CD2	8.21	112.86	106.30
3	2	38	TRP	CD1-CG-CD2	8.11	112.79	106.30
3	2	78	TRP	CD1-CG-CD2	8.10	112.78	106.30
2	1	270	TRP	CD1-CG-CD2	7.96	112.67	106.30
2	1	175	TRP	CE2-CD2-CG	-7.78	101.08	107.30
3	2	79	TRP	CD1-CG-CD2	7.77	112.51	106.30
3	2	80	TRP	CD1-CG-CD2	7.66	112.42	106.30
3	2	226	TRP	CE2-CD2-CG	-7.58	101.23	107.30
2	1	70	ARG	NE-CZ-NH1	7.53	124.06	120.30
4	3	110	TRP	CE2-CD2-CG	-7.51	101.30	107.30



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	$\overline{ \mathbf{Type} }$	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
2	1	108	TRP	CE2-CD2-CG	-7.50	101.30	107.30
3	2	80	TRP	CE2-CD2-CG	-7.48	101.32	107.30
2	1	108	TRP	CD1-CG-CD2	7.47	112.27	106.30
3	2	79	TRP	CE2-CD2-CG	-7.38	101.40	107.30
3	2	71	TRP	CD1-CG-CD2	7.33	112.17	106.30
3	2	78	TRP	CE2-CD2-CG	-7.16	101.57	107.30
4	3	170	TRP	CE2-CD2-CG	-7.15	101.58	107.30
4	3	170	TRP	CD1-CG-CD2	7.07	111.96	106.30
2	1	170	TRP	CE2-CD2-CG	-7.04	101.66	107.30
3	2	71	TRP	CE2-CD2-CG	-7.04	101.67	107.30
3	2	38	TRP	CE2-CD2-CG	-7.01	101.69	107.30
4	3	156	TRP	CE2-CD2-CG	-7.01	101.69	107.30
3	2	103	ARG	NE-CZ-NH2	-6.93	116.84	120.30
2	1	109	ARG	NE-CZ-NH2	-6.84	116.88	120.30
4	3	156	TRP	CD1-CG-CD2	6.79	111.73	106.30
2	1	270	TRP	CE2-CD2-CG	-6.77	101.89	107.30
2	1	64	ARG	NE-CZ-NH1	6.49	123.54	120.30
2	1	129	ARG	NE-CZ-NH2	-6.32	117.14	120.30
2	1	193	ARG	NE-CZ-NH1	6.31	123.45	120.30
2	1	276	ARG	NE-CZ-NH1	6.21	123.41	120.30
2	1	100	ARG	NE-CZ-NH1	6.04	123.32	120.30
4	3	85	LEU	CA-CB-CG	5.90	128.86	115.30
2	1	83	ARG	NE-CZ-NH1	5.77	123.18	120.30
2	1	288	ARG	NE-CZ-NH1	5.67	123.13	120.30
4	3	226	ARG	NE-CZ-NH2	-5.64	117.48	120.30
4	3	223	ARG	NE-CZ-NH2	-5.60	117.50	120.30
3	2	130	TYR	CB-CG-CD2	-5.51	117.69	121.00
2	1	107	MET	CG-SD-CE	-5.49	91.42	100.20
3	2	203	ASN	CB-CA-C	-5.45	99.51	110.40
2	1	108	TRP	CG-CD2-CE3	5.44	138.80	133.90
2	1	175	TRP	CG-CD2-CE3	5.38	138.74	133.90
3	2	226	TRP	CG-CD1-NE1	-5.37	104.73	110.10
2	1	287	TYR	CB-CG-CD2	-5.27	117.84	121.00
3	2	37	ARG	NE-CZ-NH1	5.25	122.92	120.30
4	3	180	THR	CB-CA-C	-5.25	97.43	111.60
2	1	170	TRP	CG-CD1-NE1	-5.21	104.89	110.10
2	1	109	ARG	NE-CZ-NH1	5.17	122.89	120.30
5	4	4	GLN	N-CA-CB	-5.17	101.29	110.60
2	1	83	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	0	8	GLU	CA-CB-CG	5.13	124.68	113.40
4	3	180	THR	N-CA-CB	5.13	120.04	110.30
2	1	146	ASN	N-CA-C	5.10	124.77	111.00



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$Ideal(^{o})$
3	2	43	ARG	NE-CZ-NH1	5.09	122.85	120.30
3	2	80	TRP	CG-CD1-NE1	-5.08	105.02	110.10
2	1	289	ASN	CA-CB-CG	-5.06	102.27	113.40
2	1	69	ARG	NE-CZ-NH2	-5.04	117.78	120.30
3	2	152	ARG	CB-CA-C	-5.00	100.39	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	30	0	30	0	0
2	1	2214	0	2150	32	0
3	2	2088	0	2005	25	0
4	3	1812	0	1792	16	0
5	4	472	0	453	6	0
6	1	29	0	31	3	0
7	4	15	0	27	0	0
All	All	6660	0	6488	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
2:1:143:THR:HG21	2:1:253:LYS:HD3	1.62	0.80
2:1:107:MET:HE3	2:1:167:PRO:HD2	1.69	0.75
2:1:288:ARG:HE	3:2:162:LYS:HZ2	1.36	0.73
2:1:288:ARG:HE	3:2:162:LYS:NZ	1.93	0.66
3:2:238:PHE:HB3	3:2:244:VAL:HG21	1.80	0.63
3:2:271:GLN:NE2	3:2:271:GLN:HA	2.16	0.61
3:2:271:GLN:HA	3:2:271:GLN:HE21	1.65	0.61
2:1:132:MET:SD	2:1:262:MET:HG2	2.41	0.59



 $Continued\ from\ previous\ page...$

Continued from pred		Interatomic	Clash
Atom-1	Atom-2	${ m distance} \ ({ m \AA})$	overlap (Å)
2:1:222:ASN:HD22	2:1:224:GLN:HB2	1.68	0.59
3:2:116:LYS:HD3	4:3:124:MET:SD	2.44	0.58
3:2:179:LEU:HA	3:2:184:VAL:O	2.05	0.57
2:1:294:LEU:HD13	4:3:67:MET:SD	2.45	0.56
2:1:191:PRO:HG2	4:3:13:TYR:HB2	1.88	0.56
3:2:186:LEU:HD22	4:3:65:MET:CE	2.38	0.54
2:1:96:GLN:HG2	2:1:249:HIS:CE1	2.43	0.54
4:3:66:ASP:HA	4:3:69:ARG:HD2	1.90	0.53
4:3:194:TYR:HE1	4:3:198:ILE:HD13	1.75	0.52
2:1:181:PRO:HB2	6:1:500:J80:H3	1.93	0.51
3:2:136:SER:HB3	3:2:138:LYS:H	1.76	0.51
2:1:110:ILE:HD13	6:1:500:J80:H9	1.92	0.51
2:1:145:ALA:O	2:1:146:ASN:HB2	2.10	0.51
2:1:40:GLU:HB3	5:4:64:THR:HB	1.93	0.51
4:3:44:MET:HE3	4:3:47:ALA:HB3	1.92	0.50
4:3:167:VAL:O	4:3:169:PRO:HD3	2.12	0.50
2:1:230:TYR:OH	3:2:131:CYS:HA	2.11	0.49
4:3:87:LEU:HD11	4:3:114:LEU:HD12	1.94	0.49
3:2:135:ASP:HB3	3:2:163:ASP:HB3	1.95	0.49
2:1:148:GLY:O	2:1:149:HIS:ND1	2.47	0.48
2:1:70:ARG:NH2	4:3:219:ASP:O	2.47	0.48
2:1:130:PHE:CE1	2:1:132:MET:HE2	2.48	0.48
3:2:186:LEU:HD22	4:3:65:MET:HE1	1.95	0.48
3:2:27:GLU:HB2	3:2:203:ASN:OD1	2.14	0.47
3:2:32:VAL:HG13	5:4:56:PRO:HB2	1.95	0.47
2:1:27:LEU:HD11	4:3:221:SER:HB3	1.96	0.47
2:1:150:ALA:HA	2:1:250:ASN:ND2	2.30	0.47
2:1:215:VAL:HG21	3:2:221:VAL:HG12	1.96	0.46
2:1:133:GLU:HB2	2:1:265:LYS:HE2	1.98	0.46
2:1:146:ASN:HD22	2:1:147:ASN:N	2.14	0.46
3:2:37:ARG:O	3:2:210:PRO:HG3	2.15	0.46
2:1:205:TYR:CZ	6:1:500:J80:H22	2.51	0.46
5:4:10:VAL:HG21	5:4:25:ILE:HD12	1.98	0.46
2:1:97:PRO:HD3	2:1:249:HIS:CD2	2.51	0.45
3:2:201:THR:HG23	5:4:68:LEU:HD11	1.98	0.45
3:2:238:PHE:HB3	3:2:244:VAL:CG2	2.45	0.45
5:4:6:SER:HB2	5:4:27:TYR:CE1	2.52	0.44
3:2:266:THR:HG22	3:2:268:PRO:HD3	2.00	0.44
2:1:193:ARG:HG2	4:3:21:SER:HB3	2.00	0.43
2:1:48:GLU:HA	3:2:196:ILE:HB	2.01	0.43
3:2:134:GLY:HA2	3:2:173:PHE:HA	2.01	0.43



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${ m distance}({ m \AA})$	overlap (Å)
3:2:84:ASP:O	3:2:87:ARG:HG2	2.19	0.42
2:1:275:PRO:HG2	4:3:102:GLU:HG3	2.01	0.42
3:2:122:LEU:HB2	3:2:197:ILE:HB	2.01	0.42
2:1:98:THR:N	2:1:102:GLN:HE22	2.17	0.42
3:2:137:ASP:N	3:2:162:LYS:HE2	2.34	0.42
4:3:64:THR:O	4:3:67:MET:HG2	2.20	0.41
2:1:173:TYR:O	2:1:176:GLN:HB2	2.20	0.41
4:3:194:TYR:CE1	4:3:198:ILE:HD13	2.54	0.41
2:1:146:ASN:HD22	2:1:147:ASN:H	1.69	0.40
2:1:54:PRO:HG3	5:4:55:GLU:OE2	2.22	0.40
2:1:274:PRO:HB3	3:2:188:ASN:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	0	2/4~(50%)	1 (50%)	0	1 (50%)	0	0
2	1	277/300 (92%)	251 (91%)	24 (9%)	2 (1%)	22	53
3	2	264/271 (97%)	243 (92%)	15 (6%)	6 (2%)	6	21
4	3	$233/235 \ (99\%)$	226 (97%)	7 (3%)	0	100	100
5	4	58/68 (85%)	48 (83%)	8 (14%)	2 (3%)	3	13
All	All	834/878 (95%)	769 (92%)	54 (6%)	11 (1%)	12	36

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	2	7	CYS
3	2	166	VAL
5	4	15	ASN



Continued from previous page...

Mol	Chain	Res	Type
3	2	165	ALA
2	1	146	ASN
3	2	8	GLY
3	2	163	ASP
1	0	8	GLU
3	2	48	ASN
2	1	237	ASP
5	4	11	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	0	4/4 (100%)	3 (75%)	1 (25%)	0 2
2	1	241/258 (93%)	230 (95%)	11 (5%)	27 60
3	2	$224/229 \ (98\%)$	216 (96%)	8 (4%)	35 69
4	3	210/210 (100%)	204 (97%)	6 (3%)	42 76
5	4	53/56~(95%)	49 (92%)	4 (8%)	13 37
All	All	732/757 (97%)	702 (96%)	30 (4%)	30 64

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	8	GLU
2	1	24	GLN
2	1	42	PRO
2	1	83	ARG
2	1	96	GLN
2	1	100	ARG
2	1	143	THR
2	1	146	ASN
2	1	193	ARG
2	1	218	LYS
2	1	222	ASN



Continued from previous page...

Mol	Chain	Res	Type
2	1	252	THR
3	2	12	ARG
3	2	62	ARG
3	2	87	ARG
3	2	103	ARG
3	2	161	ASN
3	2	164	ASN
3	2	240	GLN
3	2	241	ASP
4	3	44	MET
4	3	64	THR
4	3	149	MET
4	3	207	SER
4	3	218	ASN
4	3	224	LEU
5	4	15	ASN
5	4	56	PRO
5	4	62	ILE
5	4	69	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
2	1	94	ASN
2	1	102	GLN
2	1	146	ASN
2	1	153	GLN
2	1	224	GLN
2	1	250	ASN
3	2	139	GLN
3	2	271	GLN
4	3	97	HIS
5	4	13	HIS
5	4	69	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

	Mol	Type Chain		n Res	Link	Bond lengths			Bond angles		
	MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
Ī	6	J80	1	500	-	31,31,31	1.47	3 (9%)	39,40,40	2.68	10 (25%)
	7	MYR	4	1	5	14,14,15	0.44	0	13,13,15	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

N.	Iol	Type	Chain	Res	Link	Chirals	Torsions	Rings
	6	J80	1	500	-	-	6/19/29/29	0/3/3/3
	7	MYR	4	1	5	-	2/11/12/13	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	Ideal(A)
6	1	500	J80	O25-C23	4.82	1.45	1.33
6	1	500	J80	C20-C23	-4.81	1.38	1.50
6	1	500	J80	O25-C26	-2.36	1.39	1.46

All (10) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$Ideal(^{o})$
6	1	500	J80	C1-C2-N3	12.48	122.13	116.24
6	1	500	J80	C11-N6-C7	5.14	122.86	111.52
6	1	500	J80	O25-C26-C27	4.04	123.28	108.42
6	1	500	J80	C4-C5-N4	-3.93	117.99	123.86
6	1	500	J80	C5-N4-N3	3.32	122.36	118.97
6	1	500	J80	C10-C11-N6	3.15	117.60	111.10
6	1	500	J80	C1-C2-C3	-3.04	115.41	121.63
6	1	500	J80	C4-C5-N6	-2.74	116.79	121.70
6	1	500	J80	O25-C23-C20	2.33	116.21	112.14
6	1	500	J80	C4-C3-C2	-2.24	117.71	119.94

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	1	500	J80	C20-C23-O25-C26
6	1	500	J80	O24-C23-O25-C26
6	1	500	J80	C22-C17-O16-C15
6	1	500	J80	C13-C14-C15-O16
6	1	500	J80	C18-C17-O16-C15
6	1	500	J80	C14-C15-O16-C17
7	4	1	MYR	C9-C10-C11-C12
7	4	1	MYR	C7-C8-C9-C10


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	1	500	J80	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

