



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2021 – 10:15 AM EDT

PDB ID : 1YOM  
Title : Crystal structure of Src kinase domain in complex with Purvalanol A  
Authors : Breitenlechner, C.B.; Kairies, N.A.; Honold, K.; Scheiblich, S.; Koll, H.; Greiter, E.; Koch, S.; Schaefer, W.; Huber, R.; Engh, R.A.  
Deposited on : 2005-01-27  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	283	
1	B	283	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4347 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase Src.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	260	Total 2081	C 1333	N 349	O 383	S 16	0	0	0
1	B	261	Total 2088	C 1339	N 349	O 384	S 16	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	344	ASN	SER	engineered mutation	UNP P12931
A	369	SER	ALA	engineered mutation	UNP P12931
A	418	TRP	TYR	engineered mutation	UNP P12931
B	344	ASN	SER	engineered mutation	UNP P12931
B	369	SER	ALA	engineered mutation	UNP P12931
B	418	TRP	TYR	engineered mutation	UNP P12931

- Molecule 2 is 2-({6-[(3-CHLOROPHENYL)AMINO]-9-ISOPROPYL-9H-PURIN-2-YL}AMINO)-3-METHYLBUTAN-1-OL (three-letter code: P01) (formula: C<sub>19</sub>H<sub>25</sub>ClN<sub>6</sub>O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			27	19	1	6	1		
2	B	1	Total	C	Cl	N	O	0	0
			27	19	1	6	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	59	Total	O	0	0
			59	59		
3	B	65	Total	O	0	0
			65	65		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Proto-oncogene tyrosine-protein kinase Src

Chain A: 



- Molecule 1: Proto-oncogene tyrosine-protein kinase Src

Chain B: 



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	41.70Å 63.08Å 74.06Å 100.61° 88.86° 89.89°	Depositor
Resolution (Å)	12.00 – 2.90	Depositor
% Data completeness (in resolution range)	92.9 (12.00-2.90)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.217 , 0.313	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4347	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: P01

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.71	0/2131	0.86	4/2887 (0.1%)
1	B	0.68	0/2139	0.85	3/2899 (0.1%)
All	All	0.70	0/4270	0.86	7/5786 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	367	ASP	CB-CG-OD2	6.93	124.53	118.30
1	A	260	ASP	CB-CG-OD2	6.79	124.41	118.30
1	B	475	ASP	CB-CG-OD2	6.75	124.38	118.30
1	B	260	ASP	CB-CG-OD2	6.22	123.89	118.30
1	A	446	ASP	CB-CG-OD1	5.79	123.51	118.30
1	B	352	LEU	CA-CB-CG	5.54	128.04	115.30
1	A	406	ASP	CB-CG-OD2	5.13	122.92	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2081	0	2065	38	0
1	B	2088	0	2063	36	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	27	0	25	5	0
2	B	27	0	25	6	0
3	A	59	0	0	2	0
3	B	65	0	0	2	0
All	All	4347	0	4178	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:454:LEU:O	1:A:458:THR:OG1	1.91	0.89
1:A:529:TYR:OH	1:A:535:LEU:OXT	1.99	0.80
1:B:387:ARG:HD3	3:B:586:HOH:O	1.81	0.77
1:A:325:VAL:HG11	2:A:1:P01:H122	1.74	0.69
1:A:348:LEU:HB2	1:A:394:ILE:HB	1.76	0.68
1:B:343:MET:O	2:B:2:P01:H2A	1.96	0.66
1:A:492:SER:OG	1:A:526:GLU:OE1	2.12	0.64
1:B:365:LEU:HD13	1:B:457:LEU:O	1.99	0.63
1:B:369:SER:HB3	1:B:457:LEU:CD1	2.30	0.62
1:B:453:LEU:O	1:B:453:LEU:HD12	2.01	0.61
1:B:364:GLN:O	1:B:368:MET:HG3	2.01	0.60
2:A:1:P01:N1	2:A:1:P01:H6A	2.18	0.59
1:A:404:VAL:O	1:A:405:ALA:HB2	2.03	0.58
1:B:428:ILE:CD1	1:B:436:ALA:HB1	2.32	0.58
1:A:340:THR:OG1	2:A:1:P01:H113	2.05	0.57
1:A:283:VAL:HG22	1:A:297:LYS:HG3	1.88	0.56
1:B:349:LEU:HD23	1:B:392:ALA:HB2	1.88	0.56
1:A:285:MET:HG3	1:A:342:TYR:CZ	2.40	0.56
1:A:428:ILE:CD1	1:A:436:ALA:HB1	2.36	0.55
1:A:349:LEU:O	1:A:353:LYS:HB2	2.08	0.53
1:B:368:MET:HB3	1:B:402:CYS:SG	2.48	0.52
1:A:341:GLU:O	2:A:1:P01:H8	2.10	0.52
1:B:444:LYS:NZ	1:B:508:ARG:O	2.26	0.52
1:B:348:LEU:HD11	1:B:457:LEU:HD21	1.91	0.52
1:A:365:LEU:HA	1:A:368:MET:HG3	1.91	0.52
1:A:430:TRP:HE1	1:A:456:GLU:CD	2.13	0.52
2:B:2:P01:N1	2:B:2:P01:H6A	2.25	0.51
1:B:443:ILE:O	1:B:446:ASP:HB2	2.10	0.51
1:A:266:ARG:NH1	1:A:331:VAL:HG11	2.26	0.50

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:497:MET:HB3	1:B:501:TRP:CH2	2.47	0.50
1:A:353:LYS:HG2	3:A:584:HOH:O	2.12	0.50
1:A:365:LEU:HD13	1:A:457:LEU:O	2.11	0.49
1:A:348:LEU:HD22	1:A:352:LEU:HD22	1.95	0.48
1:B:487:PRO:HB3	3:B:600:HOH:O	2.14	0.48
1:A:404:VAL:O	1:A:405:ALA:CB	2.62	0.48
1:A:272:GLU:OE1	1:A:287:THR:OG1	2.32	0.48
1:B:435:ALA:HB1	1:B:441:PHE:CE2	2.50	0.47
1:A:334:GLU:HA	1:A:335:PRO:C	2.34	0.47
1:A:293:ARG:HG2	1:A:342:TYR:CD2	2.49	0.47
1:A:348:LEU:HD11	1:A:457:LEU:HD21	1.95	0.47
1:B:331:VAL:O	1:B:336:ILE:HG23	2.15	0.46
1:B:268:SER:HA	1:B:289:ASN:ND2	2.29	0.46
1:B:275:LEU:HD12	1:B:283:VAL:HG12	1.97	0.46
1:A:374:SER:HA	1:A:515:GLN:OE1	2.15	0.45
1:B:369:SER:HB3	1:B:457:LEU:HD13	1.97	0.45
1:A:363:PRO:HA	1:A:522:PHE:CE2	2.52	0.45
1:A:500:CYS:O	1:A:508:ARG:HG2	2.17	0.45
1:A:315:VAL:HG23	1:A:316:MET:N	2.31	0.45
1:A:343:MET:O	2:A:1:P01:H2A	2.17	0.45
1:B:344:ASN:HD22	1:B:345:LYS:HG2	1.82	0.45
1:A:504:GLU:HA	1:A:505:PRO:HD3	1.86	0.44
2:B:2:P01:H272	2:B:2:P01:O24	2.18	0.44
1:B:326:GLN:HG2	1:B:341:GLU:OE1	2.19	0.43
1:B:496:LEU:HD22	1:B:517:PHE:CD1	2.53	0.43
1:B:432:ALA:HB2	1:B:448:TRP:CB	2.49	0.43
1:A:368:MET:HB3	1:A:402:CYS:SG	2.58	0.43
1:B:325:VAL:HG11	2:B:2:P01:H122	2.01	0.43
1:A:262:TRP:NE1	1:A:317:LYS:HG2	2.34	0.42
1:A:390:ARG:HB3	1:A:430:TRP:CD1	2.54	0.42
1:B:447:VAL:HG13	1:B:514:LEU:HD11	2.01	0.42
1:B:352:LEU:HG	1:B:460:LYS:HA	2.01	0.42
1:A:523:THR:HG22	3:A:590:HOH:O	2.18	0.42
1:B:325:VAL:HG11	2:B:2:P01:C12	2.48	0.42
1:B:331:VAL:HB	1:B:337:TYR:HB2	2.02	0.42
1:B:269:LEU:N	1:B:269:LEU:HD23	2.35	0.41
1:B:428:ILE:HD12	1:B:436:ALA:HB1	2.01	0.41
1:B:504:GLU:HA	1:B:505:PRO:HD3	1.91	0.41
1:B:283:VAL:HG21	2:B:2:P01:H263	2.03	0.41
1:A:269:LEU:HD21	1:A:339:VAL:HG21	2.03	0.41
1:A:458:THR:HG21	1:A:489:CYS:SG	2.61	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:TRP:O	1:B:291:THR:O	2.39	0.41
1:A:280:PHE:HA	1:A:303:THR:HG21	2.03	0.41
1:A:463:VAL:HG12	1:A:464:PRO:O	2.20	0.41
1:B:362:LEU:HD13	1:B:535:LEU:HD13	2.03	0.41
1:B:363:PRO:HA	1:B:522:PHE:CE2	2.56	0.41
1:A:499:GLN:O	1:A:508:ARG:HG3	2.22	0.40
1:B:481:TYR:O	1:B:482:ARG:HG2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/283 (90%)	223 (87%)	28 (11%)	5 (2%)	7	27
1	B	257/283 (91%)	223 (87%)	28 (11%)	6 (2%)	6	23
All	All	513/566 (91%)	446 (87%)	56 (11%)	11 (2%)	7	26

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	289	ASN
1	B	303	THR
1	A	405	ALA
1	A	292	THR
1	A	312	GLU
1	B	400	LEU
1	B	270	ARG
1	B	301	PRO
1	A	303	THR
1	B	305	SER
1	A	487	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/244 (92%)	192 (86%)	32 (14%)	3	10
1	B	224/244 (92%)	200 (89%)	24 (11%)	6	20
All	All	448/488 (92%)	392 (88%)	56 (12%)	4	14

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	257	LEU
1	A	259	LYS
1	A	266	ARG
1	A	267	GLU
1	A	279	CYS
1	A	285	MET
1	A	293	ARG
1	A	294	VAL
1	A	297	LYS
1	A	300	LYS
1	A	303	THR
1	A	304	MET
1	A	307	GLU
1	A	318	LYS
1	A	322	GLU
1	A	332	SER
1	A	333	GLU
1	A	334	GLU
1	A	348	LEU
1	A	368	MET
1	A	399	ASN
1	A	406	ASP
1	A	428	ILE
1	A	440	ARG
1	A	445	SER
1	A	449	SER
1	A	458	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	471	ARG
1	A	472	GLU
1	A	493	LEU
1	A	499	GLN
1	A	509	PRO
1	B	264	ILE
1	B	267	GLU
1	B	287	THR
1	B	292	THR
1	B	300	LYS
1	B	303	THR
1	B	304	MET
1	B	305	SER
1	B	307	GLU
1	B	309	PHE
1	B	318	LYS
1	B	334	GLU
1	B	344	ASN
1	B	348	LEU
1	B	349	LEU
1	B	352	LEU
1	B	453	LEU
1	B	471	ARG
1	B	489	CYS
1	B	493	LEU
1	B	499	GLN
1	B	512	GLU
1	B	524	SER
1	B	529	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	326	GLN
1	A	476	GLN
1	B	289	ASN
1	B	344	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	P01	B	2	-	26,29,29	1.08	3 (11%)	32,41,41	2.88	7 (21%)
2	P01	A	1	-	26,29,29	1.12	3 (11%)	32,41,41	3.19	9 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	P01	B	2	-	-	2/18/18/18	0/3/3/3
2	P01	A	1	-	-	2/18/18/18	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	P01	C6-N1	2.70	1.36	1.32
2	A	1	P01	C6-N1	2.57	1.36	1.32
2	B	2	P01	C5-C4	-2.56	1.34	1.40
2	A	1	P01	C8-N7	2.52	1.39	1.34
2	B	2	P01	C8-N7	2.23	1.38	1.34
2	A	1	P01	C5-C4	-2.20	1.35	1.40

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	P01	C8-N9-C10	11.58	136.79	125.42
2	B	2	P01	C8-N9-C10	10.48	135.71	125.42
2	A	1	P01	C10-N9-C4	-9.36	116.03	127.15
2	B	2	P01	C10-N9-C4	-7.61	118.12	127.15
2	A	1	P01	N6-C6-N1	6.28	124.55	118.66
2	B	2	P01	N6-C6-N1	5.94	124.24	118.66
2	B	2	P01	N3-C2-N1	-3.79	120.24	126.23
2	A	1	P01	C5-C6-N1	-3.78	117.67	120.81
2	B	2	P01	C2-N3-C4	3.31	119.03	115.28
2	B	2	P01	N21-C2-N1	3.30	122.14	117.18
2	A	1	P01	N3-C2-N1	-3.11	121.31	126.23
2	B	2	P01	C5-C6-N1	-2.50	118.73	120.81
2	A	1	P01	N21-C2-N1	2.45	120.86	117.18
2	A	1	P01	C6A-C5A-CL1	-2.28	116.30	119.15
2	A	1	P01	C3A-C2A-C1A	2.15	122.30	119.72
2	A	1	P01	C2-N1-C6	2.01	121.00	116.39

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	P01	C25-C22-C23-O24
2	B	2	P01	N21-C22-C23-O24
2	B	2	P01	C25-C22-C23-O24
2	A	1	P01	C25-C22-N21-C2


There are no ring outliers.


2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	P01	6	0
2	A	1	P01	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.