

Full wwPDB X-ray Structure Validation Report (i)

Dec 15, 2024 - 03:00 AM EST

PDB ID	:	1Z68
Title	:	Crystal Structure Of Human Fibroblast Activation Protein alpha
Authors	:	Aertgeerts, K.; Levin, I.; Shi, L.; Prasad, G.S.; Zhang, Y.; Kraus, M.L.;
		Salakian, S.; Snell, G.P.; Sridhar, V.; Wijnands, R.; Tennant, M.G.
Deposited on	:	2005-03-21
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(\#$ Entries, resolution range $(\&)$
	(#Entries)	(#Entries, resolution range(A))
R_{free}	164625	3775 (2.60-2.60)
Clashscore	180529	4181 (2.60-2.60)
Ramachandran outliers	177936	4129 (2.60-2.60)
Sidechain outliers	177891	4129 (2.60-2.60)
RSRZ outliers	164620	3775 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of cha	ain	
1	А	719	2% 66%	27%	7% •
1	В	719	63%	30%	6% •
2	С	2	50%	50%	
2	Е	2	100%		
3	D	2	100%		



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	С	1	Х	-	-	-
3	NAG	D	1	Х	-	-	-
4	NAG	В	4903	Х	-	-	-



 $\mathbf{2}$

Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 12600 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called fibroblast activation protein, alpha subunit.

Mol	Chain	Residues		\mathbf{A}	toms			ZeroOcc	AltConf	Trace
1	А	719	Total 5889	C 3812	N 961	O 1094	S 22	0	0	0
1	В	719	Total 5915	C 3825	N 965	O 1103	S 22	0	6	0

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	8	ZeroOcc	AltConf	Trace
2	С	2	Total C I 28 16	N O 2 10	0	0	0
2	Е	2	Total C I 28 16 I	N O 2 10	0	0	0

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	I	Aton	ns		ZeroOcc	AltConf	Trace
3	D	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
4	Λ	1	Total	С	Ν	Ο	0	0
4	Л	1	14	8	1	5	0	0
4	Δ	1	Total	С	Ν	Ο	0	0
4	Л	1	14	8	1	5	0	0
4	В	1	Total	С	Ν	Ο	0	0
-1	D	T	14	8	1	5	0	0
4	В	1	Total	С	Ν	Ο	0	0
-1	D	T	14	8	1	5	0	0
4	В	1	Total	С	Ν	Ο	0	0
4	D	1	14	8	1	5	0	0
4	В	1	Total	С	Ν	0	0	0
4	D		14	8	1	5		0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	206	Total O 206 206	0	0
5	В	422	Total O 422 422	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: fibroblast activation protein, alpha subunit





A235	D241	E242	Q243	1244 P245	R246	T247 T248		K254		K258	V262		1266 1767	D268	T269	T270	P272		P277	V280	P281	V282	DPCU	Y291	Y292	D201	E302	R303	1 206	0001	R311	L318		D322 E222	R324	E325	D326	W330	D331	C332	F333 K334	T335	4330 E337	H338
	1 300	<mark>8353</mark>		0000	<mark>Ү359</mark>	D360 4361	1362	S363	Y364	D370	K371	D372	K376	H376	-	1380 V264	D382	T383	V384	T391	-	W395	E CAO	F401	R402	V403	D406		S411	N413	E414	R421	R422	N423 TACA	1425 Y425	R426	1427	S431	Y432	P433	r 1 35 S435		C438 V439	T440
.	L443	R447	C448	4449 Y450	Y451	F455	S456	-	Y462	A463 1.464	V465	C466	T 471		S474		D478	G479	R480 T481	1401 D482	<mark>Q483</mark>	E484	1485 K486	DOF!	E490	N491 VA92	E493	L494	E495	A497	L498	D T D D	L503	DEOR		K509	K510	D514		T517 re10	0101	K521	I523	L524
P525	F528	D529	R530	K532	K533	Y534		C545	S546	1947	R550	S551	V552	N556		S559	1 200	V568	7570	G574	R575	G576 mr77	15// 4578	F579	q580	VE83	L584	L585		K591	L592	D599	1600	1601	R605		F612	K616	R617		1020 W621	G622	8624 S624	<mark>Y625</mark>
	1628 V629		L632	2636	G637	T638	L640	F641	K642	C643 G644	1645		A648 D640	V650	8651	S652	E654	Y655	Y656	V659	Y660	T661	T 667		K670	D671	1 00	T681	DCOF	A686	0004	r oog	D693	NT OA	V7 05	H7 06	F707	0000 M		I713	V722	D7 23	W7 28	Y729
S730	0732	N733	H734	G738	L739	S740	H743	-	T746	H747 M748		F751	L752 K753	0754	C755	F756	1010																											

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:	50%	50%
NAG1 NAG2		

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:

100%

NAG1 NAG2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	70.30Å 152.58Å 214.85Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	50.00 - 2.60	Depositor
	50.00 - 2.60	EDS
% Data completeness	97.7 (50.00-2.60)	Depositor
(in resolution range)	97.8 (50.00-2.60)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$< I/\sigma(I) > 1$	$2.92 (at 2.61 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
B B.	0.223 , 0.283	Depositor
II, II, <i>free</i>	0.222 , 0.274	DCC
R_{free} test set	3550 reflections $(5.04%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	46.5	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31 , 58.4	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	12600	wwPDB-VP
Average B, all atoms $(Å^2)$	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.43	0/6065	0.73	20/8250~(0.2%)
1	В	0.53	0/6119	0.81	24/8322~(0.3%)
All	All	0.48	0/12184	0.77	44/16572~(0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	2
All	All	0	4

There are no bond length outliers.

All	(44)	bond	angle	outliers	are	listed	below:	
-----	------	-----------------------	-------	----------	-----	--------	--------	--

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	370	ASP	CB-CG-OD2	7.81	125.33	118.30
1	В	301	ASP	CB-CG-OD2	7.50	125.05	118.30
1	В	108	ASP	CB-CG-OD2	7.06	124.65	118.30
1	В	78	LEU	CA-CB-CG	6.70	130.72	115.30
1	А	117	ASP	CB-CG-OD2	6.58	124.22	118.30
1	В	228	ASP	CB-CG-OD2	6.55	124.19	118.30
1	А	582	ASP	CB-CG-OD2	6.45	124.11	118.30
1	В	290	ASP	CB-CG-OD2	6.29	123.96	118.30
1	А	702	ASP	CB-CG-OD2	6.20	123.88	118.30
1	В	149	PRO	N-CD-CG	-6.17	93.94	103.20
1	В	117	ASP	CB-CG-OD2	6.11	123.80	118.30
1	А	599	ASP	CB-CG-OD2	6.09	123.78	118.30



Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
1	А	360	ASP	CB-CG-OD2	6.04	123.74	118.30
1	В	372	ASP	CB-CG-OD2	5.96	123.67	118.30
1	В	46	ASP	CB-CG-OD2	5.91	123.62	118.30
1	В	42	LEU	CA-CB-CG	5.86	128.78	115.30
1	А	693	ASP	CB-CG-OD2	5.76	123.49	118.30
1	А	723	ASP	CB-CG-OD2	5.60	123.34	118.30
1	В	599	ASP	CB-CG-OD2	5.59	123.33	118.30
1	В	723	ASP	CB-CG-OD2	5.57	123.31	118.30
1	В	331	ASP	CB-CG-OD2	5.56	123.31	118.30
1	В	573	ASP	CB-CG-OD2	5.53	123.27	118.30
1	А	671	ASP	CB-CG-OD2	5.51	123.26	118.30
1	А	703	ASP	CB-CG-OD2	5.46	123.22	118.30
1	А	198	ASP	CB-CG-OD2	5.43	123.18	118.30
1	В	482	ASP	CB-CG-OD2	5.39	123.16	118.30
1	В	514	ASP	CB-CG-OD2	5.38	123.14	118.30
1	В	478	ASP	CB-CG-OD2	5.36	123.13	118.30
1	В	326	ASP	CB-CG-OD2	5.36	123.12	118.30
1	А	134	ASP	CB-CG-OD2	5.32	123.09	118.30
1	В	370	ASP	CB-CG-OD2	5.32	123.09	118.30
1	А	672	ASP	CB-CG-OD2	5.32	123.08	118.30
1	А	241	ASP	CB-CG-OD2	5.31	123.08	118.30
1	А	478	ASP	CB-CG-OD2	5.29	123.06	118.30
1	В	360	ASP	CB-CG-OD2	5.28	123.05	118.30
1	А	529	ASP	CB-CG-OD2	5.27	123.05	118.30
1	А	457	ASP	CB-CG-OD2	5.27	123.04	118.30
1	А	514	ASP	CB-CG-OD2	5.23	123.00	118.30
1	В	230[A]	ASP	CB-CG-OD2	5.16	122.94	118.30
1	В	230[B]	ASP	CB-CG-OD2	5.16	122.94	118.30
1	A	326	ASP	CB-CG-OD2	5.15	122.93	118.30
1	А	482	ASP	CB-CG-OD2	5.14	122.93	118.30
1	В	241	ASP	CB-CG-OD2	5.13	122.92	118.30
1	В	672	ASP	CB-CG-OD2	5.03	122.82	118.30

Continued from previous page...

There are no chirality outliers.

All ((4)	planarity	outliers	are	listed	below:
-------	-----	-----------	----------	-----	--------	--------

Mol	Chain	Res	Type	Group
1	А	148	ARG	Peptide
1	А	432	TYR	Peptide
1	В	148	ARG	Peptide
1	В	432	TYR	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5889	0	5660	127	0
1	В	5915	0	5674	165	0
2	С	28	0	25	0	0
2	Е	28	0	25	0	0
3	D	28	0	25	0	0
4	А	28	0	26	0	0
4	В	56	0	52	0	0
5	А	206	0	0	4	0
5	В	422	0	0	6	0
All	All	12600	0	11487	286	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (286) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	$distance (m \AA)$	overlap (Å)
1:A:148:ARG:HB3	1:A:149:PRO:HD2	1.34	1.07
1:B:376:HIS:ND1	1:B:391:THR:HG22	1.72	1.05
1:B:254:LYS:NZ	1:B:706:HIS:HD2	1.65	0.93
1:B:651:SER:H	1:B:709:ASN:HD22	1.14	0.93
1:A:651:SER:H	1:A:709:ASN:HD22	0.97	0.92
1:B:151:GLN:HE22	1:B:168:ASN:H	1.22	0.88
1:A:651:SER:H	1:A:709:ASN:ND2	1.70	0.88
1:B:396:GLU:H	1:B:413:ASN:HD21	1.23	0.86
1:A:421:ARG:HB2	1:A:449:GLN:O	1.78	0.82
1:A:745:TYR:O	1:A:749:THR:CG2	2.30	0.81
1:B:44:LEU:HD13	1:B:48:LEU:HD11	1.64	0.79
1:A:574:GLY:O	1:A:577:THR:HB	1.82	0.79
1:A:43:THR:HG22	1:A:45:LYS:NZ	1.96	0.79
1:A:148:ARG:HB3	1:A:149:PRO:CD	2.13	0.78
1:B:132:ILE:HD11	1:B:176:PRO:HB3	1.66	0.77
1:A:43:THR:HG22	1:A:45:LYS:HZ2	1.48	0.76
1:B:55:LYS:H	1:B:491:ASN:HD21	1.34	0.76
1:B:197:PRO:HA	1:B:226:PHE:CE2	2.23	0.74



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:254:LYS:HZ3	1:B:706:HIS:HD2	1.32	0.74
1:B:218:GLY:O	1:B:269:THR:HG21	1.87	0.74
1:A:651:SER:N	1:A:709:ASN:HD22	1.79	0.73
1:B:173:LYS:HE3	1:B:178:ASP:O	1.88	0.73
1:B:638:THR:HG23	1:B:640:LEU:H	1.53	0.73
1:B:421:ARG:HD3	1:B:449:GLN:HE21	1.54	0.72
1:A:254:LYS:NZ	1:A:706:HIS:HD2	1.88	0.72
1:B:254:LYS:HZ1	1:B:706:HIS:HD2	1.38	0.70
1:A:539:GLN:HE21	1:A:621:TRP:HE1	1.41	0.68
1:A:745:TYR:O	1:A:749:THR:HG23	1.92	0.68
1:A:521:LYS:NZ	1:A:550:ARG:O	2.27	0.67
1:B:391:THR:HG23	1:B:395:TRP:CH2	2.29	0.67
1:B:432:TYR:CD2	1:B:433:PRO:HD3	2.29	0.66
1:B:254:LYS:HZ3	1:B:706:HIS:CD2	2.11	0.66
1:B:704:ASN:C	1:B:704:ASN:HD22	1.97	0.66
1:A:597:VAL:HG21	1:A:632:LEU:HB3	1.78	0.66
1:B:732:GLN:HG3	1:B:740:SER:OG	1.95	0.66
1:B:573:ASP:HB3	1:B:577:THR:HG21	1.77	0.65
1:B:175:ARG:HG2	1:B:176:PRO:HD2	1.78	0.65
1:A:254:LYS:HE3	1:A:655:TYR:HA	1.79	0.65
1:B:734:HIS:CD2	5:B:5083:HOH:O	2.50	0.64
1:B:254:LYS:NZ	1:B:706:HIS:CD2	2.57	0.64
1:A:404:THR:HG22	1:A:405:GLN:H	1.62	0.64
1:B:132:ILE:CD1	1:B:176:PRO:HB3	2.26	0.64
1:B:254:LYS:HZ2	1:B:708:GLN:HE22	1.45	0.64
1:A:481:THR:CG2	1:A:483:GLN:HB2	2.28	0.63
1:B:208:THR:CG2	1:B:210:TYR:O	2.47	0.63
1:A:575:ARG:HA	1:A:584:LEU:HD22	1.80	0.63
1:B:422:ARG:HH12	1:B:547:GLN:NE2	1.97	0.63
1:A:105:LEU:HD11	1:A:109:ARG:HG2	1.81	0.62
1:B:651:SER:HB3	1:B:713:ILE:HD11	1.81	0.62
1:B:208:THR:HG23	1:B:210:TYR:H	1.64	0.62
1:A:513:VAL:HG11	1:A:606:LYS:HD3	1.82	0.62
1:A:745:TYR:O	1:A:749:THR:HG22	1.98	0.61
1:B:221:LEU:HB3	1:B:267:ILE:HD11	1.82	0.61
1:B:396:GLU:H	1:B:413:ASN:ND2	1.96	0.61
1:A:245:PRO:HD3	1:B:708:GLN:OE1	2.01	0.60
1:B:221:LEU:HB3	1:B:267:ILE:CD1	2.33	0.59
1:B:652:SER:HB2	1:B:681:THR:HG22	1.85	0.59
1:B:208:THR:HG23	1:B:210:TYR:O	2.02	0.59
1:B:55:LYS:H	1:B:491:ASN:ND2	2.01	0.58



	AL O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:254:LYS:NZ	1:B:708:GLN:HE22	2.01	0.58
1:A:148:ARG:CB	1:A:149:PRO:HD2	2.23	0.58
1:A:223:TYR:CZ	1:A:265:PHE:HB2	2.39	0.58
1:B:292:TYR:CZ	1:B:659:VAL:HG22	2.39	0.58
1:A:422:ARG:NH2	1:A:547:GLN:OE1	2.33	0.57
1:B:432:TYR:CD2	1:B:433:PRO:CD	2.87	0.57
1:A:498:LEU:HD22	1:A:503:LEU:HD11	1.85	0.57
1:B:80:ASN:ND2	1:B:83:THR:H	2.02	0.57
1:B:75:ASN:ND2	1:B:92:ASN:H	2.02	0.57
1:A:577:THR:CG2	5:A:5002:HOH:O	2.52	0.57
1:B:324:ARG:NH2	1:B:326:ASP:OD1	2.38	0.57
1:B:547:GLN:O	1:B:550:ARG:NH2	2.37	0.56
1:A:544:PRO:HA	1:A:576:GLY:O	2.06	0.56
1:B:651:SER:H	1:B:709:ASN:ND2	1.94	0.56
1:A:254:LYS:NZ	1:A:708:GLN:HE22	2.04	0.56
1:B:535:PRO:HB3	1:B:617:ARG:HB3	1.88	0.56
1:B:161:LYS:HE2	1:B:174:GLN:HE21	1.71	0.55
1:B:574:GLY:O	1:B:577:THR:HB	2.06	0.55
1:B:423:ASN:HD21	1:B:449:GLN:NE2	2.04	0.55
1:B:620:ILE:O	1:B:644:GLY:HA2	2.07	0.55
1:B:733:ASN:HD22	1:B:733:ASN:H	1.53	0.55
1:A:81:ILE:HD12	1:A:476:LEU:HD21	1.88	0.55
1:A:634:LEU:HG	1:A:692:VAL:HG21	1.88	0.55
1:B:148:ARG:HB3	1:B:149:PRO:HD2	1.88	0.55
1:A:478:ASP:HB3	1:A:481:THR:HG22	1.88	0.55
1:B:290:ASP:OD1	1:B:311:ARG:NH2	2.39	0.55
1:A:107:PRO:HG2	1:A:156:SER:O	2.07	0.55
1:A:481:THR:HG23	1:A:483:GLN:HB2	1.89	0.54
1:B:217:ASN:HB2	1:B:301:ASP:OD1	2.07	0.54
1:A:227:ASN:HB3	1:A:261:VAL:HG22	1.90	0.54
1:A:508:ILE:HG13	1:A:508:ILE:O	2.06	0.54
1:B:303:ARG:HD2	1:B:322:ASP:OD1	2.08	0.54
1:A:538:ILE:HD13	1:A:570:ALA:HB3	1.90	0.54
1:A:749:THR:O	1:A:753:LYS:HB2	2.08	0.54
1:A:592:LEU:HD22	1:A:665:MET:HG2	1.89	0.53
1:B:111:PHE:CE1	1:B:176:PRO:HG2	2.43	0.53
1:A:45:LYS:HZ2	1:A:45:LYS:H	1.56	0.53
1:A:654:GLU:HG2	1:B:243:GLN:HG3	1.89	0.53
1:B:645:ILE:HD13	1:B:748:MET:HE2	1.89	0.53
1:A:432:TYR:O	1:A:433:PRO:C	2.45	0.53
1:A:70:GLN:HE22	1:A:74:ASN:HD22	1.56	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:267:ILE:HD12	1:A:277:PRO:HG3	1.91	0.52
1:B:447:ARG:HD3	1:B:471:ILE:O	2.09	0.52
1:B:111:PHE:CD1	1:B:176:PRO:HG2	2.44	0.52
1:B:651:SER:N	1:B:709:ASN:HD22	1.96	0.52
1:B:375:LYS:H	1:B:396:GLU:HG2	1.75	0.52
1:A:722:VAL:O	1:B:743:HIS:HE1	1.93	0.51
1:B:401:PHE:HE1	1:B:411:SER:HB3	1.74	0.51
1:B:601:ILE:HG23	1:B:640:LEU:HD11	1.91	0.51
1:A:70:GLN:NE2	1:A:74:ASN:HD22	2.08	0.51
1:A:479:GLY:H	1:A:482:ASP:H	1.59	0.51
1:B:592:LEU:HG	1:B:625:TYR:OH	2.11	0.51
1:A:580:GLN:HB2	1:A:584:LEU:HD12	1.93	0.51
1:B:643:CYS:HB3	1:B:693:ASP:HB2	1.92	0.51
1:A:557:TRP:CE2	1:A:561:LEU:HD11	2.46	0.50
1:B:226:PHE:CD1	1:B:262:VAL:HG12	2.47	0.50
1:B:380:ILE:HD13	1:B:384:VAL:HG23	1.93	0.50
1:B:421:ARG:HD3	1:B:449:GLN:HB3	1.94	0.50
1:B:212:LEU:HD13	1:B:221:LEU:HD11	1.92	0.50
1:B:455:PHE:CD1	1:B:462:TYR:HB3	2.47	0.50
1:B:625:TYR:O	1:B:629:VAL:HG23	2.11	0.50
1:A:643:CYS:HB3	1:A:693:ASP:HB2	1.94	0.50
1:B:656:TYR:CE2	1:B:704:ASN:ND2	2.80	0.50
1:B:280:VAL:HG11	1:B:306:LEU:HD13	1.93	0.50
1:B:292:TYR:CE2	1:B:659:VAL:HG22	2.47	0.50
1:A:636:SER:HB3	1:A:638:THR:HG23	1.93	0.50
1:B:167:GLN:NE2	5:B:5006:HOH:O	2.44	0.50
1:A:309:LEU:HD22	1:A:313:GLN:HG2	1.94	0.50
1:A:601:ILE:HD13	1:A:638:THR:HG21	1.94	0.49
1:B:545:CYS:HB3	5:B:5178:HOH:O	2.11	0.49
1:A:432:TYR:CD2	1:A:433:PRO:HD3	2.47	0.49
1:A:148:ARG:CB	1:A:149:PRO:CD	2.88	0.49
1:A:395:TRP:HB2	1:A:413:ASN:HB3	1.94	0.49
1:B:391:THR:CG2	1:B:395:TRP:CH2	2.95	0.49
1:A:673:ASN:O	1:A:674:LEU:C	2.51	0.49
1:B:68:LEU:HD23	1:B:78:LEU:HB2	1.93	0.49
1:A:216:PRO:HD3	1:A:298:TRP:HB3	1.95	0.49
1:A:401:PHE:CE2	1:A:424:ILE:HD11	2.48	0.49
1:A:254:LYS:HG2	1:A:655:TYR:O	2.11	0.48
1:B:427:ILE:HA	1:B:435:SER:O	2.13	0.48
1:B:61:TRP:CE3	1:B:456:SER:HB3	2.48	0.48
1:A:89:ILE:HG13	1:A:135:LEU:HD21	1.96	0.48



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:623:TRP:HZ2	1:B:734:HIS:O	1.96	0.48
1:B:47:ILE:HD13	1:B:560:TYR:HB2	1.94	0.48
1:B:556:ASN:ND2	1:B:559:SER:OG	2.47	0.48
1:A:43:THR:HG22	1:A:45:LYS:HZ3	1.77	0.48
1:B:391:THR:HG23	1:B:395:TRP:HH2	1.77	0.48
1:A:448:CYS:HB3	1:A:451:TYR:CE2	2.49	0.47
1:A:732:GLN:HG3	1:A:740:SER:OG	2.14	0.47
1:B:267:ILE:HG23	1:B:277:PRO:HA	1.96	0.47
1:B:590:ARG:NH2	1:B:672:ASP:OD2	2.45	0.47
1:A:239:TYR:HA	1:A:245:PRO:HB3	1.97	0.47
1:B:425:TYR:CE2	1:B:438:CYS:HB2	2.49	0.47
1:B:481:THR:HG23	1:B:483:GLN:H	1.80	0.47
1:A:364:TYR:CE2	1:A:380:ILE:HD12	2.50	0.47
1:B:356:VAL:CG2	1:B:403:VAL:HG23	2.45	0.47
1:A:66:GLU:HG2	1:A:78:LEU:HD21	1.96	0.47
1:B:311:ARG:HG2	5:B:5013:HOH:O	2.15	0.47
1:A:556:ASN:HD22	1:A:556:ASN:H	1.62	0.47
1:A:81:ILE:HG21	1:A:476:LEU:HD21	1.96	0.46
1:B:656:TYR:HE2	1:B:704:ASN:ND2	2.13	0.46
1:A:90:LEU:HG	1:A:112:VAL:HG11	1.97	0.46
1:A:402:ARG:HG2	1:A:459:ALA:HB2	1.96	0.46
1:B:155:TRP:CE3	1:B:162:LEU:HD13	2.50	0.46
1:B:254:LYS:HZ1	1:B:706:HIS:CD2	2.26	0.46
1:B:302[A]:GLU:HG2	1:B:323:PHE:HB3	1.98	0.46
1:A:60:ASN:HB3	1:A:68:LEU:O	2.15	0.46
1:B:413:ASN:ND2	1:B:413:ASN:H	2.13	0.46
1:A:151:GLN:O	1:A:209:LYS:NZ	2.41	0.46
1:A:202:GLU:O	1:A:207:ALA:HA	2.16	0.46
1:B:376:HIS:ND1	1:B:391:THR:CG2	2.61	0.46
1:B:506:GLU:HG2	1:B:523:ILE:HD13	1.98	0.46
1:A:573:ASP:HB3	1:A:577:THR:HG21	1.97	0.46
1:A:501:ILE:HG22	1:A:503:LEU:HG	1.97	0.45
1:B:478:ASP:HB3	1:B:481:THR:HG22	1.98	0.45
1:A:80:ASN:HB3	1:A:83:THR:HG22	1.98	0.45
1:A:396:GLU:H	1:A:413:ASN:HB3	1.81	0.45
1:B:80:ASN:HD22	1:B:83:THR:H	1.61	0.45
1:A:125:SER:HA	1:A:209:LYS:HB2	1.98	0.45
1:A:496:ASN:O	1:A:499:LYS:HB2	2.16	0.45
1:B:55:LYS:N	1:B:491:ASN:HD21	2.08	0.45
1:B:439:VAL:HG13	1:B:440:THR:HG23	1.98	0.45
1:B:751:PHE:O	1:B:754:GLN:HB3	2.16	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:313:GLN:OE1	1:A:663:ARG:HD2	2.16	0.45
1:A:698:HIS:CD2	1:A:710:SER:HB2	2.52	0.45
1:A:153:LEU:HD12	1:A:164:TYR:HB3	1.99	0.45
1:A:168:ASN:HD22	1:A:168:ASN:N	2.14	0.45
1:B:545:CYS:HA	1:B:578:ALA:HB2	1.98	0.45
1:B:638:THR:HG23	1:B:640:LEU:N	2.27	0.45
1:A:513:VAL:CG1	1:A:606:LYS:HD3	2.45	0.45
1:B:490:GLU:HB3	1:B:492:LYS:HE3	1.99	0.45
1:B:61:TRP:CZ3	1:B:456:SER:HB3	2.52	0.44
1:B:318:LEU:HB3	1:B:338:HIS:HB2	1.98	0.44
1:B:576:GLY:HA2	1:B:585:LEU:O	2.17	0.44
1:A:259:ASN:HD22	1:A:259:ASN:HA	1.60	0.44
1:B:533:LYS:HA	1:B:612:PHE:O	2.17	0.44
1:A:440:THR:HG22	1:A:464:LEU:HD21	1.99	0.44
1:B:75:ASN:HD22	1:B:92:ASN:H	1.63	0.44
1:B:580:GLN:HB2	1:B:584:LEU:HD23	2.00	0.44
1:B:85:GLN:HB3	1:B:87:TYR:CZ	2.52	0.44
1:A:535:PRO:HB2	1:A:756:PHE:CE2	2.52	0.44
1:B:280:VAL:HG11	1:B:306:LEU:CD1	2.47	0.44
1:A:104:GLY:HA3	1:A:113:TYR:CE1	2.53	0.44
1:A:547:GLN:HB3	1:A:550:ARG:HE	1.82	0.44
1:B:413:ASN:H	1:B:413:ASN:HD22	1.66	0.44
1:B:752:LEU:HD23	1:B:752:LEU:HA	1.50	0.44
1:A:198:ASP:HB2	1:A:228:ASP:OD2	2.17	0.44
1:A:471:ILE:HG12	1:A:494:LEU:HD13	1.99	0.44
1:B:364:TYR:CE1	1:B:380:ILE:HD12	2.53	0.43
1:B:424:ILE:O	1:B:439:VAL:HG12	2.18	0.43
1:A:401:PHE:HE2	1:A:411:SER:HB3	1.82	0.43
1:B:181:PHE:CE1	1:B:272:PRO:HB2	2.53	0.43
1:B:704:ASN:C	1:B:704:ASN:ND2	2.69	0.43
1:A:520:TYR:HA	1:A:549:VAL:HG21	1.98	0.43
1:A:651:SER:HA	1:A:682:VAL:CG1	2.48	0.43
1:B:477:HIS:NE2	1:B:484:GLU:HB3	2.32	0.43
1:B:481:THR:CG2	1:B:483:GLN:H	2.32	0.43
1:B:524:LEU:HD23	1:B:568:VAL:HG22	2.01	0.43
1:B:648:ALA:N	1:B:649:PRO:CD	2.82	0.43
1:A:230:ASP:HB3	1:A:258:LYS:HD2	2.00	0.43
1:A:232:PRO:HB2	1:B:244:TYR:CZ	2.53	0.43
1:B:203:GLU:HB2	5:B:5179:HOH:O	2.17	0.43
1:B:689:PHE:HB2	1:B:722:VAL:HG11	2.00	0.43
1:A:78:LEU:O	1:A:86:SER:HA	2.19	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:125:SER:HA	1:B:209:LYS:HB2	2.00	0.43
1:B:440:THR:HB	1:B:451:TYR:CE1	2.54	0.43
1:B:636:SER:OG	1:B:638:THR:HB	2.18	0.43
1:B:422:ARG:HH22	1:B:547:GLN:HE22	1.67	0.43
1:A:254:LYS:NZ	1:A:706:HIS:CD2	2.77	0.43
1:A:577:THR:HG21	5:A:5002:HOH:O	2.19	0.43
1:B:103:TYR:HA	1:B:113:TYR:O	2.18	0.43
1:B:190:ASN:HA	1:B:193:PHE:CZ	2.54	0.43
1:B:199:TRP:CZ2	1:B:704:ASN:HA	2.53	0.42
1:A:545:CYS:HA	1:A:578:ALA:HB2	2.00	0.42
1:A:592:LEU:HD23	1:A:653:TRP:CE2	2.54	0.42
1:A:300:THR:OG1	1:A:303:ARG:HB2	2.19	0.42
1:B:266:ILE:HD12	1:B:330:TRP:CE2	2.55	0.42
1:A:348:GLY:HA2	5:A:5010:HOH:O	2.18	0.42
1:A:643:CYS:CB	1:A:693:ASP:HB2	2.50	0.42
1:A:556:ASN:HD22	1:A:556:ASN:N	2.16	0.42
1:B:494:LEU:HG	1:B:498:LEU:HD22	2.01	0.42
1:B:653:TRP:HB3	1:B:661:THR:CG2	2.49	0.42
1:A:537:LEU:HD23	1:A:569:ILE:HD12	2.01	0.42
1:A:148:ARG:HD3	1:A:148:ARG:HA	1.83	0.42
1:A:206:LEU:HB3	1:A:208:THR:HG22	2.00	0.42
1:A:404:THR:HG22	5:A:5083:HOH:O	2.19	0.42
1:A:726:ALA:HB1	1:B:728:TRP:CZ3	2.55	0.42
1:B:254:LYS:NZ	1:B:708:GLN:NE2	2.68	0.42
1:B:271:TYR:N	1:B:272:PRO:CD	2.83	0.42
1:A:163:ALA:HB2	1:A:214:TRP:CZ2	2.55	0.42
1:B:267:ILE:HG23	1:B:277:PRO:CA	2.50	0.42
1:A:188:ARG:O	1:A:189:GLU:C	2.58	0.42
1:A:413:ASN:OD1	1:A:419:PRO:HA	2.20	0.42
1:A:493:GLU:CD	1:A:493:GLU:N	2.73	0.41
1:A:208:THR:HG23	1:A:210:TYR:O	2.20	0.41
1:A:648:ALA:N	1:A:649:PRO:CD	2.83	0.41
1:B:176:PRO:O	5:B:5001:HOH:O	2.22	0.41
1:B:494:LEU:O	1:B:495:GLU:C	2.57	0.41
1:B:685:ARG:O	1:B:686:ALA:C	2.57	0.41
1:A:634:LEU:HD22	1:A:644:GLY:HA3	2.03	0.41
1:B:152:TYR:HD2	1:B:209:LYS:HE2	1.85	0.41
1:B:656:TYR:HE2	1:B:704:ASN:HD22	1.68	0.41
1:A:318:LEU:HD11	1:A:355:PRO:HG3	2.02	0.41
1:B:68:LEU:CD2	1:B:78:LEU:HB2	2.49	0.41
1:A:416:GLU:OE2	1:A:421:ARG:NH2	2.54	0.41



A 4 1	A + 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:235:ALA:HA	1:B:248:ILE:O	2.20	0.41
1:B:395:TRP:CD2	1:B:414:GLU:HB2	2.56	0.41
1:B:423:ASN:HD21	1:B:449:GLN:HE22	1.66	0.41
1:B:592:LEU:HD12	1:B:592:LEU:HA	1.77	0.41
1:B:605:ARG:HH21	1:B:605:ARG:CG	2.34	0.41
1:B:617:ARG:HG2	1:B:756:PHE:CD2	2.56	0.41
1:A:493:GLU:CD	1:A:493:GLU:H	2.24	0.41
1:B:98:VAL:O	1:B:99:ASN:C	2.58	0.41
1:B:148:ARG:HB3	1:B:149:PRO:CD	2.49	0.41
1:B:464:LEU:HD23	1:B:464:LEU:HA	1.86	0.41
1:B:280:VAL:HA	1:B:281:PRO:HD3	1.93	0.41
1:A:179:PRO:HA	1:A:180:PRO:HD3	1.89	0.40
1:A:750:HIS:CD2	1:B:723:ASP:OD1	2.75	0.40
1:B:333:PRO:HG2	1:B:336:GLN:HG3	2.03	0.40
1:B:628:TYR:CE1	1:B:632:LEU:HD11	2.56	0.40
1:B:350:PHE:HD2	1:B:545:CYS:HB2	1.86	0.40
1:A:362:ILE:HG23	1:A:363:SER:N	2.36	0.40
1:A:672:ASP:HB3	1:A:673:ASN:H	1.65	0.40
1:B:62:ILE:HG21	1:B:105:LEU:HD12	2.04	0.40
1:B:524:LEU:HA	1:B:525:PRO:HD3	1.94	0.40
1:A:121:LEU:HD23	1:A:121:LEU:HA	1.98	0.40
1:B:161:LYS:HZ3	1:B:269:THR:HG23	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	717/719~(100%)	652 (91%)	58 (8%)	7 (1%)	13	29
1	В	723/719~(101%)	656~(91%)	56 (8%)	11 (2%)	8	18
All	All	1440/1438~(100%)	1308 (91%)	114 (8%)	18 (1%)	10	21



Mol	Chain	Res	Type
1	А	149	PRO
1	А	432	TYR
1	В	149	PRO
1	В	433	PRO
1	А	99	ASN
1	А	433	PRO
1	В	99	ASN
1	В	144	ASN
1	В	190	ASN
1	А	151	GLN
1	В	335	THR
1	В	382	ASP
1	А	674	LEU
1	В	76	ILE
1	В	528	PHE
1	В	686	ALA
1	А	370	ASP
1	В	738	GLY

All (18) Ramachandran outliers are listed below:

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	634/634~(100%)	528~(83%)	106 (17%)	2 3
1	В	640/634~(101%)	550~(86%)	90 (14%)	3 5
All	All	1274/1268~(100%)	1078 (85%)	196 (15%)	2 4

All (196) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	40	ARG
1	А	44	LEU
1	А	45	LYS
1	А	53	SER
1	А	56	THR



Mol	Chain	Res	Type
1	А	65	GLN
1	А	66	GLU
1	А	70	GLN
1	А	77	VAL
1	А	81	ILE
1	А	83	THR
1	А	89	ILE
1	А	90	LEU
1	А	91	SER
1	А	94	THR
1	А	96	LYS
1	А	105	LEU
1	А	106	SER
1	А	113	TYR
1	А	121	LEU
1	А	127	THR
1	А	132	ILE
1	А	136	SER
1	А	142	ARG
1	А	148	ARG
1	А	151	GLN
1	А	156	SER
1	А	173	LYS
1	А	174	GLN
1	А	189	GLU
1	А	196	ILE
1	А	204	GLU
1	А	209	LYS
1	А	219	LYS
1	А	230	ASP
1	А	234	ILE
1	А	258	LYS
1	А	259	ASN
1	А	266	ILE
1	А	270	THR
1	А	280	VAL
1	А	288	SER
1	А	301	ASP
1	А	303	ARG
1	А	311	ARG
1	А	315	VAL
1	А	316	SER



Mol	Chain	Res	Type
1	А	326	ASP
1	А	334	LYS
1	А	343	ARG
1	А	359	TYR
1	А	383	THR
1	А	385	GLU
1	А	388	ILE
1	А	402	ARG
1	А	405	GLN
1	А	412	SER
1	А	421	ARG
1	А	424	ILE
1	А	435	SER
1	А	444	ARG
1	А	447	ARG
1	А	460	LYS
1	А	464	LEU
1	А	466	CYS
1	А	480	ARG
1	А	481	THR
1	А	483	GLN
1	А	486	LYS
1	А	493	GLU
1	А	494	LEU
1	А	495	GLU
1	А	500	ASN
1	А	508	ILE
1	А	510	LYS
1	A	516	ILE
1	A	521	LYS
1	A	524	LEU
1	A	531	SER
1	А	532	LYS
1	A	551	SER
1	А	556	ASN
1	A	564	LYS
1	А	577	THR
1	А	584	LEU
1	A	591	LYS
1	А	602	THR
1	A	605	ARG
1	А	606	LYS



Mol	Chain	Res	Type
1	А	609	GLU
1	А	610	MET
1	А	624	SER
1	А	629	VAL
1	А	632	LEU
1	А	663	ARG
1	А	672	ASP
1	А	673	ASN
1	А	678	LYS
1	А	682	VAL
1	А	691	ASN
1	А	710	SER
1	А	739	LEU
1	А	740	SER
1	А	749	THR
1	А	753	LYS
1	А	754	GLN
1	В	42	LEU
1	В	44	LEU
1	В	45	LYS
1	В	48	LEU
1	В	56	THR
1	В	78	LEU
1	В	80	ASN
1	В	87	TYR
1	В	88	THR
1	В	90	LEU
1	В	93	ARG
1	В	96	LYS
1	В	99	ASN
1	B	101	SER
1	В	102	ASN
1	B	105	LEU
1	В	109	ARG
1	B	116	SER
1	B	121	LEU
1	B	132	ILE
1	B	142	ARG
1	B	144	ASN
1	B	153	LEU
1	B	162	LEU
1	В	174	GLN



Mol	Chain	Res	Type
1	В	176	PRO
1	В	208	THR
1	В	231	ILE
1	В	246[A]	ARG
1	В	246[B]	ARG
1	В	258	LYS
1	В	267	ILE
1	В	269	THR
1	В	282	VAL
1	В	306	LEU
1	В	326	ASP
1	В	334	LYS
1	В	353	SER
1	В	359	TYR
1	В	362	ILE
1	В	406	ASP
1	В	412	SER
1	В	413	ASN
1	В	424	ILE
1	В	431	SER
1	В	435	SER
1	В	443	LEU
1	В	447	ARG
1	В	466	CYS
1	В	474	SER
1	В	480	ARG
1	В	481	THR
1	В	486	LYS
1	В	492	LYS
1	В	495	GLU
1	В	498	LEU
1	В	499	LYS
1	В	503	LEU
1	В	509	LYS
1	В	510	LYS
1	В	514	ASP
1	В	517	THR
1	В	518	LEU
1	В	521	LYS
1	В	523	ILE
1	В	530	ARG
1	В	532	LYS
	1	l .	



Mol	Chain	Res	Type
1	В	552	VAL
1	В	556	ASN
1	В	559	SER
1	В	560	TYR
1	В	577	THR
1	В	583	LYS
1	В	592	LEU
1	В	605	ARG
1	В	616	LYS
1	В	617	ARG
1	В	621	TRP
1	В	642	LYS
1	В	652	SER
1	В	654[A]	GLU
1	В	654[B]	GLU
1	В	667	LEU
1	В	670	LYS
1	В	671	ASP
1	В	704	ASN
1	В	730	SER
1	В	733	ASN
1	В	746	THR
1	В	753	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (51) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	65	GLN
1	А	70	GLN
1	А	151	GLN
1	А	168	ASN
1	А	182	GLN
1	А	243	GLN
1	А	259	ASN
1	А	423	ASN
1	А	449	GLN
1	А	500	ASN
1	А	539	GLN
1	А	556	ASN
1	A	673	ASN
1	A	676	HIS
1	А	691	ASN



Mol	Chain	Res	Type
1	А	698	HIS
1	А	704	ASN
1	А	706	HIS
1	А	708	GLN
1	А	709	ASN
1	А	719	ASN
1	А	742	ASN
1	А	750	HIS
1	А	754	GLN
1	В	60	ASN
1	В	69	HIS
1	В	75	ASN
1	В	80	ASN
1	В	102	ASN
1	В	151	GLN
1	В	167	GLN
1	В	168	ASN
1	В	174	GLN
1	В	182	GLN
1	В	243	GLN
1	В	313	GLN
1	В	378	HIS
1	В	413	ASN
1	В	449	GLN
1	В	477	HIS
1	В	491	ASN
1	В	547	GLN
1	В	556	ASN
1	В	704	ASN
1	В	706	HIS
1	В	708	GLN
1	В	709	ASN
1	В	719	ASN
1	В	733	ASN
1	В	743	HIS
1	В	747	HIS

Continued from previous page...

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Res Link	Bo	Bond lengths			Bond angles		
WIOI	туре	Ullalli	1105		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
2	NAG	C	1	1,2	14,14,15	0.47	0	17,19,21	0.90	1 (5%)	
2	NAG	С	2	2	14,14,15	0.50	0	17,19,21	0.81	0	
3	NAG	D	1	1,3	14,14,15	0.67	0	17,19,21	1.38	3 (17%)	
3	NAG	D	2	3	14,14,15	0.63	0	17,19,21	0.97	1 (5%)	
2	NAG	E	1	1,2	14,14,15	1.16	1 (7%)	17,19,21	1.58	4 (23%)	
2	NAG	Е	2	2	14,14,15	0.78	1 (7%)	17,19,21	1.37	2 (11%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	1,2	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	С	2	2	-	0/6/23/26	0/1/1/1
3	NAG	D	1	1,3	1/1/5/7	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1
2	NAG	Е	1	1,2	-	5/6/23/26	0/1/1/1
2	NAG	Е	2	2	-	5/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

10101	Unam	Res	Type	Atoms	Z	Observed(A)	Ideal(A)
2	Ε	1	NAG	O5-C1	-3.77	1.37	1.43



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Ε	2	NAG	C1-C2	2.31	1.55	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	Ε	1	NAG	C1-C2-N2	3.85	116.50	110.43
2	Ε	1	NAG	C1-O5-C5	3.24	116.53	112.19
3	D	1	NAG	C2-N2-C7	3.16	127.14	122.90
2	Ε	2	NAG	C4-C3-C2	3.08	115.53	111.02
3	D	1	NAG	O3-C3-C4	2.67	116.66	110.38
2	Ε	2	NAG	O5-C5-C6	2.58	112.69	107.66
2	С	1	NAG	C1-O5-C5	2.52	115.57	112.19
2	Е	1	NAG	O5-C1-C2	-2.50	107.42	111.29
3	D	2	NAG	O5-C5-C6	2.19	111.93	107.66
2	Ε	1	NAG	C2-N2-C7	2.14	125.77	122.90
3	D	1	NAG	C1-C2-N2	-2.09	107.13	110.43

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	С	1	NAG	C1
3	D	1	NAG	C1

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	1	NAG	C8-C7-N2-C2
2	С	1	NAG	O7-C7-N2-C2
2	Е	1	NAG	C1-C2-N2-C7
2	Е	1	NAG	C8-C7-N2-C2
2	Е	1	NAG	O7-C7-N2-C2
2	Е	2	NAG	C3-C2-N2-C7
2	Е	2	NAG	C8-C7-N2-C2
2	Е	2	NAG	O7-C7-N2-C2
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
2	Ε	2	NAG	C4-C5-C6-O6
2	Е	1	NAG	O5-C5-C6-O6
2	Ε	2	NAG	O5-C5-C6-O6
2	Е	1	NAG	C4-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Turne	Chain	Dec	Link	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	В	4902	1	$14,\!14,\!15$	0.59	0	17,19,21	1.37	2 (11%)
4	NAG	А	4902	1	14,14,15	0.64	0	17,19,21	1.31	1 (5%)
4	NAG	А	4901	1	14,14,15	0.87	1 (7%)	17,19,21	1.57	4 (23%)
4	NAG	В	4904	1	14,14,15	0.48	0	17,19,21	1.89	2 (11%)
4	NAG	В	4903	1	14,14,15	0.64	0	17,19,21	1.41	2 (11%)
4	NAG	В	4901	1	14,14,15	0.61	0	17,19,21	2.01	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	В	4902	1	-	3/6/23/26	0/1/1/1
4	NAG	А	4902	1	-	3/6/23/26	0/1/1/1
4	NAG	А	4901	1	-	3/6/23/26	0/1/1/1
4	NAG	В	4904	1	-	5/6/23/26	0/1/1/1
4	NAG	В	4903	1	1/1/5/7	5/6/23/26	0/1/1/1
4	NAG	В	4901	1	-	5/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	4901	NAG	C1-C2	2.59	1.55	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	В	4904	NAG	C1-O5-C5	6.58	121.00	112.19
4	В	4901	NAG	C1-O5-C5	6.32	120.66	112.19
4	А	4902	NAG	C4-C3-C2	3.97	116.83	111.02
4	А	4901	NAG	C2-N2-C7	3.90	128.13	122.90
4	В	4902	NAG	C1-O5-C5	3.52	116.90	112.19
4	В	4901	NAG	C2-N2-C7	2.99	126.91	122.90
4	В	4903	NAG	C2-N2-C7	2.80	126.66	122.90
4	А	4901	NAG	C1-C2-N2	2.80	114.84	110.43
4	В	4901	NAG	C1-C2-N2	2.68	114.66	110.43
4	А	4901	NAG	O5-C1-C2	-2.66	107.18	111.29
4	B	4902	NAG	O5-C1-C2	-2.62	107.24	111.29



1Z6	8

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	4901	NAG	C1-O5-C5	2.46	115.48	112.19
4	В	4904	NAG	C2-N2-C7	-2.14	120.03	122.90
4	В	4903	NAG	C1-O5-C5	-2.12	109.34	112.19

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	В	4903	NAG	C1

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	4901	NAG	C3-C2-N2-C7
4	А	4901	NAG	C8-C7-N2-C2
4	А	4901	NAG	O7-C7-N2-C2
4	А	4902	NAG	C3-C2-N2-C7
4	А	4902	NAG	C8-C7-N2-C2
4	А	4902	NAG	O7-C7-N2-C2
4	В	4901	NAG	C1-C2-N2-C7
4	В	4901	NAG	O7-C7-N2-C2
4	В	4902	NAG	C8-C7-N2-C2
4	В	4902	NAG	O7-C7-N2-C2
4	В	4903	NAG	C8-C7-N2-C2
4	В	4903	NAG	O7-C7-N2-C2
4	В	4901	NAG	C8-C7-N2-C2
4	В	4904	NAG	C8-C7-N2-C2
4	В	4904	NAG	O7-C7-N2-C2
4	В	4903	NAG	O5-C5-C6-O6
4	В	4903	NAG	C4-C5-C6-O6
4	В	4904	NAG	O5-C5-C6-O6
4	В	4904	NAG	C4-C5-C6-O6
4	В	4901	NAG	C4-C5-C6-O6
4	В	4901	NAG	O5-C5-C6-O6
4	В	4902	NAG	C4-C5-C6-O6
4	В	4903	NAG	C3-C2-N2-C7
4	В	4904	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	+ #RSRZ>2		$\mathbf{OWAB}(\mathbf{A}^2)$	Q<0.9
1	А	719/719~(100%)	0.22	11 (1%) 71	67	7, 27, 40, 67	0
1	В	719/719~(100%)	-0.10	1 (0%) 92	91	9,23,35,47	6 (0%)
All	All	1438/1438~(100%)	0.06	12 (0%) 82	79	7, 25, 39, 67	6 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	132	ILE	3.2
1	А	141	VAL	3.0
1	А	271	TYR	2.6
1	А	220	PHE	2.6
1	В	496	ASN	2.4
1	А	314	ASN	2.4
1	А	274	TYR	2.3
1	А	757	SER	2.2
1	А	299	VAL	2.2
1	А	270	THR	2.1
1	А	111	PHE	2.1
1	А	432	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
2	NAG	С	2	14/15	0.41	0.18	$57,\!57,\!57,\!57$	0
3	NAG	D	2	14/15	0.45	0.18	$50,\!51,\!52,\!52$	0
2	NAG	С	1	14/15	0.60	0.16	$55,\!56,\!57,\!57$	0
2	NAG	Е	2	14/15	0.61	0.16	$50,\!51,\!51,\!52$	0
2	NAG	Е	1	14/15	0.64	0.15	43,45,46,48	0
3	NAG	D	1	14/15	0.73	0.13	44,47,48,48	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.











6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	NAG	В	4904	14/15	0.63	0.16	$53,\!56,\!59,\!59$	0
4	NAG	A	4902	14/15	0.68	0.19	105,115,121,121	0
4	NAG	В	4901	14/15	0.69	0.11	36,38,39,39	0
4	NAG	А	4901	14/15	0.69	0.12	49,51,52,52	0
4	NAG	В	4902	14/15	0.81	0.11	38,42,44,44	0
4	NAG	В	4903	14/15	0.84	0.12	47,51,53,53	0

6.5 Other polymers (i)

There are no such residues in this entry.

