

Full wwPDB X-ray Structure Validation Report (i)

Oct 23, 2024 – 11:16 AM EDT

PDB ID	:	2H5G
Title	:	Crystal structure of human pyrroline-5-carboxylate synthetase
Authors	:	Papagrigoriou, E.; Shafqat, N.; Turnbull, A.P.; Berridge, G.; Hozjan, V.; Ka-
		vanagh, K.; Gileadi, O.; Smee, C.; Bray, J.; Gorrec, F.; Sundstrom, M.; Ar-
		rowsmith, C.; Weigelt, J.; Edwards, A.; Oppermann, U.; Structural Genomics
		Consortium (SGC)
Deposited on	:	2006-05-26
Resolution	:	2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	164625	1763 (2.26-2.26)
Clashscore	180529	1919 (2.26-2.26)
Ramachandran outliers	177936	1884 (2.26-2.26)
Sidechain outliers	177891	1885 (2.26-2.26)
RSRZ outliers	164620	1763 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
			32%			
1	А	463	72%	16%	•	10%
			28%			
1	В	463	76%	15%		• 8%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 6695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
1	А	417	Total	C	N 552	0	S 6	Se	0	3	0
			5144	1981	000	098	0	0			
1	1 B	425	Total	С	Ν	O	\mathbf{S}	\mathbf{Se}	0	1	Ο
T			3239	2038	566	622	7	6	0	-1	0

• Molecule 1 is a protein called Delta 1-pyrroline-5-carboxylate synthetase.

Chain	Residue	Modelled	Actual	Comment	Reference
A	333	MSE	-	initiating methionine	UNP P54886
А	334	HIS	-	expression tag	UNP P54886
А	335	HIS	-	expression tag	UNP P54886
А	336	HIS	-	expression tag	UNP P54886
А	337	HIS	-	expression tag	UNP P54886
А	338	HIS	-	expression tag	UNP P54886
А	339	HIS	-	expression tag	UNP P54886
А	340	SER	-	cloning artifact	UNP P54886
А	341	SER	-	cloning artifact	UNP P54886
А	342	GLY	-	cloning artifact	UNP P54886
А	343	VAL	-	cloning artifact	UNP P54886
А	344	ASP	-	cloning artifact	UNP P54886
А	345	LEU	-	cloning artifact	UNP P54886
А	346	GLY	-	cloning artifact	UNP P54886
А	347	THR	-	cloning artifact	UNP P54886
А	348	GLU	-	cloning artifact	UNP P54886
А	349	ASN	-	cloning artifact	UNP P54886
А	350	LEU	-	cloning artifact	UNP P54886
А	351	TYR	-	cloning artifact	UNP P54886
А	352	PHE	-	cloning artifact	UNP P54886
А	353	GLN	-	cloning artifact	UNP P54886
А	354	SER	-	cloning artifact	UNP P54886
А	355	MSE	-	cloning artifact	UNP P54886
А	356	VAL	-	cloning artifact	UNP P54886
A	357	LYS	-	cloning artifact	UNP P54886

There are 70 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
A	358	PRO	-	cloning artifact	UNP P54886
A	359	ALA	-	cloning artifact	UNP P54886
A	360	GLY	-	cloning artifact	UNP P54886
A	361	PRO	-	cloning artifact	UNP P54886
А	369	MSE	MET	modified residue	UNP P54886
А	376	MSE	MET	modified residue	UNP P54886
А	551	MSE	MET	modified residue	UNP P54886
А	577	MSE	MET	modified residue	UNP P54886
А	586	MSE	MET	modified residue	UNP P54886
А	636	MSE	MET	modified residue	UNP P54886
В	333	MSE	-	initiating methionine	UNP P54886
В	334	HIS	-	expression tag	UNP P54886
В	335	HIS	-	expression tag	UNP P54886
В	336	HIS	-	expression tag	UNP P54886
В	337	HIS	-	expression tag	UNP P54886
В	338	HIS	-	expression tag	UNP P54886
В	339	HIS	-	expression tag	UNP P54886
В	340	SER	-	cloning artifact	UNP P54886
В	341	SER	_	cloning artifact	UNP P54886
В	342	GLY	-	cloning artifact	UNP P54886
В	343	VAL	-	cloning artifact	UNP P54886
В	344	ASP	-	cloning artifact	UNP P54886
В	345	LEU	-	cloning artifact	UNP P54886
В	346	GLY	-	cloning artifact	UNP P54886
В	347	THR	-	cloning artifact	UNP P54886
В	348	GLU	-	cloning artifact	UNP P54886
В	349	ASN	-	cloning artifact	UNP P54886
В	350	LEU	-	cloning artifact	UNP P54886
В	351	TYR	-	cloning artifact	UNP P54886
В	352	PHE	-	cloning artifact	UNP P54886
В	353	GLN	-	cloning artifact	UNP P54886
В	354	SER	-	cloning artifact	UNP P54886
В	355	MSE	-	cloning artifact	UNP P54886
В	356	VAL	-	cloning artifact	UNP P54886
В	357	LYS	-	cloning artifact	UNP P54886
В	358	PRO	-	cloning artifact	UNP P54886
В	359	ALA	-	cloning artifact	UNP P54886
В	360	GLY	-	cloning artifact	UNP P54886
В	361	PRO	-	cloning artifact	UNP P54886
В	369	MSE	MET	modified residue	UNP P54886
В	376	MSE	MET	modified residue	UNP P54886
В	551	MSE	MET	modified residue	UNP P54886



Continuea from previous page						
Chain	Residue	Modelled	Actual	Comment	Reference	
В	577	MSE	MET	modified residue	UNP P54886	
В	586	MSE	MET	modified residue	UNP P54886	
В	636	MSE	MET	modified residue	UNP P54886	



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	127	Total O 130 130	0	3
3	В	150	Total O 152 152	0	3



Residue-property plots (i) 3

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Delta 1-pyrroline-5-carboxylate synthetase







4 Data and refinement statistics (i)

Property	Value	Source	
Space group	P 21 21 2	Depositor	
Cell constants	122.02Å 137.40Å 72.06Å	Depositor	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Bosolution(A)	46.56 - 2.25	Depositor	
Resolution (A)	46.56 - 2.25	EDS	
% Data completeness	98.1 (46.56-2.25)	Depositor	
(in resolution range)	$98.1 \ (46.56 - 2.25)$	EDS	
R_{merge}	0.06	Depositor	
R _{sym}	0.03	Depositor	
$< I/\sigma(I) > 1$	8.26 (at 2.24 Å)	Xtriage	
Refinement program	REFMAC 5.2.0019	Depositor	
B B.	0.230 , 0.272	Depositor	
Λ, Λ_{free}	0.262 , 0.299	DCC	
R_{free} test set	2890 reflections $(5.06%)$	wwPDB-VP	
Wilson B-factor $(Å^2)$	36.8	Xtriage	
Anisotropy	0.083	Xtriage	
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.34, 56.9	EDS	
L-test for twinning ²	$ \langle L \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage	
Estimated twinning fraction	No twinning to report.	Xtriage	
F_o, F_c correlation	0.93	EDS	
Total number of atoms	6695	wwPDB-VP	
Average B, all atoms $(Å^2)$	60.0	wwPDB-VP	

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 52.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.7277e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
WIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.94	14/3196~(0.4%)	0.71	1/4327~(0.0%)	
1	В	1.04	15/3299~(0.5%)	0.75	6/4464~(0.1%)	
All	All	1.00	29/6495~(0.4%)	0.73	7/8791~(0.1%)	

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	663	SER	CB-OG	20.46	1.68	1.42
1	В	653	TYR	CE2-CZ	19.32	1.63	1.38
1	В	653	TYR	CG-CD2	16.46	1.60	1.39
1	В	540	GLU	CD-OE1	16.13	1.43	1.25
1	А	542	VAL	C-O	13.78	1.49	1.23
1	В	413	GLU	CD-OE1	12.94	1.39	1.25
1	В	653	TYR	C-O	12.13	1.46	1.23
1	В	580	SER	CB-OG	11.96	1.57	1.42
1	В	653	TYR	C-N	11.35	1.60	1.34
1	В	653	TYR	CG-CD1	11.02	1.53	1.39
1	А	623	ASP	CG-OD2	10.22	1.48	1.25
1	В	413	GLU	CD-OE2	9.11	1.35	1.25
1	А	674	CYS	CB-SG	8.60	1.96	1.82
1	А	641	GLN	CD-OE1	8.50	1.42	1.24
1	А	652	SER	CB-OG	8.30	1.53	1.42
1	А	641	GLN	CB-CG	8.22	1.74	1.52
1	А	623	ASP	CG-OD1	8.06	1.43	1.25
1	В	540	GLU	CD-OE2	7.72	1.34	1.25
1	А	641	GLN	CD-NE2	7.51	1.51	1.32
1	А	675	ILE	CB-CG1	6.90	1.73	1.54
1	А	646	ALA	C-N	6.88	1.45	1.33
1	В	653	TYR	CE1-CZ	6.72	1.47	1.38
1	В	641	GLN	CB-CG	6.40	1.69	1.52
1	А	641	GLN	CG-CD	6.09	1.65	1.51



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	В	646	ALA	C-N	5.97	1.43	1.33
1	В	417	ARG	CZ-NH1	5.33	1.40	1.33
1	А	612	CYS	CB-SG	5.20	1.91	1.82
1	В	654	LEU	CB-CG	5.20	1.67	1.52
1	А	638	ARG	C-O	5.04	1.32	1.23

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	653	TYR	CB-CG-CD2	-9.39	115.37	121.00
1	В	653	TYR	CD1-CG-CD2	6.64	125.20	117.90
1	А	641	GLN	CG-CD-OE1	-5.76	110.08	121.60
1	В	653	TYR	CG-CD2-CE2	-5.75	116.70	121.30
1	В	653	TYR	CG-CD1-CE1	-5.52	116.88	121.30
1	В	638	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	В	653	TYR	O-C-N	5.24	131.09	122.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3144	0	3084	61	0
1	В	3239	0	3202	44	0
2	А	15	0	0	0	0
2	В	15	0	0	0	0
3	А	130	0	0	4	0
3	В	152	0	0	1	0
All	All	6695	0	6286	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:641:GLN:CB	1:A:641:GLN:CG	1.74	1.61
1:A:663:SER:CB	1:A:663:SER:OG	1.68	1.41
1:A:577:MSE:HE2	1:A:747[B]:HIS:CD2	1.71	1.26
1:A:577:MSE:HE1	1:A:747[A]:HIS:ND1	1.62	1.14
1:A:502:LEU:HD23	1:A:534:GLN:HB2	1.33	1.05
1:A:577:MSE:CE	1:A:747[B]:HIS:CD2	2.40	1.04
1:B:543:GLU:HG3	1:B:543:GLU:O	1.59	1.01
1:B:577:MSE:HE1	1:B:747:HIS:CD2	1.97	1.00
1:A:755:GLU:OE1	3:A:290:HOH:O	1.95	0.83
1:A:502:LEU:CD2	1:A:534:GLN:HB2	2.09	0.81
1:B:543:GLU:O	1:B:543:GLU:CG	2.29	0.80
1:B:551:MSE:HE2	1:B:552:ILE:HD11	1.62	0.80
1:B:369:MSE:HE2	1:B:534:GLN:HE22	1.48	0.79
1:B:577:MSE:HE1	1:B:747:HIS:HD2	1.46	0.79
1:A:577:MSE:HE2	1:A:747[B]:HIS:HD2	1.43	0.79
1:A:551:MSE:HE2	1:A:552:ILE:HD11	1.64	0.78
1:A:621:HIS:HD2	1:A:623:ASP:H	1.29	0.78
1:A:640:GLU:HG3	3:A:99:HOH:O	1.84	0.75
1:A:606:CYS:SG	1:A:640:GLU:HG2	2.26	0.75
1:B:620:ILE:HD13	1:B:630:PHE:HE1	1.55	0.72
1:B:502:LEU:HD23	1:B:534:GLN:HB2	1.72	0.71
1:A:746:ILE:O	1:A:747[B]:HIS:CG	2.44	0.70
1:B:369:MSE:HE3	1:B:531:GLU:HG2	1.74	0.70
1:B:369:MSE:HE2	1:B:534:GLN:NE2	2.06	0.69
1:A:624:LEU:O	1:A:627:THR:HG22	1.93	0.69
1:B:597:VAL:HG11	1:B:633:ILE:HD11	1.75	0.68
1:B:504:LYS:HE2	1:B:538:THR:HA	1.74	0.67
1:A:621:HIS:CD2	1:A:623:ASP:H	2.11	0.67
1:A:670:ASP:HB2	3:A:74:HOH:O	1.94	0.67
1:B:661:VAL:HG13	1:B:662:LYS:H	1.60	0.67
1:A:747[A]:HIS:HE1	1:A:756:GLY:O	1.78	0.65
1:A:641:GLN:CG	1:A:641:GLN:CA	2.70	0.64
1:B:620:ILE:HD12	1:B:675:ILE:HG23	1.80	0.63
1:A:689[A]:HIS:HE1	1:A:714:VAL:HA	1.64	0.63
1:B:698:VAL:HG22	1:B:720:PHE:HB2	1.81	0.63
1:A:698:VAL:HG22	1:A:720:PHE:HB2	1.81	0.62
1:B:665:ARG:NH1	1:B:690:LYS:O	2.33	0.61
1:B:551:MSE:HB3	1:B:552:ILE:HD12	1.83	0.60
1:A:487:LEU:HB3	1:A:488:PRO:HD3	1.85	0.59
1:B:577:MSE:CE	1:B:747:HIS:HD2	2.16	0.59
1:B:577:MSE:CE	1:B:747:HIS:CD2	2.81	0.58
1:A:627:THR:HG23	1:A:630:PHE:H	1.70	0.57
1.1.1.027.11110.110.20	1.11.000.1 111.11	1.10	0.01



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:715:ASP:O	1:B:749:ARG:NH2	2.37	0.56
1:A:597:VAL:HG11	1:A:633:ILE:HD11	1.88	0.56
1:A:641:GLN:CB	1:A:641:GLN:CD	2.71	0.55
1:B:362:THR:HG23	1:B:365:GLN:H	1.72	0.55
1:A:590:SER:HB3	1:A:621:HIS:CD2	2.42	0.54
1:B:621:HIS:HD2	1:B:623:ASP:H	1.57	0.53
1:B:646:ALA:O	1:B:661:VAL:HB	2.09	0.53
1:A:663:SER:CB	1:A:663:SER:HG	2.12	0.52
1:A:715:ASP:O	1:A:749:ARG:NH2	2.42	0.52
1:A:577:MSE:HE2	1:A:747[B]:HIS:NE2	2.19	0.52
1:A:681:VAL:HG21	1:A:706:THR:HG23	1.92	0.51
1:A:647:GLY:O	1:A:650:PHE:HB3	2.10	0.51
1:A:644:ILE:HG13	1:A:644:ILE:O	2.10	0.51
1:B:661:VAL:HG13	1:B:662:LYS:N	2.27	0.49
1:A:551:MSE:HE2	1:A:552:ILE:CD1	2.40	0.48
1:B:481:GLU:HG2	1:B:563:LEU:HD22	1.94	0.48
1:A:747[A]:HIS:CE1	1:A:756:GLY:O	2.63	0.48
1:B:620:ILE:HD13	1:B:630:PHE:CE1	2.41	0.47
1:B:661:VAL:O	1:B:662:LYS:CB	2.62	0.47
1:A:744:SER:O	1:A:749:ARG:HD2	2.14	0.47
1:A:678:VAL:HB	1:A:683:ASP:HB3	1.96	0.47
1:B:631:ASP:O	1:B:634:ILE:HG13	2.14	0.47
1:A:581:GLU:HG3	1:A:693:SER:CB	2.45	0.47
1:B:450:SER:HB3	1:B:754:LEU:HD11	1.97	0.47
1:B:579:HIS:HD2	1:B:741:ILE:O	1.98	0.47
1:A:579:HIS:HD2	1:A:741:ILE:O	1.98	0.46
1:A:767:LYS:HB3	1:A:767:LYS:HE3	1.58	0.46
1:A:502:LEU:CD2	1:A:534:GLN:CB	2.90	0.46
1:A:621:HIS:HD2	1:A:623:ASP:N	2.07	0.46
1:A:631:ASP:O	1:A:634:ILE:HG13	2.16	0.46
1:A:585:HIS:CD2	1:A:617:THR:HB	2.52	0.45
1:B:377:LEU:HD21	1:B:495:ILE:HA	1.98	0.45
1:B:579:HIS:CE1	1:B:612[B]:CYS:SG	3.10	0.45
1:B:755:GLU:HG3	3:B:209:HOH:O	2.17	0.44
1:B:638:ARG:HG3	1:B:639:VAL:N	2.33	0.44
1:A:668:TYR:HB3	1:A:670:ASP:OD1	2.18	0.44
1:A:602:ARG:HB2	1:A:636:MSE:SE	2.67	0.43
1:A:627:THR:CG2	1:A:630:PHE:H	2.31	0.43
1:B:581:GLU:HG3	1:B:693:SER:HB2	2.01	0.43
1:A:789:ILE:HA	1:A:790:PRO:HD2	1.73	0.43
1:B:581:GLU:HG3	1:B:693:SER:CB	2.49	0.42



A + amo 1	A.t.a.m. D	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:581:GLU:HG3	1:A:693:SER:HB3	2.00	0.42
1:A:574:ILE:H	1:A:574:ILE:HG12	1.65	0.42
1:B:597:VAL:CG1	1:B:633:ILE:HD11	2.47	0.42
1:A:622:ARG:HA	1:A:625:LEU:HD23	2.02	0.42
1:B:542:VAL:HG12	1:B:542:VAL:O	2.20	0.42
1:A:481:GLU:HG2	1:A:563:LEU:HD22	2.02	0.42
1:B:449:ASP:O	1:B:453:ARG:HB2	2.20	0.42
1:A:510:ALA:O	1:A:514:ARG:HB2	2.20	0.42
1:B:385:ARG:HD2	1:B:495:ILE:O	2.20	0.41
1:B:744:SER:O	1:B:749:ARG:HD2	2.20	0.41
1:A:687:HIS:HE1	3:A:175:HOH:O	2.02	0.41
1:B:585:HIS:CD2	1:B:617:THR:HB	2.56	0.41
1:B:678:VAL:HB	1:B:683:ASP:HB3	2.01	0.41
1:A:618:LEU:HD23	1:A:675:ILE:HG12	2.02	0.41
1:A:625:LEU:HD21	1:A:677:VAL:HG22	2.02	0.41
1:A:663:SER:OG	1:A:663:SER:CA	2.56	0.41
1:A:593:SER:O	1:A:597:VAL:HG23	2.21	0.41
1:A:392:LEU:HD13	1:A:440:LEU:HD21	2.03	0.40
1:A:606:CYS:SG	1:A:640:GLU:CG	3.04	0.40
1:A:589:ASP:HB3	1:A:701:THR:HB	2.03	0.40
1:A:449:ASP:O	1:A:453:ARG:HB2	2.21	0.40
1:B:625:LEU:HD21	1:B:677:VAL:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	414/463~(89%)	393~(95%)	21~(5%)	0	100	100
1	В	423/463~(91%)	406 (96%)	15~(4%)	2~(0%)	25	25
All	All	837/926~(90%)	799~(96%)	36~(4%)	2~(0%)	44	51



All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	662	LYS
1	В	542	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	\mathbf{ntiles}
1	А	328/389~(84%)	312~(95%)	16~(5%)	21	23
1	В	346/389~(89%)	331 (96%)	15 (4%)	25	28
All	All	674/778~(87%)	643~(95%)	31~(5%)	23	25

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	362	THR
1	А	380	LEU
1	А	392	LEU
1	А	481	GLU
1	А	486	CYS
1	А	554	LEU
1	А	574	ILE
1	А	605	LYS
1	А	652	SER
1	А	683	ASP
1	А	689[A]	HIS
1	А	689[B]	HIS
1	А	694	SER
1	А	711	LEU
1	А	754	LEU
1	А	767	LYS
1	В	423	LEU
1	В	481	GLU
1	В	486	CYS
1	В	526	ILE
1	В	554	LEU



Mol	Chain	Res	Type
1	В	605	LYS
1	В	627	THR
1	В	655	THR
1	В	681	VAL
1	В	694	SER
1	В	711	LEU
1	В	754	LEU
1	В	755	GLU
1	В	789	ILE
1	В	794	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	579	HIS
1	В	366	GLN
1	В	399	GLN
1	В	534	GLN
1	В	579	HIS
1	В	621	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	True	Chain	Dec	Tinle	B	ond leng	gths	E	Bond ang	gles
	Type	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
2	SO4	А	302	-	4,4,4	0.57	0	6,6,6	0.37	0
2	SO4	В	304	-	4,4,4	0.37	0	6,6,6	0.43	0
2	SO4	А	301	-	4,4,4	0.25	0	6,6,6	0.38	0
2	SO4	А	305	-	4,4,4	0.26	0	6,6,6	0.21	0
2	SO4	В	306	-	4,4,4	0.25	0	6,6,6	0.39	0
2	SO4	В	303	-	4,4,4	0.28	0	6,6,6	0.47	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	А	411/463 (88%)	1.79	149 (36%) 1	0	30, 59, 83, 100	3~(0%)
1	В	419/463~(90%)	1.67	130 (31%) 1	1	31, 58, 83, 103	4 (0%)
All	All	830/926~(89%)	1.73	279~(33%) 1	1	30, 58, 83, 103	7(0%)

All (279) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	548	LEU	8.6
1	В	655	THR	8.1
1	А	644	ILE	7.6
1	А	542	VAL	7.0
1	В	661	VAL	6.9
1	А	626	ARG	6.9
1	А	652	SER	6.8
1	А	793	ASN	6.5
1	А	634	ILE	6.5
1	А	747[A]	HIS	6.2
1	В	430	THR	6.1
1	А	430	THR	5.9
1	В	656	PHE	5.9
1	В	362	THR	5.4
1	А	662	LYS	5.4
1	А	677	VAL	5.4
1	А	638	ARG	5.3
1	А	635	ASP	5.3
1	А	573	GLY	5.1
1	A	572	LYS	5.1
1	В	650	PHE	5.1
1	В	654	LEU	5.1
1	A	639	VAL	5.0
1	В	573	GLY	5.0



Continued from previous page							
Mol	Chain	Res	Type	RSRZ			
1	В	549	ASP	4.9			
1	А	625	LEU	4.9			
1	В	794	THR	4.9			
1	А	623	ASP	4.9			
1	А	650	PHE	4.8			
1	В	653	TYR	4.8			
1	А	641	GLN	4.8			
1	А	651	ALA	4.8			
1	А	791	GLN	4.8			
1	В	792	ARG	4.6			
1	В	580	SER	4.6			
1	В	634	ILE	4.6			
1	В	747	HIS	4.6			
1	A	642	VAL	4.5			
1	В	541	GLU	4.4			
1	В	390	HIS	4.4			
1	А	571	ALA	4.4			
1	А	627	THR	4.3			
1	В	542	VAL	4.3			
1	В	644	ILE	4.3			
1	В	626	ARG	4.3			
1	А	539	ARG	4.2			
1	В	543	GLU	4.1			
1	А	646	ALA	4.1			
1	А	630	PHE	4.1			
1	А	640	GLU	4.1			
1	А	792	ARG	4.0			
1	В	539	ARG	4.0			
1	А	429	SER	4.0			
1	А	622	ARG	4.0			
1	А	789	ILE	4.0			
1	A	790	PRO	3.9			
1	В	571	ALA	3.9			
1	A	$67\overline{5}$	ILE	3.9			
1	В	562	GLN	3.9			
1	В	$40\overline{5}$	LEU	3.9			
1	В	365	GLN	3.9			
1	В	639	VAL	3.8			
1	В	649	LYS	3.8			
1	В	581	GLU	3.8			
1	А	$6\overline{21}$	HIS	3.7			
1	В	630	PHE	3.7			



Mol	Chain	Res	Type	RSRZ
1	А	594	VAL	3.7
1	В	651	ALA	3.7
1	А	788	PRO	3.7
1	А	564	VAL	3.7
1	В	572	LYS	3.7
1	А	612	CYS	3.7
1	А	402	GLU	3.7
1	А	580	SER	3.6
1	А	628	PRO	3.6
1	А	415	GLU	3.6
1	А	671	LEU	3.6
1	В	627	THR	3.6
1	В	689	HIS	3.6
1	А	581	GLU	3.6
1	В	652	SER	3.6
1	В	625	LEU	3.6
1	В	570	ALA	3.6
1	В	791	GLN	3.5
1	А	678	VAL	3.5
1	В	414	ALA	3.5
1	В	540	GLU	3.5
1	В	638	ARG	3.5
1	В	612[A]	CYS	3.5
1	А	637	LEU	3.5
1	В	398	ASP	3.4
1	А	390[A]	HIS	3.4
1	А	361	PRO	3.4
1	А	434	ASN	3.4
1	А	578	GLY	3.4
1	А	550	LYS	3.4
1	А	689[A]	HIS	3.4
1	A	432	LYS	3.4
1	А	649	LYS	3.4
1	В	421	PRO	3.3
1	В	400	ARG	3.3
1	A	691	TYR	3.3
1	А	419	ALA	3.3
1	А	566	ASP	3.3
1	В	411	LEU	3.3
1	В	418	LEU	3.3
1	A	665	ARG	3.3
1	А	663	SER	3.3



Mol	Chain	Res	Type	RSRZ
1	А	570	ALA	3.3
1	А	647	GLY	3.2
1	А	590	SER	3.2
1	А	568	GLN	3.2
1	А	579	HIS	3.2
1	В	646	ALA	3.2
1	А	541	GLU	3.2
1	А	362	THR	3.2
1	В	629	LEU	3.2
1	В	648	PRO	3.1
1	А	559	GLY	3.1
1	В	429	SER	3.1
1	В	628	PRO	3.1
1	А	602	ARG	3.1
1	В	632	GLN	3.1
1	А	418	LEU	3.1
1	В	423	LEU	3.0
1	А	417	ARG	3.0
1	А	574	ILE	3.0
1	В	559	GLY	3.0
1	В	578	GLY	3.0
1	А	670	ASP	3.0
1	В	568	GLN	3.0
1	В	789	ILE	3.0
1	А	431	SER	3.0
1	А	681	VAL	3.0
1	В	642	VAL	3.0
1	В	681	VAL	3.0
1	А	631	ASP	3.0
1	В	790	PRO	3.0
1	В	428	LEU	2.9
1	А	632	GLN	2.9
1	В	449	ASP	2.9
1	А	624	LEU	2.9
1	В	665	ARG	2.9
1	А	562	GLN	2.9
1	А	449	ASP	2.9
1	В	610	ALA	2.9
1	А	400	ARG	2.9
1	В	624	LEU	2.9
1	А	712	GLN	2.9
1	А	645	HIS	2.9



Mol	Chain	Res	Type	RSRZ
1	А	421	PRO	2.8
1	А	643	LYS	2.8
1	В	531	GLU	2.8
1	А	629	LEU	2.8
1	А	673	LEU	2.8
1	В	402	GLU	2.8
1	В	552	ILE	2.7
1	А	591	GLU	2.7
1	А	668	TYR	2.7
1	А	416	GLY	2.7
1	А	448	GLN	2.7
1	А	666	THR	2.7
1	В	518	LEU	2.7
1	А	620	ILE	2.7
1	В	633	ILE	2.7
1	В	561	SER	2.7
1	А	428	LEU	2.7
1	В	662	LYS	2.7
1	В	793	ASN	2.7
1	А	567	ILE	2.7
1	В	417	ARG	2.7
1	В	746	ILE	2.7
1	А	593	SER	2.7
1	В	715	ASP	2.7
1	В	420	ALA	2.7
1	А	423	LEU	2.7
1	А	538	THR	2.7
1	В	413	GLU	2.7
1	В	622	ARG	2.6
1	А	582	GLY	2.6
1	A	746	ILE	2.6
1	А	511	HIS	2.6
1	В	386	ALA	2.6
1	В	669	GLY	2.6
1	A	633	ILE	2.6
1	В	623	ASP	2.6
1	В	602[A]	ARG	2.6
1	В	565	ARG	2.6
1	В	677	VAL	2.5
1	A	787	LEU	2.5
1	В	670	ASP	2.5
1	В	419	ALA	2.5



Mol	Chain	Res	Type	RSRZ
1	В	537	ASN	2.5
1	А	410	ASP	2.5
1	А	692	GLY	2.5
1	А	420	ALA	2.5
1	В	645	HIS	2.5
1	А	438	ILE	2.5
1	В	538	THR	2.5
1	А	413	GLU	2.4
1	А	485	ASP	2.4
1	В	635	ASP	2.4
1	В	526	ILE	2.4
1	А	664	LEU	2.4
1	В	641	GLN	2.4
1	В	434[A]	ASN	2.4
1	В	397	THR	2.4
1	В	399	GLN	2.4
1	А	648	PRO	2.4
1	В	668	TYR	2.4
1	А	414	ALA	2.4
1	А	611	ALA	2.4
1	А	597	VAL	2.3
1	А	727	PHE	2.3
1	А	680	ASN	2.3
1	В	664	LEU	2.3
1	А	700	VAL	2.3
1	А	560	SER	2.3
1	В	560	SER	2.3
1	В	647	GLY	2.3
1	В	415	GLU	2.3
1	A	370	ALA	2.3
1	В	592	ALA	2.3
1	A	584	CYS	2.3
1	В	579	HIS	2.3
1	A	526	ILE	2.3
1	A	552	ILE	2.3
1	В	595	ASP	2.3
1	В	364	GLU	2.2
1	A	436	LEU	2.2
1	В	433	LEU	2.2
1	В	370	ALA	2.2
1	В	363	VAL	2.2
1	А	679	ASP	2.2



Mol	Chain	Res	Type	RSRZ
1	А	672	GLU	2.2
1	А	676	GLU	2.2
1	А	502	LEU	2.2
1	В	422	LEU	2.2
1	А	674	CYS	2.2
1	В	432	LYS	2.2
1	А	391	HIS	2.2
1	А	588	VAL	2.2
1	А	447	SER	2.2
1	А	408	LYS	2.2
1	В	424	LYS	2.2
1	В	569	LYS	2.2
1	А	446	SER	2.1
1	A	694	SER	2.1
1	А	487	LEU	2.1
1	А	516	LEU	2.1
1	В	445	ALA	2.1
1	В	712	GLN	2.1
1	В	408	LYS	2.1
1	А	683	ASP	2.1
1	А	715	ASP	2.1
1	А	424	LYS	2.1
1	В	448	GLN	2.1
1	В	643	LYS	2.1
1	В	564	VAL	2.1
1	А	435	SER	2.1
1	В	403	ILE	2.1
1	В	404	LEU	2.1
1	А	608	TYR	2.1
1	В	597	VAL	2.1
1	В	699	ILE	2.1
1	A	687	HIS	2.1
1	A	411	LEU	2.1
1	В	663	SER	2.0
1	A	569	LYS	2.0
1	В	389	ILE	2.0
1	A	379	THR	2.0
1	А	492	ALA	2.0
1	В	406	ALA	2.0
1	А	576	VAL	2.0
1	В	678	VAL	2.0
1	А	669	GLY	2.0



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	566	ASP	2.0
1	А	535	LEU	2.0
1	В	671	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	SO4	В	306	5/5	0.72	0.17	75,83,90,91	0
2	SO4	А	305	5/5	0.78	0.14	94,95,99,100	0
2	SO4	А	302	5/5	0.81	0.14	52,58,79,85	0
2	SO4	В	304	5/5	0.89	0.12	$52,\!59,\!78,\!79$	0
2	SO4	А	301	5/5	0.97	0.11	52,54,57,60	0
2	SO4	В	303	5/5	0.98	0.11	50,51,57,59	0

6.5 Other polymers (i)

There are no such residues in this entry.

