



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2023 – 03:44 AM EDT

PDB ID : 2HEZ  
Title : Bifidobacterium longum bile salt hydrolase  
Authors : Suresh, C.G.; Kumar, R.S.; Brannigan, J.A.  
Deposited on : 2006-06-22  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	
1	B	316	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bile salt hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	316	2466	1547	417	485	17	14	0	0
1	B	316	2466	1547	417	485	17	15	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	OCS	CYS	modified residue	UNP Q9KK62
B	1	OCS	CYS	modified residue	UNP Q9KK62

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	B	1	5	4	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	115	Total 115	O 115	0	0
3	B	112	Total 112	O 112	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bile salt hydrolase



- Molecule 1: Bile salt hydrolase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	125.24Å 125.24Å 117.03Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.50 19.89 – 2.49	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.00-2.50) 99.5 (19.89-2.49)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.73 (at 2.50Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.174 , 0.216 0.173 , 0.211	Depositor DCC
$R_{free}$ test set	1851 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.1	Xtrriage
Anisotropy	0.015	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.025 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5164	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OCS, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.19	5/2522 (0.2%)	1.14	18/3429 (0.5%)
1	B	1.21	7/2522 (0.3%)	1.20	19/3429 (0.6%)
All	All	1.20	12/5044 (0.2%)	1.17	37/6858 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	25	TYR	CE1-CZ	7.25	1.48	1.38
1	B	177	ASP	CB-CG	6.88	1.66	1.51
1	A	195	GLU	CB-CG	6.13	1.63	1.52
1	A	195	GLU	CG-CD	5.90	1.60	1.51
1	A	25	TYR	CD1-CE1	5.88	1.48	1.39
1	B	2	THR	CA-C	-5.62	1.38	1.52
1	A	9	ASP	CB-CG	5.58	1.63	1.51
1	B	150	SER	CB-OG	-5.54	1.35	1.42
1	B	62	ASP	CB-CG	5.42	1.63	1.51
1	B	82	PHE	CE2-CZ	5.14	1.47	1.37
1	B	25	TYR	CE2-CZ	5.06	1.45	1.38
1	B	189	VAL	CB-CG1	-5.05	1.42	1.52

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2	THR	CA-CB-CG2	-15.19	91.14	112.40
1	A	228	ARG	NE-CZ-NH2	-14.90	112.85	120.30
1	A	17	ARG	NE-CZ-NH2	-12.95	113.82	120.30
1	B	228	ARG	NE-CZ-NH2	-11.44	114.58	120.30
1	B	17	ARG	NE-CZ-NH2	-10.47	115.07	120.30
1	B	2	THR	N-CA-C	-9.74	84.70	111.00
1	A	17	ARG	NE-CZ-NH1	9.62	125.11	120.30
1	B	225	ARG	NE-CZ-NH1	8.58	124.59	120.30
1	A	272	ARG	NE-CZ-NH1	8.23	124.41	120.30
1	A	228	ARG	NE-CZ-NH1	8.10	124.35	120.30
1	B	228	ARG	NE-CZ-NH1	8.02	124.31	120.30
1	A	9	ASP	CB-CG-OD1	7.79	125.31	118.30
1	B	168	ASP	CB-CG-OD1	7.50	125.05	118.30
1	B	177	ASP	CB-CG-OD2	7.27	124.84	118.30
1	A	17	ARG	CG-CD-NE	-6.73	97.67	111.80
1	A	297	ARG	NE-CZ-NH2	-6.60	117.00	120.30
1	B	2	THR	CA-C-N	-6.60	103.00	116.20
1	B	17	ARG	CG-CD-NE	-6.47	98.20	111.80
1	B	17	ARG	NE-CZ-NH1	6.36	123.48	120.30
1	A	297	ARG	NE-CZ-NH1	6.27	123.43	120.30
1	A	5	ARG	CG-CD-NE	-6.01	99.19	111.80
1	A	272	ARG	NE-CZ-NH2	-5.93	117.33	120.30
1	B	80	LEU	CA-CB-CG	5.93	128.93	115.30
1	A	113	ASP	CB-CG-OD1	5.76	123.48	118.30
1	A	216	ILE	CG1-CB-CG2	-5.75	98.75	111.40
1	B	9	ASP	CB-CG-OD1	5.72	123.45	118.30
1	B	311	LEU	CA-CB-CG	5.71	128.44	115.30
1	A	80	LEU	CA-CB-CG	5.66	128.32	115.30
1	B	248	ARG	NE-CZ-NH2	-5.51	117.55	120.30
1	B	297	ARG	NE-CZ-NH1	5.49	123.04	120.30
1	A	177	ASP	CB-CG-OD1	-5.37	113.46	118.30
1	B	293	ASP	CB-CG-OD1	5.37	123.13	118.30
1	A	315	ALA	N-CA-CB	-5.33	102.63	110.10
1	B	225	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	A	47	LYS	N-CA-C	-5.20	96.96	111.00
1	B	19	LEU	CA-CB-CG	-5.12	103.52	115.30
1	A	177	ASP	N-CA-CB	-5.01	101.58	110.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	2	THR	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2466	0	2288	42	0
1	B	2466	0	2288	67	1
2	B	5	0	0	0	0
3	A	115	0	0	2	1
3	B	112	0	0	5	0
All	All	5164	0	4576	109	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:49:LYS:CD	1:B:49:LYS:H	1.73	1.00
1:A:112:PHE:CE1	1:A:121:THR:HG21	2.00	0.96
1:B:173:GLN:NE2	1:B:173:GLN:H	1.67	0.93
1:B:49:LYS:H	1:B:49:LYS:HD3	1.32	0.91
1:A:172:ASN:HD22	1:A:225:ARG:HH22	1.22	0.87
1:B:172:ASN:HD22	1:B:225:ARG:HH22	1.21	0.87
1:A:310:GLU:HB2	3:A:425:HOH:O	1.74	0.87
1:B:101:THR:HG21	3:B:364:HOH:O	1.77	0.84
1:B:173:GLN:H	1:B:173:GLN:HE21	1.21	0.84
1:B:28:THR:HG23	1:B:29:ILE:O	1.78	0.83
1:A:122:LEU:HD22	1:A:160:MET:HE1	1.61	0.81
1:B:235:HIS:HE1	3:B:349:HOH:O	1.61	0.81
1:A:112:PHE:CZ	1:A:121:THR:HG21	2.17	0.78
1:A:93:VAL:H	1:A:98:ASN:HD21	1.30	0.78
1:B:171:THR:HG23	1:B:172:ASN:H	1.48	0.77
1:B:172:ASN:ND2	1:B:225:ARG:HH22	1.82	0.77
1:A:172:ASN:ND2	1:A:225:ARG:HH22	1.84	0.73
1:B:171:THR:HG21	1:B:222:SER:O	1.89	0.72
1:B:35:GLY:O	1:B:309:SER:HB2	1.91	0.71
1:B:101:THR:HG23	3:B:350:HOH:O	1.91	0.69
1:B:49:LYS:CD	1:B:49:LYS:N	2.52	0.69
1:B:33:PRO:HA	1:B:306:MET:HE1	1.75	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:158:ASP:OD1	1:B:161:HIS:HE1	1.76	0.68
1:B:33:PRO:HA	1:B:306:MET:CE	2.25	0.66
1:A:4:VAL:HG22	1:A:169:VAL:HG12	1.78	0.66
1:A:173:GLN:H	1:A:173:GLN:NE2	1.95	0.65
1:B:28:THR:CG2	1:B:29:ILE:O	2.44	0.65
1:B:173:GLN:HE21	1:B:173:GLN:N	1.94	0.65
1:B:22:SER:N	1:B:265:MET:HE3	2.12	0.64
1:A:93:VAL:H	1:A:98:ASN:ND2	1.95	0.64
1:B:32:THR:HG21	1:B:106:LEU:HD11	1.81	0.63
1:B:36:TYR:CE1	1:B:311:LEU:HD13	2.34	0.63
1:A:173:GLN:H	1:A:173:GLN:HE21	1.46	0.62
1:B:28:THR:HG21	1:B:313:SER:HB3	1.83	0.60
1:A:172:ASN:HB3	1:A:173:GLN:NE2	2.18	0.58
1:B:49:LYS:H	1:B:49:LYS:HD2	1.63	0.58
1:B:22:SER:N	1:B:265:MET:CE	2.65	0.58
1:B:22:SER:H	1:B:265:MET:HE3	1.66	0.58
1:B:45:GLY:N	1:B:97:GLU:OE1	2.33	0.58
1:B:34:ARG:NH1	1:B:306:MET:HB3	2.19	0.58
1:B:231:TYR:O	1:B:235:HIS:HD2	1.87	0.58
1:B:305:ASP:O	1:B:308:SER:HB3	2.04	0.57
1:B:77:ILE:HD12	1:B:144:ILE:HG12	1.86	0.55
1:B:74:GLY:HA2	1:B:279:TYR:OH	2.06	0.55
1:B:228:ARG:HD2	1:B:255:SER:O	2.07	0.55
1:A:228:ARG:HD2	1:A:255:SER:O	2.06	0.55
1:B:104:PHE:HB3	1:B:105:PRO:HD3	1.91	0.53
1:B:101:THR:HG22	3:B:371:HOH:O	2.10	0.51
1:B:311:LEU:O	1:B:311:LEU:HD23	2.10	0.51
1:B:112:PHE:HE1	1:B:121:THR:HG1	1.58	0.51
1:A:112:PHE:CE1	1:A:121:THR:CG2	2.87	0.51
1:B:47:LYS:HG3	1:B:49:LYS:HD3	1.92	0.51
1:B:150:SER:HB2	1:B:168:ASP:OD1	2.11	0.51
1:A:22:SER:N	1:A:265:MET:HE1	2.26	0.50
1:B:120:GLU:OE2	1:B:120:GLU:HA	2.12	0.50
1:A:35:GLY:O	1:A:309:SER:HA	2.12	0.50
1:B:150:SER:HB3	1:B:165:ASP:HB3	1.94	0.49
1:A:22:SER:CB	1:A:265:MET:HE1	2.42	0.49
1:A:65:MET:CE	1:A:102:PHE:CD1	2.96	0.49
1:A:188:CYS:O	1:A:189:VAL:C	2.50	0.49
1:B:120:GLU:O	1:B:123:ARG:HG3	2.13	0.49
1:A:42:PHE:CD1	1:A:92:PRO:HG3	2.48	0.48
1:A:22:SER:HB3	1:A:265:MET:HE1	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:THR:HG22	1:B:102:PHE:N	2.29	0.47
1:A:189:VAL:HG11	1:A:216:ILE:HG12	1.96	0.47
1:A:203:SER:HB3	3:A:360:HOH:O	2.14	0.47
1:A:100:ALA:O	1:A:103:GLU:HG2	2.15	0.47
1:A:158:ASP:OD1	1:A:161:HIS:HE1	1.96	0.47
1:B:311:LEU:HD22	3:B:424:HOH:O	2.15	0.47
1:B:22:SER:HB3	1:B:265:MET:HE2	1.97	0.47
1:A:77:ILE:HD12	1:A:144:ILE:HG12	1.96	0.46
1:B:6:PHE:CE1	1:B:248:ARG:HD3	2.49	0.46
1:B:171:THR:HG23	1:B:172:ASN:N	2.24	0.46
1:B:90:HIS:HD2	1:B:129:SER:O	1.97	0.46
1:A:122:LEU:HB3	1:A:160:MET:CE	2.45	0.46
1:B:171:THR:CG2	1:B:172:ASN:H	2.24	0.46
1:B:283:THR:O	1:B:284:ASN:C	2.54	0.46
1:B:104:PHE:O	1:B:108:VAL:HG13	2.17	0.45
1:B:13:THR:HB	1:B:281:SER:HB3	1.98	0.45
1:A:39:ASP:O	1:A:63:ARG:NH2	2.50	0.44
1:A:34:ARG:HG2	1:A:50:PRO:O	2.16	0.44
1:B:121:THR:HG22	1:B:125:VAL:HG23	2.00	0.44
1:A:1:OCS:HB3	1:A:80:LEU:HB3	1.98	0.44
1:A:104:PHE:HB3	1:A:105:PRO:HD3	1.99	0.44
1:A:79:GLY:C	1:A:80:LEU:HD23	2.38	0.44
1:B:49:LYS:HD3	1:B:49:LYS:N	2.16	0.44
1:A:173:GLN:HB2	1:A:174:PRO:HA	2.00	0.43
1:B:28:THR:HG21	1:B:313:SER:CB	2.48	0.43
1:B:178:PHE:CD2	1:B:178:PHE:C	2.91	0.43
1:B:196:PRO:HA	1:B:204:LEU:O	2.19	0.43
1:B:34:ARG:HH12	1:B:306:MET:HB3	1.84	0.43
1:A:216:ILE:HG23	1:A:216:ILE:HD12	1.70	0.43
1:A:310:GLU:OE2	1:A:310:GLU:HA	2.18	0.43
1:A:275:PHE:C	1:A:275:PHE:CD1	2.93	0.42
1:B:101:THR:CG2	1:B:102:PHE:N	2.82	0.42
1:B:33:PRO:HG2	1:B:310:GLU:O	2.20	0.42
1:A:222:SER:HB3	1:A:223:PRO:HD3	2.00	0.42
1:B:171:THR:CG2	1:B:172:ASN:N	2.83	0.42
1:B:49:LYS:N	1:B:49:LYS:HD2	2.29	0.42
1:B:231:TYR:O	1:B:235:HIS:CD2	2.71	0.41
1:B:52:ALA:CB	1:B:306:MET:HG3	2.50	0.41
1:B:171:THR:HG21	1:B:226:PHE:HB2	2.01	0.41
1:A:65:MET:HE2	1:A:102:PHE:HD1	1.85	0.41
1:A:82:PHE:N	1:A:83:PRO:CD	2.83	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:THR:O	1:A:17:ARG:HA	2.20	0.41
1:A:38:TYR:CE2	1:A:40:THR:HG22	2.55	0.41
1:A:65:MET:HE1	1:A:102:PHE:CD1	2.55	0.40
1:B:16:GLY:HA2	1:B:278:GLY:HA2	2.03	0.40
1:B:121:THR:O	1:B:122:LEU:C	2.60	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:HIS:CD2	3:A:416:HOH:O[5_555]	2.18	0.02

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/316 (99%)	295 (94%)	14 (4%)	5 (2%)	9	17
1	B	314/316 (99%)	290 (92%)	19 (6%)	5 (2%)	9	17
All	All	628/632 (99%)	585 (93%)	33 (5%)	10 (2%)	9	17

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	308	SER
1	A	47	LYS
1	A	302	ALA
1	B	101	THR
1	B	302	ALA
1	B	315	ALA
1	B	134	GLY
1	A	315	ALA

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	82	PHE
1	A	174	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/262 (100%)	243 (93%)	19 (7%)	14	27
1	B	262/262 (100%)	241 (92%)	21 (8%)	12	23
All	All	524/524 (100%)	484 (92%)	40 (8%)	13	25

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ARG
1	A	7	SER
1	A	10	GLU
1	A	17	ARG
1	A	47	LYS
1	A	60	MET
1	A	65	MET
1	A	77	ILE
1	A	80	LEU
1	A	81	ASN
1	A	97	GLU
1	A	110	ARG
1	A	136	GLN
1	A	141	HIS
1	A	173	GLN
1	A	177	ASP
1	A	286	TYR
1	A	314	VAL
1	A	316	ARG
1	B	7	SER
1	B	17	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	28	THR
1	B	29	ILE
1	B	47	LYS
1	B	49	LYS
1	B	68	ASP
1	B	80	LEU
1	B	101	THR
1	B	133	PRO
1	B	135	GLN
1	B	138	SER
1	B	141	HIS
1	B	171	THR
1	B	173	GLN
1	B	177	ASP
1	B	282	LYS
1	B	297	ARG
1	B	306	MET
1	B	311	LEU
1	B	316	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	ASN
1	A	98	ASN
1	A	130	GLN
1	A	136	GLN
1	A	161	HIS
1	A	172	ASN
1	A	173	GLN
1	A	185	ASN
1	A	245	ASN
1	A	284	ASN
1	B	18	ASN
1	B	81	ASN
1	B	90	HIS
1	B	111	ASN
1	B	161	HIS
1	B	172	ASN
1	B	173	GLN
1	B	235	HIS
1	B	238	GLN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	B	245	ASN
1	B	284	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	OCS	A	1	1	7,8,9	1.74	2 (28%)	6,11,13	2.59	1 (16%)
1	OCS	B	1	1	7,8,9	2.05	2 (28%)	6,11,13	4.78	4 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OCS	A	1	1	-	1/4/7/9	-
1	OCS	B	1	1	-	1/4/7/9	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	OCS	CB-CA	-4.27	1.49	1.53
1	A	1	OCS	CB-CA	-2.95	1.50	1.53
1	A	1	OCS	OD3-SG	2.77	1.53	1.45
1	B	1	OCS	OD2-SG	-2.23	1.39	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	OCS	OD3-SG-CB	10.20	119.06	106.94
1	A	1	OCS	OD3-SG-CB	5.87	113.91	106.94
1	B	1	OCS	OD2-SG-OD3	-3.62	102.43	111.27
1	B	1	OCS	OD1-SG-CB	-3.19	103.15	106.94
1	B	1	OCS	OD2-SG-OD1	2.65	117.74	111.27

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	OCS	N-CA-CB-SG
1	B	1	OCS	N-CA-CB-SG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1	OCS	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	B	317	-	4,4,4	0.36	0	6,6,6	1.42	1 (16%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	317	SO4	O3-S-O2	2.71	123.47	109.31

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	314/316 (99%)	-0.40	4 (1%) 77 79	24, 40, 64, 74	1 (0%)
1	B	314/316 (99%)	-0.31	8 (2%) 57 61	26, 42, 67, 77	2 (0%)
All	All	628/632 (99%)	-0.36	12 (1%) 66 69	24, 41, 66, 77	3 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	25	TYR	4.4
1	B	48	ALA	4.0
1	B	95	GLY	3.3
1	A	48	ALA	3.3
1	B	134	GLY	2.9
1	B	9	ASP	2.6
1	A	49	LYS	2.5
1	B	310	GLU	2.4
1	A	94	GLU	2.4
1	B	23	PHE	2.3
1	B	37	HIS	2.3
1	A	132	VAL	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	OCS	A	1	9/10	0.97	0.09	34,36,48,52	0
1	OCS	B	1	9/10	0.98	0.09	40,43,49,49	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	B	317	5/5	0.97	0.09	53,59,63,64	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.