



Full wwPDB NMR Structure Validation Report ⓘ

Apr 21, 2024 – 09:56 AM EDT

PDB ID : 2MLZ
BMRB ID : 19837
Title : NMR structure of E. coli Trigger Factor in complex with unfolded PhoA365-471
Authors : Saio, T.; Guan, X.; Rossi, P.; Economou, A.; Kalodimos, C.G.
Deposited on : 2014-03-05

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 35%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	443	
2	B	114	

2 Ensemble composition and analysis i

This entry contains 10 models. Model 6 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:315, A:330-A:429, B:385-B:388, B:443-B:444, B:460-B:467 (429)	1.69	6

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	4, 5, 6, 7, 9
2	1, 2, 3
3	8, 10

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8370 atoms, of which 4188 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Trigger factor.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	432	6789	2119	3403	582	674	11	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	expression tag	UNP U6N325
A	-9	ASN	-	expression tag	UNP U6N325
A	-8	HIS	-	expression tag	UNP U6N325
A	-7	LYS	-	expression tag	UNP U6N325
A	-6	VAL	-	expression tag	UNP U6N325
A	-5	HIS	-	expression tag	UNP U6N325
A	-4	HIS	-	expression tag	UNP U6N325
A	-3	HIS	-	expression tag	UNP U6N325
A	-2	HIS	-	expression tag	UNP U6N325
A	-1	HIS	-	expression tag	UNP U6N325
A	0	HIS	-	expression tag	UNP U6N325

- Molecule 2 is a protein called Alkaline phosphatase.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
2	B	107	1581	493	785	137	163	3	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	358	HIS	-	expression tag	UNP P00634
B	359	MET	-	expression tag	UNP P00634

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Trigger factor



- Molecule 2: Alkaline phosphatase




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: Trigger factor



- Molecule 2: Alkaline phosphatase


Chain B: 11% . 82% 6%



4.2.2 Score per residue for model 2

- Molecule 1: Trigger factor

Chain A: 85% 8% . .



- Molecule 2: Alkaline phosphatase


Chain B: 9% . 82% 6%



4.2.3 Score per residue for model 3


- Molecule 1: Trigger factor

Chain A: 83% 11% . .




- Molecule 2: Alkaline phosphatase

Chain B: 10% . 82% 6%




4.2.4 Score per residue for model 4

- Molecule 1: Trigger factor




- Molecule 2: Alkaline phosphatase




4.2.5 Score per residue for model 5

- Molecule 1: Trigger factor



- Molecule 2: Alkaline phosphatase






4.2.6 Score per residue for model 6 (medoid)

- Molecule 1: Trigger factor

Chain A: 83% 9%



- Molecule 2: Alkaline phosphatase


Chain B: 7% 82% 6%



4.2.7 Score per residue for model 7


- Molecule 1: Trigger factor


Chain A: 84% 9%



- Molecule 2: Alkaline phosphatase


Chain B: 8% 82% 6%






4.2.8 Score per residue for model 8

- Molecule 1: Trigger factor




- Molecule 2: Alkaline phosphatase




4.2.9 Score per residue for model 9

- Molecule 1: Trigger factor




- Molecule 2: Alkaline phosphatase




4.2.10 Score per residue for model 10

- Molecule 1: Trigger factor



- Molecule 2: Alkaline phosphatase



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 1000 calculated structures, 10 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	
CYANA	structure solution	3.0
X-PLOR NIH	structure solution	
TALOSN	geometry optimization	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	2096
Number of shifts mapped to atoms	2096
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	35%

6 Model quality i

6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	3253	3277	3277	18±4
2	B	112	122	122	2±2
All	All	33650	33990	33990	180

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:226:LEU:HD11	2:B:388:VAL:HA	0.64	1.70	7	2
1:A:224:GLU:HA	1:A:227:LYS:HB3	0.60	1.74	7	2
1:A:189:MET:SD	1:A:203:LYS:HB3	0.58	2.38	1	3
1:A:154:LYS:HE2	1:A:242:GLU:HB2	0.57	1.77	1	3
1:A:163:ARG:HB2	1:A:241:GLU:HB2	0.57	1.76	10	3
1:A:283:ARG:HH21	1:A:405:GLU:HB3	0.56	1.60	4	1
1:A:28:VAL:HG21	1:A:63:ARG:HD3	0.56	1.77	3	2
1:A:165:THR:HB	1:A:239:LYS:HB2	0.55	1.76	10	8
1:A:389:SER:HA	1:A:395:MET:SD	0.55	2.42	2	3
1:A:428:MET:N	1:A:428:MET:SD	0.55	2.80	8	3
1:A:32:LEU:HD21	1:A:62:VAL:HG11	0.54	1.79	10	1
1:A:312:ASP:HA	1:A:315:ARG:HD2	0.53	1.80	10	1
1:A:98:LYS:HB2	1:A:101:GLU:HB2	0.53	1.80	5	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:ILE:HD13	1:A:70:LEU:HB3	0.53	1.79	2	4
1:A:367:VAL:HG13	1:A:398:MET:HG3	0.52	1.80	2	1
1:A:56:GLN:HG3	1:A:57:ARG:HG3	0.52	1.81	5	1
1:A:53:ILE:HG23	1:A:57:ARG:HD2	0.52	1.81	10	1
1:A:130:VAL:HG22	1:A:422:THR:HG23	0.52	1.82	9	1
1:A:428:MET:SD	1:A:428:MET:N	0.51	2.83	5	1
1:A:178:GLU:HB2	2:B:386:VAL:HG13	0.51	1.82	8	1
1:A:294:LEU:HB3	1:A:350:LEU:HD13	0.51	1.82	2	1
1:A:253:ILE:HG13	1:A:266:LEU:HD22	0.51	1.83	1	4
1:A:85:ASN:HD21	1:A:112:TYR:HB2	0.51	1.66	2	1
1:A:375:ALA:HB1	1:A:381:PRO:HA	0.51	1.81	1	2
1:A:11:LEU:HB3	1:A:110:GLU:HA	0.50	1.82	8	1
1:A:190:GLY:HA3	1:A:243:ARG:HH21	0.50	1.67	2	1
1:A:29:LYS:HE3	1:A:52:ASN:HA	0.50	1.83	7	1
1:A:207:ALA:HB2	1:A:240:VAL:HG23	0.49	1.82	3	3
1:A:302:VAL:HG21	1:A:346:VAL:HG22	0.49	1.84	10	1
1:A:32:LEU:HD11	1:A:59:GLY:HA3	0.49	1.84	2	1
1:A:154:LYS:HG3	1:A:240:VAL:HG12	0.49	1.84	3	1
1:A:172:VAL:HG22	1:A:231:ALA:HB2	0.49	1.83	9	2
1:A:304:ALA:HA	1:A:307:ILE:HD12	0.48	1.83	3	3
1:A:311:ILE:HD13	1:A:334:ARG:HG3	0.48	1.85	7	2
1:A:345:VAL:HA	2:B:467:ALA:HB3	0.48	1.84	8	1
1:A:172:VAL:O	1:A:175:GLU:HG2	0.48	2.09	1	4
1:A:172:VAL:HA	1:A:231:ALA:HA	0.48	1.85	8	1
1:A:260:ASP:HB3	1:A:265:GLY:HA3	0.48	1.84	4	1
1:A:371:ILE:HD11	1:A:398:MET:HG2	0.48	1.85	1	4
1:A:113:PRO:HB2	1:A:300:ILE:HD11	0.47	1.85	3	1
1:A:146:LYS:HA	1:A:149:ALA:HB2	0.47	1.87	10	2
1:A:254:LYS:HA	1:A:258:VAL:HB	0.47	1.85	5	2
1:A:288:SER:HA	1:A:343:ARG:NH2	0.47	2.24	6	1
1:A:392:LYS:HA	1:A:395:MET:HB3	0.47	1.85	7	1
1:A:190:GLY:HA3	1:A:243:ARG:NH2	0.47	2.25	2	1
1:A:403:LEU:HD22	2:B:463:THR:HG23	0.47	1.87	5	1
1:A:306:LEU:HD13	2:B:467:ALA:HA	0.47	1.86	3	1
1:A:347:VAL:HG13	1:A:351:LEU:HD12	0.46	1.87	6	3
1:A:88:GLY:N	1:A:305:ALA:HB2	0.46	2.25	1	1
1:A:166:ILE:HG22	1:A:237:LEU:HD23	0.46	1.87	3	2
1:A:130:VAL:HG12	1:A:278:LEU:HD21	0.46	1.86	9	1
1:A:11:LEU:HA	1:A:111:VAL:HG22	0.46	1.88	3	1
1:A:425:ASN:HA	1:A:429:ASN:HB2	0.46	1.88	9	1
1:A:342:LYS:O	1:A:346:VAL:HG23	0.45	2.11	10	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:200:ASP:HA	1:A:203:LYS:HE2	0.45	1.88	9	1
1:A:367:VAL:HG21	1:A:399:ARG:HG2	0.45	1.86	3	1
1:A:356:ARG:HA	2:B:460:LEU:HD13	0.45	1.88	7	1
1:A:125:VAL:HB	1:A:417:VAL:HG22	0.45	1.87	6	2
1:A:88:GLY:H	1:A:305:ALA:HB2	0.45	1.70	1	1
1:A:132:VAL:HG11	1:A:274:MET:SD	0.45	2.51	8	1
1:A:172:VAL:HG11	1:A:226:LEU:HA	0.45	1.89	4	1
1:A:28:VAL:HA	1:A:66:VAL:HG21	0.45	1.89	6	1
1:A:371:ILE:HG21	1:A:385:ILE:HA	0.44	1.89	4	1
1:A:302:VAL:HG12	1:A:307:ILE:HD11	0.44	1.88	6	1
2:B:465:LYS:HD3	2:B:465:LYS:H	0.44	1.71	8	1
1:A:90:PRO:HA	1:A:109:PHE:HB3	0.44	1.89	5	1
1:A:157:ALA:H	1:A:240:VAL:HG11	0.44	1.72	1	1
1:A:300:ILE:HD13	1:A:349:LEU:HD13	0.44	1.88	1	2
1:A:187:LEU:HD23	1:A:202:ILE:HG21	0.44	1.90	10	1
1:A:146:LYS:HD3	1:A:243:ARG:HH12	0.44	1.73	2	1
1:A:145:ARG:HB3	1:A:246:PRO:HD2	0.44	1.90	3	3
1:A:395:MET:O	1:A:399:ARG:HG3	0.44	2.12	3	2
1:A:169:THR:HB	1:A:181:LYS:HG2	0.44	1.89	4	1
1:A:117:LEU:HB3	1:A:120:LEU:HD21	0.44	1.89	9	1
1:A:115:VAL:HG11	1:A:350:LEU:HA	0.43	1.89	2	1
1:A:427:LEU:HB2	1:A:428:MET:SD	0.43	2.53	4	1
1:A:130:VAL:HG21	1:A:427:LEU:HD11	0.43	1.90	10	4
1:A:172:VAL:HG23	1:A:177:PHE:CD1	0.43	2.48	2	1
1:A:168:PHE:CE2	2:B:385:LEU:HD12	0.43	2.49	3	1
1:A:113:PRO:HG2	1:A:300:ILE:HD11	0.43	1.89	7	1
1:A:193:ARG:NH2	2:B:385:LEU:HD22	0.43	2.29	8	1
1:A:201:GLY:HA3	1:A:213:ILE:HG21	0.43	1.89	9	1
1:A:307:ILE:HA	1:A:345:VAL:HG21	0.43	1.90	7	1
1:A:2:GLN:HB3	1:A:18:THR:HB	0.42	1.89	6	1
1:A:63:ARG:O	1:A:67:LEU:HG	0.42	2.14	7	1
1:A:124:GLU:HG2	1:A:416:LYS:HD2	0.42	1.90	4	1
1:A:311:ILE:O	1:A:315:ARG:HG3	0.42	2.13	6	1
1:A:343:ARG:O	1:A:347:VAL:HG23	0.42	2.14	7	1
1:A:128:PRO:HG3	1:A:285:ARG:HD2	0.42	1.90	4	1
2:B:460:LEU:HD13	2:B:463:THR:HB	0.42	1.92	6	1
1:A:206:LYS:O	1:A:209:GLU:HG2	0.42	2.14	1	1
1:A:177:PHE:HE2	2:B:387:ILE:HA	0.42	1.75	3	1
1:A:425:ASN:HA	1:A:429:ASN:HB3	0.42	1.92	3	1
1:A:172:VAL:HG21	1:A:226:LEU:HD22	0.42	1.92	9	1
1:A:187:LEU:HD11	1:A:194:MET:SD	0.42	2.55	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:179:GLY:HA3	2:B:386:VAL:HG21	0.41	1.93	4	1
1:A:117:LEU:HD13	1:A:120:LEU:HD11	0.41	1.91	6	1
1:A:177:PHE:CD1	1:A:177:PHE:N	0.41	2.89	8	1
1:A:194:MET:SD	2:B:385:LEU:HD13	0.41	2.55	9	1
1:A:398:MET:HA	1:A:401:VAL:HG12	0.41	1.90	8	3
1:A:29:LYS:HB2	1:A:29:LYS:NZ	0.41	2.30	6	2
1:A:141:LEU:HD21	1:A:270:VAL:HG11	0.41	1.92	1	1
1:A:3:VAL:HG12	1:A:17:ILE:HG12	0.41	1.91	8	1
1:A:345:VAL:HA	2:B:466:ALA:HB1	0.41	1.92	4	1
1:A:127:LYS:HB2	1:A:417:VAL:HG12	0.41	1.92	10	1
1:A:380:ASP:N	1:A:381:PRO:HD3	0.41	2.30	1	1
1:A:311:ILE:HD13	1:A:334:ARG:HB2	0.41	1.92	3	1
1:A:424:PHE:O	1:A:428:MET:SD	0.41	2.78	8	1
1:A:123:ILE:HG23	1:A:293:GLY:HA3	0.41	1.92	2	1
1:A:173:ASP:HB2	1:A:229:LYS:HB3	0.41	1.92	4	1
1:A:360:LEU:HB3	1:A:406:GLN:HE21	0.41	1.75	4	1
1:A:404:GLU:O	1:A:408:VAL:HG23	0.41	2.16	3	1
1:A:150:THR:HB	1:A:244:GLU:HB3	0.41	1.93	8	1
1:A:187:LEU:HD22	1:A:194:MET:HE3	0.41	1.93	9	1
1:A:185:PHE:CD2	2:B:385:LEU:HD11	0.40	2.51	3	1
1:A:11:LEU:HD21	1:A:113:PRO:HG3	0.40	1.92	4	1
1:A:367:VAL:O	1:A:371:ILE:HG12	0.40	2.16	7	1
2:B:460:LEU:H	2:B:460:LEU:HD13	0.40	1.77	8	1
1:A:117:LEU:HB3	1:A:120:LEU:HD11	0.40	1.93	1	1
1:A:132:VAL:HG21	1:A:274:MET:HB3	0.40	1.94	4	1
1:A:168:PHE:HE2	2:B:385:LEU:HD12	0.40	1.76	3	1
1:A:346:VAL:O	1:A:350:LEU:HG	0.40	2.15	7	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	414/443 (93%)	377±5 (91±1%)	36±6 (9±1%)	1±1 (0±0%)	44 80
2	B	14/114 (12%)	8±2 (57±15%)	4±2 (31±12%)	2±2 (11±12%)	1 8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	4280/5570 (77%)	3851 (90%)	400 (9%)	29 (1%)	26 73

All 22 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	461	PHE	3
1	A	177	PHE	2
2	B	444	TYR	2
2	B	462	TYR	2
2	B	463	THR	2
2	B	466	ALA	2
1	A	12	GLY	1
1	A	99	LEU	1
1	A	192	GLY	1
1	A	10	GLY	1
1	A	333	PRO	1
1	A	196	PRO	1
1	A	381	PRO	1
2	B	460	LEU	1
2	B	467	ALA	1
1	A	218	PRO	1
1	A	221	TYR	1
2	B	464	MET	1
1	A	47	GLY	1
2	B	388	VAL	1
2	B	443	ALA	1
1	A	257	GLY	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	348/370 (94%)	339±2 (98±1%)	9±2 (2±1%)	50 91
2	B	11/89 (12%)	10±1 (86±9%)	2±1 (14±9%)	7 47
All	All	3590/4590 (78%)	3489 (97%)	101 (3%)	46 90

All 42 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	361	LYS	9
1	A	206	LYS	6
1	A	428	MET	5
2	B	460	LEU	5
1	A	400	ASN	5
1	A	298	ASN	5
1	A	395	MET	4
1	A	74	ASN	4
1	A	189	MET	3
2	B	387	ILE	3
1	A	219	GLU	3
1	A	264	GLU	3
1	A	343	ARG	3
1	A	237	LEU	3
1	A	193	ARG	2
1	A	254	LYS	2
2	B	465	LYS	2
1	A	163	ARG	2
1	A	368	LYS	2
1	A	425	ASN	2
2	B	464	MET	2
1	A	236	ASN	2
2	B	388	VAL	2
1	A	177	PHE	2
1	A	260	ASP	2
1	A	199	GLU	2
1	A	194	MET	1
1	A	308	ASP	1
1	A	359	GLU	1
1	A	227	LYS	1
1	A	259	GLU	1
1	A	388	TYR	1
1	A	420	LYS	1
1	A	284	ASN	1
1	A	294	LEU	1
1	A	374	MET	1
1	A	404	GLU	1
1	A	25	GLU	1
1	A	273	ASN	1
1	A	77	ASP	1
1	A	98	LYS	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	444	TYR	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 35% for the well-defined parts and 29% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2096
Number of shifts mapped to atoms	2096
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing i

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	85	0.11 \pm 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	101	0.05 \pm 0.18	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	343	-0.02 \pm 0.22	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments i

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 35%, i.e. 2054 atoms were assigned a chemical shift out of a possible 5894. 0 out of 77 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	842/2151 (39%)	427/876 (49%)	85/858 (10%)	330/417 (79%)
Sidechain	1126/3455 (33%)	811/2235 (36%)	314/1087 (29%)	1/133 (1%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	86/288 (30%)	43/139 (31%)	42/144 (29%)	1/5 (20%)
Overall	2054/5894 (35%)	1281/3250 (39%)	441/2089 (21%)	332/555 (60%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 29%, i.e. 2096 atoms were assigned a chemical shift out of a possible 7284. 0 out of 92 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	868/2705 (32%)	440/1103 (40%)	85/1078 (8%)	343/524 (65%)
Sidechain	1142/4230 (27%)	823/2735 (30%)	318/1328 (24%)	1/167 (1%)
Aromatic	86/349 (25%)	43/169 (25%)	42/167 (25%)	1/13 (8%)
Overall	2096/7284 (29%)	1306/4007 (33%)	445/2573 (17%)	345/704 (49%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	163	ARG	HB2	0.17	0.52 – 3.08	-6.4

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

