

Full wwPDB X-ray Structure Validation Report (i)

Nov 25, 2024 – 05:01 PM EST

PDB ID	:	2PLS
Title	:	Structural Genomics, the crystal structure of the $CorC/HlyC$ transporter as-
		sociated domain of a CBS domain protein from Chlorobium tepidum TLS
Authors	:	Tan, K.; Volkart, L.; Clancy, S.; Joachimiak, A.; Midwest Center for Structural
		Genomics (MCSG)
Deposited on	:	2007-04-20
Resolution	:	2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as 543 be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution		
WIEUTIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	164625	1881 (2.16-2.16)		
Clashscore	180529	2047 (2.16-2.16)		
Ramachandran outliers	177936	2027 (2.16-2.16)		
Sidechain outliers	177891	2026 (2.16-2.16)		
RSRZ outliers	164620	1882 (2.16-2.16)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain	
1	А	86	36%	12%
		00	6%	1270 •
1	В	86	88%	9% •
1	С	86	87%	12% •
1	D	86	93%	
1	Е	86	83%	15% ••
1	F	86	88%	9% ••



Continue	Continued from previous page							
Mol	Chain	Length	Quality of chain					
1	G	86	72%	21%	6% •			
1	Н	86	67%	26%	5% ••			
1	Ι	86	<u>6%</u> 80%	15%	•••			
1	J	86	^{2%} 77%	20%	•			
1	K	86	^{2%} 7 9%	16%	5%			
1	L	86	76%	19%	6%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	FMT	Ι	805	-	-	Х	-
4	FMT	L	806	-	-	Х	-



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 8932 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	86	Total 699	C 446	N 117	O 133	${ m Se} \ 3$	0	2	0
1	В	86	Total 688	C 439	N 116	0 130	Se 3	0	0	0
1	С	86	Total 693	C 442	N 116	0 132	${ m Se} { m 3}$	0	1	0
1	D	85	Total 686	$\begin{array}{c} \mathrm{C} \\ 439 \end{array}$	N 115	O 129	${ m Se} { m 3}$	0	1	0
1	Ε	85	Total 696	C 445	N 121	O 127	${ m Se} { m 3}$	0	2	0
1	F	85	Total 693	C 443	N 119	O 128	${ m Se} { m 3}$	0	2	0
1	G	85	Total 680	C 435	N 115	O 127	${ m Se} { m 3}$	0	0	0
1	Н	85	Total 687	C 439	N 115	O 130	${ m Se} { m 3}$	0	1	0
1	Ι	86	Total 688	C 439	N 116	O 130	Se 3	0	0	0
1	J	86	Total 688	C 439	N 116	O 130	Se 3	0	0	0
1	Κ	86	Total 688	C 439	N 116	O 130	${ m Se} { m 3}$	0	0	0
1	L	86	Total 695	С 444	N 118	0 130	$\frac{\text{Se}}{3}$	0	1	0

• Molecule 1 is a protein called CBS domain protein.

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	343	SER	-	cloning artifact	UNP Q8KEZ1
А	344	ASN	-	cloning artifact	UNP Q8KEZ1
А	345	ALA	-	cloning artifact	UNP Q8KEZ1
А	387	MSE	MET	modified residue	UNP Q8KEZ1
А	389	MSE	MET	modified residue	UNP Q8KEZ1



Chain	Residue	Modelled	Actual	Comment	Reference
А	414	MSE	MET	modified residue	UNP Q8KEZ1
В	343	SER	-	cloning artifact	UNP Q8KEZ1
В	344	ASN	-	cloning artifact	UNP Q8KEZ1
В	345	ALA	-	cloning artifact	UNP Q8KEZ1
В	387	MSE	MET	modified residue	UNP Q8KEZ1
В	389	MSE	MET	modified residue	UNP Q8KEZ1
В	414	MSE	MET	modified residue	UNP Q8KEZ1
С	343	SER	-	cloning artifact	UNP Q8KEZ1
С	344	ASN	-	cloning artifact	UNP Q8KEZ1
С	345	ALA	-	cloning artifact	UNP Q8KEZ1
С	387	MSE	MET	modified residue	UNP Q8KEZ1
С	389	MSE	MET	modified residue	UNP Q8KEZ1
С	414	MSE	MET	modified residue	UNP Q8KEZ1
D	343	SER	-	cloning artifact	UNP Q8KEZ1
D	344	ASN	-	cloning artifact	UNP Q8KEZ1
D	345	ALA	-	cloning artifact	UNP Q8KEZ1
D	387	MSE	MET	modified residue	UNP Q8KEZ1
D	389	MSE	MET	modified residue	UNP Q8KEZ1
D	414	MSE	MET	modified residue	UNP Q8KEZ1
Е	343	SER	-	cloning artifact	UNP Q8KEZ1
Е	344	ASN	-	cloning artifact	UNP Q8KEZ1
Е	345	ALA	-	cloning artifact	UNP Q8KEZ1
Е	387	MSE	MET	modified residue	UNP Q8KEZ1
Е	389	MSE	MET	modified residue	UNP Q8KEZ1
Е	414	MSE	MET	modified residue	UNP Q8KEZ1
F	343	SER	-	cloning artifact	UNP Q8KEZ1
F	344	ASN	-	cloning artifact	UNP Q8KEZ1
F	345	ALA	-	cloning artifact	UNP Q8KEZ1
F	387	MSE	MET	modified residue	UNP Q8KEZ1
F	389	MSE	MET	modified residue	UNP Q8KEZ1
F	414	MSE	MET	modified residue	UNP Q8KEZ1
G	343	SER	-	cloning artifact	UNP Q8KEZ1
G	344	ASN	-	cloning artifact	UNP Q8KEZ1
G	345	ALA	-	cloning artifact	UNP Q8KEZ1
G	387	MSE	MET	modified residue	UNP Q8KEZ1
G	389	MSE	MET	modified residue	UNP Q8KEZ1
G	414	MSE	MET	modified residue	UNP Q8KEZ1
Н	343	SER	-	cloning artifact	UNP Q8KEZ1
H	344	ASN	-	cloning artifact	UNP Q8KEZ1
Н	345	ALA	-	cloning artifact	UNP Q8KEZ1
Н	387	MSE	MET	modified residue	UNP Q8KEZ1
Н	389	MSE	MET	modified residue	UNP Q8KEZ1



Chain	Residue	Modelled	Actual	Comment	Reference
Н	414	MSE	MET	modified residue	UNP Q8KEZ1
Ι	343	SER	-	cloning artifact	UNP Q8KEZ1
Ι	344	ASN	-	cloning artifact	UNP Q8KEZ1
Ι	345	ALA	-	cloning artifact	UNP Q8KEZ1
Ι	387	MSE	MET	modified residue	UNP Q8KEZ1
Ι	389	MSE	MET	modified residue	UNP Q8KEZ1
Ι	414	MSE	MET	modified residue	UNP Q8KEZ1
J	343	SER	-	cloning artifact	UNP Q8KEZ1
J	344	ASN	-	cloning artifact	UNP Q8KEZ1
J	345	ALA	-	cloning artifact	UNP Q8KEZ1
J	387	MSE	MET	modified residue	UNP Q8KEZ1
J	389	MSE	MET	modified residue	UNP Q8KEZ1
J	414	MSE	MET	modified residue	UNP Q8KEZ1
K	343	SER	-	cloning artifact	UNP Q8KEZ1
K	344	ASN	-	cloning artifact	UNP Q8KEZ1
K	345	ALA	-	cloning artifact	UNP Q8KEZ1
K	387	MSE	MET	modified residue	UNP Q8KEZ1
K	389	MSE	MET	modified residue	UNP Q8KEZ1
K	414	MSE	MET	modified residue	UNP Q8KEZ1
L	343	SER	-	cloning artifact	UNP Q8KEZ1
L	344	ASN	-	cloning artifact	UNP Q8KEZ1
L	345	ALA	-	cloning artifact	UNP Q8KEZ1
L	387	MSE	MET	modified residue	UNP Q8KEZ1
L	389	MSE	MET	modified residue	UNP Q8KEZ1
L	414	MSE	MET	modified residue	UNP Q8KEZ1

• Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).







Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	Κ	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	Е	1	$\begin{array}{c cc} Total & C & O \\ 4 & 2 & 2 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	Ι	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	J	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 4 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 3 1 2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 3 1 2 \end{array}$	0	0
4	Ι	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	Ι	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	L	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0



• Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	G	1	Total Mg 1 1	0	0
5	Н	2	Total Mg 2 2	0	0
5	Ι	2	Total Mg 2 2	0	0
5	J	1	Total Mg 1 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	39	Total O 39 39	0	0
6	В	54	$\begin{array}{ccc} \text{Total} & \text{O} \\ 54 & 54 \end{array}$	0	0
6	С	73	Total O 73 73	0	0
6	D	38	Total O 38 38	0	0
6	Е	50	Total O 50 50	0	0
6	F	71	Total O 71 71	0	0
6	G	51	Total O 51 51	0	0
6	Н	21	TotalO2121	0	0
6	Ι	39	Total O 39 39	0	0
6	J	56	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 56 & 56 \end{array}$	0	0
6	К	46	Total O 46 46	0	0
6	L	21	Total O 21 21	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



 \bullet Molecule 1: CBS domain protein







4 Data and refinement statistics (i)

Property	Value	Source		
Space group	P 21 21 2	Depositor		
Cell constants	108.24Å 108.49Å 106.37Å	Deneiten		
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor		
$\mathbf{P}_{\text{oscolution}}\left(\mathring{\mathbf{A}}\right)$	48.51 - 2.15	Depositor		
Resolution (A)	48.51 - 2.15	EDS		
% Data completeness	99.0 (48.51-2.15)	Depositor		
(in resolution range)	$99.1 \ (48.51 - 2.15)$	EDS		
R _{merge}	0.10	Depositor		
R_{sym}	(Not available)	Depositor		
$< I/\sigma(I) > 1$	$3.38 (at 2.14 \text{\AA})$	Xtriage		
Refinement program	REFMAC 5.2.0019	Depositor		
D D	0.176 , 0.232	Depositor		
n, n_{free}	0.176 , 0.230	DCC		
R_{free} test set	3449 reflections $(5.06%)$	wwPDB-VP		
Wilson B-factor $(Å^2)$	31.5	Xtriage		
Anisotropy	0.141	Xtriage		
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 47.9	EDS		
L-test for twinning ²	$< L > = 0.49, < L^2 > = 0.32$	Xtriage		
	0.015 for k,h,-l			
	0.017 for -h,-l,-k			
Estimated twinning fraction	0.015 for l,-k,h	Xtriage		
	0.006 for k,l,h			
	0.006 for l,h,k			
F_o, F_c correlation	0.93	EDS		
Total number of atoms	8932	wwPDB-VP		
Average B, all atoms $(Å^2)$	38.0	wwPDB-VP		

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 11.15% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ACT, FMT, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.76	0/715	0.80	0/964	
1	В	0.71	0/698	0.71	0/941	
1	С	0.80	0/706	0.78	0/952	
1	D	0.80	0/699	0.82	0/942	
1	Ε	0.77	0/712	0.83	0/958	
1	F	0.77	0/709	0.78	1/955~(0.1%)	
1	G	0.73	0/690	0.80	0/930	
1	Н	0.71	0/700	0.82	1/944~(0.1%)	
1	Ι	0.75	0/698	0.85	1/941~(0.1%)	
1	J	0.85	0/698	0.81	0/941	
1	K	0.78	0/698	0.92	3/941~(0.3%)	
1	L	0.63	0/709	0.76	0/956	
All	All	0.76	0/8432	0.81	6/11365~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1
1	С	0	1
1	D	0	1
1	Ι	0	1
All	All	0	4

There are no bond length outliers.

All (6) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$\operatorname{Ideal}(^{o})$
1	Κ	348	ARG	NE-CZ-NH2	-8.92	115.84	120.30
1	Κ	348	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	Ι	395	LEU	CA-CB-CG	6.70	130.71	115.30
1	F	408	ARG	NE-CZ-NH1	-5.94	117.33	120.30
1	Κ	408	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	Н	395	LEU	CA-CB-CG	5.19	127.24	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Group
1	В	343	SER	Peptide
1	С	343	SER	Peptide
1	D	376	GLU	Peptide
1	Ι	343	SER	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	699	0	704	8	0
1	В	688	0	692	6	0
1	С	693	0	696	9	0
1	D	686	0	694	1	0
1	Е	696	0	714	13	0
1	F	693	0	707	8	0
1	G	680	0	688	17	0
1	Н	687	0	691	17	0
1	Ι	688	0	692	15	0
1	J	688	0	692	15	0
1	K	688	0	692	10	0
1	L	695	0	699	13	0
2	А	4	0	3	1	0
2	D	4	0	3	1	0
2	Е	4	0	3	0	0
2	K	4	0	3	0	0
3	А	8	0	12	1	0
3	В	4	0	6	2	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	С	12	0	18	3	0
3	Е	8	0	12	2	0
3	F	12	0	18	1	0
3	Ι	4	0	6	0	0
3	J	4	0	6	2	0
4	В	3	0	1	0	0
4	С	3	0	1	0	0
4	D	3	0	1	0	0
4	Ι	6	0	2	4	0
4	L	3	0	1	2	0
5	G	1	0	0	0	0
5	Н	2	0	0	0	0
5	Ι	2	0	0	0	0
5	J	1	0	0	0	0
6	А	39	0	0	1	0
6	В	54	0	0	0	0
6	С	73	0	0	2	0
6	D	38	0	0	0	0
6	Е	50	0	0	0	0
6	F	71	0	0	2	0
6	G	51	0	0	0	0
6	Н	21	0	0	1	0
6	Ι	39	0	0	0	0
6	J	56	0	0	6	0
6	K	46	0	0	1	0
6	L	21	0	0	0	0
All	All	8932	0	8457	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377[A]:GLU:OE1	6:A:924:HOH:O	1.64	1.12
1:G:417:LYS:HE3	1:G:417:LYS:HA	1.36	1.08
1:C:360:ALA:HB3	3:C:714:EDO:H11	1.28	1.07
1:I:426:LYS:NZ	4:I:805:FMT:H	1.70	1.06
1:G:417:LYS:HA	1:G:417:LYS:CE	1.93	0.98
1:J:406:ASN:HB2	6:J:751:HOH:O	1.63	0.96
1:H:405:GLU:O	1:H:406:ASN:ND2	2.03	0.92



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:G:383:THR:HG22	1:G:386:GLY:H	1.37	0.90
1:I:426:LYS:HZ3	4:I:805:FMT:H	1.31	0.89
1:A:376:GLU:O	1:A:377[A]:GLU:HG2	1.73	0.87
1:B:383:THR:HG22	1:B:386:GLY:H	1.41	0.85
1:F:401:ILE:HD12	1:F:410:GLU:HG2	1.58	0.85
1:I:383:THR:HG22	1:I:386:GLY:H	1.41	0.84
1:C:362:PRO:HD2	3:C:714:EDO:H12	1.61	0.82
3:F:713:EDO:H21	6:F:767:HOH:O	1.77	0.82
1:L:425:THR:HG23	4:L:806:FMT:H	1.60	0.81
1:C:360:ALA:HB3	3:C:714:EDO:C1	2.10	0.80
1:G:416:SER:O	1:G:417:LYS:HE3	1.84	0.78
1:I:426:LYS:HZ1	4:I:805:FMT:H	1.49	0.77
1:C:401:ILE:HD12	1:C:410:GLU:HG2	1.68	0.75
1:B:427:ILE:O	1:B:428:ASP:HB2	1.87	0.75
1:K:383:THR:HG22	1:K:386:GLY:H	1.54	0.72
1:J:357:GLY:O	1:J:383:THR:HG23	1.89	0.71
1:C:406:ASN:HD22	1:C:406:ASN:H	1.37	0.70
1:E:359:ILE:CG1	1:E:363:GLU:HG2	2.23	0.69
1:G:375:GLU:HG3	1:G:378:LYS:HD2	1.74	0.68
1:C:420:ASP:OD2	6:C:873:HOH:O	2.12	0.67
1:G:417:LYS:HE3	1:G:417:LYS:CA	2.22	0.66
1:K:359:ILE:HD11	1:K:363:GLU:HG2	1.77	0.66
1:L:357:GLY:O	1:L:383:THR:HG23	1.95	0.65
1:E:359:ILE:HD11	1:E:363:GLU:HG2	1.79	0.64
1:F:401:ILE:CD1	1:F:410:GLU:HG2	2.30	0.61
1:D:401:ILE:HD13	1:D:410[B]:GLU:HG2	1.82	0.61
2:D:902:ACT:H3	6:F:769:HOH:O	2.00	0.61
1:H:357:GLY:O	1:H:383:THR:HG23	2.02	0.60
1:H:395:LEU:HD22	1:H:396:PRO:HD2	1.81	0.60
1:H:356[B]:ASP:OD1	6:H:617:HOH:O	2.16	0.60
1:G:363:GLU:O	1:G:367:THR:HG23	2.04	0.58
1:L:427:ILE:O	1:L:428:ASP:HB2	2.04	0.57
1:B:381:TYR:O	3:B:702:EDO:H12	2.05	0.57
1:J:383:THR:HG22	1:J:386:GLY:H	1.68	0.57
1:G:363:GLU:O	1:G:367:THR:CG2	2.53	0.57
1:E:365:LYS:HD3	1:E:373:VAL:HG13	1.87	0.57
1:G:417:LYS:HA	1:G:417:LYS:HE2	1.83	0.57
1:J:425:THR:HG23	3:J:711:EDO:H21	1.88	0.56
1:K:427:ILE:O	1:K:428:ASP:OD1	2.21	0.56
1:B:379:GLY:H	3:B:702:EDO:H22	1.71	0.56
1:I:343:SER:N	1:I:356:ASP:CG	2.59	0.56



Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:359:ILE:CD1	1:E:363:GLU:HG2	2.36	0.55
1:F:373:VAL:CG2	1:F:376:GLU:HG2	2.36	0.55
1:K:427:ILE:O	1:K:428:ASP:HB2	2.07	0.55
1:I:412:ILE:HD12	1:J:412:ILE:HD12	1.90	0.54
1:E:353:TRP:HB3	1:E:355:LEU:HD13	1.90	0.54
1:A:376:GLU:C	1:A:377[A]:GLU:HG2	2.28	0.53
1:K:427:ILE:O	1:K:428:ASP:CB	2.55	0.53
1:L:383:THR:HG22	1:L:386:GLY:H	1.71	0.53
1:H:380:VAL:HG11	1:H:390:TRP:CD1	2.44	0.52
1:J:427:ILE:O	1:J:428:ASP:O	2.27	0.52
1:G:402:THR:HG22	1:G:409:LEU:HB2	1.91	0.52
1:G:395:LEU:HD12	1:G:396:PRO:HD2	1.90	0.52
1:C:401:ILE:CD1	1:C:410:GLU:HG2	2.39	0.52
1:H:383:THR:HG22	1:H:386:GLY:H	1.75	0.52
1:H:417:LYS:O	1:H:417:LYS:HG2	2.10	0.52
1:E:359:ILE:HD11	1:E:363:GLU:CG	2.42	0.50
1:F:343:SER:HA	1:F:359:ILE:HA	1.92	0.50
1:I:380:VAL:HG23	1:I:381:TYR:CD2	2.48	0.49
1:G:412:ILE:HD12	1:H:412:ILE:HD12	1.94	0.49
1:J:406:ASN:CB	6:J:751:HOH:O	2.38	0.48
1:K:357:GLY:O	1:K:383:THR:HG23	2.14	0.48
1:E:410:GLU:HG2	1:E:412:ILE:HD12	1.94	0.47
1:L:376:GLU:O	1:L:377:GLU:HB2	2.14	0.47
1:B:427:ILE:O	1:B:428:ASP:CB	2.58	0.47
1:L:425:THR:CG2	4:L:806:FMT:H	2.37	0.47
1:G:357:GLY:O	1:G:383:THR:HG23	2.14	0.47
1:F:373:VAL:HG22	1:F:376:GLU:HG2	1.96	0.47
1:H:353:TRP:HB3	1:H:355:LEU:HD13	1.96	0.47
1:H:361:VAL:HG13	1:H:373:VAL:HG11	1.95	0.47
1:K:344:ASN:HB2	6:K:928:HOH:O	2.15	0.47
1:L:365:LYS:HA	1:L:370:LEU:HB2	1.97	0.47
1:F:359:ILE:HD11	1:F:363:GLU:HG2	1.95	0.46
1:B:418:ARG:NH1	1:H:401:ILE:O	2.47	0.46
1:J:426:LYS:H	3:J:711:EDO:C2	2.27	0.46
1:E:401:ILE:O	3:E:704:EDO:H11	2.14	0.46
1:F:373:VAL:HG23	1:F:376:GLU:HG2	1.97	0.46
1:I:365:LYS:HG2	1:I:370:LEU:HB2	1.98	0.46
1:J:427:ILE:O	1:J:428:ASP:C	2.55	0.46
1:C:406:ASN:HD22	1:C:406:ASN:N	2.10	0.45
1:J:406:ASN:CA	6:J:751:HOH:O	2.64	0.45
1:E:408[B]:ARG:HH11	1:E:408[B]:ARG:HB3	1.81	0.45



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:L:408:ARG:HB2	1:L:427:ILE:HD11	1.98	0.45
1:H:403:PHE:CE1	1:H:427:ILE:HD11	2.52	0.45
1:J:374:PRO:HB2	1:J:390:TRP:CZ3	2.51	0.45
1:G:361:VAL:O	1:G:365:LYS:HG3	2.17	0.45
1:H:406:ASN:ND2	1:H:407:TRP:CD1	2.85	0.45
1:L:376:GLU:O	1:L:377:GLU:CB	2.65	0.45
1:L:405:GLU:O	1:L:406:ASN:OD1	2.35	0.44
1:I:426:LYS:HZ3	4:I:805:FMT:C	2.16	0.44
1:A:398:THR:OG1	1:A:414:MSE:HG2	2.16	0.44
1:E:376:GLU:O	1:E:377:GLU:HB2	2.18	0.43
1:G:383:THR:HG23	1:G:385:SER:H	1.84	0.43
1:G:412:ILE:O	1:H:421:LYS:HE3	2.19	0.43
2:A:904:ACT:H3	6:C:842:HOH:O	2.18	0.43
1:A:397:GLN:HB3	3:A:712:EDO:H11	2.01	0.42
1:I:413:ASP:OD2	1:J:421:LYS:HE2	2.18	0.42
1:K:407:TRP:CH2	1:K:426:LYS:HG3	2.54	0.42
1:L:405:GLU:O	1:L:405:GLU:HG2	2.19	0.42
1:I:374:PRO:HB2	1:I:390:TRP:CZ3	2.55	0.42
1:A:395:LEU:HA	1:A:396:PRO:HD3	1.95	0.42
1:E:371[B]:ARG:HD3	1:G:345:ALA:HB3	2.01	0.42
1:J:426:LYS:HE3	6:J:751:HOH:O	2.20	0.42
1:H:373:VAL:HG22	1:H:376:GLU:HG3	2.01	0.42
1:L:395:LEU:HA	1:L:396:PRO:HD3	1.94	0.42
1:E:401:ILE:H	3:E:704:EDO:C1	2.33	0.41
1:E:359:ILE:HG12	1:E:363:GLU:HG2	2.01	0.41
1:I:380:VAL:HG23	1:I:381:TYR:HD2	1.84	0.41
1:I:343:SER:N	1:I:356:ASP:OD1	2.53	0.41
1:I:356:ASP:O	1:I:359:ILE:HG22	2.20	0.41
1:H:414:MSE:HG2	1:H:419:ILE:HA	2.02	0.41
1:J:344:ASN:HB2	6:J:752:HOH:O	2.20	0.41
1:F:408:ARG:HB2	1:F:427:ILE:HD11	2.03	0.41
1:J:406:ASN:N	6:J:751:HOH:O	2.53	0.41
1:L:376:GLU:O	1:L:378:LYS:NZ	2.52	0.41
1:C:406:ASN:H	1:C:406:ASN:ND2	2.13	0.41
1:K:365:LYS:HE3	1:K:365:LYS:HB3	1.84	0.41
1:H:395:LEU:HD21	1:H:417:LYS:HG2	2.03	0.40
1:I:414:MSE:HE3	1:I:414:MSE:HB3	1.92	0.40
1:K:421:LYS:HD3	1:K:421:LYS:HA	1.99	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	86/86~(100%)	81 (94%)	5~(6%)	0	100	100
1	В	84/86~(98%)	79 (94%)	4 (5%)	1 (1%)	11	6
1	С	85/86~(99%)	83 (98%)	2(2%)	0	100	100
1	D	84/86~(98%)	80 (95%)	3 (4%)	1 (1%)	11	6
1	Е	85/86~(99%)	80 (94%)	5 (6%)	0	100	100
1	F	85/86~(99%)	82 (96%)	3 (4%)	0	100	100
1	G	83/86~(96%)	81 (98%)	2(2%)	0	100	100
1	Н	84/86~(98%)	78~(93%)	4 (5%)	2(2%)	5	1
1	Ι	84/86~(98%)	80 (95%)	4 (5%)	0	100	100
1	J	84/86~(98%)	82 (98%)	2(2%)	0	100	100
1	K	84/86~(98%)	81 (96%)	3~(4%)	0	100	100
1	L	85/86~(99%)	82 (96%)	3 (4%)	0	100	100
All	All	1013/1032 (98%)	969 (96%)	40 (4%)	4 (0%)	30	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	377	GLU
1	Н	405	GLU
1	В	349	GLU
1	Н	349	GLU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



2P	LS

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	77/72~(107%)	71 (92%)	6 (8%)	10	6
1	В	75/72~(104%)	72 (96%)	3 (4%)	27	25
1	С	76/72~(106%)	71 (93%)	5 (7%)	14	9
1	D	75/72~(104%)	70~(93%)	5 (7%)	13	9
1	Ε	76/72~(106%)	74 (97%)	2 (3%)	41	43
1	F	76/72~(106%)	76 (100%)	0	100	100
1	G	74/72~(103%)	64 (86%)	10 (14%)	3	1
1	Н	75/72~(104%)	69~(92%)	6 (8%)	10	6
1	Ι	75/72~(104%)	70~(93%)	5 (7%)	13	9
1	J	75/72~(104%)	65~(87%)	10 (13%)	3	1
1	Κ	75/72~(104%)	67~(89%)	8 (11%)	5	2
1	L	76/72~(106%)	66 (87%)	10 (13%)	3	1
All	All	905/864~(105%)	835 (92%)	70 (8%)	11	6

analysed, and the total number of residues.

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	348	ARG
1	А	354	LEU
1	А	355	LEU
1	А	377[A]	GLU
1	А	377[B]	GLU
1	А	421	LYS
1	В	346	VAL
1	В	383	THR
1	В	428	ASP
1	С	344	ASN
1	С	346	VAL
1	С	377	GLU
1	С	406	ASN
1	С	418	ARG
1	D	366	ASP
1	D	377	GLU
1	D	401	ILE
1	D	410[A]	GLU
1	D	410[B]	GLU
1	Е	344	ASN



\mathbf{Mol}	Chain	\mathbf{Res}	Type
1	Е	355	LEU
1	G	344	ASN
1	G	349	GLU
1	G	358	LEU
1	G	367	THR
1	G	371	ARG
1	G	375	GLU
1	G	377	GLU
1	G	383	THR
1	G	402	THR
1	G	417	LYS
1	Н	346	VAL
1	Н	355	LEU
1	Н	383	THR
1	Н	395	LEU
1	Н	402	THR
1	Н	406	ASN
1	Ι	343	SER
1	Ι	349	GLU
1	Ι	356	ASP
1	Ι	383	THR
1	Ι	395	LEU
1	J	343	SER
1	J	344	ASN
1	J	346	VAL
1	J	358	LEU
1	J	363	GLU
1	J	366	ASP
1	J	378	LYS
1	J	383	THR
1	J	395	LEU
1	J	428	ASP
1	K	343	SER
1	K	344	ASN
1	K	346	VAL
1	K	358	LEU
1	K	383	THR
1	K	395	LEU
1	К	421	LYS
1	K	428	ASP
1	L	343	SER
1	L	344	ASN



Mol	Chain	Res	Type
1	L	346	VAL
1	L	349	GLU
1	L	377	GLU
1	L	383	THR
1	L	395	LEU
1	L	406	ASN
1	L	416	SER
1	L	428	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	347	GLN
1	В	406	ASN
1	С	344	ASN
1	С	406	ASN
1	J	344	ASN
1	Κ	344	ASN
1	L	344	ASN
1	L	406	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 29 ligands modelled in this entry, 6 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	True	Tune Chain Des Link		Bond lengths			Bond angles			
	Type	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FMT	С	802	-	2,2,2	0.74	0	$1,\!1,\!1$	0.11	0
3	EDO	Ι	708	-	3,3,3	0.61	0	2,2,2	0.27	0
3	EDO	В	702	-	3,3,3	0.62	0	2,2,2	0.28	0
3	EDO	F	713	-	3,3,3	0.79	0	2,2,2	0.16	0
2	ACT	А	904	-	3,3,3	1.10	0	3,3,3	1.15	0
4	FMT	В	804	-	2,2,2	0.62	0	$1,\!1,\!1$	0.19	0
4	FMT	L	806	-	2,2,2	0.64	0	$1,\!1,\!1$	0.16	0
3	EDO	А	706	-	3,3,3	0.53	0	2,2,2	0.46	0
3	EDO	F	701	-	3,3,3	0.86	0	2,2,2	0.30	0
3	EDO	С	703	-	3,3,3	0.61	0	2,2,2	0.33	0
2	ACT	K	901	-	3,3,3	0.84	0	3,3,3	1.20	0
3	EDO	А	712	-	3,3,3	0.45	0	$2,\!2,\!2$	0.40	0
3	EDO	J	711	-	3,3,3	0.59	0	2,2,2	0.49	0
3	EDO	E	704	-	3,3,3	0.36	0	2,2,2	0.70	0
3	EDO	С	714	-	3,3,3	0.42	0	$2,\!2,\!2$	0.41	0
4	FMT	Ι	805	-	2,2,2	0.62	0	$1,\!1,\!1$	0.23	0
3	EDO	F	710	-	3,3,3	0.37	0	$2,\!2,\!2$	0.54	0
3	EDO	Е	705	-	3,3,3	0.56	0	$2,\!2,\!2$	0.38	0
2	ACT	E	903	-	3,3,3	0.98	0	$3,\!3,\!3$	1.03	0
3	EDO	С	709	-	3,3,3	0.57	0	2,2,2	0.62	0
2	ACT	D	902	-	3,3,3	1.05	0	3,3,3	0.91	0
4	FMT	D	803	-	2,2,2	0.66	0	1,1,1	0.13	0
4	FMT	Ι	801	-	2,2,2	0.65	0	1,1,1	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	Ι	708	-	-	0/1/1/1	-
3	EDO	Е	705	-	-	0/1/1/1	-
3	EDO	С	714	-	-	1/1/1/1	-
3	EDO	В	702	-	-	1/1/1/1	-
3	EDO	F	713	-	-	1/1/1/1	-
3	EDO	F	710	-	-	1/1/1/1	-
3	EDO	А	706	-	-	0/1/1/1	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	F	701	-	-	0/1/1/1	-
3	EDO	С	703	-	-	1/1/1/1	-
3	EDO	А	712	-	-	1/1/1/1	-
3	EDO	J	711	-	-	0/1/1/1	-
3	EDO	Ε	704	-	-	0/1/1/1	-
3	EDO	С	709	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	В	702	EDO	O1-C1-C2-O2
3	С	709	EDO	O1-C1-C2-O2
3	F	713	EDO	O1-C1-C2-O2
3	С	714	EDO	O1-C1-C2-O2
3	А	712	EDO	O1-C1-C2-O2
3	С	703	EDO	O1-C1-C2-O2
3	F	710	EDO	O1-C1-C2-O2

There are no ring outliers.

10 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	702	EDO	2	0
3	F	713	EDO	1	0
2	А	904	ACT	1	0
4	L	806	FMT	2	0
3	А	712	EDO	1	0
3	J	711	EDO	2	0
3	Е	704	EDO	2	0
3	С	714	EDO	3	0
4	Ι	805	FMT	4	0
2	D	902	ACT	1	0

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Warning: The R factor obtained from EDS is 0.2433, which does not match the depositor's R factor of 0.17582. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	83/86~(96%)	1.83	31 (37%) 1 1	26, 42, 57, 68	2(2%)
1	В	83/86~(96%)	0.81	5 (6%) 29 34	32, 36, 50, 59	0
1	С	83/86~(96%)	-0.02	2 (2%) 59 64	20, 29, 43, 53	1 (1%)
1	D	82/86~(95%)	0.20	4 (4%) 36 41	18, 31, 43, 53	1 (1%)
1	Ε	82/86~(95%)	0.30	2 (2%) 59 64	19, 34, 46, 55	2(2%)
1	F	82/86~(95%)	0.07	1 (1%) 76 79	18, 32, 40, 53	2(2%)
1	G	82/86~(95%)	0.49	2 (2%) 59 64	31, 39, 53, 57	0
1	Η	82/86~(95%)	1.46	16 (19%) 4 5	26, 45, 53, 58	1 (1%)
1	Ι	83/86~(96%)	0.86	5 (6%) 29 34	28, 36, 47, 54	0
1	J	83/86~(96%)	0.33	2 (2%) 59 64	26, 33, 47, 53	0
1	Κ	83/86~(96%)	0.42	2 (2%) 59 64	30, 37, 48, 51	0
1	L	$8\overline{3/86}\;(96\%)$	0.93	3 (3%) 46 52	27, 46, 53, 59	1 (1%)
All	All	$991\overline{/1032}\ (96\%)$	0.64	75 (7%) 21 25	18, 37, 52, 68	10 (1%)

All (75) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	А	395	LEU	4.4
1	J	343	SER	4.3
1	А	343	SER	4.2
1	С	343	SER	4.0
1	А	380	VAL	3.8
1	Н	358	LEU	3.7
1	А	381	TYR	3.6
1	А	428	ASP	3.6



Mol	Chain	Res	Type	RSRZ
1	А	397	GLN	3.5
1	С	428	ASP	3.5
1	Ι	343	SER	3.4
1	А	401	ILE	3.4
1	K	343	SER	3.4
1	А	417	LYS	3.4
1	F	343	SER	3.3
1	D	377	GLU	3.3
1	А	393	GLY	3.3
1	L	343	SER	3.2
1	D	343	SER	3.2
1	Е	427	ILE	3.1
1	А	392	LEU	3.0
1	Н	371	ARG	3.0
1	Κ	377	GLU	3.0
1	В	380	VAL	2.9
1	А	391	LEU	2.9
1	А	394	ARG	2.9
1	Н	395	LEU	2.9
1	Н	419	ILE	2.9
1	А	368	LEU	2.9
1	Ι	416	SER	2.8
1	А	370	LEU	2.8
1	G	377	GLU	2.8
1	А	416	SER	2.7
1	В	343	SER	2.7
1	Н	399	GLY	2.7
1	А	390	TRP	2.7
1	В	428	ASP	2.7
1	Ι	428	ASP	2.6
1	A	396	PRO	2.6
1	G	343	SER	2.6
1	В	390	TRP	2.6
1	L	382[A]	HIS	2.6
1	A	360	ALA	2.5
1	Н	402	THR	2.5
1	H	417	LYS	2.4
1	В	345	ALA	2.4
1	A	427	ILE	2.4
1	A	386	GLY	2.4
1	А	353	TRP	2.4
1	А	400	ASP	2.4



Mol	Chain	Res	Type	RSRZ
1	А	358	LEU	2.3
1	Н	370	LEU	2.3
1	Е	343	SER	2.3
1	А	399	GLY	2.3
1	D	366	ASP	2.3
1	А	378	LYS	2.3
1	Н	401	ILE	2.3
1	Н	344	ASN	2.3
1	А	346	VAL	2.3
1	Н	390	TRP	2.3
1	Н	346	VAL	2.2
1	Н	359	ILE	2.2
1	А	345	ALA	2.2
1	А	371	ARG	2.2
1	J	377	GLU	2.1
1	Н	416	SER	2.1
1	А	379	GLY	2.1
1	Н	386	GLY	2.1
1	Ι	395	LEU	2.1
1	L	427	ILE	2.1
1	Ι	362	PRO	2.1
1	А	366	ASP	2.1
1	А	362	PRO	2.0
1	Н	408	ARG	2.0
1	D	427	ILE	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	\mathbf{Res}	Atoms	RSCC	RSR	$B-factors(A^2)$	Q < 0.9
2	ACT	Е	903	4/4	0.71	0.20	52,52,52,53	0
4	FMT	Ι	801	3/3	0.71	0.19	64,64,64,64	0
2	ACT	А	904	4/4	0.75	0.20	42,44,45,45	0
4	FMT	С	802	3/3	0.76	0.19	44,44,46,46	0
3	EDO	А	706	4/4	0.76	0.17	47,48,48,50	0
4	FMT	Ι	805	3/3	0.76	0.25	52,52,53,53	0
4	FMT	В	804	3/3	0.77	0.15	60,60,61,61	0
2	ACT	К	901	4/4	0.78	0.17	67,67,67,67	0
4	FMT	D	803	3/3	0.78	0.15	62,62,63,63	0
3	EDO	F	710	4/4	0.80	0.26	41,47,47,50	0
3	EDO	F	701	4/4	0.81	0.15	31,36,38,39	0
3	EDO	Е	705	4/4	0.84	0.18	29,36,36,40	0
3	EDO	С	703	4/4	0.85	0.13	37,42,42,44	0
2	ACT	D	902	4/4	0.86	0.16	41,41,42,42	0
3	EDO	С	714	4/4	0.86	0.24	38,39,40,41	0
3	EDO	А	712	4/4	0.88	0.21	36,41,42,46	0
3	EDO	С	709	4/4	0.89	0.20	30,39,41,44	0
3	EDO	В	702	4/4	0.89	0.15	27,35,36,37	0
4	FMT	L	806	3/3	0.89	0.27	46,46,46,46	0
3	EDO	Ι	708	4/4	0.90	0.17	44,46,46,47	0
3	EDO	F	713	4/4	0.91	0.26	23,37,37,43	0
3	EDO	Е	704	4/4	0.91	0.29	25,25,27,28	0
3	EDO	J	711	4/4	0.93	0.17	33,39,45,48	0
5	MG	J	604	1/1	0.93	0.17	32,32,32,32	0
5	MG	G	603	1/1	0.95	0.07	51,51,51,51	0
5	MG	Н	602	1/1	0.96	0.18	38,38,38,38	0
5	MG	Ι	606	1/1	0.98	0.10	35,35,35,35	0
5	MG	Н	601	1/1	0.98	0.11	47,47,47,47	0
5	MG	Ι	605	1/1	0.99	0.17	$25,\!25,\!25,\!25$	0

6.5 Other polymers (i)

There are no such residues in this entry.

