

Full wwPDB X-ray Structure Validation Report (i)

Oct 13, 2024 - 01:18 pm BST

PDB ID	:	2WIG
Title	:	NONAGED FORM OF HUMAN BUTYRYLCHOLINESTERASE INHIB-
		ITED BY TABUN ANALOGUE TA4
Authors	:	Carletti, E.; Aurbek, N.; Gillon, E.; Loiodice, M.; Nicolet, Y.; Fontecilla, J.;
		Masson, P.; Thiermann, H.; Nachon, F.; Worek, F.
Deposited on	:	2009-05-11
Resolution	:	2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	164625	1881 (2.16-2.16)
Clashscore	180529	2047 (2.16-2.16)
Ramachandran outliers	177936	2027 (2.16-2.16)
Sidechain outliers	177891	2026 (2.16-2.16)
RSRZ outliers	164620	1882 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain								
1	А	529	^{2%} 7 6%	20%	•••						
2	В	3	67%	33%							
2	D	3	100%								
3	С	2	50%	50%							

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



• 1		, .	DNIA	DNA	ı ·	.1 .		.1.	c	<i>,</i> .		1 /	1	•,
residues	ın	protein,	DNA,	RNA	chains	that	are	outliers	for	geometric	or	electron-	density-fit	crite-
ria:														

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	D	2	-	-	Х	-
7	CL	А	605	-	-	Х	-



2WIG

2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 4733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called CHOLINESTERASE.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1	А	527	Total 4226	C 2729	N 710	0 772	S 15	5	3	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	17	GLN	ASN	engineered mutation	UNP P06276
А	53	THR	SER	conflict	UNP P06276
А	455	GLN	ASN	engineered mutation	UNP P06276
А	481	GLN	ASN	engineered mutation	UNP P06276

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[be ta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	В	3	Total 38	C 22	N 2	O 14	0	0	0
2	D	3	Total 38	C 22	N 2	O 14	0	0	0

• Molecule 3 is an oligosaccharide called beta-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta -D-glucopyranose.





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	С	2	Total 24	C 14	N 1	O 9	0	0	0

• Molecule 4 is ETHYL HYDROGEN METHYLAMIDOPHOSPHATE (three-letter code: TC3) (formula: $C_3H_{10}NO_3P$).



Mol	Chain	Residues		Ate	oms		ZeroOcc	AltConf	
4	А	1	Total	С	Ν	0	Р	0	0
		_	7	3	1	2	1	, v	Ŭ

• Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Na 1 1	0	0

• Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O_4S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	4	Total Cl 4 4	0	0

• Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	1	Total C N O 14 8 1 5	0	0
8	А	1	Total C N O 14 8 1 5	0	0
8	А	1	Total C N O 14 8 1 5	0	0

• Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	343	Total O 343 343	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: CHOLINESTERASE

 • Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 67% 33%

NAG1 NAG2 FUL3

 • Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:	100)%	I
NAG1 NAG2 FUL3			
• Molecule 3:	beta-L-fucopyranose-(1-6)-2-	acetamido-2-deoxy-beta-D-gluco	pyranose
Chain C:	50%	50%	



NAG1 FUL2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants	155.01Å 155.01Å 126.84Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution(A)	49.09 - 2.15	Depositor
Resolution (A)	49.09 - 2.15	EDS
% Data completeness	100.0 (49.09-2.15)	Depositor
(in resolution range)	99.6 (49.09-2.15)	EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	4.11 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
D D	0.189 , 0.253	Depositor
n, n_{free}	0.189 , 0.254	DCC
R_{free} test set	1258 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	29.5	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.38, 58.9	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4733	wwPDB-VP
Average B, all atoms $(Å^2)$	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FUL, NA, CL, TC3, SO4 $\,$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.88	1/4351~(0.0%)	0.84	1/5904~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers	
1	А	1	1	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	497	GLU	CD-OE2	5.29	1.31	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	А	361	VAL	N-CA-C	5.56	126.00	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	А	361	VAL	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	360	GLY	Peptide



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4226	0	4119	146	0
2	В	38	0	34	1	0
2	D	38	0	34	10	0
3	С	24	0	22	2	0
4	А	7	0	9	0	0
5	А	1	0	0	0	0
6	А	10	0	0	1	0
7	А	4	0	0	5	0
8	А	42	0	39	0	0
9	A	343	0	0	10	0
All	All	4733	0	4257	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:53:THR:N	1:A:54:ASP:HB2	1.14	1.42
1:A:528:LYS:CB	1:A:528:LYS:C	1.96	1.32
2:D:2:NAG:O3	2:D:2:NAG:H83	1.29	1.25
1:A:528:LYS:CB	1:A:528:LYS:N	2.04	1.21
1:A:4:ILE:HD12	1:A:4:ILE:N	1.53	1.18
1:A:53:THR:N	1:A:54:ASP:CB	2.06	1.18
1:A:52:TRP:O	1:A:53:THR:CG2	1.91	1.18
1:A:53:THR:CA	1:A:54:ASP:HB2	1.74	1.17
1:A:52:TRP:O	1:A:53:THR:HG22	1.44	1.15
1:A:256:ASN:HB3	1:A:259:GLU:HG3	1.22	1.11
1:A:528:LYS:C	1:A:528:LYS:N	2.04	1.10
1:A:53:THR:H	1:A:54:ASP:CB	1.66	1.08
1:A:52:TRP:HD1	1:A:54:ASP:HB3	1.17	1.07
1:A:4:ILE:HD12	1:A:4:ILE:H	0.91	1.07
1:A:52:TRP:C	1:A:53:THR:HG23	1.83	0.98
1:A:4:ILE:H	1:A:4:ILE:CD1	1.74	0.97
2:D:2:NAG:O3	2:D:2:NAG:C8	2.12	0.97



A + 1		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:377:VAL:O	1:A:377:VAL:HG23	1.67	0.95
1:A:518:GLN:HE21	1:A:518:GLN:H	1.06	0.95
1:A:255:GLU:H	1:A:255:GLU:CD	1.72	0.93
1:A:52:TRP:C	1:A:53:THR:CG2	2.36	0.93
1:A:380:GLN:HB2	7:A:605:CL:CL	2.06	0.92
1:A:52:TRP:CD1	1:A:54:ASP:HB3	2.07	0.87
2:D:2:NAG:H83	2:D:2:NAG:HO3	1.35	0.86
1:A:256:ASN:HB3	1:A:259:GLU:CG	2.05	0.86
1:A:4:ILE:N	1:A:4:ILE:CD1	2.29	0.84
1:A:156:LEU:CD2	1:A:261:ILE:HD11	2.09	0.81
1:A:52:TRP:O	1:A:53:THR:HG23	1.79	0.77
1:A:495:SER:HA	9:A:703:HOH:O	1.84	0.77
1:A:253:SER:O	1:A:254:ARG:HD3	1.86	0.74
1:A:509:ARG:NH2	9:A:704:HOH:O	2.13	0.73
1:A:53:THR:H	1:A:54:ASP:HB2	0.92	0.73
1:A:496:THR:N	9:A:703:HOH:O	2.12	0.72
1:A:518:GLN:H	1:A:518:GLN:NE2	1.85	0.72
1:A:156:LEU:HD22	1:A:261:ILE:HD11	1.72	0.70
1:A:156:LEU:HD23	1:A:261:ILE:HD11	1.74	0.69
1:A:383:GLU:O	1:A:387:GLU:HG3	1.92	0.69
1:A:495:SER:O	1:A:496:THR:OG1	2.09	0.69
6:A:603:SO4:O4	9:A:702:HOH:O	2.10	0.68
1:A:428:LEU:CD1	1:A:430:TRP:HB2	2.23	0.68
1:A:378:ASP:O	1:A:380:GLN:N	2.27	0.67
1:A:377:VAL:O	1:A:377:VAL:CG2	2.41	0.66
1:A:495:SER:CA	9:A:703:HOH:O	2.42	0.66
1:A:320:GLY:HA3	1:A:419:TYR:CE1	2.31	0.66
1:A:106:ASN:N	9:A:701:HOH:O	2.09	0.66
1:A:255:GLU:CD	1:A:255:GLU:N	2.47	0.65
1:A:267:LYS:HE3	1:A:271:GLU:OE1	1.96	0.65
2:D:1:NAG:C6	2:D:3:FUL:O2	2.45	0.64
1:A:282:TYR:CD2	1:A:359:PRO:HB3	2.33	0.63
1:A:320:GLY:HA3	1:A:419:TYR:CZ	2.34	0.63
1:A:378:ASP:C	1:A:380:GLN:H	2.03	0.62
1:A:380:GLN:CB	7:A:605:CL:CL	2.84	0.62
1:A:254:ARG:HB2	1:A:260:ILE:HG12	1.80	0.62
1:A:188:ASN:ND2	3:C:2:FUL:H63	2.14	0.61
1:A:176[B]:GLN:NE2	1:A:180:LYS:NZ	2.48	0.61
1:A:528:LYS:CB	1:A:528:LYS:O	2.48	0.61
1:A:361:VAL:O	1:A:366:LYS:NZ	2.34	0.61
1:A:17:GLN:NE2	1:A:24:THR:HG21	2.16	0.60



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:176[B]:GLN:HG3	1:A:180:LYS:HZ2	1.65	0.60
2:D:1:NAG:H62	2:D:2:NAG:C1	2.32	0.59
1:A:494:LYS:NZ	9:A:709:HOH:O	2.36	0.57
1:A:209:LEU:HD22	1:A:312:PHE:HB3	1.86	0.57
1:A:358:PHE:N	1:A:359:PRO:CD	2.68	0.56
1:A:276:GLU:O	1:A:279:VAL:HG22	2.05	0.56
1:A:53:THR:CA	1:A:54:ASP:CB	2.58	0.55
1:A:378:ASP:O	7:A:605:CL:CL	2.62	0.55
1:A:227:PHE:CD2	1:A:227:PHE:C	2.79	0.55
1:A:347:ARG:HB2	1:A:385:TYR:CZ	2.41	0.54
1:A:176[B]:GLN:HE21	1:A:180:LYS:NZ	2.05	0.53
1:A:198:SER:HA	1:A:224:SER:O	2.09	0.53
2:D:1:NAG:H62	2:D:3:FUL:O2	2.08	0.53
1:A:414:ASN:HB2	9:A:708:HOH:O	2.09	0.53
1:A:448:LEU:N	1:A:449:PRO:CD	2.72	0.53
1:A:500:TYR:CZ	1:A:511:MET:HB2	2.44	0.53
1:A:518:GLN:HE21	1:A:518:GLN:N	1.90	0.53
1:A:268:ASP:O	1:A:269:PRO:C	2.47	0.53
1:A:428:LEU:HD12	1:A:430:TRP:HB2	1.90	0.53
1:A:378:ASP:CG	1:A:379:ASP:H	2.12	0.52
1:A:17:GLN:HE21	1:A:24:THR:HG21	1.74	0.52
1:A:377:VAL:N	1:A:378:ASP:HA	2.25	0.51
1:A:53:THR:H	1:A:54:ASP:CG	2.11	0.51
1:A:310:GLY:HA2	1:A:312:PHE:CE2	2.46	0.51
1:A:319:VAL:O	1:A:418:PHE:HA	2.11	0.50
1:A:452:ARG:C	1:A:454:ASP:H	2.14	0.50
1:A:55:ILE:O	1:A:55:ILE:HG22	2.10	0.50
1:A:156:LEU:HD13	1:A:243:THR:HG21	1.93	0.50
1:A:383:GLU:CD	1:A:383:GLU:H	2.15	0.50
1:A:4:ILE:HG12	1:A:17:GLN:OE1	2.12	0.50
1:A:502:THR:O	1:A:508:THR:HB	2.10	0.50
1:A:500:TYR:CE1	1:A:511:MET:HB2	2.47	0.50
1:A:525:PHE:CZ	1:A:529:VAL:CG1	2.96	0.49
1:A:278:PHE:C	1:A:280:VAL:H	2.15	0.49
1:A:380:GLN:HG3	7:A:605:CL:CL	2.49	0.48
1:A:204:VAL:CG1	1:A:220:ALA:HB1	2.43	0.48
1:A:495:SER:O	1:A:496:THR:CB	2.60	0.48
1:A:24:THR:O	1:A:101:ALA:HB3	2.14	0.48
1:A:176[B]:GLN:HE21	1:A:180:LYS:HZ2	1.62	0.48
2:D:1:NAG:C5	2:D:2:NAG:HN2	2.26	0.47
1:A:422:GLU:HG3	1:A:504:ASN:HB3	1.96	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:176[B]:GLN:HE21	1:A:180:LYS:HG3	1.79	0.47
1:A:109:VAL:HB	1:A:192:VAL:HG22	1.95	0.47
1:A:274:LEU:HD12	1:A:274:LEU:HA	1.62	0.47
1:A:53:THR:HG21	9:A:947:HOH:O	2.15	0.46
1:A:176[B]:GLN:CG	1:A:180:LYS:HZ2	2.29	0.46
1:A:310:GLY:HA3	1:A:412:TRP:CE2	2.51	0.46
1:A:380:GLN:CG	7:A:605:CL:CL	3.00	0.46
1:A:42:ARG:HH22	1:A:269:PRO:HD3	1.80	0.46
1:A:154:LEU:HD23	1:A:162:ALA:HB1	1.96	0.46
1:A:10:ASN:O	1:A:51:LYS:HA	2.16	0.46
1:A:528:LYS:N	1:A:529:VAL:N	2.62	0.46
1:A:428:LEU:HD11	1:A:437:MET:SD	2.56	0.45
1:A:176[B]:GLN:NE2	1:A:180:LYS:HZ1	2.15	0.45
1:A:236:LEU:HD12	1:A:236:LEU:HA	1.58	0.45
1:A:254:ARG:CG	1:A:259:GLU:HB2	2.47	0.45
1:A:341:ASN:ND2	2:B:1:NAG:H83	2.32	0.45
1:A:267:LYS:HA	1:A:267:LYS:HD2	1.84	0.44
1:A:101:ALA:HA	1:A:102:PRO:C	2.37	0.44
1:A:334:ALA:HA	1:A:335:PRO:HD3	1.83	0.44
1:A:312:PHE:CE1	1:A:314:LYS:HE3	2.53	0.44
1:A:320:GLY:HA3	1:A:419:TYR:CD1	2.53	0.44
1:A:509:ARG:HE	1:A:509:ARG:HB3	1.29	0.43
1:A:21:PHE:O	1:A:135:ARG:NH2	2.42	0.43
1:A:42:ARG:NH2	1:A:269:PRO:HD3	2.34	0.43
1:A:195:PHE:CB	1:A:221:ILE:HB	2.48	0.43
1:A:352:GLU:HA	1:A:355:LYS:HE3	2.01	0.43
1:A:282:TYR:CE2	1:A:359:PRO:HB3	2.53	0.43
1:A:454:ASP:O	1:A:455:GLN:HB2	2.17	0.43
1:A:176[B]:GLN:NE2	1:A:180:LYS:HZ2	2.17	0.43
1:A:451:GLU:O	1:A:454:ASP:HB2	2.18	0.43
1:A:156:LEU:HD12	1:A:156:LEU:HA	1.70	0.43
1:A:525:PHE:CZ	1:A:529:VAL:HG12	2.54	0.42
1:A:117:GLY:O	1:A:288:VAL:HG22	2.19	0.42
1:A:452:ARG:C	1:A:454:ASP:N	2.72	0.42
1:A:358:PHE:N	1:A:359:PRO:HD3	2.34	0.42
2:D:1:NAG:C6	2:D:2:NAG:HN2	2.31	0.42
1:A:339:LYS:O	1:A:431:PRO:HG3	2.19	0.42
1:A:528:LYS:N	1:A:528:LYS:CG	2.78	0.42
1:A:380:GLN:HE21	1:A:380:GLN:HB3	1.72	0.42
1:A:278:PHE:C	1:A:280:VAL:N	2.74	0.42
1:A:56:TRP:CD1	1:A:56:TRP:C	2.93	0.41



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:A:497:GLU:H	1:A:497:GLU:HG3	1.67	0.41
1:A:188:ASN:HD22	3:C:2:FUL:H63	1.85	0.41
1:A:378:ASP:C	1:A:380:GLN:N	2.70	0.41
1:A:284:THR:HG22	1:A:356:ILE:O	2.21	0.41
1:A:382:PRO:HD2	1:A:383:GLU:OE1	2.20	0.41
1:A:378:ASP:OD1	1:A:379:ASP:OD1	2.38	0.40
1:A:250:THR:HB	1:A:267:LYS:HE2	2.03	0.40
1:A:366:LYS:HZ3	1:A:366:LYS:HG3	1.76	0.40
1:A:381:ARG:NH2	1:A:383:GLU:HG2	2.36	0.40
1:A:452:ARG:O	1:A:454:ASP:N	2.55	0.40
2:D:1:NAG:H5	2:D:2:NAG:HN2	1.86	0.40
1:A:96:ASN:O	1:A:142:VAL:HA	2.21	0.40
1:A:159:ASN:HB2	9:A:820:HOH:O	2.20	0.40
1:A:314:LYS:HA	1:A:314:LYS:HD3	1.93	0.40
1:A:132:PHE:CE2	1:A:448:LEU:HD22	2.57	0.40
1:A:249:LEU:HG	2:D:3:FUL:H62	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	527/529~(100%)	497 (94%)	22 (4%)	8 (2%)	8 4

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	496	THR
1	А	53	THR
1	А	54	ASP
1	А	379	ASP
1	А	506	GLU



 $Continued \ from \ previous \ page...$

Mol	Chain	Res	Type
1	А	359	PRO
1	А	361	VAL
1	А	360	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	454/454 (100%)	427 (94%)	27~(6%)	16 12

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	4	ILE
1	А	40	ARG
1	А	54	ASP
1	А	69	ILE
1	А	105	LYS
1	А	154	LEU
1	А	156	LEU
1	А	195	PHE
1	А	236	LEU
1	А	255	GLU
1	А	262	LYS
1	А	268	ASP
1	А	274	LEU
1	А	280	VAL
1	А	299	LEU
1	А	359	PRO
1	А	361	VAL
1	А	370	LEU
1	A	371[A]	PHE
1	А	371[B]	PHE
1	А	383	GLU
1	А	428	LEU
1	А	454	ASP



Continued from previous page...

Mol	Chain	Res	Type
1	А	471	TRP
1	А	507	SER
1	А	509	ARG
1	А	518	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	172	GLN
1	А	275	ASN
1	А	289	ASN
1	А	380	GLN
1	А	517	GLN
1	А	518	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Timle	Bo	ond leng	Bond angles			
IVIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	В	1	2,1	14,14,15	1.06	0	17,19,21	1.51	4 (23%)
2	NAG	В	2	2	14,14,15	0.71	0	17,19,21	1.83	2 (11%)
2	FUL	В	3	2	10,10,11	0.91	0	14,14,16	3.19	6 (42%)



Mal	Iol Type Chain P		Dec	Tink	Bo	ond leng	\mathbf{ths}	Bond angles		
WIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	NAG	С	1	3,1	$14,\!14,\!15$	0.64	0	$17,\!19,\!21$	1.32	3 (17%)
3	FUL	С	2	3	10, 10, 11	0.78	0	$14,\!14,\!16$	2.85	6 (42%)
2	NAG	D	1	2,1	14,14,15	0.51	0	17,19,21	1.97	4 (23%)
2	NAG	D	2	2	14,14,15	0.59	0	17,19,21	2.31	4 (23%)
2	FUL	D	3	2	10,10,11	0.87	0	14,14,16	2.61	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	В	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	В	2	2	-	4/6/23/26	0/1/1/1
2	FUL	В	3	2	-	-	0/1/1/1
3	NAG	С	1	3,1	-	2/6/23/26	0/1/1/1
3	FUL	С	2	3	-	-	0/1/1/1
2	NAG	D	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	D	2	2	-	6/6/23/26	0/1/1/1
2	FUL	D	3	2	-	_	0/1/1/1

There are no bond length outliers.

All ((33)	bond	angle	outliers	are	listed	below:
-------	------	-----------------------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	3	FUL	C1-C2-C3	-8.60	99.09	109.67
2	D	2	NAG	C4-C3-C2	-7.52	99.99	111.02
2	D	3	FUL	C1-C2-C3	-7.45	100.51	109.67
3	С	2	FUL	C1-C2-C3	6.75	117.97	109.67
2	В	2	NAG	C1-O5-C5	-5.96	104.12	112.19
2	В	3	FUL	O5-C1-C2	-5.40	102.44	110.77
2	D	1	NAG	C1-O5-C5	4.59	118.41	112.19
3	С	2	FUL	C2-C3-C4	4.51	118.70	110.89
2	D	3	FUL	C1-O5-C5	-4.26	103.12	112.78
2	D	1	NAG	C6-C5-C4	-3.96	103.73	113.00
2	В	3	FUL	C1-O5-C5	-3.84	104.07	112.78
3	С	2	FUL	O5-C1-C2	3.45	116.10	110.77
2	D	1	NAG	C2-N2-C7	-3.23	118.30	122.90
3	С	2	FUL	C1-O5-C5	3.23	120.10	112.78



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	С	2	FUL	C3-C4-C5	3.04	114.51	109.77
2	В	1	NAG	O5-C1-C2	-2.88	106.75	111.29
2	D	3	FUL	O5-C1-C2	-2.87	106.34	110.77
2	D	3	FUL	C3-C4-C5	2.80	114.14	109.77
2	D	2	NAG	O3-C3-C4	2.78	116.79	110.35
2	В	3	FUL	O2-C2-C3	2.65	115.45	110.14
3	С	2	FUL	O5-C5-C4	2.54	114.07	109.52
2	В	3	FUL	C3-C4-C5	2.51	113.68	109.77
3	С	1	NAG	O5-C5-C6	2.45	111.04	107.20
2	В	1	NAG	O5-C5-C6	2.33	110.86	107.20
3	С	1	NAG	C3-C4-C5	-2.33	106.09	110.24
2	D	2	NAG	C1-O5-C5	2.29	115.30	112.19
2	В	1	NAG	O4-C4-C3	-2.26	105.11	110.35
2	В	1	NAG	C2-N2-C7	2.21	126.05	122.90
2	D	1	NAG	O4-C4-C3	-2.19	105.29	110.35
2	D	2	NAG	C1-C2-N2	2.16	114.18	110.49
2	В	2	NAG	O6-C6-C5	-2.06	104.21	111.29
2	В	3	FUL	C6-C5-C4	2.06	116.89	113.07
3	С	1	NAG	C8-C7-N2	2.04	119.56	116.10

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
2	В	1	NAG	C8-C7-N2-C2
2	В	1	NAG	O7-C7-N2-C2
2	В	2	NAG	C8-C7-N2-C2
2	В	2	NAG	O7-C7-N2-C2
2	D	1	NAG	C8-C7-N2-C2
2	D	1	NAG	O7-C7-N2-C2
2	D	2	NAG	C1-C2-N2-C7
2	D	2	NAG	C8-C7-N2-C2
2	D	2	NAG	O7-C7-N2-C2
3	С	1	NAG	C8-C7-N2-C2
2	В	2	NAG	C4-C5-C6-O6
3	С	1	NAG	O7-C7-N2-C2
2	В	2	NAG	O5-C5-C6-O6
2	В	1	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	В	1	NAG	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6

All (19) torsion outliers are listed below:



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	2	NAG	C3-C2-N2-C7

There are no ring outliers.

5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	1	NAG	1	0
2	D	3	FUL	3	0
3	С	2	FUL	2	0
2	D	2	NAG	7	0
2	D	1	NAG	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.













5.6 Ligand geometry (i)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Chain Res		Bo	Bond lengths			Bond angles		
IVIOI	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
8	NAG	А	616	1	14,14,15	0.52	0	17,19,21	1.60	6 (35%)	
6	SO4	А	607	-	4,4,4	0.33	0	6,6,6	0.36	0	
8	NAG	А	615	1	14,14,15	0.64	0	17,19,21	1.51	2 (11%)	
8	NAG	А	614	1	14,14,15	0.65	0	17,19,21	1.62	4 (23%)	
6	SO4	А	603	-	4,4,4	0.19	0	6,6,6	0.41	0	
4	TC3	А	601	1	3,6,7	2.08	2 (66%)	1,6,9	0.97	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	А	614	1	-	2/6/23/26	0/1/1/1
8	NAG	А	615	1	-	1/6/23/26	0/1/1/1
8	NAG	А	616	1	-	3/6/23/26	0/1/1/1
4	TC3	А	601	1	-	0/1/5/7	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
4	А	601	TC3	O3-C1	-2.59	1.38	1.44
4	А	601	TC3	C3-N	2.36	1.49	1.45

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	А	615	NAG	O5-C5-C6	3.91	113.33	107.20
8	А	614	NAG	O5-C5-C6	3.69	112.99	107.20
8	А	615	NAG	C2-N2-C7	-3.18	118.37	122.90
8	А	616	NAG	O5-C1-C2	-3.12	106.36	111.29
8	А	616	NAG	C2-N2-C7	3.09	127.30	122.90
8	А	614	NAG	O5-C1-C2	-3.04	106.48	111.29
8	А	614	NAG	C3-C4-C5	-2.59	105.62	110.24
8	А	614	NAG	C2-N2-C7	-2.53	119.30	122.90
8	А	616	NAG	O5-C5-C6	2.44	111.02	107.20
8	А	616	NAG	O7-C7-C8	-2.31	117.77	122.06
8	А	616	NAG	C1-C2-N2	2.07	114.02	110.49
8	А	616	NAG	C8-C7-N2	2.06	119.59	116.10

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	А	614	NAG	C8-C7-N2-C2
8	А	614	NAG	O7-C7-N2-C2
8	А	616	NAG	C8-C7-N2-C2
8	А	616	NAG	O7-C7-N2-C2
8	А	616	NAG	O5-C5-C6-O6
8	А	615	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	А	603	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	527/529~(99%)	-0.11	13 (2%) 58 63	15, 30, 55, 69	11 (2%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	258	THR	5.7
1	А	22	GLY	3.8
1	А	377	VAL	3.5
1	А	379	ASP	2.8
1	А	52	TRP	2.5
1	А	361	VAL	2.3
1	А	278	PHE	2.2
1	А	282	TYR	2.2
1	А	53	THR	2.2
1	А	378	ASP	2.2
1	А	525	PHE	2.1
1	А	380	GLN	2.1
1	А	4	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	NAG	D	2	14/15	0.70	0.17	73,79,81,82	0
2	FUL	В	3	10/11	0.76	0.16	64,68,69,72	0
2	NAG	В	2	14/15	0.78	0.14	64,68,71,73	0
3	NAG	С	1	14/15	0.78	0.14	58,63,68,72	0
3	FUL	С	2	10/11	0.79	0.18	76,78,79,79	0
2	NAG	D	1	14/15	0.81	0.17	67,74,78,81	0
2	NAG	В	1	14/15	0.92	0.11	44,50,59,61	0
2	FUL	D	3	10/11	0.92	0.12	67,68,69,69	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.











6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
8	NAG	А	614	14/15	0.62	0.18	75,80,83,83	0
8	NAG	А	616	14/15	0.63	0.17	83,87,88,89	0
8	NAG	А	615	14/15	0.79	0.14	52,67,71,71	0
7	CL	А	604	1/1	0.84	0.15	75,75,75,75	0
7	CL	А	605	1/1	0.89	0.14	73,73,73,73	0
6	SO4	А	603	5/5	0.92	0.10	47,48,49,51	5
5	NA	А	602	1/1	0.93	0.37	64,64,64,64	1
7	CL	А	608	1/1	0.94	0.17	$63,\!63,\!63,\!63$	0
7	CL	А	606	1/1	0.94	0.17	71,71,71,71	0
6	SO4	А	607	5/5	0.97	0.10	33,33,37,38	5
4	TC3	А	601	7/8	0.99	0.06	26,27,29,30	0



6.5 Other polymers (i)

There are no such residues in this entry.

