



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2024 – 05:58 am GMT

PDB ID : 2YN3
Title : Structural insight into the giant calcium-binding adhesin SiiE: implications for the adhesion of Salmonella enterica to polarized epithelial cells
Authors : Griessl, M.H.; Schmid, B.; Kassler, K.; Braunsmann, C.; Ritter, R.; Barlag, B.; Sturm, K.U.; Danzer, C.; Wagner, C.; Schaeffer, T.E.; Sticht, H.; Hensel, M.; Muller, Y.A.
Deposited on : 2012-10-11
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7689 (2.14-2.10)
Clashscore	180529	8431 (2.14-2.10)
Ramachandran outliers	177936	8366 (2.14-2.10)
Sidechain outliers	177891	8367 (2.14-2.10)
RSRZ outliers	164620	7689 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	 11% 84% 10% 5%
1	B	288	 12% 69% 15% 15%
1	C	288	 2% 93% 5% 5%
1	D	288	 13% 55% 16% 28%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PUTATIVE INNER MEMBRANE PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	273	2028	1267	329	429	3	0	0	0
1	B	246	1832	1143	297	389	3	0	0	0
1	C	284	2108	1311	342	452	3	0	0	0
1	D	208	1538	959	246	330	3	0	0	0

- Molecule 2 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total 2 2	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total 3 3	0	0
3	B	3	Total 3 3	0	0
3	C	4	Total 4 4	0	0
3	D	3	Total 3 3	0	0

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total	O P	0	0
			5	4 1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	185	Total	O	0	0
			185	185		
5	B	53	Total	O	0	0
			53	53		
5	C	175	Total	O	0	0
			175	175		
5	D	49	Total	O	0	0
			49	49		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PUTATIVE INNER MEMBRANE PROTEIN



- Molecule 1: PUTATIVE INNER MEMBRANE PROTEIN



- Molecule 1: PUTATIVE INNER MEMBRANE PROTEIN



- Molecule 1: PUTATIVE INNER MEMBRANE PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.48Å 153.31Å 96.30Å 90.00° 103.88° 90.00°	Depositor
Resolution (Å)	34.32 – 2.12 34.32 – 2.12	Depositor EDS
% Data completeness (in resolution range)	98.0 (34.32-2.12) 98.0 (34.32-2.12)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.30 (at 2.12Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.210 , 0.260 0.209 , 0.257	Depositor DCC
R_{free} test set	3648 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtrriage
Anisotropy	0.053	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7988	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, IOD, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/2064	0.79	3/2835 (0.1%)
1	B	0.49	0/1857	0.67	0/2544
1	C	0.70	0/2144	0.78	0/2945
1	D	0.52	0/1559	0.71	0/2133
All	All	0.62	0/7624	0.74	3/10457 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	5344	ARG	NE-CZ-NH2	-7.22	116.69	120.30
1	A	5344	ARG	NE-CZ-NH1	5.59	123.09	120.30
1	A	5256	ASP	CB-CG-OD1	5.14	122.93	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2028	0	1959	30	0
1	B	1832	0	1784	23	0
1	C	2108	0	2026	15	0
1	D	1538	0	1505	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	2	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	4	0	0	0	0
3	D	3	0	0	0	0
4	C	5	0	0	0	0
5	A	185	0	0	5	0
5	B	53	0	0	3	0
5	C	175	0	0	0	0
5	D	49	0	0	2	0
All	All	7988	0	7274	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5161:GLU:HG3	5:A:2088:HOH:O	1.33	1.29
1:A:5155:PRO:HD2	5:A:2080:HOH:O	1.41	1.20
1:A:5204:ILE:HD11	1:A:5221:PHE:CE2	2.09	0.87
1:A:5091:VAL:HG12	1:A:5096:ILE:HD11	1.57	0.86
1:A:5334:ASN:HB2	5:A:2180:HOH:O	1.74	0.86
1:A:5356:VAL:HG12	1:A:5357:THR:H	1.41	0.85
1:A:5091:VAL:CG1	1:A:5096:ILE:HD11	2.08	0.84
1:A:5305:THR:CG2	1:A:5336:THR:HB	2.11	0.81
1:D:5297:VAL:HG22	1:D:5341:VAL:HG13	1.66	0.77
1:D:5259:LEU:HD21	1:D:5341:VAL:HG12	1.74	0.69
1:D:5259:LEU:HD11	1:D:5341:VAL:HG11	1.75	0.69
1:D:5159:MSE:HG2	1:D:5244:ASN:CB	2.25	0.67
1:A:5287:LYS:HD2	1:A:5325:THR:OG1	1.95	0.66
1:A:5305:THR:HG23	1:A:5336:THR:HB	1.79	0.65
1:A:5356:VAL:HG12	1:A:5357:THR:N	2.13	0.63
1:B:5090:ILE:HD12	5:B:2037:HOH:O	1.99	0.63
1:C:5160:LYS:HE3	1:C:5161:GLU:OE2	1.99	0.63
1:C:5214:ASN:HD21	1:C:5218:VAL:CG1	2.11	0.62
1:A:5305:THR:HG22	1:A:5336:THR:HB	1.83	0.61
1:D:5216:ASP:OD1	1:D:5217:GLY:N	2.33	0.59
1:A:5344:ARG:NH1	5:A:2183:HOH:O	2.35	0.58
1:A:5204:ILE:HD11	1:A:5221:PHE:HE2	1.67	0.58
1:D:5294:ASP:O	1:D:5297:VAL:HG23	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5136:GLU:OE1	1:B:5138:LYS:NZ	2.32	0.58
1:D:5159:MSE:HG2	1:D:5244:ASN:HB3	1.85	0.57
1:C:5214:ASN:ND2	1:C:5218:VAL:HG13	2.20	0.56
1:D:5297:VAL:HG22	1:D:5341:VAL:CG1	2.34	0.56
1:B:5263:GLU:HA	1:B:5351:SER:HB2	1.88	0.56
1:D:5202:VAL:HG12	1:D:5204:ILE:HG13	1.88	0.56
1:D:5213:LYS:HE2	1:D:5217:GLY:HA2	1.87	0.56
1:A:5344:ARG:NH2	1:C:5124:ASN:O	2.39	0.55
1:D:5163:PRO:HG3	1:D:5193:LEU:HD21	1.87	0.55
1:A:5091:VAL:HG11	1:A:5096:ILE:HD11	1.86	0.55
1:B:5128:SER:HB2	1:C:5130:ALA:O	2.07	0.54
1:D:5133:TYR:CZ	1:D:5160:LYS:HB2	2.42	0.54
1:C:5214:ASN:HD21	1:C:5218:VAL:HG13	1.73	0.54
1:D:5136:GLU:OE2	1:D:5195:SER:OG	2.22	0.54
1:B:5189:ILE:HD11	5:B:2042:HOH:O	2.08	0.53
1:D:5144:VAL:HG22	1:D:5150:ARG:HB3	1.90	0.53
1:B:5304:VAL:O	1:B:5310:THR:HA	2.09	0.52
1:A:5204:ILE:CD1	1:A:5221:PHE:CE2	2.87	0.52
1:D:5297:VAL:CG2	1:D:5341:VAL:HG13	2.39	0.52
1:D:5160:LYS:HD3	1:D:5161:GLU:HG3	1.91	0.52
1:C:5285:GLN:HG3	1:C:5329:ALA:HA	1.92	0.51
1:B:5091:VAL:HG11	1:C:5091:VAL:HG21	1.93	0.51
1:A:5356:VAL:CG1	1:A:5357:THR:H	2.19	0.51
1:B:5188:PHE:CE2	1:B:5234:ILE:HD13	2.45	0.51
1:A:5091:VAL:HG12	1:A:5096:ILE:CD1	2.35	0.51
1:B:5285:GLN:N	1:B:5286:PRO:HD3	2.26	0.50
1:D:5159:MSE:CG	1:D:5244:ASN:HB3	2.41	0.50
1:B:5260:THR:N	1:B:5294:ASP:OD2	2.42	0.50
1:A:5084:VAL:HG11	1:C:5179:ASN:HB2	1.94	0.49
1:D:5261:VAL:HG22	1:D:5349:GLN:OE1	2.13	0.49
1:B:5187:THR:HB	1:B:5222:THR:OG1	2.13	0.49
1:D:5168:SER:O	1:D:5171:SER:N	2.41	0.49
5:A:2158:HOH:O	1:C:5082:ALA:HB3	2.12	0.48
1:B:5090:ILE:HG21	1:B:5160:LYS:HG3	1.95	0.48
1:D:5136:GLU:OE1	1:D:5138:LYS:NZ	2.44	0.48
1:D:5259:LEU:HD11	1:D:5341:VAL:CG1	2.43	0.48
1:D:5202:VAL:CG1	1:D:5204:ILE:HG13	2.44	0.48
1:D:5084:VAL:O	1:D:5099:GLY:HA3	2.14	0.47
1:A:5095:ILE:O	1:A:5130:ALA:HA	2.14	0.47
1:B:5246:LYS:NZ	5:B:2037:HOH:O	2.48	0.47
1:B:5204:ILE:HD11	1:B:5221:PHE:CE2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:5215:ALA:O	1:D:5216:ASP:HB2	2.15	0.46
1:D:5080:PRO:HG2	5:D:2016:HOH:O	2.15	0.46
1:B:5213:LYS:HG2	1:B:5214:ASN:N	2.31	0.46
1:C:5147:ILE:HG22	1:C:5147:ILE:O	2.15	0.46
1:C:5213:LYS:HB3	1:C:5213:LYS:HE2	1.77	0.46
1:D:5147:ILE:O	1:D:5147:ILE:CG2	2.63	0.46
1:B:5197:VAL:HA	1:B:5240:ASP:HA	1.97	0.46
1:C:5214:ASN:ND2	1:C:5218:VAL:CG1	2.77	0.45
1:D:5093:ASP:HB3	5:D:2012:HOH:O	2.15	0.45
1:A:5305:THR:HG22	1:A:5336:THR:O	2.17	0.45
1:D:5185:GLN:HG3	1:D:5226:PRO:HA	1.98	0.44
1:A:5303:ASN:HD22	1:A:5312:ILE:HG12	1.83	0.43
1:A:5091:VAL:HG11	1:D:5091:VAL:HG21	2.00	0.43
1:A:5204:ILE:CD1	1:A:5221:PHE:HE2	2.28	0.43
1:D:5095:ILE:HD11	1:D:5134:PRO:HD2	2.00	0.43
1:A:5342:VAL:HA	1:A:5347:ASN:O	2.18	0.43
1:B:5095:ILE:HD11	1:B:5134:PRO:HD2	1.99	0.43
1:C:5119:LEU:C	1:C:5119:LEU:HD12	2.40	0.43
1:A:5119:LEU:C	1:A:5119:LEU:HD12	2.40	0.42
1:A:5287:LYS:HD2	1:A:5325:THR:HG1	1.84	0.42
1:B:5284:THR:O	1:B:5285:GLN:HG3	2.19	0.42
1:B:5238:ALA:O	1:B:5245:GLN:HG3	2.18	0.42
1:D:5180:ILE:HG12	1:D:5254:THR:HB	2.02	0.42
1:C:5285:GLN:HA	1:C:5326:PRO:HG2	2.03	0.41
1:D:5262:PRO:HG2	1:D:5351:SER:HB3	2.00	0.41
1:A:5122:PRO:HD2	1:A:5126:LYS:O	2.21	0.41
1:A:5304:VAL:HG21	1:A:5330:TRP:HH2	1.86	0.41
1:B:5263:GLU:HA	1:B:5351:SER:CB	2.51	0.41
1:B:5133:TYR:CZ	1:B:5160:LYS:HB2	2.56	0.41
1:B:5102:GLU:O	1:B:5105:SER:OG	2.26	0.40
1:B:5300:VAL:HG22	1:B:5341:VAL:HG12	2.03	0.40
1:D:5083:PRO:HD3	1:D:5143:SER:HB3	2.04	0.40
1:D:5293:ILE:HG23	1:D:5297:VAL:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/288 (93%)	264 (98%)	5 (2%)	0	100	100
1	B	236/288 (82%)	225 (95%)	11 (5%)	0	100	100
1	C	280/288 (97%)	276 (99%)	4 (1%)	0	100	100
1	D	202/288 (70%)	188 (93%)	12 (6%)	2 (1%)	13	8
All	All	987/1152 (86%)	953 (97%)	32 (3%)	2 (0%)	44	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	5216	ASP
1	D	5214	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/241 (96%)	227 (98%)	4 (2%)	56	62
1	B	213/241 (88%)	197 (92%)	16 (8%)	11	8
1	C	242/241 (100%)	242 (100%)	0	100	100
1	D	180/241 (75%)	172 (96%)	8 (4%)	24	23
All	All	866/964 (90%)	838 (97%)	28 (3%)	34	36

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5176	VAL
1	A	5281	THR
1	A	5323	THR
1	A	5332	ASP
1	B	5112	SER
1	B	5113	GLU
1	B	5126	LYS
1	B	5128	SER
1	B	5135	SER
1	B	5159	MSE
1	B	5187	THR
1	B	5208	VAL
1	B	5229	ASP
1	B	5260	THR
1	B	5263	GLU
1	B	5281	THR
1	B	5298	THR
1	B	5316	THR
1	B	5353	SER
1	B	5356	VAL
1	D	5135	SER
1	D	5143	SER
1	D	5159	MSE
1	D	5167	LEU
1	D	5212	GLU
1	D	5245	GLN
1	D	5249	LEU
1	D	5252	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5303	ASN
1	A	5350	GLN
1	C	5081	ASN
1	C	5106	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 15 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PO4	C	6366	-	4,4,4	1.71	1 (25%)	6,6,6	1.32	1 (16%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	6366	PO4	P-O4	-2.31	1.47	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	6366	PO4	O4-P-O1	-2.14	103.06	110.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/288 (93%)	0.18	32 (11%) 10 11	15, 28, 80, 100	0
1	B	243/288 (84%)	0.86	34 (13%) 7 8	24, 54, 75, 95	0
1	C	281/288 (97%)	-0.28	6 (2%) 63 65	15, 26, 51, 96	0
1	D	205/288 (71%)	0.93	37 (18%) 4 5	22, 52, 81, 93	0
All	All	999/1152 (86%)	0.37	109 (10%) 12 13	15, 39, 77, 100	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5286	PRO	5.9
1	D	5164	VAL	5.4
1	A	5358	VAL	5.2
1	A	5268	ALA	5.1
1	A	5337	LEU	4.8
1	C	5365	THR	4.8
1	B	5266	LEU	4.8
1	A	5330	TRP	4.4
1	A	5356	VAL	4.2
1	B	5345	ALA	4.2
1	A	5304	VAL	4.0
1	D	5295	ALA	4.0
1	D	5079	PRO	3.9
1	B	5293	ILE	3.9
1	A	5357	THR	3.9
1	C	5079	PRO	3.8
1	B	5329	ALA	3.7
1	D	5162	VAL	3.6
1	A	5319	ALA	3.6
1	D	5218	VAL	3.6
1	D	5236	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	5218	VAL	3.6
1	B	5080	PRO	3.5
1	B	5280	VAL	3.5
1	B	5174	GLY	3.4
1	D	5293	ILE	3.4
1	B	5214	ASN	3.3
1	C	5276	ASP	3.3
1	D	5176	VAL	3.3
1	B	5284	THR	3.3
1	B	5281	THR	3.3
1	D	5163	PRO	3.2
1	B	5352	ALA	3.2
1	B	5316	THR	3.1
1	D	5251	ILE	3.1
1	D	5249	LEU	3.1
1	D	5192	ASN	3.1
1	B	5162	VAL	3.0
1	D	5250	PRO	3.0
1	A	5293	ILE	2.9
1	D	5298	THR	2.9
1	A	5280	VAL	2.9
1	A	5265	ALA	2.9
1	A	5329	ALA	2.9
1	A	5328	ALA	2.8
1	D	5165	ILE	2.8
1	A	5335	TYR	2.8
1	D	5342	VAL	2.8
1	A	5327	PRO	2.8
1	D	5191	GLY	2.7
1	C	5320	ASP	2.7
1	A	5354	LEU	2.7
1	A	5288	PHE	2.7
1	A	5359	ASP	2.7
1	B	5354	LEU	2.6
1	A	5267	ALA	2.6
1	B	5261	VAL	2.6
1	A	5309	VAL	2.6
1	A	5355	ALA	2.6
1	B	5212	GLU	2.6
1	B	5220	PHE	2.6
1	B	5250	PRO	2.6
1	D	5167	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	5358	VAL	2.6
1	D	5297	VAL	2.6
1	D	5246	LYS	2.5
1	D	5189	ILE	2.5
1	D	5171	SER	2.5
1	D	5220	PHE	2.5
1	B	5330	TRP	2.5
1	A	5215	ALA	2.5
1	D	5341	VAL	2.5
1	A	5266	LEU	2.4
1	A	5332	ASP	2.4
1	D	5161	GLU	2.4
1	D	5242	ALA	2.4
1	B	5283	HIS	2.4
1	A	5333	GLY	2.4
1	B	5264	ILE	2.4
1	D	5214	ASN	2.4
1	A	5336	THR	2.4
1	B	5173	SER	2.4
1	C	5147	ILE	2.4
1	A	5318	GLY	2.3
1	B	5251	ILE	2.3
1	B	5167	LEU	2.3
1	A	5283	HIS	2.2
1	B	5265	ALA	2.2
1	D	5353	SER	2.2
1	A	5312	ILE	2.2
1	D	5234	ILE	2.2
1	A	5289	THR	2.2
1	B	5171	SER	2.2
1	C	5269	GLY	2.2
1	D	5243	GLY	2.2
1	D	5217	GLY	2.1
1	D	5202	VAL	2.1
1	A	5316	THR	2.1
1	B	5260	THR	2.1
1	D	5169	PRO	2.1
1	B	5092	ASN	2.1
1	B	5279	ASN	2.1
1	D	5245	GLN	2.1
1	A	5302	VAL	2.1
1	B	5164	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	5234	ILE	2.1
1	D	5174	GLY	2.0
1	D	5219	TRP	2.0
1	D	5198	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	C	6370	1/1	0.94	0.12	60,60,60,60	0
2	IOD	A	6360	1/1	0.96	0.06	47,47,47,47	1
3	CA	D	6355	1/1	0.96	0.05	75,75,75,75	0
3	CA	D	6356	1/1	0.96	0.11	58,58,58,58	0
3	CA	B	6361	1/1	0.98	0.03	57,57,57,57	0
3	CA	A	6364	1/1	0.98	0.03	29,29,29,29	0
3	CA	A	6363	1/1	0.99	0.03	20,20,20,20	0
2	IOD	A	6361	1/1	0.99	0.02	32,32,32,32	1
3	CA	D	6354	1/1	0.99	0.05	40,40,40,40	0
3	CA	B	6359	1/1	0.99	0.02	39,39,39,39	0
3	CA	B	6360	1/1	0.99	0.04	61,61,61,61	0
4	PO4	C	6366	5/5	0.99	0.04	21,22,24,25	0
3	CA	C	6367	1/1	1.00	0.01	20,20,20,20	0
3	CA	C	6368	1/1	1.00	0.01	22,22,22,22	0
3	CA	C	6369	1/1	1.00	0.03	24,24,24,24	0
3	CA	A	6362	1/1	1.00	0.02	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.