

Full wwPDB X-ray Structure Validation Report (i)

Oct 13, 2024 – 10:30 AM EDT

PDB ID : 3B0V

Title: tRNA-dihydrouridine synthase from Thermus thermophilus in complex with

tRNA

Authors: Yu, F.; Tanaka, Y.; Yamashita, K.; Nakamura, A.; Yao, M.; Tanaka, I.

Deposited on : 2011-06-14

Resolution : 3.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 2022.3.0, CSD as 543be (2022)

Xtriage (Phenix) : 1.20.1

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.003 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution		
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$		
R_{free}	164625	1089 (3.58-3.46)		
Clashscore	180529	1165 (3.58-3.46)		
Ramachandran outliers	177936	1150 (3.58-3.46)		
Sidechain outliers	177891	1151 (3.58-3.46)		
RSRZ outliers	164620	1088 (3.58-3.46)		
RNA backbone	3690	1090 (4.02-3.00)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of chain			
			29%	•			
1	A	76	26%	46%	22%	6	
			20%				
1	В	76	26%	46%	24	%	•
			3%				
2	С	363		73%	13%	٠	13%
			3%				
2	D	363		70%	16%	•	13%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 8204 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	79	Total	С	N	О	Р	0	0	0
1	A	73	1561	695	280	513	73	U	U	
1	D	73	Total	С	N	О	Р	0	0	0
1	D	13	1561	695	280	513	73	0	0	

• Molecule 2 is a protein called tRNA-dihydrouridine synthase.

M	ol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
2	;	С	315	Total 2510	C 1583		O 439			0	0	0
2	,	D	315	Total 2510	_	N 476	_			0	0	0

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
С	-20	MSE	-	expression tag	UNP Q5SMC7
С	-19	GLY	-	expression tag	UNP Q5SMC7
С	-18	SER	-	expression tag	UNP Q5SMC7
С	-17	SER	-	expression tag	UNP Q5SMC7
С	-16	HIS	-	expression tag	UNP Q5SMC7
С	-15	HIS	-	expression tag	UNP Q5SMC7
С	-14	HIS	-	expression tag	UNP Q5SMC7
С	-13	HIS	-	expression tag	UNP Q5SMC7
С	-12	HIS	-	expression tag	UNP Q5SMC7
С	-11	HIS	-	expression tag	UNP Q5SMC7
С	-10	SER	-	expression tag	UNP Q5SMC7
С	-9	GLN	-	expression tag	UNP Q5SMC7
С	-8	ASP	-	expression tag	UNP Q5SMC7
С	-7	PRO	-	expression tag	UNP Q5SMC7
С	-6	LEU	-	expression tag	UNP Q5SMC7
С	-5	VAL	-	expression tag	UNP Q5SMC7
С	-4	PRO	-	expression tag	UNP Q5SMC7



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
С	-3	ARG	-	expression tag	UNP Q5SMC7
С	-2	GLY	-	expression tag	UNP Q5SMC7
С	-1	SER	-	expression tag	UNP Q5SMC7
С	0	HIS	-	expression tag	UNP Q5SMC7
D	-20	MSE	-	expression tag	UNP Q5SMC7
D	-19	GLY	-	expression tag	UNP Q5SMC7
D	-18	SER	-	expression tag	UNP Q5SMC7
D	-17	SER	-	expression tag	UNP Q5SMC7
D	-16	HIS	-	expression tag	UNP Q5SMC7
D	-15	HIS	-	expression tag	UNP Q5SMC7
D	-14	HIS	-	expression tag	UNP Q5SMC7
D	-13	HIS	-	expression tag	UNP Q5SMC7
D	-12	HIS	-	expression tag	UNP Q5SMC7
D	-11	HIS	-	expression tag	UNP Q5SMC7
D	-10	SER	-	expression tag	UNP Q5SMC7
D	-9	GLN	-	expression tag	UNP Q5SMC7
D	-8	ASP	_	expression tag	UNP Q5SMC7
D	-7	PRO	-	expression tag	UNP Q5SMC7
D	-6	LEU	-	expression tag	UNP Q5SMC7
D	-5	VAL	-	expression tag	UNP Q5SMC7
D	-4	PRO	-	expression tag	UNP Q5SMC7
D	-3	ARG	-	expression tag	UNP Q5SMC7
D	-2	GLY	-	expression tag	UNP Q5SMC7
D	-1	SER	-	expression tag	UNP Q5SMC7
D	0	HIS	-	expression tag	UNP Q5SMC7

 $\bullet \ \ \text{Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P)$.}$






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
2	С	1	Total	С	N	О	Р	0	0	
3	3 0	1	31	17	4	9	1	U		
9	D	1	Total	С	N	О	Р	0	0	
)	ש		31	17	4	9	1	U		




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants	118.89Å 118.89Å 319.55Å	Donogitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.60 - 3.51	Depositor
Resolution (A)	48.60 - 3.51	EDS
% Data completeness	99.3 (48.60-3.51)	Depositor
(in resolution range)	99.1 (48.60-3.51)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$< I/\sigma(I) > 1$	3.11 (at 3.48Å)	Xtriage
Refinement program	CNS 1.3	Depositor
D D	0.300 , 0.320	Depositor
R, R_{free}	0.267 , 0.287	DCC
R_{free} test set	2323 reflections (7.92%)	wwPDB-VP
Wilson B-factor (Å ²)	102.9	Xtriage
Anisotropy	0.764	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.39 , 143.7	EDS
L-test for twinning ²	$ < L >=0.40, < L^2>=0.22$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	8204	wwPDB-VP
Average B, all atoms $(Å^2)$	148.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, H2U

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
IVIOI		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.29	$1/1722 \ (0.1\%)$	0.42	0/2682	
1	В	0.29	1/1722 (0.1%)	0.42	0/2682	
2	С	0.20	0/2546	0.37	0/3416	
2	D	0.20	0/2546	0.37	0/3416	
All	All	0.24	$2/8536 \ (0.0\%)$	0.39	0/12196	

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}({ ext{A}})$
1	В	1	G	OP3-P	-10.61	1.48	1.61
1	A	1	G	OP3-P	-10.58	1.48	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1561	0	790	53	0
1	В	1561	0	790	56	0
2	С	2510	0	2586	32	0
2	D	2510	0	2586	42	0
3	С	31	0	19	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	31	0	19	1	0
All	All	8204	0	6790	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A 4 1	A 4 a 2	Interatomic	Clash
Atom-1	Atom-2	${ m distance} \; ({ m \AA})$	overlap (Å)
1:A:20:H2U:C5	2:C:93:CYS:SG	2.01	1.47
1:A:43:A:H3'	1:A:44:G:H5"	1.16	1.10
1:A:43:A:H3'	1:A:44:G:C5'	1.82	1.09
1:B:43:A:H3'	1:B:44:G:H5"	1.18	1.08
1:B:43:A:H3'	1:B:44:G:C5'	1.83	1.07
1:A:34:G:H2'	1:A:35:A:H5"	1.50	0.92
1:B:34:G:H2'	1:B:35:A:H5"	1.50	0.91
1:A:20:H2U:C4	2:C:93:CYS:SG	2.64	0.85
1:B:34:G:C2'	1:B:35:A:H5"	2.09	0.83
1:A:43:A:C3'	1:A:44:G:H5"	2.07	0.83
1:A:34:G:C2'	1:A:35:A:H5"	2.10	0.81
1:B:43:A:C3'	1:B:44:G:H5"	2.08	0.79
1:A:20:H2U:C6	2:C:93:CYS:SG	2.74	0.76
1:A:8:U:H5'	1:A:49:G:OP2	1.86	0.75
2:C:134:ARG:HD2	2:C:168:ALA:HB2	1.72	0.72
1:B:47:U:H2'	1:B:50:G:OP1	1.93	0.69
1:B:43:A:C3'	1:B:44:G:C5'	2.69	0.66
1:A:43:A:C3'	1:A:44:G:C5'	2.68	0.65
1:B:8:U:H5'	1:B:49:G:OP2	1.99	0.63
1:B:58:A:H5"	2:D:97:LYS:NZ	2.14	0.63
2:C:180:ILE:HB	2:C:181:PRO:HD3	1.80	0.63
1:B:58:A:H5"	2:D:97:LYS:HZ1	1.65	0.60
1:A:1:G:N2	1:A:73:A:H1'	2.17	0.60
2:D:134:ARG:HD2	2:D:168:ALA:HB2	1.82	0.60
1:B:1:G:N2	1:B:73:A:H1'	2.17	0.59
2:C:114:VAL:HG11	2:C:153:MSE:HE2	1.84	0.58
2:C:311:LEU:C	2:C:311:LEU:HD12	2.24	0.58
2:D:180:ILE:HB	2:D:181:PRO:HD3	1.86	0.58
1:B:38:A:H2'	1:B:39:U:H5'	1.85	0.57
1:A:47:U:H6	1:A:47:U:P	2.28	0.56
1:A:24:G:OP1	2:C:293:ARG:HD3	2.06	0.55
1:B:17:U:H2'	1:B:18:G:OP1	2.06	0.55



 $Continued\ from\ previous\ page...$

Continuea from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance} \ (\mathring{\rm A})$	overlap (Å)
2:D:114:VAL:HG11	2:D:153:MSE:HE2	1.88	0.55
1:A:22:G:N3	1:A:23:A:C8	2.75	0.54
1:A:58:A:H2	1:A:60:U:HO2'	1.54	0.54
1:B:58:A:H2	1:B:60:U:HO2'	1.58	0.52
1:B:46:G:O2'	1:B:47:U:P	2.68	0.52
2:C:8:VAL:HG21	2:C:23:VAL:HG11	1.91	0.52
1:B:17:U:C2'	1:B:18:G:OP1	2.57	0.52
1:B:22:G:N3	1:B:23:A:C8	2.78	0.52
1:A:14:A:C6	1:A:22:G:C6	2.98	0.52
1:B:14:A:C6	1:B:22:G:C6	2.98	0.52
2:C:255:ALA:HB1	2:C:309:LEU:HD21	1.92	0.52
1:B:24:G:OP1	2:D:293:ARG:HD3	2.09	0.51
2:D:130:THR:HG22	2:D:160:VAL:HB	1.92	0.51
2:D:266:VAL:HA	2:D:270:THR:O	2.11	0.50
2:D:8:VAL:HG21	2:D:23:VAL:HG11	1.93	0.50
1:A:9:A:N3	1:A:45:U:O4	2.45	0.50
2:D:7:SER:HB3	2:D:31:ARG:HB3	1.93	0.49
1:B:38:A:C2'	1:B:39:U:H5'	2.42	0.49
1:A:52:G:H2'	1:A:53:G:H5'	1.95	0.49
1:A:38:A:H2'	1:A:39:U:H5'	1.95	0.49
1:B:52:G:H2'	1:B:53:G:H5'	1.94	0.48
2:D:136:GLY:HA3	2:D:141:GLU:HB3	1.95	0.48
1:A:70:G:H2'	1:A:71:G:C8	2.48	0.48
1:B:70:G:H2'	1:B:71:G:C8	2.48	0.48
2:D:251:ARG:NH1	2:D:286:ARG:HG3	2.29	0.48
1:B:35:A:H2'	1:B:36:A:H5'	1.95	0.48
1:B:53:G:C3'	1:B:54:U:H5"	2.44	0.48
2:C:130:THR:HG22	2:C:160:VAL:HB	1.95	0.48
1:A:16:U:H5"	1:A:17:U:OP1	2.14	0.48
1:A:52:G:C2'	1:A:53:G:H5'	2.44	0.48
1:B:52:G:C2'	1:B:53:G:H5'	2.44	0.48
1:B:44:G:OP1	1:B:44:G:H4'	2.14	0.48
2:D:109:LEU:HD21	2:D:137:LEU:HG	1.97	0.47
2:D:172:LEU:HD12	2:D:172:LEU:N	2.29	0.47
2:C:196:PRO:HB3	2:D:196:PRO:HB3	1.96	0.47
1:B:9:A:N3	1:B:45:U:O4	2.48	0.47
2:C:224:LEU:HD12	2:C:224:LEU:N	2.30	0.47
1:B:18:G:N1	1:B:57:G:C6	2.83	0.47
1:B:30:G:O2'	1:B:31:A:H5'	2.15	0.47
1:A:22:G:H4'	1:A:23:A:OP2	2.11	0.46
1:A:53:G:C3'	1:A:54:U:H5"	2.44	0.46



 $Continued\ from\ previous\ page...$

Continued from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap(Å)
2:D:92:GLY:O	2:D:94:PRO:HD3	2.15	0.46
2:D:9:ALA:HA	2:D:223:MSE:SE	2.66	0.46
2:D:132:LYS:HA	2:D:162:VAL:O	2.15	0.46
2:D:134:ARG:CD	2:D:168:ALA:HB2	2.46	0.46
2:C:9:ALA:HB2	2:C:223:MSE:HG2	1.96	0.46
1:A:64:C:H2'	1:A:65:C:C6	2.51	0.46
1:B:49:G:H2'	1:B:49:G:N3	2.30	0.46
1:B:64:C:H2'	1:B:65:C:C6	2.50	0.46
1:B:18:G:H1'	1:B:58:A:C2	2.50	0.46
1:B:59:U:C5	1:B:60:U:C4	3.04	0.46
2:C:7:SER:HB3	2:C:31:ARG:HB3	1.97	0.46
2:C:132:LYS:HA	2:C:162:VAL:O	2.16	0.45
1:A:40:C:OP1	2:C:288:LYS:HA	2.16	0.45
2:D:310:ARG:HA	2:D:313:GLU:HG2	1.98	0.45
1:B:7:G:H3'	1:B:8:U:H5'	1.97	0.45
2:D:262:LEU:HD22	2:D:276:LEU:HD21	1.99	0.45
1:A:21:A:C8	1:A:48:C:N4	2.84	0.45
1:B:21:A:C8	1:B:48:C:N4	2.84	0.45
1:B:46:G:HO2'	1:B:47:U:P	2.40	0.45
1:A:30:G:O2'	1:A:31:A:H5'	2.16	0.45
2:D:203:ASN:HB2	2:D:223:MSE:HB3	1.98	0.45
2:D:166:ARG:HB3	2:D:183:LEU:HD23	1.97	0.45
1:B:21:A:C5	1:B:48:C:C4	3.05	0.44
1:A:58:A:H2	1:A:60:U:O2'	1.99	0.44
1:A:59:U:C5	1:A:60:U:C4	3.05	0.44
2:C:92:GLY:O	2:C:94:PRO:HD3	2.17	0.44
2:C:203:ASN:HB2	2:C:223:MSE:HB3	1.99	0.44
2:D:172:LEU:N	2:D:172:LEU:CD1	2.81	0.44
1:A:35:A:H2'	1:A:36:A:H5'	1.98	0.44
2:C:172:LEU:HD12	2:C:172:LEU:N	2.32	0.44
2:C:267:LEU:C	2:C:267:LEU:HD23	2.37	0.44
2:D:20:ARG:HB3	2:D:32:LEU:HD13	1.99	0.44
1:A:14:A:N6	1:A:22:G:C6	2.85	0.44
1:A:59:U:H2'	1:A:60:U:H5'	1.99	0.44
1:B:14:A:N6	1:B:22:G:C6	2.86	0.44
1:A:44:G:OP1	1:A:44:G:H4'	2.16	0.44
2:C:288:LYS:HG3	2:C:315:GLU:CD	2.38	0.44
1:A:18:G:N2	1:A:57:G:C4	2.86	0.43
1:A:52:G:C2	1:A:63:G:C2	3.06	0.43
2:D:9:ALA:HB2	2:D:223:MSE:HG2	1.99	0.43
1:A:71:G:O2'	1:A:72:C:H5'	2.18	0.43



 $Continued\ from\ previous\ page...$

Continuea from prev	Interatomic Clash						
Atom-1	Atom-2	${\rm distance}\ (\mathring{\rm A})$	overlap (Å)				
2:D:136:GLY:C	2:D:137:LEU:HD22	2.39	0.43				
1:B:59:U:H2'	1:B:60:U:H5'	1.99	0.43				
1:B:71:G:O2'	1:B:72:C:H5'	2.18	0.43				
2:D:311:LEU:O	2:D:311:LEU:HD12	2.19	0.43				
2:D:238:ALA:O	2:D:242:VAL:HB	2.19	0.43				
1:B:52:G:C2	1:B:63:G:C2	3.06	0.43				
2:D:115:ARG:HG3	2:D:156:ALA:HB2	2.00	0.43				
1:A:47:U:P	1:A:47:U:C6	3.11	0.42				
1:A:65:C:C2'	1:A:66:C:H5'	2.48	0.42				
1:B:11:C:H6	1:B:11:C:O5'	2.01	0.42				
2:D:233:PHE:CZ	2:D:251:ARG:HA	2.53	0.42				
1:A:9:A:H1'	1:A:45:U:O4	2.19	0.42				
1:B:56:C:H2'	1:B:57:G:C8	2.53	0.42				
2:D:22:LEU:C	2:D:22:LEU:HD23	2.39	0.42				
1:A:11:C:O5'	1:A:11:C:H6	2.03	0.42				
2:C:262:LEU:HD12	2:C:266:VAL:HG23	2.00	0.42				
1:A:9:A:O2'	1:A:10:G:C8	2.73	0.42				
1:B:28:G:H2'	1:B:29:C:C6	2.54	0.42				
1:B:30:G:N2	1:B:41:G:C4	2.87	0.42				
1:B:53:G:H2'	1:B:54:U:H5"	2.01	0.42				
1:B:22:G:H4'	1:B:23:A:OP2	2.11	0.42				
1:B:58:A:H2	1:B:60:U:O2'	2.02	0.42				
2:C:111:LEU:HD11	2:C:149:SER:HA	2.01	0.42				
2:C:172:LEU:N	2:C:172:LEU:CD1	2.83	0.42				
1:A:18:G:C2	1:A:58:A:C8	3.08	0.42				
1:B:53:G:N2	1:B:62:C:C2	2.88	0.42				
1:B:12:U:C2	1:B:24:G:N2	2.88	0.42				
1:B:7:G:H3'	1:B:8:U:C5'	2.49	0.42				
1:B:24:G:OP1	2:D:293:ARG:NH1	2.52	0.42				
1:A:38:A:C2'	1:A:39:U:H5'	2.50	0.41				
1:A:53:G:N2	1:A:62:C:C2	2.88	0.41				
2:D:2:LEU:O	2:D:4:PRO:HD3	2.20	0.41				
2:D:206:ILE:HD12	2:D:222:VAL:HG13	2.02	0.41				
2:D:108:LEU:HD12	2:D:137:LEU:CD2	2.51	0.41				
1:A:28:G:H2'	1:A:29:C:C6	2.55	0.41				
1:A:53:G:H2'	1:A:54:U:H5"	2.03	0.41				
2:C:22:LEU:C	2:C:22:LEU:HD23	2.40	0.41				
2:D:21:PHE:O	2:D:25:GLN:HG2	2.20	0.41				
2:D:111:LEU:HD22	2:D:111:LEU:HA	1.92	0.41				
2:D:224:LEU:HD12	2:D:224:LEU:N	2.36	0.41				
2:C:2:LEU:O	2:C:4:PRO:HD3	2.20	0.41				



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	$\operatorname{distance} \left(\operatorname{\AA} \right)$	overlap(A)
2:C:136:GLY:C	2:C:137:LEU:HD22	2.41	0.41
2:D:271:PRO:HA	2:D:272:PRO:HD3	1.93	0.41
1:A:30:G:N2	1:A:41:G:C4	2.88	0.41
2:C:273:TRP:CE2	2:C:277:ARG:HB3	2.55	0.41
2:C:263:GLU:O	2:C:267:LEU:HB3	2.20	0.41
1:B:38:A:H2'	1:B:39:U:C5'	2.50	0.41
1:B:40:C:O5'	1:B:40:C:H6	2.04	0.41
1:A:40:C:O5'	1:A:40:C:H6	2.03	0.41
1:A:56:C:H2'	1:A:57:G:C8	2.56	0.41
1:B:18:G:H21	1:B:58:A:H5'	1.85	0.41
2:C:20:ARG:HB3	2:C:32:LEU:HD13	2.03	0.40
2:D:12:VAL:HG23	3:D:400:FMN:O4	2.21	0.40
1:A:12:U:C2	1:A:24:G:N2	2.89	0.40
1:A:21:A:C5	1:A:48:C:C4	3.09	0.40
2:D:39:ASP:O	2:D:43:LEU:HG	2.22	0.40
1:A:39:U:H5"	2:C:288:LYS:HD3	2.04	0.40
1:B:54:U:O4	1:B:58:A:C8	2.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
2	C	313/363 (86%)	297 (95%)	16 (5%)	0	100	100
2	D	313/363 (86%)	297 (95%)	16 (5%)	0	100	100
All	All	626/726~(86%)	594 (95%)	32 (5%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Rotameric Outliers		Outliers	Percentiles		
2	С	261/287 (91%)	254 (97%)	7 (3%)	40 65		
2	D	261/287 (91%)	256 (98%)	5 (2%)	52 73		
All	All	522/574 (91%)	510 (98%)	12 (2%)	45 69		

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	С	97	LYS
2	С	170	LEU
2	С	247	ARG
2	С	259	ARG
2	С	267	LEU
2	С	294	ARG
2	С	311	LEU
2	D	107	LEU
2	D	111	LEU
2	D	294	ARG
2	D	310	ARG
2	D	311	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	72/76~(94%)	20 (27%)	1 (1%)
1	В	72/76 (94%)	20 (27%)	1 (1%)
All	All	144/152 (94%)	40 (27%)	2 (1%)

All (40) RNA backbone outliers are listed below:



Mol	Chain	Res	Type G C U G H2U A A A A A G G G G C G C C C C C U
1	A	10	G
1	A	13	С
1	A	17	U
1	A	18	G
1 1	A	17 18 19	G
1	A A A A A A A A A A A A A A A A A A A	20 21 23 34 35 36	H2U
1	A	21	A
1	A	23	A
1	A	34	G
1	A	35	A
1	A	36	A
1	A	43	A
1	A	44 47 48 49	G
1 1	A	47	U
	A	48	С
1	A	49	G
1 1	A	50 54 58 67	G
	A	54	U
1	A	58	A
1	A	67	С
1	В	10 13 16	G
1	В	13	С
1	В	16	U
1	В	17	U G
1 1	В	18	G
	В	20 21 23	H2U A A
1	В	21	A
1	В	23	A
1	В	34	G
1	В	35	A
1	В	36	A A G U
1	В	43	A
1	В	44	G
1	В	47	U
1	В	48	C G G U
1	В	49	G
1	В	50	G
1	В	54	
1	В	58	A
1	В	67	С

All (2) RNA pucker outliers are listed below:



Mol	Chain	Res	Type
1	A	22	G
1	В	22	G

5.4 Non-standard residues in protein, DNA, RNA chains (i)



2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chain		Chain Res Link		Bond lengths		Bond angles				
MIOI	Type	e Chain Res	res Link	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	H2U	A	20	1	18,21,22	0.72	0	19,30,33	1.92	3 (15%)
1	H2U	В	20	1	18,21,22	0.71	0	19,30,33	1.89	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

\mathbf{M}	ol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	1	H2U	A	20	1	-	0/7/38/39	0/2/2/2
1	1	H2U	В	20	1	-	0/7/38/39	0/2/2/2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$Ideal(^{o})$
1	A	20	H2U	N3-C2-N1	5.43	122.10	116.65
1	В	20	H2U	N3-C2-N1	5.29	121.96	116.65
1	A	20	H2U	C5-C4-N3	4.47	121.45	116.69
1	В	20	H2U	C5-C4-N3	4.44	121.41	116.69
1	В	20	H2U	O2-C2-N1	-3.58	118.80	123.10
1	A	20	H2U	O2-C2-N1	-3.56	118.82	123.10

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.

1 monomer is involved in 3 short contacts:

\mathbf{Mol}	Chain	Res	Type	Clashes	Symm-Clashes
1	A	20	H2U	3	0

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type		Chain	Dag	Link	Bond lengths			Bond angles		
MIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
3	FMN	С	400	-	33,33,33	1.04	2 (6%)	48,50,50	1.24	9 (18%)
3	FMN	D	400	-	33,33,33	1.05	2 (6%)	48,50,50	1.24	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMN	С	400	-	-	1/18/18/18	0/3/3/3
3	FMN	D	400	-	-	1/18/18/18	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	Ideal(Å)
3	D	400	FMN	C4A-N5	3.53	1.38	1.30
3	С	400	FMN	C4A-N5	3.43	1.38	1.30
3	D	400	FMN	C10-N1	2.54	1.38	1.33
3	С	400	FMN	C10-N1	2.47	1.38	1.33



All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(^o)$	$\operatorname{Ideal}({}^o)$
3	С	400	FMN	C4-N3-C2	-3.29	119.80	125.64
3	D	400	FMN	C4-N3-C2	-3.18	119.99	125.64
3	D	400	FMN	C4A-C4-N3	2.64	119.98	113.25
3	С	400	FMN	C4A-C4-N3	2.62	119.93	113.25
3	D	400	FMN	C9A-C5A-N5	-2.55	119.75	122.45
3	С	400	FMN	C4A-C10-N10	2.48	120.03	116.48
3	D	400	FMN	C10-C4A-N5	-2.47	119.76	124.81
3	С	400	FMN	O4-C4-C4A	-2.43	120.11	126.53
3	D	400	FMN	O4-C4-C4A	-2.43	120.13	126.53
3	D	400	FMN	C4A-C10-N10	2.38	119.89	116.48
3	С	400	FMN	C10-C4A-N5	-2.38	119.94	124.81
3	С	400	FMN	C9A-C5A-N5	-2.33	119.98	122.45
3	С	400	FMN	C4'-C3'-C2'	-2.23	109.86	113.57
3	С	400	FMN	C5A-C9A-N10	2.10	119.87	117.97
3	D	400	FMN	C4'-C3'-C2'	-2.10	110.08	113.57
3	D	400	FMN	C5A-C9A-N10	2.05	119.82	117.97
3	D	400	FMN	C4A-C10-N1	-2.02	119.64	124.59
3	С	400	FMN	C4A-C10-N1	-2.02	119.64	124.59

There are no chirality outliers.

All (2) torsion outliers are listed below:

	Mol	Chain	Res	Type	Atoms
	3	D	400	FMN	C4'-C5'-O5'-P
ĺ	3	С	400	FMN	C4'-C5'-O5'-P

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	400	FMN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and



any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(A^2)$	Q<0.9
1	A	72/76 (94%)	1.71	22 (30%) 1 1	154, 207, 270, 282	0
1	В	72/76 (94%)	1.55	15 (20%) 3 3	153, 207, 271, 281	0
2	С	305/363 (84%)	0.31	10 (3%) 49 32	79, 110, 133, 163	0
2	D	305/363 (84%)	0.30	10 (3%) 49 32	80, 110, 134, 162	0
All	All	754/878 (85%)	0.56	57 (7%) 21 16	79, 114, 232, 282	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	49	G	3.9
1	A	24	G	3.8
1	A	53	G	3.8
1	A	19	G	3.7
1	В	46	G	3.7
1	A	46	G	3.6
1	В	9	A	3.4
1	В	19	G	3.2
1	A	56	С	3.2
2	D	13	ASP	3.2
1	В	18	G	3.1
2	С	94	PRO	3.1
2	С	9	ALA	3.0
1	A	60	U	3.0
2	D	315	GLU	2.9
2	D	139	GLY	2.7
1	A	9	A	2.7
1	В	7	G	2.6
2	D	313	GLU	2.6
2	С	291	LEU	2.6
1	В	24	G	2.6



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	45	U	2.5
1	В	15	G	2.5
1	В	53	G	2.5
1	A	66	С	2.5
1	A	70	G	2.5
2	С	66	GLY	2.5
2	A C C B	246	PRO	2.4
1	В	50	G	2.4
2	С	55	PRO	2.4
2	С	313	GLU	2.4
1	A	72	С	2.4
2	D	292	TRP	2.3
2	С	290	ARG	2.3
2	D	291	LEU	2.3
1	В	23	A	2.3
1	A	26	A	2.3
1	A	50	G	2.3
1	В	22	G	2.3
1	A	22	G	2.2
1	A	13	C	2.2
1	В	58	A	2.2
2	D C	314	GLU	2.2
2	С	116	GLU	2.2
1	A A	23	A	2.2
1		48	С	2.2
1	В	57	G	2.2
2	С	315	GLU	2.2
	В	48	С	2.2
1	A	51	С	2.1
2	D	168	ALA	2.1
1	В	49	G	2.1
1	A	55	U	2.1
2	D	289	GLY	2.1
2	D	283	PHE	2.1
1	A	8	U	2.0
1	A	54	U	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column



labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	H2U	A	20	20/21	0.93	0.11	114,118,127,129	0
1	H2U	В	20	20/21	0.94	0.11	113,120,126,127	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
3	FMN	D	400	31/31	0.94	0.13	90,99,105,107	0
3	FMN	С	400	31/31	0.96	0.12	91,100,104,105	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN D 400:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FMN C 400:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









6.5 Other polymers (i)

There are no such residues in this entry.

