

Full wwPDB X-ray Structure Validation Report (i)

Nov 12, 2024 – 09:55 AM EST

PDB ID	:	3BNU
Title	:	Crystal structure of polyamine oxidase FMS1 from Saccharomyces cerevisiae
		in complex with bis-(3S,3'S)-methylated spermine
Authors	:	Huang, Q.; Hao, Q.
Deposited on	:	2007-12-14
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(\#Entries, resolution, range(Å))$
Clashacore	190520	$(\# \text{Lifting}(\mathbf{R}))$
Clashscore	180529	0034(2.20-2.20)
Ramachandran outliers	177936	$6560 \ (2.20-2.20)$
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	516	4%	19%	
1	В	516	8%	20%	•••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SPZ	В	803	-	-	Х	-



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8193 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Polyamine oxidase FMS1.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	В	499	Total 3845	C 2425	N 668	O 730	S 22	0	0	0
1	А	497	Total 3905	С 2471	N 684	0 728	S 22	0	0	0

Chain	Residue	Modelled	Actual	Comment	Reference
В	509	LEU	-	expression tag	UNP P50264
В	510	GLU	-	expression tag	UNP P50264
В	511	HIS	-	expression tag	UNP P50264
В	512	HIS	-	expression tag	UNP P50264
В	513	HIS	-	expression tag	UNP P50264
В	514	HIS	-	expression tag	UNP P50264
В	515	HIS	-	expression tag	UNP P50264
В	516	HIS	-	expression tag	UNP P50264
А	509	LEU	-	expression tag	UNP P50264
А	510	GLU	-	expression tag	UNP P50264
А	511	HIS	-	expression tag	UNP P50264
A	512	HIS	-	expression tag	UNP P50264
A	513	HIS	-	expression tag	UNP P50264
А	514	HIS	-	expression tag	UNP P50264
A	515	HIS	-	expression tag	UNP P50264
А	516	HIS	-	expression tag	UNP P50264

There are 16 discrepancies between the modelled and reference sequences:

• Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	В	1	Total	С	Ν	Ο	Р	0	0
	D	I	53	27	9	15	2	0	0
0	Λ	1	Total	С	Ν	Ο	Р	0	0
	А		53	27	9	15	2	0	

• Molecule 3 is (3S,3'S)-N 1 , N 1 '-butane-1,4-diyldibutane-1,3-diamine (three-letter code: SPZ) (formula: $\rm C_{12}H_{30}N_4).$



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	В	1	Total 16	C 12	N 4	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	А	1	Total 16	C 12	N 4	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	140	Total O 140 140	0	0
4	А	165	Total O 165 165	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Polyamine oxidase FMS1

4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	162.19Å 103.00Å 77.52Å	Depositor
a, b, c, α , β , γ	90.00° 95.00° 90.00°	Depositor
Bosolution (Å)	30.00 - 2.20	Depositor
Resolution (A)	30.00 - 2.20	EDS
% Data completeness	89.8 (30.00-2.20)	Depositor
(in resolution range)	89.7 (30.00-2.20)	EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.45 (at 2.20 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
B B.	0.217 , 0.268	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.215 , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor $(Å^2)$	27.6	Xtriage
Anisotropy	0.270	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 43.5	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8193	wwPDB-VP
Average B, all atoms $(Å^2)$	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, SPZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Chain		Bo	nd lengths	Bond angles	
MIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.39	1/3988~(0.0%)	0.60	0/5393
1	В	0.36	0/3923	0.59	0/5309
All	All	0.37	1/7911~(0.0%)	0.60	0/10702

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	112	GLU	CB-CG	-5.05	1.42	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3905	0	3762	70	0
1	В	3845	0	3639	96	0
2	А	53	0	31	3	0
2	В	53	0	31	1	0
3	А	16	0	30	5	0
3	В	16	0	30	9	0
4	А	165	0	0	2	0
4	В	140	0	0	4	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8193	0	7523	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:282:ILE:HD13	1:B:465:ALA:HB1	1.51	0.92
1:A:353:CYS:SG	1:A:400:PRO:HG2	2.17	0.83
1:B:377:GLN:NE2	1:B:377:GLN:H	1.78	0.81
1:B:353:CYS:SG	1:B:400:PRO:HG2	2.21	0.80
1:A:269:ARG:NE	1:A:269:ARG:HA	1.97	0.79
1:B:302:GLU:HG3	1:B:431:VAL:HB	1.64	0.79
1:B:67:HIS:NE2	3:B:803:SPZ:H1M	2.02	0.75
1:B:377:GLN:H	1:B:377:GLN:HE21	1.34	0.72
1:B:278:LEU:HA	1:B:470:GLN:HE22	1.53	0.72
1:B:174:TRP:O	3:B:803:SPZ:H1JA	1.89	0.72
1:B:439:ASN:HD21	1:B:442:ARG:HD3	1.55	0.70
1:B:189:PHE:HD2	1:B:189:PHE:H	1.38	0.70
1:A:158:ASN:HD22	1:A:328:ARG:HH21	1.39	0.69
1:B:48:LEU:CD2	1:B:63:ALA:HB3	2.24	0.68
1:B:415:ILE:HD13	1:B:426:ASN:OD1	1.94	0.68
1:A:377:GLN:NE2	1:A:377:GLN:H	1.92	0.67
1:B:189:PHE:HD2	1:B:189:PHE:N	1.92	0.66
1:B:271:ARG:HH11	1:B:271:ARG:HG3	1.61	0.66
1:B:138:ASP:HB3	4:B:908:HOH:O	1.94	0.66
1:A:264:PRO:O	1:A:265:GLU:HB3	1.97	0.64
1:B:470:GLN:HB3	1:B:474:ILE:HB	1.78	0.63
1:B:265:GLU:C	1:B:267:ASN:H	2.00	0.63
1:B:133:HIS:HB3	1:B:136:VAL:HG13	1.81	0.63
1:B:380:LEU:HD22	1:B:384:ILE:HG12	1.81	0.63
1:B:72:ASN:C	1:B:72:ASN:HD22	2.03	0.62
1:A:54:TYR:O	1:A:57:ARG:HG3	2.00	0.62
1:A:133:HIS:HB3	1:A:136:VAL:CG2	2.30	0.62
1:B:278:LEU:HA	1:B:470:GLN:NE2	2.15	0.61
1:A:259:ASN:O	1:A:262:VAL:HG22	2.01	0.61
1:A:332:ASN:HD21	1:A:334:ASP:HB2	1.65	0.60
1:B:189:PHE:N	1:B:189:PHE:CD2	2.64	0.60
1:A:158:ASN:ND2	1:A:328:ARG:HH21	2.00	0.60
1:B:63:ALA:HA	2:B:802:FAD:N5	2.17	0.59



	hi a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:213:PRO:HG2	1:B:216:TRP:CE2	2.38	0.59
1:B:67:HIS:NE2	3:B:803:SPZ:C1M	2.65	0.59
1:B:473:ARG:HH11	1:B:473:ARG:HG3	1.67	0.59
1:A:264:PRO:O	1:A:265:GLU:CB	2.51	0.58
1:A:311:SER:HA	1:A:362:ASN:HB3	1.86	0.58
1:B:224:LYS:HD2	1:B:239:GLU:OE1	2.04	0.58
1:B:377:GLN:NE2	1:B:377:GLN:N	2.49	0.58
1:A:122:MET:O	1:A:125:PHE:HB3	2.03	0.58
1:A:133:HIS:HB3	1:A:136:VAL:HG21	1.85	0.58
1:B:439:ASN:ND2	1:B:442:ARG:HD3	2.19	0.57
1:B:332:ASN:HD21	1:B:334:ASP:HB2	1.69	0.57
1:B:227:THR:HG23	1:B:275:GLN:HB3	1.86	0.57
1:B:176:GLY:C	1:B:177:LEU:HD12	2.25	0.57
1:A:174:TRP:CZ3	3:A:802:SPZ:H1AA	2.40	0.56
1:B:479:GLU:OE1	1:B:487:GLY:HA2	2.04	0.56
1:A:460:VAL:O	1:A:464:VAL:HG23	2.05	0.56
1:B:157:THR:OG1	1:B:160:GLN:HG3	2.06	0.56
1:B:66:HIS:HB2	1:B:196:ALA:HB3	1.86	0.55
1:B:99:TYR:HB3	1:B:316:LEU:HD11	1.87	0.55
1:B:212:PHE:HB2	1:B:213:PRO:HD2	1.89	0.55
1:A:164:LEU:N	1:A:165:PRO:HD2	2.22	0.55
1:B:252:THR:HG22	1:B:477:ALA:HB3	1.88	0.55
1:B:308:ASN:O	1:B:365:LYS:HD2	2.06	0.55
1:A:67:HIS:HE1	3:A:802:SPZ:H1A	1.73	0.54
1:B:475:ARG:HB3	1:B:499:GLU:OE1	2.08	0.54
3:B:803:SPZ:C1J	3:B:803:SPZ:HN10	2.20	0.54
1:A:63:ALA:HA	2:A:801:FAD:N5	2.23	0.54
1:B:293:ALA:HB3	1:B:378:ALA:HB2	1.91	0.53
1:A:150:LEU:O	1:A:153:ARG:HD2	2.08	0.53
1:A:189:PHE:CZ	3:A:802:SPZ:H1MA	2.43	0.53
1:A:414:VAL:HA	1:A:430:PRO:HG2	1.91	0.53
1:A:322:GLU:O	1:A:326:ILE:HG13	2.08	0.52
1:B:213:PRO:HG2	1:B:216:TRP:CD2	2.44	0.52
1:A:240:ASP:OD1	1:A:242:THR:HG23	2.10	0.52
1:A:229:GLU:C	1:A:231:SER:H	2.13	0.52
1:A:479:GLU:OE1	1:A:487:GLY:HA2	2.10	0.52
1:B:271:ARG:HD3	1:B:271:ARG:C	2.30	0.51
1:A:252:THR:HG22	1:A:477:ALA:HB3	1.92	0.51
1:B:177:LEU:HD12	1:B:177:LEU:N	2.25	0.51
1:B:302:GLU:OE2	1:B:433:ARG:NH1	2.40	0.51
1:B:486:ALA:O	3:B:803:SPZ:C1E	2.58	0.51



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:488:CYS:SG	3:B:803:SPZ:N1F	2.82	0.51
1:B:311:SER:O	1:B:312:LYS:HE3	2.11	0.50
1:B:229:GLU:O	1:B:231:SER:N	2.44	0.50
1:A:262:VAL:CG1	1:A:283:GLN:HG2	2.41	0.50
1:B:186:ASP:HB2	4:B:855:HOH:O	2.11	0.50
1:B:486:ALA:O	3:B:803:SPZ:H1E	2.11	0.50
1:B:414:VAL:HA	1:B:430:PRO:HG2	1.94	0.49
1:A:233:ASN:HB3	1:A:245:ASN:HD21	1.77	0.49
1:B:57:ARG:HD3	1:B:369:VAL:CG1	2.43	0.49
1:A:14:ILE:HD12	1:A:14:ILE:N	2.27	0.49
1:B:173:LEU:N	1:B:173:LEU:HD22	2.28	0.49
1:A:237:ASN:OD1	1:A:243:VAL:HG22	2.13	0.49
1:B:239:GLU:OE1	1:B:239:GLU:HA	2.13	0.49
1:B:213:PRO:HG2	1:B:216:TRP:CD1	2.47	0.48
1:B:336:LEU:HD22	1:B:340:LEU:CD1	2.43	0.48
1:A:262:VAL:HG12	1:A:283:GLN:HG2	1.95	0.48
1:B:411:SER:HA	4:B:826:HOH:O	2.14	0.48
1:B:47:ARG:NH2	1:B:254:PRO:HB3	2.29	0.48
1:B:259:ASN:O	1:B:262:VAL:HG22	2.13	0.48
1:B:247:ASP:O	1:B:473:ARG:HD2	2.14	0.47
1:B:271:ARG:HG3	1:B:271:ARG:NH1	2.27	0.47
1:B:254:PRO:HG2	1:B:257:VAL:HG23	1.96	0.47
1:A:269:ARG:HA	1:A:269:ARG:CZ	2.44	0.47
1:A:293:ALA:HB3	1:A:378:ALA:HB2	1.97	0.47
1:B:70:LEU:HD23	1:A:152:ARG:CZ	2.45	0.47
1:B:165:PRO:O	1:B:169:ARG:HG3	2.14	0.47
1:A:470:GLN:HB3	1:A:474:ILE:HB	1.97	0.47
1:B:135:GLY:O	1:B:137:SER:N	2.48	0.46
1:A:432:LEU:HD21	1:A:435:ILE:HD11	1.98	0.46
1:B:332:ASN:ND2	1:B:334:ASP:HB2	2.30	0.46
1:A:269:ARG:HG2	1:A:269:ARG:HH11	1.79	0.46
1:A:48:LEU:CD2	1:A:63:ALA:HB3	2.45	0.46
1:A:226:ILE:HD13	1:A:251:ILE:HD11	1.97	0.46
1:A:213:PRO:HB2	1:A:216:TRP:CD1	2.50	0.46
1:B:9:LYS:O	1:B:246:ALA:HA	2.16	0.46
1:A:123:SER:HB3	1:A:188:TYR:CE2	2.51	0.46
1:A:67:HIS:NE2	3:A:802:SPZ:H1G	2.31	0.46
1:B:153:ARG:HG3	4:B:814:HOH:O	2.15	0.45
1:B:206:GLN:O	1:B:210:GLN:HG3	2.17	0.45
1:B:213:PRO:HG2	1:B:216:TRP:CG	2.52	0.45
1:A:494:GLU:OE1	1:A:497:ARG:NH2	2.50	0.45



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:389:GLU:HB2	4:A:861:HOH:O	2.17	0.45
1:B:213:PRO:O	1:B:216:TRP:HB2	2.17	0.45
1:B:143:GLN:O	1:B:147:LYS:HG3	2.16	0.44
1:A:229:GLU:O	1:A:231:SER:N	2.49	0.44
1:A:455:PRO:HG2	4:A:895:HOH:O	2.16	0.44
1:B:377:GLN:HE21	1:B:377:GLN:N	2.08	0.44
1:B:359:PHE:HD2	1:B:375:LEU:HD22	1.82	0.44
1:A:331:GLU:CB	1:A:335:GLU:HG3	2.48	0.44
1:A:229:GLU:C	1:A:231:SER:N	2.70	0.44
1:A:189:PHE:CE1	1:A:191:HIS:CE1	3.06	0.44
1:A:442:ARG:HH11	1:A:442:ARG:HG2	1.83	0.43
1:A:177:LEU:HD11	1:A:292:GLY:HA2	2.00	0.43
1:A:262:VAL:O	1:A:262:VAL:HG23	2.18	0.43
1:A:102:GLU:O	1:A:404:LYS:HE2	2.18	0.43
1:A:61:ILE:HD12	1:A:61:ILE:HA	1.85	0.43
1:A:68:ASP:HB3	1:A:192:GLN:HB2	2.00	0.43
1:A:471:ASP:OD1	1:A:471:ASP:C	2.56	0.43
1:B:164:LEU:N	1:B:165:PRO:HD2	2.34	0.43
1:B:353:CYS:SG	1:B:401:VAL:HG13	2.59	0.43
1:B:131:HIS:O	1:B:132:GLN:C	2.57	0.42
1:A:38:LEU:HD23	1:A:218:LYS:HB3	2.01	0.42
1:B:291:PHE:H	1:B:451:SER:HA	1.83	0.42
1:B:423:ASN:HB3	1:B:426:ASN:ND2	2.35	0.42
1:A:353:CYS:SG	1:A:401:VAL:HG13	2.59	0.42
2:A:801:FAD:C4X	3:A:802:SPZ:H1GA	2.49	0.42
1:B:485:GLY:O	1:B:488:CYS:HB2	2.19	0.42
1:A:200:ASN:O	1:A:203:SER:HB3	2.19	0.42
1:B:12:ILE:HG13	1:B:246:ALA:HB2	2.02	0.42
1:B:213:PRO:CG	1:B:216:TRP:CE2	3.03	0.42
1:A:449:ALA:CB	2:A:801:FAD:HM83	2.49	0.42
1:B:336:LEU:HD22	1:B:340:LEU:HD11	2.01	0.42
1:B:122:MET:O	1:B:125:PHE:HB3	2.20	0.42
1:A:5:SER:HB3	1:A:6:PRO:CD	2.50	0.42
1:A:91:VAL:O	1:A:91:VAL:HG13	2.20	0.42
3:B:803:SPZ:N1K	3:B:803:SPZ:N1O	2.68	0.42
1:B:60:ASP:HB3	1:B:63:ALA:O	2.19	0.41
1:B:265:GLU:C	1:B:267:ASN:N	2.69	0.41
1:A:269:ARG:HG2	1:A:269:ARG:NH1	2.34	0.41
1:A:171:LEU:HD13	1:A:187:THR:HG22	2.02	0.41
1:A:239:GLU:HG3	1:A:240:ASP:N	2.35	0.41
1:B:175:HIS:HB3	1:B:177:LEU:HD13	2.01	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:199:LEU:HD23	1:A:199:LEU:HA	1.76	0.41
3:B:803:SPZ:H1MA	3:B:803:SPZ:H1J	1.87	0.41
1:B:439:ASN:HD22	1:B:439:ASN:HA	1.70	0.41
1:A:269:ARG:NE	1:A:269:ARG:CA	2.75	0.41
1:B:167:LEU:C	1:B:167:LEU:HD23	2.41	0.41
1:B:421:ILE:O	1:B:421:ILE:HG22	2.19	0.41
1:A:39:GLU:HB3	1:A:219:LEU:HD23	2.01	0.41
1:B:332:ASN:HD22	1:B:334:ASP:H	1.69	0.41
1:B:387:ILE:O	1:B:387:ILE:HG13	2.20	0.40
1:A:129:GLU:HA	1:A:129:GLU:OE1	2.21	0.40
1:B:254:PRO:HG2	1:B:257:VAL:CG2	2.51	0.40
1:B:150:LEU:O	1:B:153:ARG:HG2	2.22	0.40
1:B:265:GLU:O	1:B:267:ASN:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	491/516~(95%)	461 (94%)	27~(6%)	3~(1%)	22 23
1	В	495/516~(96%)	445 (90%)	37~(8%)	13 (3%)	4 2
All	All	986/1032~(96%)	906 (92%)	64 (6%)	16 (2%)	8 6

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	136	VAL
1	В	200	ASN
1	В	231	SER
1	В	232	LYS
1	В	289	ILE



Mol	Chain	Res	Type
1	В	290	HIS
1	А	200	ASN
1	А	265	GLU
1	В	132	GLN
1	В	133	HIS
1	В	291	PHE
1	А	131	HIS
1	В	266	LYS
1	В	137	SER
1	В	421	ILE
1	В	350	SER

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	417/457~(91%)	406 (97%)	11 (3%)	41 54
1	В	403/457~(88%)	386~(96%)	17 (4%)	25 33
All	All	820/914 (90%)	792 (97%)	28(3%)	32 42

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	В	64	SER
1	В	72	ASN
1	В	124	LYS
1	В	153	ARG
1	В	177	LEU
1	В	179	TRP
1	В	189	PHE
1	В	201	TYR
1	В	267	ASN
1	В	271	ARG
1	В	312	LYS
1	В	336	LEU



Mol	Chain	Res	Type
1	В	362	ASN
1	В	377	GLN
1	В	380	LEU
1	В	439	ASN
1	В	479	GLU
1	А	64	SER
1	А	179	TRP
1	А	201	TYR
1	А	221	CYS
1	А	239	GLU
1	А	267	ASN
1	А	291	PHE
1	А	335	GLU
1	А	377	GLN
1	А	389	GLU
1	А	483	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	29	GLN
1	В	72	ASN
1	В	120	ASN
1	В	191	HIS
1	В	192	GLN
1	В	267	ASN
1	В	329	ASN
1	В	332	ASN
1	В	362	ASN
1	В	377	GLN
1	В	434	ASN
1	В	439	ASN
1	А	29	GLN
1	А	131	HIS
1	А	158	ASN
1	А	192	GLN
1	А	214	GLN
1	А	245	ASN
1	А	259	ASN
1	А	267	ASN
1	А	332	ASN
1	А	362	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	А	377	GLN
1	А	434	ASN
1	А	439	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bond lengths			Bond angles		
INIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	SPZ	А	802	-	$15,\!15,\!15$	0.39	0	16,16,16	1.02	2 (12%)
2	FAD	В	802	-	54,58,58	1.50	10 (18%)	71,89,89	2.43	10 (14%)
3	SPZ	В	803	-	15,15,15	0.37	0	16,16,16	0.99	1 (6%)
2	FAD	А	801	-	54,58,58	1.42	9 (16%)	71,89,89	2.48	10 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SPZ	А	802	-	-	0/13/13/13	-
2	FAD	В	802	-	-	4/30/50/50	0/6/6/6
3	SPZ	В	803	-	-	0/13/13/13	-
2	FAD	А	801	-	-	4/30/50/50	0/6/6/6

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	802	FAD	PA-O3P	4.24	1.64	1.59
2	В	802	FAD	C4X-N5	3.94	1.39	1.30
2	А	801	FAD	C4X-N5	3.91	1.39	1.30
2	А	801	FAD	PA-O3P	3.04	1.62	1.59
2	А	801	FAD	C2A-N3A	2.99	1.36	1.32
2	В	802	FAD	C2A-N1A	2.89	1.39	1.33
2	А	801	FAD	C5B-C4B	2.82	1.60	1.51
2	В	802	FAD	C10-N1	2.82	1.38	1.33
2	А	801	FAD	C2A-N1A	2.76	1.38	1.33
2	В	802	FAD	C2A-N3A	2.74	1.36	1.32
2	А	801	FAD	C10-N1	2.49	1.38	1.33
2	В	802	FAD	C5B-C4B	2.40	1.58	1.51
2	А	801	FAD	C9A-C5X	2.37	1.45	1.41
2	А	801	FAD	C9-C8	2.30	1.42	1.39
2	В	802	FAD	C9-C8	2.27	1.42	1.39
2	В	802	FAD	C9A-C5X	2.18	1.44	1.41
2	В	802	FAD	C9-C9A	2.14	1.43	1.39
2	В	802	FAD	P-O3P	2.13	1.61	1.59
2	А	801	FAD	O4B-C1B	2.11	1.43	1.40

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	801	FAD	O3P-PA-O1A	-12.87	71.98	110.70
2	В	802	FAD	O3P-PA-O1A	-12.31	73.68	110.70
2	А	801	FAD	O2A-PA-O5B	-7.83	72.10	107.57
2	В	802	FAD	O2A-PA-O5B	-7.46	73.76	107.57
2	А	801	FAD	O5B-PA-O1A	6.74	135.64	108.94
2	В	802	FAD	O5B-PA-O1A	6.69	135.47	108.94
2	А	801	FAD	O2A-PA-O1A	-6.57	81.90	112.44
2	В	802	FAD	O2A-PA-O3P	6.37	124.48	107.27
2	В	802	FAD	O2A-PA-O1A	-6.03	84.38	112.44
2	А	801	FAD	O2A-PA-O3P	5.21	121.36	107.27
2	В	802	FAD	C4B-O4B-C1B	-3.19	107.00	109.92
2	А	801	FAD	C4B-O4B-C1B	-2.83	107.34	109.92



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	801	FAD	N3A-C2A-N1A	-2.74	124.95	128.67
3	В	803	SPZ	C1E-C1D-C1C	-2.59	110.97	115.17
2	А	801	FAD	C9A-C5X-N5	-2.54	119.76	122.45
2	В	802	FAD	N3A-C2A-N1A	-2.48	125.30	128.67
2	В	802	FAD	C5A-C6A-N6A	2.46	124.06	120.31
2	А	801	FAD	O3'-C3'-C4'	-2.41	103.45	108.93
2	В	802	FAD	O3'-C3'-C4'	-2.36	103.56	108.93
2	В	802	FAD	C9A-C5X-N5	-2.34	119.97	122.45
3	А	802	SPZ	C1E-C1D-C1C	-2.17	111.64	115.17
3	А	802	SPZ	C1L-C1M-C1N	-2.17	111.66	115.17
2	А	801	FAD	C5A-C6A-N6A	2.12	123.54	120.31

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	802	FAD	C5B-O5B-PA-O1A
2	А	801	FAD	C5B-O5B-PA-O1A
2	А	801	FAD	PA-O3P-P-O5'
2	В	802	FAD	C3B-C4B-C5B-O5B
2	В	802	FAD	O4B-C4B-C5B-O5B
2	А	801	FAD	O4B-C4B-C5B-O5B
2	А	801	FAD	C3B-C4B-C5B-O5B
2	В	802	FAD	PA-O3P-P-O5'

There are no ring outliers.

4 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	802	SPZ	5	0
2	В	802	FAD	1	0
3	В	803	SPZ	9	0
2	А	801	FAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the



average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$ $ $<$ $\mathbf{RSRZ}>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9
1	А	497/516~(96%)	0.14	23 (4%) 38	35	18, 31, 56, 76	0
1	В	499/516~(96%)	0.44	42 (8%) 18	16	21, 35, 61, 85	0
All	All	996/1032~(96%)	0.29	65 (6%) 26	23	18, 33, 59, 85	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	134	LEU	6.5
1	В	289	ILE	6.0
1	В	342	ARG	4.6
1	А	342	ARG	4.2
1	А	349	THR	4.2
1	А	341	GLU	4.0
1	В	291	PHE	3.8
1	В	264	PRO	3.8
1	В	138	ASP	3.4
1	В	230	PRO	3.4
1	В	136	VAL	3.2
1	В	235	THR	3.1
1	В	233	ASN	3.1
1	В	511	HIS	3.0
1	В	211	SER	3.0
1	А	513	HIS	2.9
1	А	230	PRO	2.9
1	В	236	VAL	2.8
1	В	234	VAL	2.8
1	A	174	TRP	2.8
1	В	425	ALA	2.7
1	В	232	LYS	2.7
1	В	226	ILE	2.7
1	В	448	GLY	2.6



Mol	Chain	Res	Type	RSRZ
1	В	133	HIS	2.6
1	А	333	LEU	2.6
1	В	137	SER	2.6
1	В	265	GLU	2.6
1	В	288	LYS	2.6
1	В	262	VAL	2.5
1	А	190	GLY	2.5
1	В	349	THR	2.5
1	В	243	VAL	2.5
1	В	245	ASN	2.5
1	В	343	GLU	2.5
1	В	427	ALA	2.5
1	А	238	CYS	2.5
1	В	189	PHE	2.5
1	В	428	ASN	2.5
1	В	191	HIS	2.4
1	В	458	ASP	2.4
1	А	427	ALA	2.4
1	А	189	PHE	2.4
1	В	449	ALA	2.3
1	В	263	GLN	2.3
1	В	229	GLU	2.3
1	А	131	HIS	2.3
1	В	237	ASN	2.2
1	А	186	ASP	2.2
1	В	135	GLY	2.2
1	А	170	TYR	2.2
1	А	340	LEU	2.2
1	А	509	LEU	2.2
1	В	266	LYS	2.2
1	А	200	ASN	2.2
1	В	420	PRO	2.2
1	В	131	HIS	2.1
1	А	335	GLU	2.1
1	А	336	LEU	2.1
1	А	428	ASN	2.1
1	А	231	SER	2.1
1	В	454	PHE	2.0
1	В	231	SER	2.0
1	А	134	LEU	2.0
1	А	339	MET	2.0

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
3	SPZ	В	803	16/16	0.64	0.26	54,58,60,60	0
3	SPZ	А	802	16/16	0.75	0.25	$57,\!61,\!66,\!67$	0
2	FAD	В	802	53/53	0.91	0.10	22,29,38,43	0
2	FAD	А	801	53/53	0.95	0.07	16,20,23,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

