



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 3, 2023 – 08:41 PM EDT

PDB ID : 3TFI  
Title : DMSP-dependent demethylase from *P. ubique* - with substrate DMSP  
Authors : Schuller, D.J.; Reisch, C.R.; Moran, M.A.; Whitman, W.B.; Lanzilotta, W.N.  
Deposited on : 2011-08-15  
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3398 (1.60-1.60)
Clashscore	141614	3665 (1.60-1.60)
Ramachandran outliers	138981	3564 (1.60-1.60)
Sidechain outliers	138945	3563 (1.60-1.60)
RSRZ outliers	127900	3321 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	 6% 83% 14% ..
1	B	369	 4% 83% 14% .

## 2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 6835 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GcvT-like Aminomethyltransferase protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	369	Total 3101	C 2001	N 509	O 578	S 13	0	27	0
1	B	369	Total 3027	C 1942	N 501	O 570	S 14	0	14	0

- Molecule 2 is 3-(dimethyl-lambda 4 -sulfanyl)propanoic acid (three-letter code: DQY) (formula:  $C_5H_{12}O_2S$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
2	A	1	Total 8	C 5	O 2	S 1	0	0
2	B	1	Total 8	C 5	O 2	S 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Na 1 1	0	0
4	B	1	Total Na 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	315	Total O 315 315	0	0
5	B	362	Total O 362 362	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GcvT-like Aminomethyltransferase protein



- Molecule 1: GcvT-like Aminomethyltransferase protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.75Å 121.99Å 59.37Å 90.00° 100.17° 90.00°	Depositor
Resolution (Å)	29.20 – 1.60 29.22 – 1.60	Depositor EDS
% Data completeness (in resolution range)	97.4 (29.20-1.60) 97.0 (29.22-1.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	10.43 (at 1.60Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.130 , 0.184 0.144 , 0.195	Depositor DCC
$R_{free}$ test set	2376 reflections (2.46%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.2	Xtrriage
Anisotropy	0.161	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.42 , 66.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	6835	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, DQY, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.11	4/3244 (0.1%)	1.02	12/4357 (0.3%)
1	B	1.11	7/3127 (0.2%)	0.96	8/4205 (0.2%)
All	All	1.11	11/6371 (0.2%)	0.99	20/8562 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	83	ARG	CG-CD	-8.36	1.31	1.51
1	B	83	ARG	CG-CD	-7.94	1.32	1.51
1	B	320	GLU	CB-CG	-7.20	1.38	1.52
1	B	101	GLU	CB-CG	5.98	1.63	1.52
1	B	226	GLU	CD-OE2	5.97	1.32	1.25
1	A	116	GLU	CD-OE2	5.40	1.31	1.25
1	B	226	GLU	CD-OE1	5.30	1.31	1.25
1	B	278[A]	GLU	CB-CG	5.10	1.61	1.52
1	B	278[B]	GLU	CB-CG	5.10	1.61	1.52
1	A	278[A]	GLU	CG-CD	5.03	1.59	1.51
1	A	278[B]	GLU	CG-CD	5.03	1.59	1.51

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	293	ARG	NE-CZ-NH1	8.76	124.68	120.30
1	A	278[A]	GLU	CA-CB-CG	7.73	130.40	113.40
1	A	278[B]	GLU	CA-CB-CG	7.73	130.40	113.40
1	B	92	ARG	NE-CZ-NH1	6.55	123.57	120.30
1	A	275	LEU	CB-CG-CD1	6.54	122.12	111.00
1	A	338	MET	CB-CG-SD	6.13	130.80	112.40
1	B	338	MET	CG-SD-CE	6.12	109.99	100.20
1	B	153	MET	CG-SD-CE	5.95	109.71	100.20
1	B	64	ARG	NE-CZ-NH2	-5.92	117.34	120.30
1	A	20	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	A	153	MET	CG-SD-CE	5.90	109.63	100.20
1	A	285	LEU	CB-CG-CD2	-5.69	101.33	111.00
1	B	115	ASP	CB-CG-OD1	-5.65	113.22	118.30
1	A	8	LYS	CD-CE-NZ	-5.39	99.31	111.70
1	B	344	TRP	CB-CA-C	-5.14	100.13	110.40
1	A	278[A]	GLU	CB-CA-C	-5.12	100.16	110.40
1	A	278[B]	GLU	CB-CA-C	-5.12	100.16	110.40
1	B	293	ARG	NE-CZ-NH2	-5.07	117.77	120.30
1	A	105	LEU	CB-CG-CD2	-5.04	102.42	111.00
1	B	2	LYS	N-CA-CB	5.03	119.65	110.60

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	277	LYS	Peptide
1	B	1[A]	MET	Peptide
1	B	1[B]	MET	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3101	0	3167	66	0
1	B	3027	0	3040	43	0
2	A	8	0	11	2	0
2	B	8	0	11	0	0
3	A	6	0	8	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	6	0	8	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	315	0	0	8	0
5	B	362	0	0	12	0
All	All	6835	0	6245	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:PRO:HB2	5:B:678:HOH:O	1.27	1.32
1:B:273[B]:ASN:ND2	5:B:615:HOH:O	1.94	0.99
1:A:276:GLY:HA2	1:A:278[A]:GLU:OE1	1.63	0.98
1:A:48[A]:TYR:CE1	1:A:52[A]:LYS:HD2	1.97	0.98
1:A:99:ILE:HD11	1:A:275:LEU:O	1.62	0.97
1:A:299:ILE:HG23	1:A:359:ILE:CD1	1.97	0.94
1:B:1[A]:MET:CE	5:B:469:HOH:O	2.18	0.89
1:B:1[A]:MET:HE1	5:B:469:HOH:O	1.71	0.89
1:A:48[A]:TYR:OH	5:A:474:HOH:O	1.90	0.89
1:A:14[A]:SER:OG	5:A:595:HOH:O	1.86	0.89
1:A:140[B]:LYS:HE3	1:A:140[B]:LYS:HA	1.59	0.85
1:B:44:ILE:HD12	5:B:546:HOH:O	1.78	0.82
1:B:116[A]:GLU:HG2	5:B:567:HOH:O	1.81	0.80
1:A:305:THR:O	5:A:546:HOH:O	2.00	0.79
1:A:23:LYS:NZ	5:A:434:HOH:O	2.02	0.78
1:B:53[A]:GLU:HG3	5:B:510:HOH:O	1.85	0.77
1:A:99:ILE:C	1:A:99:ILE:HD12	2.06	0.76
1:A:369:ILE:HD11	5:A:476:HOH:O	1.85	0.76
1:B:235:ASN:HD22	1:B:238:GLU:H	1.34	0.75
1:A:53[A]:GLU:HG3	1:A:54:HIS:CD2	2.22	0.74
1:A:318:ILE:HD12	1:A:343:HIS:CG	2.22	0.73
1:A:235:ASN:HD22	1:A:238:GLU:H	1.41	0.68
1:A:307:SER:HB3	1:A:320:GLU:CG	2.23	0.68
1:B:50:HIS:HD2	1:B:56:GLN:HE21	1.41	0.67
1:A:307:SER:HB3	1:A:320:GLU:HG3	1.76	0.67
1:B:299:ILE:HG12	1:B:359:ILE:HD13	1.78	0.66
1:A:299:ILE:HG23	1:A:359:ILE:HD13	1.78	0.66
1:A:48[B]:TYR:CZ	1:A:52[B]:LYS:HD2	2.32	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:PRO:CB	5:B:678:HOH:O	2.05	0.65
1:B:50:HIS:CD2	1:B:56:GLN:HE21	2.15	0.64
1:B:14[B]:SER:OG	5:B:714:HOH:O	2.15	0.64
1:A:197:TRP:HB2	2:A:370:DQY:HM2B	1.80	0.63
1:A:345:GLU:H	1:A:345:GLU:CD	2.03	0.61
1:A:48[A]:TYR:CE1	1:A:52[A]:LYS:CD	2.79	0.60
1:A:299:ILE:CG2	1:A:359:ILE:HD13	2.31	0.59
1:B:285:LEU:HD12	1:B:286:LYS:N	2.17	0.58
1:A:48[A]:TYR:OH	1:A:241:GLU:OE1	2.18	0.58
1:A:276:GLY:HA2	1:A:278[A]:GLU:CD	2.24	0.57
1:A:369:ILE:C	1:A:369:ILE:HD12	2.25	0.57
1:B:318:ILE:HD12	1:B:343:HIS:CD2	2.40	0.57
1:B:285:LEU:HD12	1:B:286:LYS:HG2	1.86	0.57
1:B:52:LYS:NZ	5:B:625:HOH:O	2.38	0.56
1:B:278[A]:GLU:OE2	1:B:279:LYS:N	2.33	0.56
1:B:343:HIS:CD2	1:B:348:GLN:HE22	2.24	0.56
1:A:48[A]:TYR:CZ	1:A:52[A]:LYS:HD2	2.39	0.56
1:B:310:ILE:HD11	1:B:339:ILE:HD13	1.87	0.55
1:A:342:SER:OG	1:A:343:HIS:HD2	1.88	0.55
1:B:354:ILE:HD12	1:B:359:ILE:HD12	1.88	0.55
1:A:99:ILE:CD1	1:A:275:LEU:O	2.48	0.55
1:B:298[B]:ASP:OD1	1:B:360:ASN:O	2.25	0.54
1:B:312:ASP:CG	1:B:314:ASN:ND2	2.62	0.53
1:A:276:GLY:C	1:A:278[A]:GLU:HB2	2.29	0.52
1:B:313:GLU:HA	1:B:351:LYS:HD3	1.92	0.52
1:B:54:HIS:HD2	1:B:159:LYS:NZ	2.08	0.52
1:B:354:ILE:HD12	1:B:359:ILE:CD1	2.40	0.52
1:A:48[B]:TYR:CE2	1:A:52[B]:LYS:HD2	2.45	0.51
1:B:343:HIS:CD2	1:B:348:GLN:NE2	2.78	0.51
1:A:256:ASN:HD22	1:A:258:PHE:H	1.57	0.51
1:A:307:SER:HB3	1:A:320:GLU:CD	2.30	0.51
1:A:357:ASN:N	1:A:357:ASN:OD1	2.43	0.51
1:A:90:ILE:HD13	5:A:446:HOH:O	2.10	0.51
1:A:48[A]:TYR:HE1	1:A:52[A]:LYS:HD2	1.66	0.50
1:A:307:SER:OG	1:A:320:GLU:CD	2.49	0.50
1:A:278[B]:GLU:OE2	5:A:381:HOH:O	2.19	0.50
1:A:53[A]:GLU:HG3	1:A:54:HIS:NE2	2.26	0.50
1:A:307:SER:CB	1:A:320:GLU:CD	2.80	0.50
1:A:6:ILE:HD11	1:A:31:ILE:HD11	1.94	0.50
1:B:40:ALA:HB2	1:B:44:ILE:HD11	1.93	0.50
1:A:140[B]:LYS:HE3	1:A:140[B]:LYS:CA	2.37	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:ILE:CG2	1:A:359:ILE:CD1	2.79	0.49
1:B:312:ASP:OD2	1:B:316:ASN:HB2	2.12	0.49
1:B:312:ASP:OD1	1:B:314:ASN:ND2	2.42	0.48
1:A:307:SER:CB	1:A:320:GLU:OE2	2.62	0.48
1:A:186[B]:GLU:OE1	1:A:215[B]:LYS:HD3	2.13	0.48
1:A:8:LYS:NZ	5:A:603:HOH:O	2.47	0.48
1:A:312:ASP:OD1	1:A:315:ASN:N	2.46	0.47
1:A:318:ILE:HD12	1:A:343:HIS:ND1	2.30	0.47
1:B:310:ILE:HD11	1:B:339:ILE:CD1	2.44	0.46
1:A:22:GLU:O	1:B:1[B]:MET:CE	2.64	0.46
1:A:307:SER:HB3	1:A:320:GLU:OE2	2.16	0.46
1:A:79:LEU:HD22	1:A:275:LEU:HD13	1.99	0.45
1:B:285:LEU:CD1	1:B:286:LYS:HG2	2.46	0.45
1:A:369:ILE:HD12	1:A:369:ILE:O	2.17	0.44
1:A:23:LYS:HG3	1:B:1[B]:MET:HE2	1.99	0.44
1:A:268:LEU:HD12	1:A:284:LYS:HD2	1.99	0.44
1:B:44:ILE:HD13	5:B:378:HOH:O	2.18	0.44
1:A:311:TYR:CE1	1:A:317:VAL:HG22	2.52	0.44
1:A:299:ILE:HG23	1:A:359:ILE:HD11	1.91	0.44
1:A:197:TRP:CG	2:A:370:DQY:HM2	2.53	0.43
1:B:368:PHE:N	5:B:678:HOH:O	2.50	0.43
1:A:48[A]:TYR:CE1	1:A:238:GLU:HB2	2.53	0.43
1:B:34:HIS:HE1	1:B:127:ASP:OD2	2.01	0.43
1:A:53[A]:GLU:CG	1:A:54:HIS:CD2	2.99	0.42
1:A:186[B]:GLU:OE1	1:A:215[B]:LYS:HE2	2.20	0.42
1:B:341:LYS:HA	1:B:344:TRP:CE2	2.54	0.42
1:A:351:LYS:NZ	1:A:360[A]:ASN:HD21	2.18	0.42
1:A:99:ILE:HD11	1:A:275:LEU:C	2.37	0.42
1:B:291:LYS:HG3	1:B:344:TRP:CZ2	2.55	0.41
1:B:299:ILE:C	1:B:299:ILE:HD12	2.40	0.41
1:A:140[B]:LYS:HA	1:A:140[B]:LYS:CE	2.39	0.41
1:B:256:ASN:HD22	1:B:258:PHE:H	1.67	0.41
1:A:32:TYR:OH	1:A:124:ALA:HA	2.20	0.41
1:B:282:GLU:O	1:B:285:LEU:HG	2.22	0.40
1:B:268:LEU:HD23	1:B:268:LEU:HA	1.91	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/369 (107%)	384 (98%)	8 (2%)	2 (0%)	29	11
1	B	380/369 (103%)	370 (97%)	10 (3%)	0	100	100
All	All	774/738 (105%)	754 (97%)	18 (2%)	2 (0%)	51	21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	278[A]	GLU
1	A	278[B]	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/324 (108%)	333 (95%)	18 (5%)	24	6
1	B	338/324 (104%)	322 (95%)	16 (5%)	26	7
All	All	689/648 (106%)	655 (95%)	34 (5%)	29	6

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	79	LEU
1	A	87[A]	LYS
1	A	87[B]	LYS
1	A	144[A]	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	144[B]	LYS
1	A	189	LYS
1	A	197	TRP
1	A	256	ASN
1	A	263	ASP
1	A	271[A]	ASP
1	A	271[B]	ASP
1	A	273[A]	ASN
1	A	273[B]	ASN
1	A	275	LEU
1	A	313	GLU
1	A	338	MET
1	A	357	ASN
1	A	359	ILE
1	B	2	LYS
1	B	170	LYS
1	B	197	TRP
1	B	256	ASN
1	B	263	ASP
1	B	278[A]	GLU
1	B	278[B]	GLU
1	B	285	LEU
1	B	298[A]	ASP
1	B	298[B]	ASP
1	B	314	ASN
1	B	348	GLN
1	B	351	LYS
1	B	356	ASP
1	B	358	THR
1	B	362	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	GLN
1	A	156	GLN
1	A	235	ASN
1	A	253	ASN
1	A	256	ASN
1	A	316	ASN
1	A	343	HIS
1	B	24	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	34	HIS
1	B	50	HIS
1	B	54	HIS
1	B	156	GLN
1	B	211	GLN
1	B	235	ASN
1	B	256	ASN
1	B	316	ASN
1	B	348	GLN
1	B	353	GLN
1	B	360	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	GOL	A	371	-	5,5,5	0.65	0	5,5,5	0.76	0
3	GOL	B	371	-	5,5,5	0.51	0	5,5,5	0.76	0
2	DQY	B	370	-	7,7,7	4.31	3 (42%)	6,8,8	3.60	2 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DQY	A	370	-	7,7,7	3.64	3 (42%)	6,8,8	3.33	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	371	-	-	2/4/4/4	-
3	GOL	B	371	-	-	4/4/4/4	-
2	DQY	B	370	-	-	2/5/5/5	-
2	DQY	A	370	-	-	0/5/5/5	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	370	DQY	CM1-S	-7.36	1.64	1.78
2	B	370	DQY	C3-S	-6.80	1.70	1.80
2	A	370	DQY	CM1-S	-5.65	1.67	1.78
2	A	370	DQY	CM2-S	-5.36	1.68	1.78
2	A	370	DQY	C3-S	-5.08	1.73	1.80
2	B	370	DQY	CM2-S	-4.92	1.69	1.78

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	370	DQY	CM2-S-C3	8.17	116.11	101.63
2	A	370	DQY	CM2-S-C3	6.62	113.37	101.63
2	A	370	DQY	O2-C1-C2	2.83	123.13	114.03
2	A	370	DQY	CM1-S-C3	2.35	105.80	101.63
2	B	370	DQY	CM1-S-C3	2.26	105.63	101.63

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	371	GOL	C1-C2-C3-O3
3	A	371	GOL	O2-C2-C3-O3
3	B	371	GOL	O1-C1-C2-O2
3	B	371	GOL	O1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	371	GOL	C1-C2-C3-O3
3	B	371	GOL	O2-C2-C3-O3
2	B	370	DQY	O1-C1-C2-C3
2	B	370	DQY	O2-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	370	DQY	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	369/369 (100%)	0.19	21 (5%) 23 21	13, 24, 42, 56	0
1	B	369/369 (100%)	0.11	16 (4%) 35 32	12, 22, 43, 55	0
All	All	738/738 (100%)	0.15	37 (5%) 28 26	12, 24, 43, 56	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	369	ILE	9.8
1	B	285	LEU	7.8
1	A	285	LEU	7.2
1	A	314	ASN	4.9
1	A	356	ASP	4.9
1	B	286	LYS	4.9
1	B	314	ASN	4.8
1	B	1[A]	MET	4.7
1	A	313	GLU	4.2
1	A	355	ASN	4.1
1	A	286[A]	LYS	4.1
1	A	357	ASN	3.9
1	A	115[A]	ASP	3.5
1	A	298[A]	ASP	3.4
1	B	315	ASN	3.3
1	A	269	ASP	3.3
1	B	287	GLY	3.3
1	B	356	ASP	3.1
1	A	358	THR	3.0
1	B	282	GLU	2.8
1	B	344	TRP	2.7
1	B	298[A]	ASP	2.7
1	B	355	ASN	2.6
1	A	89[A]	LYS	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	282	GLU	2.6
1	B	269	ASP	2.5
1	B	342	SER	2.5
1	A	87[A]	LYS	2.5
1	A	315	ASN	2.4
1	B	278[A]	GLU	2.3
1	A	354	ILE	2.2
1	B	283	ILE	2.1
1	A	90	ILE	2.1
1	A	187	GLY	2.1
1	A	278[A]	GLU	2.1
1	A	287	GLY	2.1
1	A	271[A]	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	GOL	A	371	6/6	0.77	0.18	45,60,62,64	0
3	GOL	B	371	6/6	0.84	0.17	38,58,66,67	0
2	DQY	A	370	8/8	0.93	0.25	23,26,26,34	8
2	DQY	B	370	8/8	0.94	0.17	25,28,31,32	8
4	NA	B	372	1/1	0.99	0.12	20,20,20,20	0
4	NA	A	372	1/1	1.00	0.11	20,20,20,20	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.