



Full wwPDB X-ray Structure Validation Report ⓘ

May 3, 2025 – 04:36 PM EDT

PDB ID : 3TGY / pdb_00003tgy
Title : Crystal structure of the complex of Bovine Lactoperoxidase with Ascorbic acid at 2.35 Å resolution
Authors : Yamini, S.; Singh, R.P.; Singh, A.K.; Pandey, N.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2011-08-18
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1460 (2.36-2.36)
Clashscore	180529	1571 (2.36-2.36)
Ramachandran outliers	177936	1559 (2.36-2.36)
Sidechain outliers	177891	1559 (2.36-2.36)
RSRZ outliers	164620	1460 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	
2	B	2	
2	C	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	ASC	A	800	-	-	X	-
6	IOD	A	707	-	-	X	-

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 5328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4774	3037	847	863	1	26			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $\text{C}_8\text{H}_{15}\text{NO}_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 14	C 8	N 1	O 5	0	0
5	A	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 6 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	9	Total I 9 9	0	0

- Molecule 7 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 8 6 2	0	0

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 10 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 11 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 12 is ASCORBIC ACID (CCD ID: ASC) (formula: C₆H₈O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			12	6	6		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	377	Total	O	0	0
			377	377		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lactoperoxidase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:



MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.71Å 79.61Å 65.78Å 90.00° 93.23° 90.00°	Depositor
Resolution (Å)	50.00 – 2.35 50.00 – 2.36	Depositor EDS
% Data completeness (in resolution range)	90.7 (50.00-2.35) 90.7 (50.00-2.36)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.92 (at 2.37Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.226 , 0.250 0.226 , 0.298	Depositor DCC
R_{free} test set	1078 reflections (5.18%)	wwPDB-VP
Wilson B-factor (Å ²)	36.8	Xtriage
Anisotropy	0.664	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 60.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5328	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG, EDO, ASC, HEM, SEP, PEG, SCN, GOL, IOD, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	4/4891 (0.1%)	1.32	80/6634 (1.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	48	PRO	N-CD	-12.99	1.29	1.47
1	A	9	PRO	N-CD	-11.50	1.31	1.47
1	A	91	VAL	C-O	-5.08	1.18	1.24
1	A	372	ALA	CA-CB	-5.02	1.45	1.53

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	109	HIS	N-CA-CB	-15.05	85.40	110.39
1	A	125	SER	N-CA-C	-14.43	96.23	114.56
1	A	412	MET	N-CA-C	12.43	127.28	111.24
1	A	17	GLU	N-CA-C	11.67	123.55	111.07
1	A	574	HIS	N-CA-C	9.91	127.71	111.37
1	A	187	LEU	N-CA-C	-9.47	91.95	108.23
1	A	371	GLU	N-CA-C	-9.46	90.14	107.75
1	A	2	TRP	CB-CA-C	-8.89	92.21	111.78
1	A	429	HIS	N-CA-C	-8.89	99.44	110.65
1	A	390	GLY	N-CA-C	8.88	125.56	114.37
1	A	131	GLU	N-CA-C	8.84	120.84	111.03
1	A	3	GLU	N-CA-C	8.76	122.26	110.35
1	A	127	THR	N-CA-C	-8.63	102.30	112.92
1	A	128	GLN	N-CA-C	-8.60	102.22	112.89
1	A	532	ASN	N-CA-C	-8.30	97.30	109.50
1	A	154	GLN	N-CA-C	8.16	122.55	112.59
1	A	158	MET	N-CA-C	-7.77	97.52	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	112	ASP	N-CA-C	7.75	121.00	108.76
1	A	109	HIS	CA-CB-CG	7.71	121.51	113.80
1	A	136	GLY	N-CA-C	7.65	131.32	113.18
1	A	316	VAL	CB-CA-C	-7.63	104.34	111.06
1	A	170	PRO	N-CA-C	7.57	119.93	110.70
1	A	225	ALA	N-CA-C	7.54	121.13	110.50
1	A	146	LYS	N-CA-C	7.50	119.09	111.07
1	A	13	VAL	N-CA-C	-7.39	94.98	106.72
1	A	35	ALA	N-CA-C	7.36	121.52	112.54
1	A	577	VAL	CB-CA-C	-7.22	101.89	111.70
1	A	10	VAL	CA-C-N	7.16	127.61	120.52
1	A	10	VAL	C-N-CA	7.16	127.61	120.52
1	A	316	VAL	N-CA-C	-7.07	105.89	112.96
1	A	539	LYS	N-CA-C	-7.05	103.60	111.28
1	A	312	TYR	N-CA-C	7.01	121.89	113.12
1	A	349	PHE	N-CA-C	-6.79	104.10	112.38
1	A	574	HIS	CB-CA-C	-6.72	99.58	110.74
1	A	549	PHE	N-CA-C	-6.70	104.21	112.38
1	A	112	ASP	CB-CA-C	-6.61	98.07	110.16
1	A	473	ASN	CB-CA-C	6.54	120.91	109.80
1	A	201	SER	N-CA-C	6.47	118.13	111.14
1	A	109	HIS	CB-CA-C	6.46	123.81	110.31
1	A	23	THR	N-CA-C	-6.40	102.27	110.53
1	A	6	CYS	N-CA-C	-6.39	98.95	108.99
1	A	453	ARG	N-CA-C	-6.33	104.46	111.36
1	A	169	THR	C-N-CD	-6.20	99.58	125.00
1	A	484	TYR	N-CA-C	-6.19	98.64	108.73
1	A	95	ASN	N-CA-C	6.17	120.43	112.41
1	A	260	ILE	N-CA-C	6.16	119.67	111.17
1	A	2	TRP	CA-C-N	6.02	129.84	120.75
1	A	2	TRP	C-N-CA	6.02	129.84	120.75
1	A	55	LEU	N-CA-C	6.01	120.18	112.12
1	A	26	GLY	N-CA-C	-5.97	107.98	115.08
1	A	111	LEU	N-CA-C	5.96	120.73	112.45
1	A	63	GLN	N-CA-C	5.93	117.74	111.28
1	A	270	LEU	N-CA-C	-5.88	104.88	111.28
1	A	566	ALA	N-CA-C	5.79	119.60	112.54
1	A	441	CYS	N-CA-C	-5.77	105.00	111.28
1	A	87	ASP	N-CA-C	5.76	118.05	108.20
1	A	4	VAL	CB-CA-C	-5.67	105.02	111.55
1	A	110	ASP	N-CA-C	-5.64	105.12	112.23
1	A	428	ILE	N-CA-C	5.62	117.91	109.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	475	ILE	N-CA-C	5.55	116.28	110.62
1	A	387	ILE	N-CA-C	5.54	115.73	110.53
1	A	420	LYS	N-CA-C	5.52	119.33	112.59
1	A	324	TRP	N-CA-C	5.52	120.88	114.04
1	A	84	GLY	N-CA-C	5.47	121.65	112.85
1	A	213	MET	N-CA-C	-5.45	101.59	110.20
1	A	2	TRP	N-CA-C	5.45	118.80	110.36
1	A	377	HIS	N-CA-C	5.38	117.90	111.71
1	A	564	LEU	N-CA-C	-5.34	105.37	111.14
1	A	333	ASN	N-CA-C	5.33	119.27	112.87
1	A	404	SER	N-CA-C	-5.33	103.66	110.53
1	A	174	SER	CB-CA-C	-5.27	100.50	109.03
1	A	416	GLU	N-CA-C	-5.26	105.72	111.82
1	A	148	ASP	CA-C-N	5.23	124.85	119.05
1	A	148	ASP	C-N-CA	5.23	124.85	119.05
1	A	560	THR	N-CA-C	5.21	117.04	111.36
1	A	322	GLN	N-CA-C	5.14	116.89	111.28
1	A	504	ARG	CB-CA-C	-5.09	100.28	110.42
1	A	449	TYR	N-CA-C	5.07	116.81	111.28
1	A	238	GLU	N-CA-C	-5.07	105.65	111.07
1	A	166	VAL	N-CA-C	5.02	116.05	109.58

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4774	0	4686	223	0
2	B	28	0	25	3	0
2	C	28	0	25	1	0
3	A	1	0	0	0	0
4	A	43	0	30	11	0
5	A	28	0	26	0	0
6	A	9	0	0	4	0
7	A	8	0	13	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A	4	0	6	1	0
9	A	7	0	9	0	0
10	A	6	0	8	0	0
11	A	3	0	0	0	0
12	A	12	0	6	6	0
13	A	377	0	0	2	0
All	All	5328	0	4834	228	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (228) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:LEU:O	1:A:119:LEU:HD23	1.42	1.14
1:A:170:PRO:HB2	1:A:171:PRO:CD	1.77	1.13
1:A:172:TYR:HE2	1:A:177:ARG:HA	1.09	1.10
1:A:166:VAL:O	1:A:168:PRO:HD3	1.54	1.06
1:A:170:PRO:CB	1:A:171:PRO:HD3	1.84	1.05
1:A:541:ARG:HA	1:A:544:LEU:HD12	1.41	1.02
1:A:118:GLU:HB2	1:A:121:SER:HB3	1.38	1.02
1:A:172:TYR:CE2	1:A:177:ARG:HA	1.98	0.99
1:A:425:THR:HG23	1:A:426:HIS:CE1	1.98	0.99
1:A:8:ALA:HB3	1:A:9:PRO:HD3	1.44	0.96
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.03	0.94
1:A:424:PRO:O	1:A:425:THR:HG22	1.69	0.90
1:A:119:LEU:HD12	1:A:170:PRO:HG3	1.55	0.88
1:A:170:PRO:HB2	1:A:171:PRO:HD3	0.90	0.88
1:A:559:ILE:HG23	6:A:711:IOD:I	2.44	0.87
1:A:425:THR:CG2	1:A:426:HIS:CE1	2.58	0.86
1:A:172:TYR:HE2	1:A:177:ARG:CA	1.90	0.85
1:A:537:THR:H	1:A:540:GLN:HE21	1.24	0.83
1:A:117:THR:CG2	1:A:164:GLY:HA2	2.09	0.82
1:A:295:GLU:O	1:A:299:ILE:HG13	1.81	0.81
1:A:121:SER:HA	1:A:126:LYS:HD3	1.63	0.80
1:A:122:ASN:H	1:A:126:LYS:HE2	1.45	0.79
1:A:258:GLU:OE2	4:A:605:HEM:HMB3	1.82	0.79
1:A:166:VAL:O	1:A:168:PRO:CD	2.30	0.79
1:A:117:THR:HG23	1:A:164:GLY:HA2	1.65	0.78
1:A:146:LYS:HD3	1:A:147:ASN:ND2	1.98	0.77
1:A:166:VAL:C	1:A:168:PRO:HD3	2.09	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:ARG:HH11	1:A:437:ASN:ND2	1.82	0.77
1:A:108:ASP:OD2	4:A:605:HEM:CMD	2.33	0.77
1:A:117:THR:HG23	1:A:164:GLY:CA	2.16	0.76
1:A:197:PRO:HD2	1:A:198:SEP:O2P	1.85	0.75
1:A:257:SER:O	1:A:381:PHE:HA	1.86	0.75
1:A:255:ARG:HG2	12:A:800:ASC:H4	1.69	0.75
1:A:551:ARG:HD3	1:A:584:LYS:HA	1.67	0.75
1:A:130:GLU:OE1	1:A:426:HIS:HD2	1.69	0.74
1:A:199:LEU:HD22	1:A:254:PHE:CZ	2.24	0.73
2:B:1:NAG:H62	2:B:2:NAG:C7	2.19	0.72
1:A:407:MET:HB3	1:A:501:MET:HE3	1.72	0.72
1:A:130:GLU:CD	1:A:426:HIS:HD2	1.98	0.70
1:A:108:ASP:OD2	4:A:605:HEM:HMD3	1.91	0.70
1:A:529:TRP:NE1	1:A:531:GLU:HG2	2.07	0.69
1:A:167:CYS:HB2	1:A:168:PRO:HD3	1.74	0.69
1:A:119:LEU:CD1	1:A:170:PRO:HG3	2.23	0.69
1:A:537:THR:HG23	1:A:540:GLN:NE2	2.08	0.69
1:A:475:ILE:O	1:A:479:LYS:HG3	1.92	0.68
1:A:328:TYR:CD2	1:A:531:GLU:HG3	2.28	0.68
1:A:258:GLU:OE2	4:A:605:HEM:CMB	2.41	0.68
4:A:605:HEM:HMB1	4:A:605:HEM:HBB2	1.74	0.68
1:A:122:ASN:H	1:A:126:LYS:CE	2.05	0.68
1:A:349:PHE:HA	1:A:497:ASN:HD21	1.59	0.68
1:A:425:THR:HG23	1:A:426:HIS:ND1	2.08	0.68
1:A:332:ASN:OD1	1:A:332:ASN:C	2.34	0.67
1:A:318:GLY:CA	1:A:504:ARG:O	2.44	0.66
1:A:529:TRP:HE1	1:A:531:GLU:HG2	1.60	0.64
1:A:8:ALA:CB	1:A:9:PRO:HD3	2.17	0.63
1:A:472:LYS:HD2	1:A:500:PRO:HG2	1.81	0.63
1:A:122:ASN:N	1:A:126:LYS:CE	2.61	0.63
1:A:118:GLU:CB	1:A:121:SER:HB3	2.22	0.63
1:A:229:PHE:CD1	1:A:247:PRO:HG2	2.34	0.63
1:A:119:LEU:HD23	1:A:119:LEU:C	2.20	0.62
1:A:425:THR:CG2	1:A:426:HIS:ND1	2.61	0.62
1:A:117:THR:HG21	1:A:164:GLY:HA2	1.80	0.62
2:B:1:NAG:H62	2:B:2:NAG:C8	2.30	0.62
1:A:407:MET:HB3	1:A:501:MET:CE	2.29	0.62
1:A:221:ASP:HB2	1:A:226:TYR:CZ	2.35	0.61
1:A:122:ASN:N	1:A:126:LYS:HE3	2.15	0.61
1:A:166:VAL:C	1:A:168:PRO:CD	2.72	0.61
1:A:208:SER:O	1:A:210:LEU:N	2.28	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:THR:O	1:A:271:ARG:HB2	2.00	0.61
1:A:464:LEU:HD12	1:A:481:MET:HG3	1.82	0.61
1:A:123:GLU:O	1:A:126:LYS:HG2	2.01	0.61
1:A:529:TRP:CD1	1:A:531:GLU:HG2	2.35	0.61
1:A:2:TRP:HE3	1:A:3:GLU:H	1.46	0.60
2:B:1:NAG:H62	2:B:2:NAG:H82	1.83	0.60
1:A:169:THR:H	1:A:170:PRO:HD3	1.66	0.60
1:A:52:GLU:OE1	1:A:65:LYS:HB2	2.01	0.60
1:A:52:GLU:OE1	1:A:62:THR:HB	2.02	0.60
1:A:318:GLY:HA3	1:A:504:ARG:O	2.02	0.60
1:A:113:PHE:CZ	1:A:115:PRO:HB3	2.37	0.59
1:A:227:LEU:HD22	1:A:250:LEU:O	2.02	0.59
1:A:227:LEU:HD21	1:A:270:LEU:HD13	1.84	0.59
1:A:301:GLY:O	1:A:305:GLN:HG3	2.02	0.59
1:A:366:GLN:O	1:A:367:PRO:C	2.43	0.59
1:A:233:LYS:HA	1:A:234:PRO:C	2.28	0.59
1:A:118:GLU:O	1:A:118:GLU:HG2	2.03	0.58
1:A:397:ARG:CG	1:A:559:ILE:HD13	2.33	0.58
1:A:169:THR:N	1:A:170:PRO:HD3	2.18	0.58
1:A:202:ARG:HD3	7:A:598:MPD:H11	1.86	0.58
1:A:119:LEU:O	1:A:119:LEU:CD2	2.35	0.58
1:A:424:PRO:O	1:A:425:THR:CG2	2.47	0.58
1:A:10:VAL:HG13	1:A:10:VAL:O	2.03	0.58
1:A:169:THR:N	1:A:170:PRO:CD	2.66	0.58
1:A:362:ASP:O	1:A:365:TYR:N	2.36	0.58
1:A:99:LEU:HG	1:A:567:PHE:CE1	2.40	0.57
1:A:108:ASP:OD2	4:A:605:HEM:HMD2	2.05	0.57
1:A:318:GLY:HA2	1:A:504:ARG:O	2.05	0.57
1:A:169:THR:O	1:A:169:THR:HG22	2.05	0.57
1:A:397:ARG:HG3	1:A:559:ILE:CD1	2.35	0.56
1:A:93:ASP:O	1:A:403:LYS:HD3	2.06	0.56
1:A:537:THR:H	1:A:540:GLN:NE2	2.00	0.56
1:A:108:ASP:CG	4:A:605:HEM:HMD3	2.30	0.56
1:A:400:LEU:HD11	1:A:553:ILE:HD13	1.88	0.55
1:A:42:ALA:HB2	1:A:166:VAL:HG11	1.88	0.55
1:A:118:GLU:HB2	1:A:121:SER:CB	2.25	0.55
1:A:130:GLU:OE1	1:A:426:HIS:CD2	2.56	0.55
1:A:551:ARG:NH1	1:A:582:VAL:O	2.38	0.54
1:A:393:ASP:OD2	1:A:558:HIS:HB2	2.06	0.54
1:A:381:PHE:HZ	12:A:800:ASC:H62	1.71	0.54
1:A:172:TYR:CE2	1:A:177:ARG:CA	2.77	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:428:ILE:HG13	1:A:429:HIS:H	1.72	0.54
1:A:244:ALA:HB2	2:C:1:NAG:O5	2.08	0.53
1:A:407:MET:CB	1:A:501:MET:CE	2.86	0.53
1:A:464:LEU:HD11	1:A:478:LYS:HA	1.91	0.53
1:A:312:TYR:O	1:A:316:VAL:HG23	2.09	0.53
1:A:565:HIS:HB3	6:A:720:IOD:I	2.78	0.53
1:A:344:THR:O	4:A:605:HEM:HMD1	2.08	0.52
1:A:202:ARG:HH11	7:A:598:MPD:H11	1.74	0.52
1:A:397:ARG:HG2	1:A:559:ILE:HD13	1.91	0.52
1:A:227:LEU:CD2	1:A:270:LEU:HD13	2.39	0.52
1:A:376:LEU:HA	1:A:379:LEU:HD12	1.91	0.52
1:A:546:LYS:HG3	13:A:889:HOH:O	2.09	0.51
1:A:574:HIS:C	1:A:574:HIS:HD1	2.19	0.51
1:A:63:GLN:HG3	1:A:71:ARG:HH12	1.74	0.51
1:A:169:THR:H	1:A:170:PRO:CD	2.22	0.51
1:A:106:ILE:HG23	1:A:191:LEU:HD11	1.93	0.50
1:A:258:GLU:CD	4:A:605:HEM:HMB3	2.36	0.50
1:A:72:VAL:O	1:A:72:VAL:HG23	2.12	0.50
1:A:20:PRO:HG2	1:A:21:TYR:CE1	2.47	0.49
1:A:70:PHE:CD1	1:A:485:LYS:HB2	2.47	0.49
1:A:352:MET:HB2	13:A:625:HOH:O	2.12	0.49
1:A:539:LYS:HB3	1:A:589:PRO:HB3	1.95	0.49
1:A:428:ILE:HG13	1:A:429:HIS:N	2.27	0.49
1:A:8:ALA:N	1:A:9:PRO:CD	2.75	0.49
1:A:30:ASN:HB3	1:A:33:SER:O	2.13	0.49
1:A:146:LYS:CD	1:A:147:ASN:ND2	2.71	0.49
1:A:442:ARG:NH2	1:A:491:ASP:OD2	2.46	0.49
1:A:328:TYR:CE2	1:A:531:GLU:HG3	2.47	0.48
1:A:474:LYS:HB3	1:A:478:LYS:NZ	2.27	0.48
1:A:378:THR:HG22	8:A:609:EDO:H21	1.96	0.48
1:A:428:ILE:CG1	1:A:429:HIS:N	2.76	0.48
1:A:159:PRO:HG3	1:A:426:HIS:CD2	2.49	0.48
1:A:184:THR:OG1	1:A:188:ASP:OD2	2.31	0.48
1:A:348:ARG:C	1:A:350:GLY:N	2.69	0.48
1:A:538:GLU:O	1:A:539:LYS:C	2.55	0.48
1:A:392:ILE:O	1:A:396:VAL:HG23	2.14	0.47
1:A:253:ASP:OD2	1:A:255:ARG:HB2	2.15	0.47
1:A:101:MET:SD	1:A:101:MET:C	2.98	0.47
1:A:255:ARG:HD2	12:A:800:ASC:C2	2.45	0.46
1:A:397:ARG:HG3	1:A:559:ILE:HD13	1.96	0.46
1:A:283:LEU:O	1:A:284:ASN:ND2	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:ASP:OD1	4:A:605:HEM:HMD3	2.16	0.46
1:A:574:HIS:C	1:A:574:HIS:ND1	2.72	0.46
1:A:9:PRO:O	1:A:41:ARG:NH1	2.49	0.46
1:A:261:LEU:HD22	1:A:399:LEU:HG	1.98	0.46
1:A:267:THR:HG21	1:A:392:ILE:HD13	1.97	0.46
1:A:67:ARG:NH2	1:A:448:GLY:N	2.64	0.46
1:A:105:GLN:O	1:A:109:HIS:HB2	2.16	0.46
1:A:144:PHE:CE2	1:A:158:MET:HG3	2.50	0.46
1:A:476:LEU:HD21	1:A:498:ALA:HB1	1.98	0.46
1:A:199:LEU:HD13	7:A:598:MPD:H12	1.98	0.46
1:A:377:HIS:HA	1:A:380:PHE:CE2	2.51	0.46
1:A:397:ARG:HG3	1:A:559:ILE:HD11	1.96	0.46
1:A:123:GLU:H	1:A:126:LYS:HE3	1.81	0.46
1:A:239:PHE:CZ	1:A:427:LYS:HD3	2.51	0.46
1:A:213:MET:CG	1:A:273:HIS:CD2	2.90	0.45
1:A:468:GLN:O	1:A:472:LYS:N	2.49	0.45
1:A:62:THR:HG22	1:A:64:ARG:HG2	1.98	0.45
1:A:113:PHE:HB3	1:A:183:VAL:HG13	1.98	0.45
1:A:119:LEU:HD12	1:A:170:PRO:CG	2.36	0.45
1:A:172:TYR:CD2	1:A:177:ARG:HB2	2.52	0.45
1:A:229:PHE:CG	1:A:247:PRO:HG2	2.52	0.45
1:A:169:THR:O	1:A:169:THR:CG2	2.65	0.45
1:A:341:ASN:HB3	1:A:446:MET:HE1	1.97	0.45
1:A:119:LEU:CD1	1:A:170:PRO:CG	2.94	0.45
1:A:166:VAL:HG23	1:A:172:TYR:OH	2.16	0.45
1:A:447:PRO:HG2	1:A:452:TRP:CE2	2.52	0.45
1:A:588:SER:N	1:A:589:PRO:CD	2.80	0.45
1:A:298:LYS:HE3	1:A:535:VAL:HG12	1.99	0.44
1:A:348:ARG:NH1	1:A:437:ASN:ND2	2.60	0.44
1:A:208:SER:C	1:A:210:LEU:H	2.20	0.44
1:A:188:ASP:O	1:A:189:ALA:HB3	2.18	0.44
1:A:578:ASP:O	1:A:581:THR:OG1	2.36	0.44
1:A:126:LYS:HA	1:A:161:PHE:CZ	2.52	0.44
1:A:158:MET:HE2	1:A:430:GLY:O	2.18	0.43
1:A:125:SER:HA	1:A:128:GLN:CB	2.49	0.43
1:A:318:GLY:HA3	1:A:504:ARG:C	2.43	0.43
1:A:452:TRP:HH2	6:A:707:IOD:I	2.72	0.43
1:A:518:GLN:O	1:A:522:ILE:HG12	2.19	0.43
1:A:119:LEU:C	1:A:119:LEU:CD2	2.87	0.43
1:A:453:ARG:NH2	1:A:459:SER:OG	2.52	0.43
1:A:239:PHE:CE1	1:A:427:LYS:HD3	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:ILE:HD11	1:A:382:ASN:HA	2.00	0.43
1:A:341:ASN:OD1	1:A:444:HIS:ND1	2.43	0.43
1:A:349:PHE:HA	1:A:497:ASN:ND2	2.31	0.43
1:A:121:SER:HA	1:A:126:LYS:CD	2.43	0.43
1:A:551:ARG:CZ	1:A:584:LYS:HG2	2.49	0.43
1:A:203:LEU:HB3	1:A:213:MET:HE1	2.01	0.42
1:A:393:ASP:N	1:A:394:PRO:CD	2.82	0.42
1:A:166:VAL:O	1:A:167:CYS:HB2	2.19	0.42
1:A:109:HIS:HA	1:A:255:ARG:NH2	2.34	0.42
1:A:522:ILE:HD13	1:A:522:ILE:HA	1.79	0.42
1:A:99:LEU:HD23	1:A:566:ALA:HB1	2.02	0.42
1:A:202:ARG:HD2	7:A:598:MPD:H4	2.01	0.42
1:A:572:TYR:CD1	1:A:573:PRO:HA	2.55	0.42
1:A:258:GLU:HG3	12:A:800:ASC:O4	2.19	0.41
1:A:468:GLN:HA	1:A:473:ASN:O	2.20	0.41
1:A:492:ILE:HD11	1:A:510:LEU:HD21	2.01	0.41
1:A:113:PHE:O	1:A:181:ASN:HA	2.21	0.41
1:A:196:GLU:HA	1:A:197:PRO:HD3	1.81	0.41
1:A:548:SER:C	1:A:550:SER:N	2.76	0.41
1:A:109:HIS:NE2	12:A:800:ASC:O1	2.51	0.41
1:A:474:LYS:O	1:A:478:LYS:HG3	2.21	0.41
1:A:170:PRO:CB	1:A:171:PRO:CD	2.60	0.41
1:A:348:ARG:HH11	1:A:437:ASN:HD22	1.64	0.41
1:A:302:ALA:O	1:A:306:ILE:HG13	2.20	0.41
4:A:605:HEM:CMB	4:A:605:HEM:HBB2	2.47	0.41
1:A:208:SER:C	1:A:210:LEU:N	2.79	0.41
1:A:236:PRO:O	1:A:239:PHE:HB3	2.21	0.41
1:A:260:ILE:HD11	1:A:386:ILE:HG13	2.02	0.41
1:A:255:ARG:CD	12:A:800:ASC:C2	2.98	0.41
1:A:385:ARG:O	1:A:389:ASP:HB3	2.21	0.41
1:A:96:ARG:HD2	1:A:100:PHE:CG	2.56	0.41
1:A:317:LEU:O	1:A:318:GLY:C	2.63	0.41
1:A:148:ASP:HA	1:A:149:PRO:HD3	1.93	0.40
1:A:450:ASN:OD1	1:A:461:PRO:HD2	2.21	0.40
1:A:537:THR:N	1:A:540:GLN:HE21	2.05	0.40
1:A:271:ARG:HD3	1:A:556:ASN:O	2.21	0.40
1:A:452:TRP:CH2	6:A:707:IOD:I	3.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	592/595 (100%)	558 (94%)	29 (5%)	5 (1%)	16 17

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	167	CYS
1	A	168	PRO
1	A	170	PRO
1	A	136	GLY
1	A	169	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	517/517 (100%)	503 (97%)	14 (3%)	40 50

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	VAL
1	A	117	THR
1	A	146	LYS
1	A	172	TYR
1	A	183	VAL
1	A	201	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	206	LEU
1	A	243	THR
1	A	379	LEU
1	A	441	CYS
1	A	503	GLU
1	A	522	ILE
1	A	538	GLU
1	A	575	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	ASN
1	A	138	ASN
1	A	147	ASN
1	A	273	HIS
1	A	284	ASN
1	A	329	GLN
1	A	364	ASN
1	A	426	HIS
1	A	437	ASN
1	A	497	ASN
1	A	521	GLN
1	A	540	GLN
1	A	558	HIS
1	A	565	HIS
1	A	568	GLN
1	A	570	ASN
1	A	595	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	0.98	0	7,12,14	2.62	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	4/6/8/10	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	OG-CB-CA	6.11	114.09	108.14
1	A	198	SEP	OG-P-O1P	2.49	113.18	106.44

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	CB-OG-P-O2P
1	A	198	SEP	CB-OG-P-O3P
1	A	198	SEP	CA-CB-OG-P
1	A	198	SEP	CB-OG-P-O1P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	1	0

5.5 Carbohydrates

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	1,2	14,14,15	0.62	0	17,19,21	1.64	3 (17%)
2	NAG	B	2	2	14,14,15	0.61	0	17,19,21	1.07	1 (5%)
2	NAG	C	1	1,2	14,14,15	0.73	0	17,19,21	1.27	2 (11%)
2	NAG	C	2	2	14,14,15	0.47	0	17,19,21	1.60	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	2/6/23/26	0/1/1/1
2	NAG	C	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	C1-O5-C5	5.71	119.84	112.19
2	B	1	NAG	C3-C4-C5	4.08	117.64	110.23
2	B	1	NAG	C4-C3-C2	3.25	115.78	111.02
2	C	1	NAG	C4-C3-C2	2.92	115.30	111.02
2	B	2	NAG	C4-C3-C2	2.64	114.88	111.02
2	B	1	NAG	C1-O5-C5	2.27	115.22	112.19
2	C	2	NAG	O5-C5-C6	2.13	111.81	107.66
2	C	1	NAG	C2-N2-C7	2.09	125.69	122.90

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	1	NAG	C1-C2-N2-C7


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	NAG	3	0
2	B	1	NAG	3	0
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 10 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	GOL	A	612	-	5,5,5	0.72	0	5,5,5	0.98	0
4	HEM	A	605	1,13	42,50,50	2.10	15 (35%)	46,82,82	2.14	19 (41%)
5	NAG	A	596	1	14,14,15	0.66	1 (7%)	17,19,21	1.28	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	SCN	A	615	-	1,2,2	1.23	0	0,1,1	-	-
5	NAG	A	604	1	14,14,15	0.50	0	17,19,21	1.78	3 (17%)
12	ASC	A	800	-	12,12,12	1.25	1 (8%)	17,17,17	2.93	9 (52%)
7	MPD	A	598	-	7,7,7	2.87	2 (28%)	9,10,10	1.60	2 (22%)
8	EDO	A	609	-	3,3,3	0.29	0	2,2,2	0.15	0
9	PEG	A	611	-	6,6,6	1.74	1 (16%)	5,5,5	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GOL	A	612	-	-	0/4/4/4	-
4	HEM	A	605	1,13	-	4/12/54/54	-
5	NAG	A	596	1	-	2/6/23/26	0/1/1/1
5	NAG	A	604	1	-	2/6/23/26	0/1/1/1
12	ASC	A	800	-	-	6/6/22/22	0/1/1/1
7	MPD	A	598	-	-	3/5/5/5	-
8	EDO	A	609	-	-	0/1/1/1	-
9	PEG	A	611	-	-	2/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	598	MPD	C1-C2	-5.56	1.36	1.52
7	A	598	MPD	O2-C2	-4.98	1.32	1.44
4	A	605	HEM	CMC-C2C	4.77	1.63	1.51
4	A	605	HEM	C3C-C2C	-4.68	1.34	1.40
9	A	611	PEG	O1-C1	-4.09	1.21	1.42
4	A	605	HEM	C3D-C2D	3.93	1.45	1.36
4	A	605	HEM	CMB-C2B	3.90	1.58	1.50
12	A	800	ASC	O4-C4	-3.72	1.39	1.45
4	A	605	HEM	CBD-CGD	3.30	1.58	1.50
4	A	605	HEM	CHB-C1B	3.25	1.42	1.34
4	A	605	HEM	C3C-CAC	3.16	1.54	1.47
4	A	605	HEM	C3C-C4C	3.03	1.45	1.41
4	A	605	HEM	FE-NB	2.98	2.14	1.98
4	A	605	HEM	C1B-NB	-2.91	1.35	1.40
4	A	605	HEM	C2A-C3A	-2.91	1.29	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	605	HEM	CAD-C3D	2.42	1.57	1.51
4	A	605	HEM	C3B-C4B	-2.18	1.40	1.44
4	A	605	HEM	O1D-CGD	2.15	1.29	1.22
5	A	596	NAG	C1-C2	2.03	1.55	1.52
4	A	605	HEM	CBB-CAB	2.03	1.40	1.30

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	A	800	ASC	O1-C1-C2	-7.10	118.69	129.33
4	A	605	HEM	C4A-C3A-C2A	5.82	111.05	107.00
12	A	800	ASC	O4-C1-O1	5.18	128.10	121.27
5	A	604	NAG	C1-O5-C5	4.94	118.81	112.19
4	A	605	HEM	CMD-C2D-C1D	4.75	132.46	125.03
12	A	800	ASC	O4-C4-C5	4.19	123.14	110.07
4	A	605	HEM	CHC-C4B-NB	3.91	128.64	124.44
4	A	605	HEM	C1B-NB-C4B	3.59	109.46	105.21
4	A	605	HEM	CBD-CAD-C3D	-3.39	103.17	112.53
12	A	800	ASC	O5-C5-C6	3.27	116.45	109.03
4	A	605	HEM	CMC-C2C-C3C	3.24	131.16	124.68
4	A	605	HEM	CAD-C3D-C4D	3.19	130.25	124.70
4	A	605	HEM	CMA-C3A-C4A	-3.06	123.97	128.46
4	A	605	HEM	CAA-C2A-C3A	3.01	135.88	127.25
12	A	800	ASC	O6-C6-C5	2.90	117.24	111.16
5	A	596	NAG	C1-O5-C5	2.68	115.78	112.19
4	A	605	HEM	C3D-C4D-ND	2.63	113.05	110.17
4	A	605	HEM	C3C-C4C-NC	-2.60	106.03	110.94
12	A	800	ASC	C1-C2-C3	-2.56	104.63	107.77
7	A	598	MPD	C5-C4-C3	2.52	123.38	111.67
4	A	605	HEM	O1D-CGD-CBD	-2.52	115.10	123.09
12	A	800	ASC	O4-C4-C3	-2.50	101.26	103.76
5	A	604	NAG	C3-C4-C5	2.46	114.69	110.23
5	A	604	NAG	C2-N2-C7	2.44	126.17	122.90
12	A	800	ASC	O3-C3-C4	2.36	124.00	117.99
4	A	605	HEM	O2D-CGD-CBD	2.33	121.36	114.00
7	A	598	MPD	C1-C2-C3	-2.28	100.37	110.20
4	A	605	HEM	C4D-C3D-C2D	-2.24	103.63	106.89
5	A	596	NAG	C4-C3-C2	2.20	114.25	111.02
4	A	605	HEM	CMD-C2D-C3D	-2.16	120.31	126.15
4	A	605	HEM	CHD-C1D-ND	2.15	126.74	124.44
5	A	596	NAG	O7-C7-C8	-2.10	118.31	122.05
12	A	800	ASC	O3-C3-C2	-2.10	127.03	132.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	605	HEM	C4C-CHD-C1D	-2.05	119.85	122.56
4	A	605	HEM	CHC-C4B-C3B	-2.02	121.47	124.57
4	A	605	HEM	C2C-C3C-C4C	2.02	108.31	106.90

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	598	MPD	C2-C3-C4-O4
7	A	598	MPD	C2-C3-C4-C5
12	A	800	ASC	C3-C4-C5-C6
12	A	800	ASC	C3-C4-C5-O5
12	A	800	ASC	O4-C4-C5-C6
12	A	800	ASC	O4-C4-C5-O5
5	A	596	NAG	O5-C5-C6-O6
5	A	596	NAG	C4-C5-C6-O6
12	A	800	ASC	O5-C5-C6-O6
5	A	604	NAG	C4-C5-C6-O6
5	A	604	NAG	O5-C5-C6-O6
9	A	611	PEG	O1-C1-C2-O2
9	A	611	PEG	O2-C3-C4-O4
7	A	598	MPD	O2-C2-C3-C4
4	A	605	HEM	CAA-CBA-CGA-O2A
4	A	605	HEM	CAA-CBA-CGA-O1A
4	A	605	HEM	CAD-CBD-CGD-O2D
4	A	605	HEM	CAD-CBD-CGD-O1D
12	A	800	ASC	C4-C5-C6-O6


There are no ring outliers.

4 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	605	HEM	11	0
12	A	800	ASC	6	0
7	A	598	MPD	4	0
8	A	609	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.33	19 (3%) 50 57	26, 47, 84, 100	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	TYR	4.5
1	A	2	TRP	4.3
1	A	8	ALA	3.5
1	A	136	GLY	3.5
1	A	234	PRO	3.2
1	A	122	ASN	3.1
1	A	173	GLN	3.0
1	A	12	LEU	3.0
1	A	119	LEU	2.9
1	A	530	TRP	2.8
1	A	10	VAL	2.5
1	A	585	LEU	2.5
1	A	1	SER	2.4
1	A	577	VAL	2.3
1	A	117	THR	2.3
1	A	4	VAL	2.3
1	A	552	LEU	2.2
1	A	13	VAL	2.1
1	A	127	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	SEP	A	198	10/11	0.77	0.15	51,52,53,54	0

6.3 Carbohydrates




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	B	2	14/15	0.49	0.16	83,85,88,89	0
2	NAG	C	2	14/15	0.68	0.11	70,72,73,73	0
2	NAG	B	1	14/15	0.76	0.12	70,73,75,79	0
2	NAG	C	1	14/15	0.85	0.11	58,60,63,67	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MPD	A	598	8/8	0.65	0.17	30,30,31,31	0
5	NAG	A	596	14/15	0.68	0.13	64,68,70,71	0
8	EDO	A	609	4/4	0.71	0.14	24,25,25,26	0
12	ASC	A	800	12/12	0.73	0.18	25,30,33,34	0
5	NAG	A	604	14/15	0.77	0.10	64,67,68,68	0
10	GOL	A	612	6/6	0.79	0.11	49,49,50,50	0
9	PEG	A	611	7/7	0.80	0.13	62,63,63,63	0
11	SCN	A	615	3/3	0.85	0.13	47,47,48,48	0
6	IOD	A	711	1/1	0.89	0.19	94,94,94,94	0
6	IOD	A	720	1/1	0.89	0.29	95,95,95,95	0
6	IOD	A	719	1/1	0.90	0.14	96,96,96,96	0
6	IOD	A	707	1/1	0.92	0.11	39,39,39,39	0
6	IOD	A	709	1/1	0.95	0.10	96,96,96,96	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	HEM	A	605	43/43	0.95	0.08	24,27,29,31	0
6	IOD	A	715	1/1	0.96	0.15	78,78,78,78	0
3	CA	A	606	1/1	0.97	0.09	33,33,33,33	0
6	IOD	A	710	1/1	0.97	0.11	76,76,76,76	0
6	IOD	A	708	1/1	0.97	0.10	68,68,68,68	0
6	IOD	A	718	1/1	0.98	0.08	66,66,66,66	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.