



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 09:39 PM EDT

PDB ID : 3VSP  
Title : Human PPAR gamma ligand binding domain in complex with a gamma selective agonist mekt28  
Authors : Oyama, T.; Waku, T.; Ohashi, M.; Morikawa, K.; Miyachi, H.  
Deposited on : 2012-04-30  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	
1	B	286	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4264 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	265	2118	1366	345	397	10	0	0	0
1	B	259	2073	1342	339	382	10	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is (2R)-2-benzyl-3-[3-({[4-(piperidin-1-yl)benzoyl]amino}methyl)-4-propoxyphenyl]propanoic acid (three-letter code: EK8) (formula: C<sub>32</sub>H<sub>38</sub>N<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	38	32	2	4	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	19	Total	O	0	0
			19	19		
3	B	16	Total	O	0	0
			16	16		



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.41Å 60.87Å 118.60Å 90.00° 102.95° 90.00°	Depositor
Resolution (Å)	32.68 – 2.40 32.68 – 2.02	Depositor EDS
% Data completeness (in resolution range)	97.4 (32.68-2.40) 94.0 (32.68-2.02)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.84 (at 2.03Å)	Xtrriage
Refinement program	CNS 1.3	Depositor
R, $R_{free}$	0.222 , 0.274 0.219 , 0.268	Depositor DCC
$R_{free}$ test set	1264 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.7	Xtrriage
Anisotropy	0.583	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 44.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4264	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EK8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/2153	0.56	0/2900
1	B	0.35	0/2108	0.55	0/2838
All	All	0.36	0/4261	0.56	0/5738

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2118	0	2174	66	0
1	B	2073	0	2135	44	0
2	A	38	0	38	7	0
3	A	19	0	0	1	0
3	B	16	0	0	1	0
All	All	4264	0	4347	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ASN:HD22	1:A:207:GLU:HB2	1.37	0.89
1:B:349:THR:HG22	1:B:352:PHE:H	1.40	0.84
1:B:459:THR:HG22	1:B:460:GLU:H	1.42	0.82
1:A:358:LYS:HD2	1:A:358:LYS:H	1.47	0.79
1:B:322:VAL:O	1:B:326:ILE:HG12	1.86	0.76
1:A:205:ASN:ND2	1:A:207:GLU:HB2	2.02	0.73
1:A:364:MET:SD	2:A:501:EK8:H25	2.28	0.73
1:A:289:SER:HB2	2:A:501:EK8:H28	1.72	0.70
1:A:277:VAL:HG13	1:A:278:ALA:H	1.57	0.69
1:A:282:PHE:CZ	2:A:501:EK8:H35	2.27	0.69
1:B:290:VAL:HG21	1:B:473:TYR:HD1	1.58	0.69
1:A:261:LYS:NZ	1:A:261:LYS:HB3	2.07	0.68
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.75	0.68
1:B:259:GLU:OE2	1:B:267:ILE:HG21	1.94	0.68
1:A:379:LEU:HD11	1:A:435:LEU:HD13	1.79	0.65
1:A:363:PHE:HE2	1:A:456:ILE:HD11	1.61	0.64
1:B:466:HIS:HD2	1:B:468:LEU:HB2	1.62	0.64
1:A:219:TYR:CZ	1:A:223:ILE:HD11	2.33	0.63
1:A:359:PRO:HG2	1:A:456:ILE:HD13	1.81	0.63
1:B:290:VAL:HG21	1:B:473:TYR:CD1	2.33	0.63
1:A:262:ILE:HB	1:A:264:PHE:CE2	2.35	0.62
1:B:325:ILE:HG23	1:B:388:ILE:HD12	1.82	0.62
1:B:279:ILE:O	1:B:283:GLN:HG3	1.99	0.62
1:A:262:ILE:HD12	1:A:262:ILE:H	1.65	0.61
1:A:359:PRO:HG2	1:A:456:ILE:CD1	2.31	0.61
1:A:277:VAL:HG13	1:A:278:ALA:N	2.16	0.60
1:A:236:ILE:HG12	1:A:244:LYS:HB3	1.88	0.56
1:B:328:THR:OG1	1:B:442:LEU:HD11	2.06	0.55
1:A:443:ARG:HG3	1:B:440:THR:HG21	1.87	0.55
1:A:452:LEU:O	1:A:456:ILE:HG12	2.06	0.55
1:B:466:HIS:CD2	1:B:468:LEU:HB2	2.41	0.55
1:A:436:LEU:HA	1:A:439:MET:HE2	1.87	0.55
1:A:230:LYS:HG2	3:A:611:HOH:O	2.05	0.55
1:A:363:PHE:O	1:A:367:LYS:HE2	2.07	0.54
1:A:284:GLY:HA3	2:A:501:EK8:H2	1.90	0.54
1:A:322:VAL:HG21	1:A:472:ILE:HD13	1.89	0.54
1:A:443:ARG:HG3	1:B:440:THR:CG2	2.37	0.54
1:B:460:GLU:HB3	1:B:463:MET:HG2	1.90	0.54
1:A:261:LYS:HB3	1:A:261:LYS:HZ3	1.73	0.53
1:B:459:THR:HG22	1:B:460:GLU:N	2.19	0.53
1:A:465:LEU:HD23	1:A:466:HIS:N	2.24	0.53
1:A:363:PHE:CZ	1:A:452:LEU:HB3	2.44	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:446:VAL:O	1:A:450:VAL:HG23	2.10	0.52
1:A:437:GLN:O	1:A:440:THR:HG23	2.09	0.52
1:B:447:THR:O	1:B:451:GLN:HG2	2.10	0.51
1:B:252:MET:CE	1:B:277:VAL:HG21	2.41	0.51
1:B:466:HIS:CD2	1:B:468:LEU:H	2.28	0.50
1:B:283:GLN:NE2	1:B:465:LEU:HD21	2.27	0.50
1:B:384:LEU:O	1:B:388:ILE:HG12	2.12	0.50
1:B:456:ILE:O	1:B:460:GLU:HB2	2.12	0.49
1:A:368:PHE:O	1:A:372:VAL:HG23	2.11	0.49
1:A:235:ALA:HA	1:A:240:LYS:HE3	1.95	0.49
1:A:240:LYS:HG3	1:A:241:THR:HG23	1.94	0.49
1:A:259:GLU:OE1	1:A:280:ARG:NH1	2.46	0.49
1:A:403:VAL:O	1:A:407:GLU:HG3	2.13	0.49
1:A:236:ILE:HG23	1:A:244:LYS:O	2.13	0.48
1:A:262:ILE:HG22	1:A:263:LYS:N	2.27	0.48
1:B:277:VAL:HG23	1:B:278:ALA:N	2.27	0.48
1:A:363:PHE:CE1	1:A:452:LEU:HB3	2.49	0.48
1:A:289:SER:HB2	2:A:501:EK8:H30	1.96	0.48
1:A:290:VAL:HG21	1:A:466:HIS:CD2	2.49	0.48
1:B:217:HIS:HE1	1:B:302:SER:O	1.97	0.47
1:A:205:ASN:ND2	1:A:208:SER:H	2.12	0.47
1:B:446:VAL:O	1:B:450:VAL:HG23	2.15	0.46
1:A:249:ILE:HA	1:A:254:SER:HB3	1.97	0.46
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.50	0.46
1:A:363:PHE:HE2	1:A:456:ILE:CD1	2.28	0.46
1:B:468:LEU:O	1:B:472:ILE:HG13	2.15	0.46
1:A:441:ASP:O	1:A:445:ILE:HG12	2.15	0.46
1:A:241:THR:HG21	1:A:244:LYS:HD2	1.98	0.46
1:A:373:LYS:O	1:A:376:ALA:HB3	2.17	0.45
2:A:501:EK8:H19	2:A:501:EK8:H14	1.98	0.45
1:A:433:ALA:O	1:A:437:GLN:HG3	2.17	0.44
1:B:452:LEU:O	1:B:456:ILE:HG13	2.18	0.44
1:A:203:GLN:O	1:A:203:GLN:HG2	2.18	0.44
1:A:241:THR:OG1	1:A:244:LYS:HB2	2.18	0.44
1:A:443:ARG:NH1	1:B:440:THR:HG21	2.33	0.44
1:B:255:LEU:O	1:B:259:GLU:HG3	2.18	0.44
1:A:339:VAL:HG11	2:A:501:EK8:H20	2.00	0.43
1:A:359:PRO:CG	1:A:456:ILE:HD13	2.47	0.43
1:B:335:ASN:OD1	1:B:337:ASP:N	2.48	0.43
1:A:262:ILE:HD12	1:A:262:ILE:N	2.31	0.43
1:A:442:LEU:O	1:A:446:VAL:HG23	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:263:LYS:O	1:A:264:PHE:HB2	2.18	0.43
1:A:350:ARG:HG3	1:A:368:PHE:CD2	2.54	0.43
1:A:261:LYS:NZ	1:A:261:LYS:CB	2.81	0.42
1:A:443:ARG:NH1	1:B:440:THR:CG2	2.82	0.42
1:B:251:ASP:HA	1:B:352:PHE:CD1	2.54	0.42
1:B:325:ILE:HD11	1:B:392:ILE:HG13	2.02	0.42
1:B:433:ALA:O	1:B:437:GLN:HG3	2.18	0.42
1:A:363:PHE:CE2	1:A:452:LEU:HD12	2.54	0.42
1:A:435:LEU:O	1:A:438:LYS:HB2	2.19	0.42
1:A:291:GLU:O	1:A:295:GLU:HG3	2.20	0.42
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.45	0.42
1:B:307:VAL:HG22	3:B:511:HOH:O	2.20	0.42
1:B:394:SER:O	1:B:397:ARG:HG2	2.20	0.41
1:B:430:GLN:O	1:B:434:LYS:HG3	2.20	0.41
1:A:456:ILE:HG21	1:A:463:MET:HE1	2.01	0.41
1:B:214:LEU:HD21	1:B:413:LEU:HD23	2.02	0.41
1:B:456:ILE:HG23	1:B:460:GLU:HG3	2.01	0.41
1:B:297:THR:O	1:B:301:LYS:HD3	2.20	0.41
1:B:282:PHE:HZ	1:B:453:LEU:HD12	1.85	0.41
1:B:284:GLY:HA2	1:B:287:PHE:CD1	2.56	0.41
1:A:383:ASP:OD2	1:A:425:HIS:HE1	2.03	0.41
1:A:354:LYS:HA	1:A:361:GLY:O	2.21	0.41
1:B:296:ILE:HD11	1:B:326:ILE:HD13	2.03	0.40
1:B:348:MET:SD	1:B:353:LEU:HD21	2.61	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	261/286 (91%)	248 (95%)	11 (4%)	2 (1%)	19 29

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	253/286 (88%)	244 (96%)	8 (3%)	1 (0%)	34	48
All	All	514/572 (90%)	492 (96%)	19 (4%)	3 (1%)	25	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	205	ASN
1	B	460	GLU
1	A	277	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/257 (92%)	228 (96%)	9 (4%)	33	51
1	B	231/257 (90%)	226 (98%)	5 (2%)	52	71
All	All	468/514 (91%)	454 (97%)	14 (3%)	41	61

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	283	GLN
1	A	358	LYS
1	A	363	PHE
1	A	440	THR
1	A	441	ASP
1	A	444	GLN
1	A	452	LEU
1	A	453	LEU
1	A	469	LEU
1	B	355	SER
1	B	427	GLU
1	B	454	GLN
1	B	461	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	468	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	203	GLN
1	A	205	ASN
1	A	294	GLN
1	A	375	ASN
1	A	402	ASN
1	A	425	HIS
1	A	430	GLN
1	B	217	HIS
1	B	253	ASN
1	B	283	GLN
1	B	312	ASN
1	B	424	ASN
1	B	430	GLN
1	B	454	GLN
1	B	466	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	EK8	A	501	-	41,41,41	3.46	24 (58%)	54,54,54	1.35	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EK8	A	501	-	-	11/29/37/37	0/4/4/4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	EK8	C17-C87	6.13	1.48	1.39
2	A	501	EK8	C7-C8	5.57	1.48	1.39
2	A	501	EK8	C22-C87	5.52	1.47	1.39
2	A	501	EK8	C80-N89	5.37	1.55	1.46
2	A	501	EK8	C7-C6	5.37	1.48	1.39
2	A	501	EK8	C19-C98	5.31	1.49	1.39
2	A	501	EK8	C99-C98	5.21	1.49	1.39
2	A	501	EK8	C9-C8	5.21	1.48	1.39
2	A	501	EK8	C17-C19	5.03	1.47	1.38
2	A	501	EK8	C22-C99	4.91	1.46	1.38
2	A	501	EK8	C10-C9	4.71	1.49	1.39
2	A	501	EK8	C11-C10	4.66	1.46	1.38
2	A	501	EK8	C11-C6	4.57	1.47	1.38
2	A	501	EK8	C54-C55	4.20	1.46	1.38
2	A	501	EK8	C87-C97	-4.19	1.41	1.50
2	A	501	EK8	C54-C53	3.96	1.47	1.38
2	A	501	EK8	C55-C4	3.92	1.46	1.38
2	A	501	EK8	C52-C51	3.42	1.44	1.38
2	A	501	EK8	C97-N99	3.36	1.41	1.33
2	A	501	EK8	C51-C4	2.80	1.44	1.38
2	A	501	EK8	C53-C52	2.77	1.44	1.38
2	A	501	EK8	C83-C82	2.54	1.61	1.51
2	A	501	EK8	C2-C1	-2.45	1.47	1.51

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	EK8	O3-C9	2.19	1.41	1.37

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	EK8	C81-C80-N89	-3.75	103.96	111.06
2	A	501	EK8	C5-C2-C1	-3.70	102.19	110.91
2	A	501	EK8	C83-C84-N89	-3.01	105.38	111.06
2	A	501	EK8	O3-C9-C8	2.86	119.58	115.89
2	A	501	EK8	O2-C1-O1	-2.75	117.85	124.08
2	A	501	EK8	C3-C2-C1	2.58	116.98	110.91
2	A	501	EK8	C87-C97-N99	-2.10	112.77	117.12
2	A	501	EK8	C80-N89-C98	2.04	123.68	118.11

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	EK8	O1-C1-C2-C3
2	A	501	EK8	O2-C1-C2-C3
2	A	501	EK8	C19-C98-N89-C80
2	A	501	EK8	C99-C98-N89-C84
2	A	501	EK8	C99-C98-N89-C80
2	A	501	EK8	C19-C98-N89-C84
2	A	501	EK8	O3-C12-C13-C14
2	A	501	EK8	C10-C9-O3-C12
2	A	501	EK8	C8-C9-O3-C12
2	A	501	EK8	C2-C5-C6-C11
2	A	501	EK8	C2-C5-C6-C7


There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	EK8	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	265/286 (92%)	-0.27	8 (3%) 50 49	30, 48, 78, 100	0
1	B	259/286 (90%)	-0.34	9 (3%) 44 43	32, 48, 83, 95	0
All	All	524/572 (91%)	-0.30	17 (3%) 47 46	30, 48, 83, 100	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	203	GLN	5.0
1	B	240	LYS	4.5
1	B	261	LYS	4.3
1	B	241	THR	3.8
1	A	204	LEU	3.5
1	A	264	PHE	3.4
1	B	263	LYS	2.9
1	A	274	SER	2.8
1	B	269	PRO	2.6
1	B	267	ILE	2.6
1	A	363	PHE	2.5
1	B	464	SER	2.5
1	B	262	ILE	2.3
1	A	261	LYS	2.2
1	A	239	GLY	2.1
1	A	359	PRO	2.1
1	B	266	HIS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	EK8	A	501	38/38	0.80	0.27	70,75,82,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



### 6.5 Other polymers [i](#)

There are no such residues in this entry.