

Full wwPDB X-ray Structure Validation Report (i)

Oct 22, 2024 – 07:39 AM EDT

PDB ID	:	4GL2
Title	:	Structural Basis for dsRNA duplex backbone recognition by MDA5
Authors	:	Wu, B.; Hur, S.
Deposited on	:	2012-08-13
Resolution	:	3.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\#Entries)$	Similar resolution $(\#Entries, resolution range(Å))$
D		
\mathbf{R}_{free}	164625	1261(3.62-3.50)
Clashscore	180529	$1351 \ (3.62 - 3.50)$
Ramachandran outliers	177936	1336 (3.62-3.50)
Sidechain outliers	177891	1337 (3.62 - 3.50)
RSRZ outliers	164620	1260 (3.62-3.50)
RNA backbone	3690	1097 (4.10-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	699	4% 78% 10	1%	•	12%
1	В	699	6% 78% 10	1%	•	12%
2	С	12	75% 1	7%		8%
2	Е	12	8%		17	7%



Mol	Chain	Length	Quality of chain							
3	D	12	67%		17%	17%				
3	F	12	50%	17%	33%					



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 20895 atoms, of which 10160 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Interferon-induced helicase C domain-containing protein 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	А	617	Total 9807	C 3113	Н 4927	N 839	O 892	S 36	7	0	0
1	В	615	Total 9476	C 3042	Н 4705	N 811	O 885	S 33	49	0	0

Chain	Residue	Modelled	Actual	Comment	Reference		
А	301	GLY	-	expression tag	UNP Q9BYX4		
А	302	PRO	-	expression tag	UNP Q9BYX4		
А	303	GLY	- expression tag		UNP Q9BYX4		
А	304	ALA	-	expression tag	UNP Q9BYX4		
А	305	MET	-	expression tag	UNP Q9BYX4		
А	333	CYS	SER	SEE REMARK 999	UNP Q9BYX4		
А	?	-	GLU	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	SER	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	GLU	deletion	UNP Q9BYX4		
А	?	-	GLY	deletion	UNP Q9BYX4		
А	?	-	GLY	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	GLU	deletion	UNP Q9BYX4		
А	?	-	TYR	deletion	UNP Q9BYX4		
А	?	-	CYS	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	GLY	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	?	-	GLU	deletion	UNP Q9BYX4		
А	?	-	ASP	deletion	UNP Q9BYX4		
А	843	ARG	HIS	SEE REMARK 999	UNP Q9BYX4		

There are 52 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference		
А	946	THR	ALA	SEE REMARK 999	UNP Q9BYX4		
В	301	GLY	-	expression tag	UNP Q9BYX4		
В	302	PRO	-	expression tag	UNP Q9BYX4		
В	303	GLY	-	expression tag	UNP Q9BYX4		
В	304	ALA	-	expression tag	UNP Q9BYX4		
В	305	MET	-	expression tag	UNP Q9BYX4		
В	333	CYS	SER	SEE REMARK 999	UNP Q9BYX4		
В	?	-	GLU	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	SER	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	GLU	deletion	UNP Q9BYX4		
В	?	-	GLY	deletion	UNP Q9BYX4		
В	?	-	GLY	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	GLU	deletion	UNP Q9BYX4		
В	?	-	TYR	deletion	UNP Q9BYX4		
В	?	-	CYS	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	GLY	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	?	-	GLU	deletion	UNP Q9BYX4		
В	?	-	ASP	deletion	UNP Q9BYX4		
В	843	ARG	HIS	SEE REMARK 999	UNP Q9BYX4		
В	946	THR	ALA	SEE REMARK 999	UNP Q9BYX4		

• Molecule 2 is a RNA chain called RNA (5'-R(*AP*UP*CP*CP*GP*CP*GP*CP*CP*CP*CP*CP*)-3').

Mol	Chain	Residues		Atoms						AltConf	Trace
2	С	12	Total 380	C 112	Н 132	N 42	O 83	Р 11	0	0	0
2	Е	12	Total 380	C 112	Н 132	N 42	O 83	Р 11	0	0	0

• Molecule 3 is a RNA chain called RNA (5'-R(P*AP*GP*GP*GP*CP*CP*GP*CP*GP*GP *AP*U)-3').



Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
3	F	12	Total 394	C 116	Н 132	N 51	O 83	Р 12	0	0	0
3	D	12	Total 394	C 116	Н 132	N 51	O 83	Р 12	0	0	0

• Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	Δ	1	Total	С	Ν	Ο	Р	0	0	
4 A	L	31	10	6	12	3	0	0		
4	р	1	Total	С	Ν	Ο	Р	0	0	
4	4 D		31	10	6	12	3	0		

• Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Zn 1 1	0	0
5	В	1	Total Zn 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Interferon-induced helicase C domain-containing protein 1



• Molecule 1: Interferon-induced helicase C domain-containing protein 1





ASN L785 L785 E793 E793 E793 E793 E793 E793 E793 E793	L809 L809 V810 V811 V811 V811 E813 E813 C881 A820 A821 A820 A821 A820 A821 A820 A820 A821 A820 A820 A820 A820 A820 A820 A820 A820	883 5 883 7 883 7 883 3 883 7 883 3 885 1 885 1	E883 K887 THR THR LYS ARG ASN ASN ALA ALA LYS HIS	TYR LYS ASN ASN P900 1903
F905 1906 1906 1906 1907 1907 1907 1907 1910 1910 1910 1910	LYS LYS CYS CYS ASL ASL ASR GLN ASS C962 K963 K963 LYS	GLY LEU ASP K992 N993 N993 N993 V1004	11008 F1010 F1011 N1012 L1013 ASP TYR SER GLU	
• Molecule 2: RNA	A $(5'-R(*AP*UP*CP))$	*CP*GP*CP*C	P*GP*CP*CP	[«] CP*U)-3')
Chain C:	75%		17%	8%
• 12 12 88 12				
• Molecule 2: RNA	A $(5'-R(*AP*UP*CP))$	*CP*GP*CP*C	GP*GP*CP*CP*	CP*U)-3')
Chain E:	83%		17%	
• Molecule 3: RNA	A $(5'-R(P*AP*GP*G)$	P*GP*CP*CP*	GP*CP*GP*G	P*AP*U)-3')
Chain F:	50%	17%	33%	_
A1 62 63 63 67 67 61 11 112 012				
• Molecule 3: RNA	A $(5'-R(P*AP*GP*G)$	P*GP*CP*CP*	GP*CP*GP*G	P*AP*U)-3')
Chain D:	67%		17% 17%	6
<mark>41</mark> 62 67 67 81 11 12				



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	71.11Å 154.75Å 185.01Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	118.70 - 3.56	Depositor
Resolution (A)	118.70 - 3.56	EDS
% Data completeness	95.1 (118.70-3.56)	Depositor
(in resolution range)	82.8 (118.70-3.56)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.60 (at 3.58 \text{\AA})$	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
D D	0.276 , 0.320	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.282 , 0.326	DCC
R_{free} test set	1207 reflections (5.00%)	wwPDB-VP
Wilson B-factor $(Å^2)$	67.5	Xtriage
Anisotropy	0.440	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36 , 66.9	EDS
L-test for twinning ²	$< L >=0.46, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	20895	wwPDB-VP
Average B, all atoms $(Å^2)$	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 37.67 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.1412e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Chain		Bond	Bond lengths		ond angles
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.38	0/4957	0.64	0/6670
1	В	0.37	0/4845	0.63	0/6540
2	С	0.44	0/275	1.15	3/426~(0.7%)
2	Е	0.38	0/275	0.94	0/426
3	D	0.40	0/293	0.98	0/456
3	F	0.42	0/293	0.96	0/456
All	All	0.38	0/10938	0.69	3/14974~(0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	7	G	C4-N9-C1'	-5.74	119.04	126.50
2	С	6	С	C6-N1-C2	-5.58	118.07	120.30
2	С	7	G	C8-N9-C1'	5.43	134.06	127.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4880	4927	4911	44	0
1	В	4771	4705	4690	37	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	С	248	132	132	2	0
2	Е	248	132	132	1	0
3	D	262	132	132	1	0
3	F	262	132	132	4	0
4	А	31	0	13	0	0
4	В	31	0	13	1	0
5	А	1	0	0	0	0
5	В	1	0	0	0	0
All	All	10735	10160	10155	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:780:THR:HG1	1:A:784:ASN:N	1.73	0.84
1:A:777:LYS:O	1:A:784:ASN:N	2.16	0.79
1:A:793:GLU:O	1:A:822:ARG:NH2	2.21	0.74
1:B:962:CYS:SG	1:B:963:LYS:N	2.64	0.70
1:A:444:GLU:N	1:A:444:GLU:OE1	2.24	0.70
1:B:445:CYS:SG	1:B:487:LEU:N	2.70	0.65
1:B:590:ALA:HA	1:B:598:ARG:HD3	1.79	0.64
3:D:7:G:O2'	3:D:8:C:OP1	2.16	0.61
1:A:331:THR:O	1:A:824:ARG:NH1	2.33	0.61
1:A:454:TYR:HA	1:A:455:ASN:CB	2.30	0.61
1:B:333:CYS:SG	1:B:334:GLY:N	2.75	0.59
1:B:777:LYS:O	1:B:781:GLY:N	2.36	0.59
1:A:596:LYS:CG	1:A:672:THR:HG22	2.35	0.56
1:B:812:ASN:OD1	1:B:813:GLU:N	2.39	0.56
1:B:391:SER:OG	1:B:392:GLY:N	2.40	0.55
1:B:1008:ILE:HD11	1:B:1010:PHE:CZ	2.43	0.54
1:A:915:CYS:SG	1:A:930:ASN:ND2	2.81	0.53
1:B:350:LYS:NZ	1:B:438:SER:OG	2.41	0.53
1:B:1004:VAL:HG22	2:E:5:G:H5"	1.90	0.53
1:A:780:THR:OG1	1:A:784:ASN:N	2.41	0.52
1:B:728:ARG:NH2	1:B:762:GLU:O	2.42	0.51
1:A:596:LYS:HG3	1:A:672:THR:HG22	1.91	0.51
1:A:454:TYR:CA	1:A:455:ASN:HB2	2.41	0.51
1:B:350:LYS:NZ	1:B:357:GLY:HA2	2.26	0.51
1:A:744:PHE:HB2	1:A:745:ALA:HA	1.93	0.50



	A the C	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:675:PHE:CE2	1:B:679:LEU:CD2	2.95	0.49
1:A:802:ASN:N	1:A:802:ASN:OD1	2.44	0.49
1:B:742:GLU:CG	1:B:743:LYS:HA	2.43	0.49
1:B:744:PHE:O	1:B:746:GLU:N	2.46	0.49
1:A:760:SER:O	1:A:761:SER:OG	2.15	0.48
1:B:806:ARG:NH2	1:B:809:LEU:HD13	2.27	0.48
1:A:455:ASN:ND2	1:A:457:ILE:HD12	2.28	0.48
1:A:806:ARG:NH2	1:A:809:LEU:HD23	2.29	0.48
1:A:598:ARG:HG3	1:A:599:VAL:N	2.29	0.48
1:B:448:THR:HG22	1:B:454:TYR:CG	2.49	0.48
1:B:719:ALA:CB	1:B:786:LEU:HA	2.44	0.48
1:A:452:ALA:HB2	2:C:7:G:O2'	2.14	0.47
1:B:1012:ASN:OD1	1:B:1013:LEU:N	2.48	0.47
1:B:903:ILE:HG23	1:B:905:PHE:CE1	2.50	0.47
1:A:595:ARG:O	1:A:596:LYS:HB2	2.15	0.47
1:A:677:MET:HG3	1:A:678:THR:N	2.30	0.47
1:A:335:LYS:O	1:A:338:VAL:HG12	2.14	0.47
1:A:455:ASN:HB3	1:A:457:ILE:HB	1.96	0.46
1:B:761:SER:OG	1:B:762:GLU:N	2.48	0.46
1:A:454:TYR:CA	1:A:455:ASN:CB	2.93	0.46
1:A:801:CYS:HB2	1:A:823:ALA:HA	1.97	0.46
1:A:445:CYS:SG	1:A:487:LEU:N	2.89	0.46
1:B:336:THR:HG23	4:B:1101:ANP:HNB1	1.80	0.46
1:A:603:HIS:CG	1:A:676:LEU:CD2	2.99	0.45
1:B:677:MET:HG3	1:B:678:THR:N	2.31	0.45
1:A:596:LYS:HG2	1:A:672:THR:HG22	1.99	0.45
1:B:554:LEU:HD23	1:B:611:LEU:HD12	1.99	0.45
1:B:810:VAL:HG11	1:B:843:ARG:CZ	2.47	0.45
1:A:451:GLU:HB3	2:C:8:G:OP1	2.16	0.45
1:B:820:ARG:NH2	1:B:851:GLU:OE1	2.50	0.45
1:B:722:ILE:HD11	1:B:801:CYS:SG	2.57	0.45
1:B:350:LYS:NZ	1:B:438:SER:CB	2.81	0.44
1:A:778:PHE:CE2	1:A:798:ILE:HG21	2.52	0.44
1:A:847:ASN:OD1	1:A:850:ARG:NH2	2.48	0.44
1:A:598:ARG:HD3	1:A:909:ASN:HA	2.00	0.44
1:B:556:GLU:O	1:B:559:THR:OG1	2.30	0.44
1:A:400:PHE:N	1:A:401:PRO:HD2	2.33	0.44
3:F:7:G:H2'	3:F:8:C:C6	2.53	0.43
1:B:418:GLU:O	1:B:422:LEU:HD12	2.19	0.43
1:A:901:SER:HB2	1:B:373:PHE:CZ	2.53	0.43
1:A:703:LYS:O	1:A:704:LEU:HG	2.19	0.43



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:721:GLY:HA2	1:A:803:ILE:HG22	2.01	0.43
1:B:906:LEU:O	1:B:907:CYS:HB3	2.20	0.42
1:A:533:GLN:NE2	1:A:826:ASP:OD1	2.52	0.42
1:A:508:LYS:HA	1:A:876:LEU:HD23	2.02	0.42
1:B:370:GLU:OE1	1:B:772:LYS:NZ	2.38	0.42
1:B:777:LYS:HB3	1:B:785:LEU:HD13	2.02	0.42
1:A:490:SER:O	1:A:814:ILE:CD1	2.67	0.42
1:A:455:ASN:OD1	1:A:456:ASN:N	2.52	0.42
1:A:744:PHE:HB2	1:A:745:ALA:CA	2.50	0.41
3:F:11:A:C6	3:F:12:U:C4	3.09	0.41
3:F:7:G:O2'	3:F:8:C:OP1	2.24	0.41
1:B:675:PHE:CE2	1:B:679:LEU:HD23	2.56	0.41
1:A:359:VAL:CG2	1:A:409:ILE:HG12	2.50	0.41
1:A:962:CYS:SG	1:A:963:LYS:N	2.93	0.41
1:B:810:VAL:O	1:B:811:THR:HG22	2.21	0.41
1:B:562:GLN:O	1:B:566:GLN:N	2.54	0.41
1:A:452:ALA:O	1:A:455:ASN:HA	2.20	0.40
1:A:355:GLU:HB3	1:A:356:PRO:HD2	2.04	0.40
3:F:2:G:C6	3:F:3:G:C6	3.09	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	593/699~(85%)	572 (96%)	20 (3%)	1 (0%)	44	74
1	В	589/699~(84%)	561 (95%)	27~(5%)	1 (0%)	44	74
All	All	1182/1398 (84%)	1133 (96%)	47 (4%)	2(0%)	44	74

All (2) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	В	361	VAL
1	А	804	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	527/623~(85%)	512~(97%)	15 (3%)	38 64
1	В	505/623~(81%)	494~(98%)	11 (2%)	47 70
All	All	1032/1246~(83%)	1006 (98%)	26 (2%)	42 67

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	444	GLU
1	А	454	TYR
1	А	457	ILE
1	А	673	ASP
1	А	790	THR
1	А	798	ILE
1	А	854	MET
1	А	873	ILE
1	А	907	CYS
1	А	910	CYS
1	А	916	SER
1	А	925	LYS
1	А	929	VAL
1	А	964	CYS
1	А	975	LYS
1	В	328	CYS
1	В	333	CYS
1	В	422	LEU
1	В	439	LEU
1	В	449	ASN
1	В	684	ASN
1	В	809	LEU



Continued from previous page...

Mol	Chain	Res	Type
1	В	859	HIS
1	В	907	CYS
1	В	910	CYS
1	В	992	LYS

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such side chains are listed below:

Mol	Chain	Res	Type
1	В	460	HIS
1	В	927	HIS
1	В	974	HIS

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	С	$11/12 \ (91\%)$	0	0
2	Е	11/12~(91%)	1 (9%)	0
3	D	$11/12 \ (91\%)$	3~(27%)	1 (9%)
3	F	$11/12 \ (91\%)$	3~(27%)	1 (9%)
All	All	44/48~(91%)	7~(15%)	2(4%)

All (7) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	Ε	2	U
3	F	2	G
3	F	8	С
3	F	11	А
3	D	2	G
3	D	8	С
3	D	11	А

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	F	7	G
3	D	7	G



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Truna		Chain	Dec	Tinle	Bond lengths			Bond angles		
	туре	e Chain Re	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ANP	А	1101	-	29,33,33	1.67	7 (24%)	31,52,52	1.91	3 (9%)
4	ANP	В	1101	-	29,33,33	1.60	8 (27%)	31,52,52	1.94	6 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	А	1101	-	-	11/14/38/38	0/3/3/3
4	ANP	В	1101	-	-	9/14/38/38	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
4	В	1101	ANP	C2-N3	2.99	1.36	1.32
4	А	1101	ANP	C2'-C3'	-2.98	1.45	1.53
4	А	1101	ANP	C2-N3	2.96	1.36	1.32
4	В	1101	ANP	C6-N6	2.86	1.44	1.34
4	А	1101	ANP	PA-O3A	-2.83	1.56	1.59
4	В	1101	ANP	PB-O1B	2.78	1.50	1.46



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
4	А	1101	ANP	PG-01G	2.77	1.50	1.46
4	В	1101	ANP	C2'-C3'	-2.69	1.46	1.53
4	А	1101	ANP	PB-O1B	2.68	1.50	1.46
4	А	1101	ANP	C6-N6	2.67	1.43	1.34
4	В	1101	ANP	O4'-C4'	-2.34	1.39	1.45
4	В	1101	ANP	PG-01G	2.31	1.49	1.46
4	А	1101	ANP	O4'-C4'	-2.25	1.40	1.45
4	В	1101	ANP	PA-O3A	-2.11	1.57	1.59
4	В	1101	ANP	C3'-C4'	-2.04	1.47	1.53

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	1101	ANP	N3-C2-N1	-6.36	120.04	128.67
4	В	1101	ANP	N3-C2-N1	-6.18	120.28	128.67
4	В	1101	ANP	C4'-O4'-C1'	-5.29	105.08	109.92
4	А	1101	ANP	O2B-PB-O3A	4.69	120.28	104.64
4	В	1101	ANP	O1B-PB-N3B	-3.22	107.02	111.77
4	В	1101	ANP	O4'-C1'-N9	3.10	112.85	108.75
4	А	1101	ANP	C2'-C3'-C4'	2.57	107.57	102.61
4	В	1101	ANP	C4-C5-N7	-2.31	106.90	109.34
4	В	1101	ANP	O1G-PG-N3B	-2.13	108.64	111.77

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
4	А	1101	ANP	PB-N3B-PG-O1G
4	А	1101	ANP	PA-O3A-PB-O2B
4	А	1101	ANP	C5'-O5'-PA-O1A
4	А	1101	ANP	C5'-O5'-PA-O3A
4	А	1101	ANP	O4'-C4'-C5'-O5'
4	В	1101	ANP	PB-N3B-PG-O1G
4	В	1101	ANP	PB-O3A-PA-O5'
4	В	1101	ANP	C5'-O5'-PA-O1A
4	В	1101	ANP	C5'-O5'-PA-O2A
4	В	1101	ANP	C5'-O5'-PA-O3A
4	А	1101	ANP	C3'-C4'-C5'-O5'
4	В	1101	ANP	O4'-C4'-C5'-O5'
4	В	1101	ANP	C3'-C4'-C5'-O5'
4	А	1101	ANP	PB-O3A-PA-O5'
4	А	1101	ANP	C4'-C5'-O5'-PA



Mol	Chain	Res	Type	Atoms
4	А	1101	ANP	C5'-O5'-PA-O2A
4	В	1101	ANP	C4'-C5'-O5'-PA
4	А	1101	ANP	PA-O3A-PB-O1B
4	В	1101	ANP	PA-O3A-PB-O1B
4	А	1101	ANP	PB-O3A-PA-O1A

Continued from previous page...

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	1101	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	$\mathbf{Q}{<}0.9$
1	А	617/699~(88%)	0.57	30 (4%) 36 23	31, 70, 117, 155	1 (0%)
1	В	611/699~(87%)	0.70	39 (6%) 27 18	32, 67, 108, 149	1 (0%)
2	С	12/12~(100%)	0.75	1 (8%) 19 13	40, 59, 115, 186	0
2	Е	12/12~(100%)	0.79	1 (8%) 19 13	37, 66, 107, 185	0
3	D	12/12~(100%)	0.44	0 100 100	33, 54, 117, 144	0
3	F	12/12~(100%)	0.75	0 100 100	30, 75, 115, 138	0
All	All	1276/1446~(88%)	0.63	71 (5%) 31 20	30, 68, 114, 186	2(0%)

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	718	SER	5.2
1	В	573	PHE	4.2
1	В	797	ASP	4.2
1	А	810	VAL	4.0
1	А	745	ALA	3.8
1	В	443	ASP	3.8
1	В	883	GLU	3.7
1	А	719	ALA	3.6
1	А	450	LYS	3.5
1	А	495	GLY	3.5
1	В	691	ALA	3.4
1	А	694	PRO	3.3
1	В	401	PRO	3.3
1	В	794	GLU	3.2
1	А	790	THR	3.2
1	A	835	HIS	3.1
1	А	478	VAL	3.1
1	В	516	PHE	3.0
1	В	407	CYS	3.0



4GL2

Mol	Chain	Res	Type	RSRZ
1	В	574	GLY	2.8
1	В	803	ILE	2.8
1	А	743	LYS	2.8
1	В	836	SER	2.7
1	В	323	LYS	2.7
1	В	721	GLY	2.7
1	В	802	ASN	2.6
1	В	904	THR	2.6
1	В	701	LEU	2.6
1	А	744	PHE	2.6
1	А	483	GLN	2.5
1	В	785	LEU	2.5
1	А	972	MET	2.5
1	A	335	LYS	2.5
1	А	836	SER	2.5
1	В	360	ILE	2.4
1	В	838	SER	2.4
1	В	619	MET	2.4
1	В	741	ASN	2.4
1	А	333	CYS	2.4
1	А	908	LYS	2.4
1	А	759	HIS	2.4
1	В	679	LEU	2.3
1	А	718	SER	2.3
1	В	769	ASN	2.3
1	В	318	PRO	2.3
1	В	793	GLU	2.3
1	А	793	GLU	2.3
1	А	736	GLN	2.3
2	Е	1	A	2.3
2	С	1	A	2.2
1	В	994	ASN	2.2
1	В	737	TRP	2.2
1	А	763	PHE	2.2
1	A	795	GLY	2.2
1	А	615	ASP	2.2
1	А	669	LEU	2.2
1	В	690	LEU	2.2
1	В	361	VAL	2.1
1	А	451	GLU	2.1
1	В	597	GLU	2.1
1	В	489	ALA	2.1



Mol	Chain	Res	Type	RSRZ
1	В	396	LEU	2.1
1	А	970	THR	2.1
1	А	699	GLU	2.1
1	В	763	PHE	2.1
1	А	493	VAL	2.0
1	В	848	ASP	2.0
1	В	572	ASP	2.0
1	А	360	ILE	2.0
1	В	390	LEU	2.0
1	В	669	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	ANP	В	1101	31/31	0.65	0.24	141,146,149,152	0
4	ANP	А	1101	31/31	0.78	0.19	135,147,159,161	0
5	ZN	А	1102	1/1	0.98	0.04	53,53,53,53	0
5	ZN	В	1102	1/1	0.99	0.03	41,41,41,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

