



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 18, 2024 – 06:45 PM EDT

PDB ID : 4LGY
Title : Importance of Hydrophobic Cavities in Allosteric Regulation of Formylglycinamide Synthetase: Insight from Xenon Trapping and Statistical Coupling Analysis
Authors : Tanwar, A.S.; Goyal, V.D.; Choudhary, D.; Panjekar, S.; Anand, R.
Deposited on : 2013-06-30
Resolution : 1.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4690 (1.50-1.46)
Clashscore	141614	4955 (1.50-1.46)
Ramachandran outliers	138981	4846 (1.50-1.46)
Sidechain outliers	138945	4844 (1.50-1.46)
RSRZ outliers	127900	4614 (1.50-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1305	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	A	1324	-	-	X	-
5	ACT	A	1326	-	-	X	-
6	GOL	A	1327	-	-	X	-
6	GOL	A	1329	-	-	X	-
6	GOL	A	1330	-	X	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 11923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoribosylformylglycinamide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1288	10142	6393	1782	1914	53	0	46	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	GLY	-	expression tag	UNP P74881
A	-8	ASP	-	expression tag	UNP P74881
A	-7	GLY	-	expression tag	UNP P74881
A	-6	LEU	-	expression tag	UNP P74881
A	-5	VAL	-	expression tag	UNP P74881
A	-4	PRO	-	expression tag	UNP P74881
A	-3	ARG	-	expression tag	UNP P74881
A	-2	GLY	-	expression tag	UNP P74881
A	-1	SER	-	expression tag	UNP P74881
A	0	HIS	-	expression tag	UNP P74881
A	209	TRP	PHE	engineered mutation	UNP P74881

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	27	10	5	10	2	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
3	A	7	7	7	0	0


- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	6	Total	Cl	0	0
			6	6		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1610	Total	O	0	0
			1610	1610		

3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoribosylformylglycinamide synthase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	146.33Å 146.33Å 140.84Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.50 – 1.48 27.50 – 1.48	Depositor EDS
% Data completeness (in resolution range)	96.3 (27.50-1.48) 96.3 (27.50-1.48)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.52 (at 1.48Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.142 , 0.166 0.142 , 0.163	Depositor DCC
R_{free} test set	1114 reflections (0.41%)	wwPDB-VP
Wilson B-factor (Å ²)	10.3	Xtrriage
Anisotropy	0.227	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 49.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.024 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11923	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CYG, SO4, MG, ACT, GOL, CL, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.52	61/10483 (0.6%)	1.69	203/14224 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (61) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1253	ARG	CZ-NH1	12.30	1.49	1.33
1	A	1253	ARG	CZ-NH2	9.82	1.45	1.33
1	A	1266	ARG	CZ-NH2	9.31	1.45	1.33
1	A	36	GLU	CD-OE1	8.74	1.35	1.25
1	A	1119	GLU	CB-CG	-8.62	1.35	1.52
1	A	587	SER	CB-OG	-8.55	1.31	1.42
1	A	994	ARG	CB-CG	-7.56	1.32	1.52
1	A	1291	ARG	CZ-NH2	7.50	1.42	1.33
1	A	526	GLU	CD-OE1	7.25	1.33	1.25
1	A	403	GLU	CG-CD	7.23	1.62	1.51
1	A	1047	GLU	CD-OE1	7.09	1.33	1.25
1	A	1152	GLU	CG-CD	7.06	1.62	1.51
1	A	1188	SER	CB-OG	6.86	1.51	1.42
1	A	1114	HIS	CG-CD2	6.73	1.47	1.35
1	A	394	GLU	CD-OE2	6.65	1.32	1.25
1	A	514	GLU	CD-OE1	6.49	1.32	1.25
1	A	882	TRP	CD2-CE2	6.07	1.48	1.41
1	A	940	GLU	CD-OE2	-6.02	1.19	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	525	PHE	CG-CD1	5.98	1.47	1.38
1	A	87	TRP	CD2-CE2	5.96	1.48	1.41
1	A	740	TRP	CD2-CE2	5.92	1.48	1.41
1	A	-9	GLY	C-O	5.79	1.32	1.23
1	A	990	TRP	CD2-CE2	5.79	1.48	1.41
1	A	329	LYS	CB-CG	-5.75	1.37	1.52
1	A	317	ARG	CZ-NH2	5.74	1.40	1.33
1	A	31	HIS	CG-CD2	5.73	1.45	1.35
1	A	963	ARG	CZ-NH2	5.68	1.40	1.33
1	A	984	TRP	CE3-CZ3	5.62	1.48	1.38
1	A	691	TYR	CD1-CE1	5.61	1.47	1.39
1	A	994	ARG	CG-CD	5.61	1.66	1.51
1	A	984	TRP	CD1-NE1	5.61	1.47	1.38
1	A	137	GLU	CD-OE2	5.57	1.31	1.25
1	A	794	MET	N-CA	5.52	1.57	1.46
1	A	793	GLU	CD-OE1	5.49	1.31	1.25
1	A	31	HIS	CB-CG	5.48	1.59	1.50
1	A	341	ARG	CD-NE	-5.47	1.37	1.46
1	A	72	GLY	N-CA	-5.44	1.37	1.46
1	A	113	TYR	CD1-CE1	-5.44	1.31	1.39
1	A	1295	GLY	C-O	5.38	1.32	1.23
1	A	982	ARG	CZ-NH1	5.33	1.40	1.33
1	A	534	GLU	CD-OE2	5.29	1.31	1.25
1	A	409	LYS	CD-CE	-5.25	1.38	1.51
1	A	112	TYR	CD2-CE2	5.25	1.47	1.39
1	A	324	ARG	CD-NE	-5.25	1.37	1.46
1	A	478	GLU	CD-OE1	5.24	1.31	1.25
1	A	112	TYR	CG-CD1	5.23	1.46	1.39
1	A	767[A]	GLN	CD-OE1	5.22	1.35	1.24
1	A	767[B]	GLN	CD-OE1	5.22	1.35	1.24
1	A	541	GLU	CD-OE1	-5.22	1.20	1.25
1	A	426	GLN	CG-CD	5.19	1.62	1.51
1	A	447	GLY	N-CA	5.16	1.53	1.46
1	A	151	ILE	N-CA	5.15	1.56	1.46
1	A	1144	LEU	CA-C	-5.15	1.39	1.52
1	A	807	ARG	CZ-NH2	5.12	1.39	1.33
1	A	314	GLY	N-CA	5.11	1.53	1.46
1	A	1007	GLU	CD-OE1	-5.11	1.20	1.25
1	A	279	ARG	CZ-NH1	5.09	1.39	1.33
1	A	281	ASP	CG-OD1	5.06	1.36	1.25
1	A	940	GLU	CD-OE1	5.05	1.31	1.25
1	A	294	GLU	CG-CD	-5.01	1.44	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	984	TRP	CD2-CE2	5.01	1.47	1.41

All (203) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1164	ARG	NE-CZ-NH1	26.23	133.42	120.30
1	A	1253	ARG	NE-CZ-NH2	-25.80	107.40	120.30
1	A	994	ARG	NE-CZ-NH1	17.07	128.84	120.30
1	A	713	ARG	NE-CZ-NH2	-16.56	112.02	120.30
1	A	199	ARG	NE-CZ-NH2	-16.55	112.03	120.30
1	A	1285	ARG	NE-CZ-NH2	-16.07	112.27	120.30
1	A	1164	ARG	NE-CZ-NH2	-14.76	112.92	120.30
1	A	639	ARG	NE-CZ-NH1	13.89	127.25	120.30
1	A	1062	ARG	NE-CZ-NH2	-13.86	113.37	120.30
1	A	807	ARG	NE-CZ-NH2	-13.61	113.50	120.30
1	A	1266	ARG	NE-CZ-NH2	-13.42	113.59	120.30
1	A	1291	ARG	NE-CZ-NH2	-13.02	113.79	120.30
1	A	550	ARG	NE-CZ-NH1	-12.56	114.02	120.30
1	A	807	ARG	NE-CZ-NH1	11.99	126.30	120.30
1	A	1115	ARG	NE-CZ-NH2	-11.98	114.31	120.30
1	A	258	ASP	CB-CG-OD1	-11.80	107.67	118.30
1	A	1046	ARG	NE-CZ-NH2	-11.42	114.59	120.30
1	A	472	ARG	NE-CZ-NH2	-11.32	114.64	120.30
1	A	281	ASP	CB-CG-OD2	-11.28	108.14	118.30
1	A	487	ARG	NE-CZ-NH1	-11.27	114.67	120.30
1	A	472	ARG	NE-CZ-NH1	10.77	125.69	120.30
1	A	932	ARG	NE-CZ-NH2	-10.63	114.98	120.30
1	A	1200[A]	ARG	NE-CZ-NH1	-10.62	114.99	120.30
1	A	1200[B]	ARG	NE-CZ-NH1	-10.62	114.99	120.30
1	A	1291	ARG	NE-CZ-NH1	10.53	125.56	120.30
1	A	932	ARG	NE-CZ-NH1	10.40	125.50	120.30
1	A	1253	ARG	NE-CZ-NH1	10.36	125.48	120.30
1	A	270	ARG	NE-CZ-NH1	-10.32	115.14	120.30
1	A	1280	ASP	CB-CG-OD2	-10.31	109.02	118.30
1	A	352	ASP	CB-CG-OD1	10.27	127.55	118.30
1	A	1163	ASP	CB-CG-OD1	10.24	127.52	118.30
1	A	113	TYR	CZ-CE2-CD2	-10.20	110.62	119.80
1	A	341	ARG	NE-CZ-NH2	-9.94	115.33	120.30
1	A	1003	ASP	CB-CG-OD2	-9.93	109.37	118.30
1	A	318	ASP	CB-CG-OD1	-9.78	109.50	118.30
1	A	713	ARG	NE-CZ-NH1	9.78	125.19	120.30
1	A	15	ARG	NE-CZ-NH2	-9.76	115.42	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1066	ASP	CB-CG-OD2	-9.57	109.69	118.30
1	A	639	ARG	NE-CZ-NH2	-9.54	115.53	120.30
1	A	996	ARG	NE-CZ-NH2	-9.38	115.61	120.30
1	A	177	ARG	NE-CZ-NH2	9.31	124.95	120.30
1	A	733	ARG	NE-CZ-NH2	-9.29	115.65	120.30
1	A	279	ARG	NE-CZ-NH2	-9.24	115.68	120.30
1	A	1003	ASP	CB-CG-OD1	9.00	126.40	118.30
1	A	1156	ARG	NE-CZ-NH2	-8.98	115.81	120.30
1	A	733	ARG	NE-CZ-NH1	8.92	124.76	120.30
1	A	203	ASP	CB-CG-OD2	-8.88	110.30	118.30
1	A	207	TYR	CD1-CE1-CZ	-8.84	111.84	119.80
1	A	754	TYR	CG-CD2-CE2	-8.83	114.24	121.30
1	A	700	ARG	NE-CZ-NH1	8.79	124.70	120.30
1	A	1168	ARG	NE-CZ-NH1	8.78	124.69	120.30
1	A	203	ASP	CB-CG-OD1	8.63	126.07	118.30
1	A	388	TYR	CB-CG-CD1	-8.63	115.82	121.00
1	A	104	ASP	CB-CG-OD2	-8.51	110.64	118.30
1	A	281	ASP	CB-CG-OD1	8.46	125.91	118.30
1	A	707	ASP	CB-CG-OD1	8.15	125.64	118.30
1	A	199	ARG	NE-CZ-NH1	8.14	124.37	120.30
1	A	1144	LEU	CB-CA-C	-8.04	94.92	110.20
1	A	274	ASP	CB-CG-OD1	-8.02	111.08	118.30
1	A	324	ARG	NE-CZ-NH2	-7.93	116.33	120.30
1	A	635	ASP	CB-CG-OD2	7.93	125.44	118.30
1	A	762	GLU	OE1-CD-OE2	-7.78	113.97	123.30
1	A	1094	PHE	CB-CG-CD2	-7.75	115.37	120.80
1	A	220	LYS	CD-CE-NZ	7.70	129.42	111.70
1	A	42	ASP	CB-CG-OD2	-7.69	111.38	118.30
1	A	550	ARG	NH1-CZ-NH2	7.67	127.84	119.40
1	A	688	ASP	CB-CG-OD2	7.52	125.07	118.30
1	A	1280	ASP	CB-CG-OD1	7.49	125.04	118.30
1	A	466	ASP	CB-CG-OD2	-7.42	111.62	118.30
1	A	1253	ARG	CD-NE-CZ	7.32	133.84	123.60
1	A	1062	ARG	NE-CZ-NH1	7.31	123.95	120.30
1	A	113	TYR	CD1-CE1-CZ	7.30	126.37	119.80
1	A	614	ARG	NE-CZ-NH1	-7.26	116.67	120.30
1	A	615	ASP	CB-CG-OD2	7.23	124.81	118.30
1	A	80	ARG	CG-CD-NE	7.22	126.97	111.80
1	A	994	ARG	NH1-CZ-NH2	-7.22	111.46	119.40
1	A	812	ARG	NE-CZ-NH2	-7.21	116.69	120.30
1	A	1205	ASP	CB-CG-OD2	7.16	124.75	118.30
1	A	-8	ASP	CB-CG-OD1	7.16	124.74	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1074	ASP	CB-CG-OD2	7.15	124.74	118.30
1	A	936	ARG	NE-CZ-NH2	-7.15	116.73	120.30
1	A	885	ARG	NE-CZ-NH2	-7.12	116.74	120.30
1	A	388	TYR	CZ-CE2-CD2	-7.12	113.39	119.80
1	A	569	ARG	NE-CZ-NH1	7.09	123.85	120.30
1	A	22	ARG	NE-CZ-NH2	-7.08	116.76	120.30
1	A	61	TYR	CB-CG-CD2	-6.99	116.81	121.00
1	A	1253	ARG	NH1-CZ-NH2	6.97	127.07	119.40
1	A	1079	ARG	NE-CZ-NH2	6.90	123.75	120.30
1	A	1069	ASP	CB-CG-OD1	6.88	124.49	118.30
1	A	1159	ARG	NE-CZ-NH2	-6.87	116.86	120.30
1	A	177	ARG	NE-CZ-NH1	-6.86	116.87	120.30
1	A	1144	LEU	O-C-N	-6.86	111.73	122.70
1	A	473	ASP	CB-CG-OD2	-6.79	112.19	118.30
1	A	207	TYR	CG-CD2-CE2	-6.78	115.88	121.30
1	A	1221	ARG	NE-CZ-NH1	6.76	123.68	120.30
1	A	105	ARG	NE-CZ-NH1	6.72	123.66	120.30
1	A	528	ARG	NE-CZ-NH1	6.69	123.65	120.30
1	A	1024	ASP	CB-CG-OD1	6.68	124.32	118.30
1	A	515	LEU	CD1-CG-CD2	-6.65	90.55	110.50
1	A	856	ASP	CB-CG-OD1	6.64	124.28	118.30
1	A	341	ARG	NE-CZ-NH1	6.61	123.60	120.30
1	A	1098	ASP	CB-CG-OD2	-6.60	112.36	118.30
1	A	1118	ASP	CB-CG-OD1	6.59	124.23	118.30
1	A	782	LYS	CB-CG-CD	-6.54	94.60	111.60
1	A	810	ASP	CB-CG-OD1	6.48	124.13	118.30
1	A	666	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	1156	ARG	CD-NE-CZ	6.45	132.63	123.60
1	A	950	ASP	CB-CG-OD1	6.45	124.10	118.30
1	A	1224	ASP	CB-CG-OD2	-6.44	112.50	118.30
1	A	205	GLU	OE1-CD-OE2	6.41	130.99	123.30
1	A	1265	PHE	CB-CG-CD2	6.38	125.27	120.80
1	A	754	TYR	CZ-CE2-CD2	6.38	125.54	119.80
1	A	691	TYR	CD1-CE1-CZ	-6.38	114.06	119.80
1	A	390	ARG	NE-CZ-NH1	6.33	123.46	120.30
1	A	113	TYR	CB-CG-CD2	6.31	124.79	121.00
1	A	619	LEU	CB-CG-CD2	-6.29	100.30	111.00
1	A	65	LEU	CB-CG-CD1	6.27	121.66	111.00
1	A	113	TYR	CB-CG-CD1	-6.27	117.24	121.00
1	A	1224	ASP	CB-CG-OD1	6.25	123.93	118.30
1	A	691	TYR	CB-CG-CD2	-6.21	117.28	121.00
1	A	1014	ASP	CB-CG-OD2	-6.16	112.75	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1014	ASP	CB-CG-OD1	6.13	123.82	118.30
1	A	274	ASP	CB-CG-OD2	6.12	123.80	118.30
1	A	112	TYR	CB-CG-CD1	-6.10	117.34	121.00
1	A	1047	GLU	OE1-CD-OE2	-6.09	116.00	123.30
1	A	690	TYR	CB-CG-CD2	-6.08	117.35	121.00
1	A	176	LEU	CB-CG-CD1	-6.07	100.68	111.00
1	A	560	LEU	CB-CG-CD1	-6.07	100.68	111.00
1	A	658	ARG	NE-CZ-NH1	-6.07	117.27	120.30
1	A	777	ASP	CB-CG-OD1	6.07	123.76	118.30
1	A	403	GLU	OE1-CD-OE2	-6.04	116.05	123.30
1	A	185	ASP	CB-CG-OD1	6.01	123.71	118.30
1	A	272	PHE	CB-CG-CD2	-6.01	116.60	120.80
1	A	1257[A]	MET	CG-SD-CE	-5.98	90.63	100.20
1	A	1257[B]	MET	CG-SD-CE	-5.98	90.63	100.20
1	A	1098	ASP	CB-CG-OD1	5.95	123.65	118.30
1	A	113	TYR	CG-CD1-CE1	-5.94	116.55	121.30
1	A	37	TYR	CG-CD2-CE2	-5.91	116.57	121.30
1	A	1033	TYR	CB-CG-CD1	-5.89	117.47	121.00
1	A	626	LEU	CB-CG-CD2	-5.88	101.00	111.00
1	A	1145	ARG	CB-CA-C	-5.86	98.67	110.40
1	A	206	LEU	CB-CG-CD1	-5.82	101.10	111.00
1	A	388	TYR	CG-CD1-CE1	-5.82	116.65	121.30
1	A	763	GLU	CG-CD-OE1	5.81	129.92	118.30
1	A	994	ARG	CD-NE-CZ	5.80	131.72	123.60
1	A	225	ASP	CB-CG-OD2	-5.76	113.12	118.30
1	A	23	PHE	CB-CG-CD2	-5.76	116.77	120.80
1	A	968	ALA	O-C-N	5.73	131.87	122.70
1	A	586[A]	LEU	CB-CG-CD1	5.72	120.72	111.00
1	A	586[B]	LEU	CB-CG-CD1	5.72	120.72	111.00
1	A	113	TYR	CG-CD2-CE2	5.68	125.85	121.30
1	A	551	TYR	CZ-CE2-CD2	-5.64	114.72	119.80
1	A	134	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	A	994	ARG	CG-CD-NE	5.62	123.61	111.80
1	A	657	ASP	CB-CG-OD1	-5.62	113.24	118.30
1	A	679	ASP	CB-CG-OD1	5.62	123.36	118.30
1	A	1164	ARG	NH1-CZ-NH2	-5.57	113.27	119.40
1	A	882	TRP	CH2-CZ2-CE2	5.55	122.95	117.40
1	A	599	ASP	CB-CG-OD1	5.51	123.26	118.30
1	A	392	TYR	CD1-CE1-CZ	-5.50	114.85	119.80
1	A	341	ARG	CG-CD-NE	-5.50	100.26	111.80
1	A	1144	LEU	CA-CB-CG	-5.47	102.71	115.30
1	A	37	TYR	CD1-CE1-CZ	-5.43	114.91	119.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	A	14	PHE	CB-CG-CD2	-5.43	117.00	120.80
1	A	569	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	A	594	ASP	CB-CG-OD1	5.37	123.13	118.30
1	A	950	ASP	CB-CG-OD2	-5.35	113.48	118.30
1	A	612	MET	N-CA-CB	-5.35	100.97	110.60
1	A	1279[A]	GLU	OE1-CD-OE2	-5.34	116.90	123.30
1	A	1279[B]	GLU	OE1-CD-OE2	-5.34	116.90	123.30
1	A	1156	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	480	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	1039	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	946	TYR	CB-CG-CD1	-5.29	117.83	121.00
1	A	887	ASP	CB-CG-OD1	5.28	123.05	118.30
1	A	1144	LEU	CB-CG-CD1	-5.26	102.05	111.00
1	A	564	ASP	CB-CG-OD1	5.26	123.03	118.30
1	A	34	TYR	CB-CG-CD1	-5.22	117.86	121.00
1	A	690	TYR	CD1-CE1-CZ	-5.22	115.10	119.80
1	A	105	ARG	NH1-CZ-NH2	-5.22	113.66	119.40
1	A	1039	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	A	1285	ARG	NH1-CZ-NH2	5.21	125.14	119.40
1	A	106	LEU	CB-CG-CD2	-5.19	102.17	111.00
1	A	1123	PHE	CB-CG-CD1	5.19	124.43	120.80
1	A	1154	TRP	CZ3-CH2-CZ2	5.17	127.80	121.60
1	A	619	LEU	CB-CG-CD1	5.16	119.77	111.00
1	A	624	ASP	CB-CG-OD2	5.14	122.93	118.30
1	A	486	ASP	CB-CG-OD1	5.13	122.92	118.30
1	A	792	ARG	CG-CD-NE	-5.13	101.02	111.80
1	A	571[A]	ARG	N-CA-CB	5.11	119.80	110.60
1	A	571[B]	ARG	N-CA-CB	5.11	119.80	110.60
1	A	763	GLU	OE1-CD-OE2	-5.10	117.18	123.30
1	A	258	ASP	OD1-CG-OD2	5.09	132.97	123.30
1	A	628	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	A	688	ASP	CB-CG-OD1	-5.08	113.73	118.30
1	A	22	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	A	603	ASP	CB-CG-OD1	5.06	122.86	118.30
1	A	42	ASP	OD1-CG-OD2	5.05	132.89	123.30
1	A	1221	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	A	942	LEU	CB-CG-CD1	5.04	119.56	111.00
1	A	859	ASP	CB-CG-OD2	-5.01	113.79	118.30
1	A	1266	ARG	NH1-CZ-NH2	5.01	124.91	119.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1253	ARG	Sidechain
1	A	296	HIS	Sidechain
1	A	421	ARG	Sidechain
1	A	441	GLY	Mainchain
1	A	788	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10142	0	10058	184	2
2	A	27	0	12	1	0
3	A	7	0	0	0	0
4	A	95	0	0	1	0
5	A	12	0	9	6	0
6	A	24	0	31	13	2
7	A	6	0	0	0	0
8	A	1610	0	0	88	5
All	All	11923	0	10110	195	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:630:ASP:HB3	8:A:2645:HOH:O	1.35	1.26
1:A:335:PHE:HE1	1:A:412[B]:MET:CE	1.50	1.25
1:A:75[A]:LEU:HD23	8:A:2652:HOH:O	1.30	1.24
1:A:346[B]:GLU:OE1	8:A:2503:HOH:O	1.55	1.22
1:A:402:GLU:HG2	8:A:2533:HOH:O	1.36	1.22
1:A:515:LEU:CG	8:A:2754:HOH:O	1.88	1.20
1:A:75[A]:LEU:CD2	8:A:2652:HOH:O	1.84	1.17
6:A:1327:GOL:H31	8:A:1825:HOH:O	1.38	1.17
6:A:1327:GOL:H12	8:A:1825:HOH:O	1.44	1.14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:LEU:HG	8:A:2754:HOH:O	1.49	1.10
1:A:448:LEU:CA	8:A:2507:HOH:O	1.99	1.09
1:A:1128:GLN:HG3	8:A:2641:HOH:O	1.53	1.09
1:A:18:LYS:HD2	8:A:2278:HOH:O	1.51	1.08
1:A:466:ASP:N	8:A:1964:HOH:O	1.83	1.07
1:A:85:SER:HA	6:A:1330:GOL:H12	1.21	1.07
1:A:534:GLU:HG3	8:A:2559:HOH:O	1.54	1.05
1:A:335:PHE:CE1	1:A:412[B]:MET:CE	2.40	1.04
1:A:335:PHE:CE1	1:A:412[B]:MET:SD	2.51	1.03
1:A:292:LYS:HE3	8:A:2455:HOH:O	0.85	1.03
1:A:335:PHE:HE1	1:A:412[B]:MET:HE1	1.22	1.01
1:A:18:LYS:HD3	8:A:2748:HOH:O	1.60	1.01
6:A:1327:GOL:C3	8:A:1825:HOH:O	2.03	0.97
1:A:582:GLU:H	5:A:1324:ACT:H1	1.31	0.96
1:A:136:MET:CE	8:A:2088:HOH:O	2.16	0.92
1:A:877:ARG:NH2	8:A:2556:HOH:O	1.73	0.92
1:A:820:SER:H	1:A:930:GLN:HE22	1.19	0.91
1:A:1204:ARG:HD3	8:A:1932:HOH:O	1.71	0.91
1:A:586[B]:LEU:HD22	1:A:605:LEU:CD2	2.01	0.89
1:A:335:PHE:CE1	1:A:412[B]:MET:HE1	2.06	0.89
1:A:969:ASN:ND2	8:A:2360:HOH:O	2.08	0.87
6:A:1327:GOL:C1	8:A:1825:HOH:O	2.08	0.87
1:A:515:LEU:CD2	8:A:2754:HOH:O	2.12	0.86
1:A:136:MET:HE2	8:A:2088:HOH:O	1.74	0.86
1:A:783[B]:THR:HG21	8:A:2822:HOH:O	1.77	0.85
1:A:605:LEU:HD12	8:A:2612:HOH:O	1.75	0.85
1:A:175:ASN:HD21	1:A:182:LEU:H	1.20	0.84
1:A:782:LYS:HD2	1:A:793:GLU:OE1	1.77	0.84
1:A:545:ASN:HD22	1:A:547:SER:H	1.22	0.84
1:A:379:GLU:HG3	8:A:3010:HOH:O	1.78	0.84
1:A:120:THR:H	1:A:123:GLN:HE21	1.26	0.83
1:A:367[B]:THR:HG21	8:A:2177:HOH:O	1.78	0.83
1:A:586[B]:LEU:HD22	1:A:605:LEU:HD21	1.61	0.82
1:A:622:LYS:O	8:A:2415:HOH:O	1.97	0.82
1:A:586[B]:LEU:CD2	1:A:605:LEU:CD2	2.57	0.81
1:A:122:GLU:HG2	8:A:2852:HOH:O	1.81	0.79
1:A:605:LEU:CD1	8:A:2612:HOH:O	2.28	0.79
1:A:75[B]:LEU:HD13	1:A:114:ILE:HD12	1.65	0.78
1:A:1113:ASN:HD22	1:A:1116:VAL:H	1.32	0.77
1:A:85:SER:CA	6:A:1330:GOL:H12	2.10	0.77
1:A:787:GLU:HB2	1:A:792:ARG:HG3	1.63	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:586[B]:LEU:HD23	1:A:605:LEU:HD22	1.67	0.77
1:A:767[A]:GLN:HG3	8:A:2696:HOH:O	1.85	0.76
5:A:1326:ACT:H3	8:A:2160:HOH:O	1.85	0.75
6:A:1327:GOL:C2	8:A:1825:HOH:O	2.24	0.74
1:A:922:ASN:HD22	1:A:924:GLU:H	1.33	0.74
1:A:471:GLN:HE21	1:A:472:ARG:H	1.35	0.73
1:A:585:HIS:HE1	1:A:599:ASP:OD1	1.72	0.73
1:A:969:ASN:N	8:A:2360:HOH:O	2.21	0.73
1:A:-8:ASP:OD2	1:A:5:LEU:CG	2.38	0.72
1:A:746:HIS:HD2	8:A:2223:HOH:O	1.71	0.72
1:A:877:ARG:NE	8:A:2556:HOH:O	2.22	0.72
1:A:582:GLU:H	5:A:1324:ACT:CH3	2.04	0.70
1:A:787:GLU:CB	1:A:792:ARG:HG3	2.21	0.70
1:A:-8:ASP:OD2	1:A:5:LEU:HG	1.92	0.70
1:A:175:ASN:HD22	1:A:180:LEU:HB2	1.56	0.70
1:A:300:THR:HG21	1:A:412[B]:MET:CE	2.22	0.69
1:A:-8:ASP:OD2	1:A:5:LEU:HD23	1.92	0.69
1:A:312[A]:SER:OG	8:A:2002:HOH:O	2.10	0.68
1:A:510:ASN:HB2	8:A:2502:HOH:O	1.93	0.68
1:A:969:ASN:CA	8:A:2360:HOH:O	2.41	0.68
1:A:39:HIS:HE1	1:A:61:TYR:OH	1.76	0.68
1:A:259:ASN:CA	8:A:2323:HOH:O	2.41	0.68
1:A:152:HIS:HA	8:A:2603:HOH:O	1.94	0.68
1:A:96:HIS:HE1	1:A:103:VAL:O	1.75	0.68
1:A:877:ARG:CZ	8:A:2556:HOH:O	2.25	0.67
1:A:300:THR:HG21	1:A:412[B]:MET:HE2	1.75	0.67
1:A:379:GLU:CG	8:A:3010:HOH:O	2.38	0.67
1:A:-8:ASP:OD2	1:A:5:LEU:CD2	2.43	0.66
1:A:317:ARG:HH22	1:A:548:GLN:HE22	1.41	0.66
1:A:679:ASP:OD2	1:A:883:HIS:HD2	1.76	0.66
1:A:1052:SER:HB3	8:A:1713:HOH:O	1.96	0.66
1:A:73:LYS:HE3	8:A:2882:HOH:O	1.95	0.66
1:A:586[B]:LEU:CD2	1:A:605:LEU:HD22	2.23	0.65
1:A:883:HIS:HE1	1:A:896:GLU:OE1	1.79	0.65
1:A:586[B]:LEU:CD2	1:A:605:LEU:HD21	2.24	0.65
1:A:723:ILE:O	1:A:726[A]:THR:HG22	1.96	0.65
1:A:515:LEU:HD23	8:A:2754:HOH:O	1.89	0.64
1:A:85:SER:HA	6:A:1330:GOL:C1	2.13	0.64
1:A:1251:ASN:ND2	1:A:1253:ARG:H	1.96	0.63
1:A:216:HIS:HD2	8:A:1817:HOH:O	1.81	0.62
1:A:275:HIS:HD2	8:A:2453:HOH:O	1.83	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:ALA:HB2	1:A:412[B]:MET:CE	2.29	0.62
1:A:86:PRO:HD3	6:A:1330:GOL:H2	1.84	0.60
1:A:969:ASN:HA	8:A:2360:HOH:O	2.02	0.60
1:A:219:HIS:HE1	8:A:2346:HOH:O	1.84	0.60
5:A:1324:ACT:H2	8:A:2677:HOH:O	2.01	0.60
1:A:1026:ASN:ND2	8:A:2859:HOH:O	2.35	0.59
1:A:403:GLU:OE2	1:A:746:HIS:HE1	1.85	0.59
1:A:6:ARG:NH1	8:A:2220:HOH:O	2.36	0.59
1:A:-9:GLY:HA3	8:A:2369:HOH:O	2.03	0.59
1:A:1260:HIS:HD2	1:A:1262:GLU:OE2	1.85	0.59
1:A:354:GLY:O	1:A:408:HIS:HE1	1.88	0.57
1:A:585:HIS:CE1	1:A:599:ASP:OD1	2.55	0.56
1:A:298:HIS:HE1	1:A:469:SER:OG	1.88	0.56
6:A:1330:GOL:H32	8:A:1871:HOH:O	2.05	0.56
1:A:1004:GLN:NE2	1:A:1233:TYR:H	2.04	0.56
1:A:1251:ASN:HD22	1:A:1253:ARG:H	1.51	0.56
1:A:142[B]:SER:OG	1:A:144:THR:HG22	2.07	0.55
1:A:364:ASP:O	1:A:367[B]:THR:HG22	2.07	0.54
1:A:152:HIS:HB2	4:A:1322:SO4:O1	2.08	0.54
1:A:-9:GLY:N	8:A:2497:HOH:O	1.94	0.54
1:A:175:ASN:ND2	1:A:182:LEU:H	1.99	0.54
1:A:335:PHE:HE1	1:A:412[B]:MET:HE2	1.63	0.53
1:A:827[A]:LEU:HB2	1:A:929:ILE:HG13	1.91	0.53
1:A:1006:HIS:HD2	8:A:1411:HOH:O	1.91	0.53
1:A:1251:ASN:HD22	1:A:1251:ASN:C	2.11	0.52
1:A:668:GLN:HG2	2:A:1301:ADP:H1'	1.91	0.52
1:A:545:ASN:ND2	1:A:547:SER:H	1.99	0.52
1:A:1000:GLN:HG3	6:A:1329:GOL:H11	1.92	0.52
1:A:1113:ASN:ND2	1:A:1116:VAL:H	2.05	0.52
1:A:298:HIS:CE1	1:A:469:SER:OG	2.63	0.51
1:A:136:MET:HE3	8:A:2088:HOH:O	1.92	0.51
1:A:274:ASP:HB2	8:A:2760:HOH:O	2.09	0.51
1:A:176:LEU:HD23	8:A:2326:HOH:O	2.10	0.51
1:A:39:HIS:HD2	8:A:1601:HOH:O	1.92	0.51
1:A:317:ARG:HH22	1:A:548:GLN:NE2	2.08	0.51
1:A:726[A]:THR:HG23	1:A:728:ILE:HG13	1.92	0.51
1:A:1206:ASP:HB3	8:A:2700:HOH:O	2.10	0.50
1:A:592:HIS:HE1	8:A:2810:HOH:O	1.95	0.50
1:A:329:LYS:NZ	1:A:419:ASN:HD21	2.10	0.50
1:A:18:LYS:HE3	8:A:1664:HOH:O	2.11	0.50
1:A:219:HIS:HD2	1:A:777:ASP:OD1	1.95	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:789:ASN:OD1	1:A:789:ASN:N	2.35	0.50
1:A:271:TYR:CZ	1:A:280:TYR:HB3	2.46	0.50
1:A:1145:ARG:HB3	8:A:2192:HOH:O	2.12	0.50
1:A:217[A]:CYS:SG	8:A:2066:HOH:O	2.59	0.50
1:A:412[A]:MET:SD	8:A:2456:HOH:O	2.60	0.49
1:A:782:LYS:NZ	8:A:2584:HOH:O	2.40	0.49
1:A:864:LYS:HD3	8:A:2649:HOH:O	2.12	0.49
1:A:300:THR:CG2	1:A:412[B]:MET:HE3	2.42	0.49
1:A:784:ARG:HD3	8:A:2837:HOH:O	2.11	0.49
1:A:308:ALA:HB2	1:A:412[B]:MET:HE3	1.92	0.49
1:A:-9:GLY:CA	8:A:2497:HOH:O	2.52	0.49
1:A:32:ASN:OD1	8:A:2918:HOH:O	2.20	0.48
1:A:296:HIS:HD2	1:A:307:GLY:O	1.96	0.48
1:A:782:LYS:CD	1:A:793:GLU:OE1	2.55	0.48
1:A:300:THR:CG2	1:A:412[B]:MET:CE	2.91	0.48
5:A:1326:ACT:H1	8:A:1804:HOH:O	2.14	0.48
1:A:782:LYS:HE2	1:A:784:ARG:CZ	2.44	0.48
1:A:1006:HIS:HE1	8:A:1590:HOH:O	1.96	0.47
1:A:3:GLU:OE1	1:A:52:GLN:NE2	2.47	0.47
1:A:532:SER:HB2	8:A:2493:HOH:O	2.14	0.47
1:A:782:LYS:CE	1:A:784:ARG:CZ	2.93	0.46
1:A:144:THR:O	1:A:147[B]:GLU:HG3	2.16	0.46
1:A:120:THR:H	1:A:123:GLN:NE2	2.04	0.45
1:A:1204:ARG:CD	8:A:1932:HOH:O	2.45	0.45
1:A:34:TYR:CE2	1:A:36:GLU:HG3	2.52	0.45
1:A:820:SER:N	1:A:930:GLN:HE22	2.00	0.45
1:A:176:LEU:HD22	1:A:176:LEU:HA	1.85	0.44
1:A:540:LEU:C	1:A:540:LEU:HD23	2.38	0.44
1:A:619:LEU:CD1	8:A:2721:HOH:O	2.64	0.44
5:A:1325:ACT:H1	8:A:2709:HOH:O	2.17	0.44
6:A:1329:GOL:C1	8:A:2808:HOH:O	2.65	0.44
1:A:1048:GLN:O	1:A:1095:SER:HA	2.17	0.44
1:A:293:VAL:HB	1:A:739:ASN:HD21	1.82	0.44
1:A:275:HIS:HE1	8:A:2577:HOH:O	2.00	0.44
1:A:70:PRO:HB3	1:A:113:TYR:CE1	2.53	0.43
1:A:219:HIS:CD2	1:A:777:ASP:OD1	2.70	0.43
1:A:189:TYR:OH	1:A:607:GLY:HA3	2.18	0.43
1:A:1260:HIS:HE1	8:A:1717:HOH:O	2.01	0.43
1:A:499:PHE:CD2	1:A:515:LEU:HD12	2.54	0.43
1:A:571[A]:ARG:NH1	1:A:1047:GLU:OE2	2.50	0.43
1:A:732:LYS:HE2	8:A:2157:HOH:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:783[B]:THR:HG22	8:A:2314:HOH:O	2.18	0.43
1:A:732:LYS:CE	8:A:2157:HOH:O	2.66	0.43
1:A:787:GLU:HB3	1:A:792:ARG:HG3	2.01	0.43
1:A:1164:ARG:HD3	8:A:1505:HOH:O	2.19	0.42
1:A:663[A]:MET:CE	8:A:1958:HOH:O	2.67	0.42
1:A:367[B]:THR:HG23	1:A:368:GLU:HG2	2.02	0.42
1:A:33:ILE:HD12	1:A:114:ILE:HG12	2.00	0.42
1:A:619:LEU:HD13	8:A:2721:HOH:O	2.19	0.42
1:A:1004:GLN:HE21	1:A:1233:TYR:HB3	1.85	0.42
1:A:86:PRO:HD3	6:A:1330:GOL:C2	2.49	0.42
1:A:1144:LEU:HD23	1:A:1144:LEU:HA	1.78	0.41
1:A:114:ILE:HD13	1:A:127:VAL:HG11	2.03	0.41
1:A:367[B]:THR:HG23	1:A:368:GLU:N	2.36	0.41
1:A:907[B]:VAL:CG2	1:A:966[B]:ILE:HD13	2.50	0.41
1:A:96:HIS:CE1	1:A:103:VAL:O	2.63	0.41
1:A:786:GLN:HE21	1:A:786:GLN:HB3	1.76	0.41
1:A:39:HIS:CE1	1:A:61:TYR:OH	2.66	0.41
1:A:338:SER:OG	1:A:408:HIS:HD2	2.03	0.40
1:A:486:ASP:HA	1:A:489:TRP:CD1	2.56	0.40
1:A:782:LYS:CE	1:A:784:ARG:NH2	2.84	0.40
1:A:736:LEU:O	1:A:773:PRO:HD2	2.22	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1329:GOL:O2	8:A:2019:HOH:O[6_554]	1.69	0.51
8:A:2885:HOH:O	8:A:2964:HOH:O[5_555]	1.83	0.37
6:A:1329:GOL:C2	8:A:2019:HOH:O[6_554]	1.92	0.28
1:A:196:LYS:CE	8:A:2769:HOH:O[3_445]	2.02	0.18
1:A:-8:ASP:OD1	8:A:1684:HOH:O[4_444]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1330/1305 (102%)	1300 (98%)	28 (2%)	2 (0%)	47 23

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	661	THR
1	A	886	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1077/1041 (104%)	1057 (98%)	20 (2%)	57 26

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	104	ASP
1	A	119	LEU
1	A	176	LEU
1	A	296	HIS
1	A	346[A]	GLU
1	A	346[B]	GLU
1	A	412[A]	MET
1	A	412[B]	MET
1	A	445	ASN
1	A	471	GLN
1	A	539	PRO
1	A	583	GLU
1	A	586[A]	LEU
1	A	586[B]	LEU
1	A	922	ASN
1	A	982	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1190	MET
1	A	1195	SER
1	A	1251	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	29	GLN
1	A	31	HIS
1	A	39	HIS
1	A	96	HIS
1	A	101	GLN
1	A	123	GLN
1	A	175	ASN
1	A	216	HIS
1	A	219	HIS
1	A	233	GLN
1	A	243	ASN
1	A	275	HIS
1	A	296	HIS
1	A	298	HIS
1	A	408	HIS
1	A	419	ASN
1	A	445	ASN
1	A	471	GLN
1	A	545	ASN
1	A	548	GLN
1	A	585	HIS
1	A	674	GLN
1	A	739	ASN
1	A	746	HIS
1	A	786	GLN
1	A	883	HIS
1	A	922	ASN
1	A	930	GLN
1	A	957	GLN
1	A	969	ASN
1	A	993	GLN
1	A	1004	GLN
1	A	1006	HIS
1	A	1018	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1026	ASN
1	A	1061	HIS
1	A	1113	ASN
1	A	1189	GLN
1	A	1251	ASN
1	A	1260	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CYG	A	1135	1	12,14,15	2.24	4 (33%)	10,17,19	2.67	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CYG	A	1135	1	-	1/14/16/18	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1135	CYG	CG1-CD1	4.74	1.55	1.50
1	A	1135	CYG	OE2-CD1	3.51	1.26	1.21
1	A	1135	CYG	CD1-SG	3.15	1.83	1.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1135	CYG	CB-SG	2.37	1.86	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1135	CYG	CB1-CG1-CD1	-5.93	99.18	112.27
1	A	1135	CYG	OE2-CD1-CG1	-4.22	119.11	123.98
1	A	1135	CYG	CG1-CD1-SG	3.17	117.17	113.40
1	A	1135	CYG	CB-CA-C	2.67	118.04	110.80

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1135	CYG	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 13 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	1323	-	4,4,4	0.94	0	6,6,6	1.66	2 (33%)
4	SO4	A	1321	-	4,4,4	0.55	0	6,6,6	1.13	0
2	ADP	A	1301	3	24,29,29	1.51	2 (8%)	29,45,45	0.99	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	A	1328	-	5,5,5	1.43	0	5,5,5	0.79	0
4	SO4	A	1311	-	4,4,4	0.72	0	6,6,6	1.47	2 (33%)
4	SO4	A	1317	-	4,4,4	0.60	0	6,6,6	1.05	1 (16%)
4	SO4	A	1316	-	4,4,4	0.78	0	6,6,6	0.57	0
6	GOL	A	1330	-	5,5,5	1.81	1 (20%)	5,5,5	1.61	2 (40%)
4	SO4	A	1306	-	4,4,4	0.56	0	6,6,6	0.76	0
5	ACT	A	1325	-	3,3,3	0.65	0	3,3,3	1.99	1 (33%)
4	SO4	A	1318	-	4,4,4	0.93	0	6,6,6	1.08	0
4	SO4	A	1319	-	4,4,4	0.91	0	6,6,6	1.32	0
5	ACT	A	1326	-	3,3,3	1.46	1 (33%)	3,3,3	1.10	0
4	SO4	A	1307	-	4,4,4	0.85	0	6,6,6	2.00	2 (33%)
6	GOL	A	1327	-	5,5,5	0.73	0	5,5,5	1.63	1 (20%)
4	SO4	A	1309	-	4,4,4	0.49	0	6,6,6	0.46	0
4	SO4	A	1308	-	4,4,4	0.67	0	6,6,6	1.05	0
4	SO4	A	1314	-	4,4,4	0.88	0	6,6,6	0.67	0
4	SO4	A	1322	-	4,4,4	0.39	0	6,6,6	0.83	0
4	SO4	A	1315	-	4,4,4	1.21	0	6,6,6	0.80	0
4	SO4	A	1305	-	4,4,4	0.79	0	6,6,6	1.03	0
4	SO4	A	1312	-	4,4,4	0.78	0	6,6,6	0.51	0
4	SO4	A	1313	-	4,4,4	0.99	0	6,6,6	0.64	0
6	GOL	A	1329	-	5,5,5	0.97	0	5,5,5	1.66	1 (20%)
4	SO4	A	1320	-	4,4,4	0.40	0	6,6,6	1.15	0
4	SO4	A	1310	-	4,4,4	0.58	0	6,6,6	0.93	0
5	ACT	A	1324	-	3,3,3	0.68	0	3,3,3	2.35	2 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1301	3	-	1/12/32/32	0/3/3/3
6	GOL	A	1328	-	-	0/4/4/4	-
6	GOL	A	1327	-	-	0/4/4/4	-
6	GOL	A	1330	-	-	3/4/4/4	-
6	GOL	A	1329	-	-	3/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1301	ADP	C2-N1	3.89	1.40	1.33
6	A	1330	GOL	O2-C2	3.58	1.53	1.43
2	A	1301	ADP	PA-O3A	3.21	1.63	1.59
5	A	1326	ACT	CH3-C	2.37	1.58	1.49

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1329	GOL	O2-C2-C3	3.18	122.35	109.18
5	A	1324	ACT	OXT-C-CH3	3.09	128.01	115.05
6	A	1327	GOL	O2-C2-C1	3.06	121.85	109.18
4	A	1307	SO4	O4-S-O1	2.83	124.37	109.56
5	A	1325	ACT	OXT-C-CH3	2.76	126.64	115.05
4	A	1307	SO4	O3-S-O2	-2.62	95.88	109.56
2	A	1301	ADP	O4'-C1'-N9	-2.49	105.45	108.75
5	A	1324	ACT	O-C-CH3	-2.44	112.50	122.53
6	A	1330	GOL	O2-C2-C3	2.38	119.04	109.18
4	A	1311	SO4	O4-S-O2	2.34	121.81	109.56
4	A	1323	SO4	O4-S-O3	2.26	120.98	108.54
6	A	1330	GOL	O3-C3-C2	2.24	120.48	110.38
4	A	1323	SO4	O4-S-O1	-2.18	98.18	109.56
4	A	1311	SO4	O3-S-O2	-2.14	98.39	109.56
4	A	1317	SO4	O4-S-O1	-2.03	98.95	109.56

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1329	GOL	C1-C2-C3-O3
6	A	1330	GOL	O1-C1-C2-C3
6	A	1329	GOL	O2-C2-C3-O3
6	A	1329	GOL	O1-C1-C2-O2
6	A	1330	GOL	O1-C1-C2-O2
2	A	1301	ADP	PA-O3A-PB-O1B
6	A	1330	GOL	O2-C2-C3-O3

There are no ring outliers.

8 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1301	ADP	1	0
6	A	1330	GOL	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1325	ACT	1	0
5	A	1326	ACT	2	0
6	A	1327	GOL	5	0
4	A	1322	SO4	1	0
6	A	1329	GOL	2	2
5	A	1324	ACT	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1287/1305 (98%)	-0.20	32 (2%) 57 61	5, 10, 26, 68	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	789	ASN	6.0
1	A	120	THR	4.2
1	A	119	LEU	4.1
1	A	788	GLY	4.1
1	A	118	THR	4.0
1	A	117	SER	4.0
1	A	609	THR	3.8
1	A	25	ALA	3.5
1	A	152	HIS	3.4
1	A	121	ALA	3.3
1	A	176	LEU	3.3
1	A	27	ASN	3.3
1	A	66	SER	3.1
1	A	969	ASN	2.6
1	A	-9	GLY	2.5
1	A	122	GLU	2.4
1	A	610	PRO	2.4
1	A	607	GLY	2.4
1	A	24	GLN	2.3
1	A	790	GLU	2.3
1	A	786	GLN	2.3
1	A	787	GLU	2.3
1	A	31	HIS	2.3
1	A	608	LYS	2.2
1	A	594	ASP	2.2
1	A	154	GLN	2.1
1	A	183	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	125	ARG	2.1
1	A	630	ASP	2.1
1	A	-1	SER	2.0
1	A	21	ALA	2.0
1	A	181	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CYG	A	1135	15/16	0.99	0.05	5,6,8,11	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	A	1339	1/1	0.79	0.22	39,39,39,39	0
6	GOL	A	1327	6/6	0.81	0.24	16,24,48,51	0
7	CL	A	1334	1/1	0.81	0.13	46,46,46,46	0
4	SO4	A	1323	5/5	0.82	0.19	15,22,28,29	5
5	ACT	A	1324	4/4	0.84	0.17	22,29,30,44	0
7	CL	A	1336	1/1	0.84	0.13	35,35,35,35	1
6	GOL	A	1330	6/6	0.85	0.25	29,33,37,49	0
5	ACT	A	1325	4/4	0.89	0.16	35,45,48,63	0
5	ACT	A	1326	4/4	0.89	0.18	19,21,31,38	0
4	SO4	A	1322	5/5	0.90	0.18	37,38,40,42	5
3	MG	A	1337	1/1	0.90	0.11	27,27,27,27	0
4	SO4	A	1318	5/5	0.90	0.21	42,43,60,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	GOL	A	1329	6/6	0.91	0.16	22,26,34,52	0
4	SO4	A	1314	5/5	0.91	0.15	21,25,32,35	5
4	SO4	A	1315	5/5	0.92	0.14	12,13,21,22	5
3	MG	A	1340	1/1	0.92	0.17	26,26,26,26	0
3	MG	A	1338	1/1	0.92	0.20	31,31,31,31	0
7	CL	A	1332	1/1	0.94	0.15	31,31,31,31	1
4	SO4	A	1321	5/5	0.94	0.19	44,48,50,52	0
7	CL	A	1331	1/1	0.94	0.15	52,52,52,52	0
4	SO4	A	1305	5/5	0.95	0.12	20,24,26,28	5
6	GOL	A	1328	6/6	0.95	0.11	12,15,19,22	0
7	CL	A	1335	1/1	0.96	0.14	20,20,20,20	1
7	CL	A	1333	1/1	0.96	0.06	23,23,23,23	1
4	SO4	A	1306	5/5	0.97	0.08	9,13,14,19	5
4	SO4	A	1308	5/5	0.97	0.10	17,18,20,25	5
4	SO4	A	1310	5/5	0.97	0.16	21,22,24,30	5
4	SO4	A	1319	5/5	0.97	0.09	19,20,26,29	0
4	SO4	A	1316	5/5	0.98	0.21	22,29,34,34	5
4	SO4	A	1313	5/5	0.98	0.08	8,12,14,15	5
4	SO4	A	1309	5/5	0.98	0.10	17,18,23,28	0
4	SO4	A	1320	5/5	0.98	0.11	17,19,20,25	5
4	SO4	A	1307	5/5	0.98	0.11	16,20,29,32	0
4	SO4	A	1317	5/5	0.99	0.13	20,21,28,28	5
2	ADP	A	1301	27/27	0.99	0.05	5,6,7,8	0
3	MG	A	1303	1/1	0.99	0.05	7,7,7,7	0
4	SO4	A	1311	5/5	0.99	0.06	14,15,21,22	0
4	SO4	A	1312	5/5	0.99	0.07	14,15,16,20	0
3	MG	A	1302	1/1	1.00	0.04	5,5,5,5	0
3	MG	A	1304	1/1	1.00	0.05	6,6,6,6	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.