



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2024 – 07:18 AM EST

PDB ID : 4NAB
Title : Structure of the (SR)Ca²⁺-ATPase mutant E309Q in the Ca²⁺-E1-MgAMPPCP form
Authors : Bublitz, M.; Clausen, J.D.; Arnou, B.; Montigny, C.; Jaxel, C.; Nissen, P.; Moller, J.V.; Andersen, J.P.; le Maire, M.
Deposited on : 2013-10-22
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1094 (3.56-3.44)
Clashscore	180529	1045 (3.54-3.46)
Ramachandran outliers	177936	1032 (3.54-3.46)
Sidechain outliers	177891	1033 (3.54-3.46)
RSRZ outliers	164620	1093 (3.56-3.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1000	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sarcoplasmic/endoplasmic reticulum calcium ATPase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	830	6427	4106	1067	1202	52	0	0	0


There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	GLN	GLU	engineered mutation	UNP P04191
A	995	GLY	-	expression tag	UNP P04191
A	996	GLY	-	expression tag	UNP P04191
A	997	LEU	-	expression tag	UNP P04191
A	998	VAL	-	expression tag	UNP P04191
A	999	PRO	-	expression tag	UNP P04191
A	1000	ARG	-	expression tag	UNP P04191

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		

- Molecule 3 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PCW) (formula: C₄₄H₈₅NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	54	44	1	8	1	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	K	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	O	0	0
			2	2		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	167.01Å 55.79Å 161.79Å 90.00° 109.29° 90.00°	Depositor
Resolution (Å)	67.01 – 3.50 67.01 – 3.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (67.01-3.50) 99.9 (67.01-3.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 3.49Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.216 , 0.266 0.229 , 0.267	Depositor DCC
R_{free} test set	920 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	122.1	Xtrriage
Anisotropy	0.397	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 83.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6486	wwPDB-VP
Average B, all atoms (Å ²)	113.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PCW, K, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.21	0/6550	0.39	0/8886

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6427	0	6494	121	0
2	A	2	0	0	0	0
3	A	54	0	84	5	0
4	A	1	0	0	0	0
5	A	2	0	0	1	0
All	All	6486	0	6578	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:681:PRO:HB3	1:A:706:ASN:HB3	1.70	0.74
1:A:528:VAL:HG21	1:A:541:VAL:HG11	1.71	0.73
1:A:486:GLU:O	1:A:491:ARG:NH2	2.23	0.71
1:A:770:GLY:HA3	1:A:844:VAL:HG23	1.74	0.69
1:A:512:MET:HB3	1:A:567:ARG:HB3	1.74	0.69
1:A:863:PRO:HG3	1:A:890:ILE:HG12	1.73	0.69
1:A:421:ASN:HB2	1:A:442:GLU:HB3	1.74	0.69
1:A:85:ILE:HG22	1:A:88:PHE:HE2	1.61	0.66
1:A:62:VAL:HG11	1:A:98:LEU:HD13	1.78	0.66
1:A:341:THR:HB	1:A:716:ILE:HD11	1.79	0.65
1:A:567:ARG:HD3	1:A:570:PRO:HA	1.79	0.65
1:A:637:ARG:NH1	1:A:643:GLY:O	2.30	0.65
1:A:549:ILE:HD11	1:A:596:VAL:HG21	1.80	0.63
1:A:425:LEU:HD21	1:A:447:THR:HG22	1.80	0.62
1:A:798:VAL:HG13	1:A:940:SER:HB3	1.82	0.62
1:A:491:ARG:NH1	1:A:588:GLU:OE1	2.33	0.61
1:A:421:ASN:ND2	1:A:446:THR:OG1	2.33	0.61
1:A:947:ILE:HD13	1:A:953:LEU:HD13	1.81	0.61
1:A:524:ARG:HH21	1:A:588:GLU:HB2	1.68	0.58
1:A:577:VAL:HG21	1:A:583:ARG:HH11	1.69	0.58
1:A:309:GLN:HE22	1:A:800:ASP:HB3	1.69	0.58
1:A:760:PHE:HA	1:A:807:LEU:HD23	1.86	0.57
1:A:294:TYR:HA	1:A:297:LYS:HD3	1.87	0.57
1:A:334:ARG:NH2	1:A:728:LYS:O	2.38	0.56
1:A:983:ILE:HD11	3:A:1103:PCW:H372	1.86	0.56
1:A:823:SER:HB3	1:A:826:GLU:HG2	1.88	0.56
1:A:370:ASP:HB2	1:A:380:ASN:HB2	1.88	0.55
1:A:416:ILE:HG23	1:A:513:PHE:HB3	1.88	0.55
1:A:522:ILE:HG22	1:A:542:LYS:HE3	1.89	0.55
1:A:928:TRP:HA	1:A:934:LEU:HD11	1.88	0.55
1:A:987:ILE:HG23	1:A:991:TYR:HD2	1.71	0.54
1:A:567:ARG:NH1	1:A:569:THR:O	2.41	0.54
1:A:719:ALA:HB3	1:A:734:VAL:HG22	1.91	0.53
1:A:347:VAL:HG22	1:A:620:ARG:HB3	1.89	0.52
1:A:377:CYS:HB3	1:A:544:LYS:HZ1	1.74	0.52
1:A:814:LEU:HB2	1:A:920:GLN:HG3	1.92	0.52
1:A:548:VAL:HA	1:A:551:GLU:HG2	1.91	0.52
1:A:580:ASP:OD1	1:A:582:SER:OG	2.21	0.52
1:A:811:PRO:HG3	1:A:929:VAL:HG22	1.92	0.51
1:A:728:LYS:HE3	1:A:734:VAL:HG11	1.91	0.51
1:A:838:MET:O	1:A:842:GLY:N	2.40	0.51
1:A:799:THR:HB	5:A:1201:HOH:O	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:916:LEU:HD13	1:A:929:VAL:HG12	1.92	0.51
1:A:500:PRO:HB3	1:A:505:ARG:HB3	1.92	0.50
1:A:361:MET:HB3	1:A:601:ASP:HB3	1.92	0.50
1:A:368:ILE:HD12	1:A:409:GLY:HA3	1.93	0.50
1:A:428:ASN:OD1	1:A:430:THR:OG1	2.25	0.50
1:A:759:GLN:HE22	1:A:918:GLU:HB2	1.77	0.50
1:A:395:VAL:HG21	1:A:452:MET:HG2	1.93	0.49
1:A:979:GLY:O	1:A:983:ILE:HG12	2.13	0.49
1:A:490:ASP:OD1	1:A:491:ARG:N	2.44	0.49
1:A:49:LEU:HD23	1:A:254:ASP:HB3	1.94	0.49
1:A:247:THR:HG22	1:A:248:PRO:HD2	1.94	0.49
1:A:551:GLU:HA	1:A:554:THR:HG22	1.95	0.49
1:A:980:LEU:HB2	3:A:1103:PCW:H441	1.95	0.48
1:A:403:ARG:HG3	1:A:405:GLY:H	1.78	0.48
1:A:810:ASN:OD1	1:A:930:ASN:ND2	2.45	0.47
1:A:563:ALA:HA	1:A:596:VAL:HG22	1.95	0.47
1:A:333:VAL:HG11	1:A:339:VAL:HG12	1.98	0.46
1:A:788:ILE:HD13	1:A:958:LYS:HD2	1.95	0.46
3:A:1103:PCW:H461	3:A:1103:PCW:H432	1.72	0.46
1:A:389:TYR:HA	1:A:447:THR:HG21	1.98	0.46
1:A:305:ALA:HA	1:A:796:ASN:HB2	1.98	0.46
1:A:462:LEU:HD13	1:A:470:ALA:HB1	1.98	0.46
1:A:620:ARG:NH1	1:A:671:ARG:O	2.49	0.46
1:A:816:ILE:HG23	1:A:817:MET:HG2	1.98	0.46
1:A:558:THR:HG21	1:A:635:ILE:HG12	1.98	0.45
1:A:415:THR:HG23	1:A:475:ILE:HD11	1.98	0.45
1:A:975:LEU:HB3	3:A:1103:PCW:H251	1.98	0.45
1:A:276:ILE:HD13	1:A:279:PHE:CE2	2.51	0.45
1:A:658:PHE:O	1:A:666:GLN:NE2	2.50	0.45
1:A:669:ALA:HA	1:A:672:ARG:HE	1.81	0.45
1:A:293:ILE:HG22	1:A:297:LYS:HD2	1.99	0.44
1:A:498:CYS:HB2	1:A:513:PHE:HE1	1.82	0.44
1:A:567:ARG:HH21	1:A:590:ASP:H	1.66	0.44
1:A:617:ALA:HB1	1:A:751:ARG:HH12	1.83	0.44
1:A:620:ARG:NH2	1:A:670:CYS:O	2.51	0.44
1:A:611:ILE:HD12	1:A:621:VAL:HG21	2.00	0.44
1:A:815:ASP:OD2	1:A:819:ARG:NH1	2.51	0.44
1:A:417:CYS:HB3	1:A:445:LEU:HB3	2.00	0.44
1:A:773:VAL:HB	1:A:845:GLY:HA3	2.00	0.44
1:A:79:GLU:OE2	1:A:290:ARG:NE	2.51	0.43
1:A:528:VAL:HG12	1:A:593:PHE:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:ASP:N	1:A:375:ASP:OD1	2.50	0.43
1:A:627:ASP:O	1:A:677:ALA:HB1	2.18	0.43
1:A:267:ILE:HG23	1:A:776:PHE:HE2	1.82	0.43
1:A:366:MET:HG3	1:A:382:PHE:HB2	1.99	0.43
1:A:852:ALA:HB2	1:A:900:ALA:HB2	2.00	0.43
1:A:654:THR:H	1:A:657:GLU:HB2	1.84	0.43
1:A:855:TRP:HZ3	1:A:966:GLN:HE22	1.66	0.43
1:A:604:ARG:HB2	1:A:607:VAL:HG23	2.00	0.43
1:A:491:ARG:HD3	1:A:585:MET:HA	2.01	0.42
1:A:580:ASP:OD1	1:A:583:ARG:HG3	2.19	0.42
1:A:815:ASP:OD1	1:A:815:ASP:N	2.52	0.42
1:A:448:LEU:HG	1:A:452:MET:HE2	2.01	0.42
1:A:355:THR:HG22	1:A:740:PHE:HB2	2.02	0.42
1:A:413:LEU:HG	1:A:564:LEU:HD12	2.00	0.42
1:A:309:GLN:NE2	1:A:800:ASP:HB3	2.33	0.42
1:A:48:SER:HB3	1:A:51:GLU:HB3	2.02	0.42
1:A:99:ILE:O	1:A:103:ILE:HG13	2.20	0.41
1:A:90:GLU:HB3	1:A:91:PRO:HD3	2.03	0.41
1:A:267:ILE:HD13	1:A:267:ILE:HA	1.87	0.41
1:A:366:MET:HG2	1:A:384:ILE:HD11	2.01	0.41
1:A:436:LYS:HG3	1:A:443:THR:HG21	2.02	0.41
1:A:623:MET:HB2	1:A:623:MET:HE3	1.81	0.41
1:A:762:ARG:NH2	1:A:915:SER:HA	2.34	0.41
1:A:890:ILE:HD12	1:A:890:ILE:HA	1.90	0.41
1:A:50:TRP:HZ3	1:A:55:GLU:HG2	1.86	0.41
1:A:625:THR:OG1	1:A:626:GLY:N	2.53	0.41
1:A:527:TYR:HB2	1:A:592:THR:HA	2.02	0.41
1:A:739:ASN:OD1	1:A:740:PHE:N	2.54	0.41
1:A:416:ILE:HG12	1:A:513:PHE:HD2	1.86	0.41
1:A:607:VAL:O	1:A:611:ILE:N	2.40	0.41
1:A:840:ILE:HD13	1:A:980:LEU:HD23	2.03	0.41
1:A:983:ILE:HD11	3:A:1103:PCW:C37	2.50	0.40
1:A:100:ALA:HB3	1:A:797:LEU:HD11	2.03	0.40
1:A:314:VAL:HG21	1:A:760:PHE:CE1	2.56	0.40
1:A:436:LYS:HD2	1:A:440:ALA:HA	2.04	0.40
1:A:565:ALA:HB1	1:A:592:THR:O	2.20	0.40
1:A:317:THR:O	1:A:321:LEU:N	2.53	0.40
1:A:480:LYS:HD2	1:A:480:LYS:HA	1.87	0.40
1:A:546:LEU:HA	1:A:549:ILE:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	826/1000 (83%)	782 (95%)	42 (5%)	2 (0%)	44 75

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	863	PRO
1	A	500	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	703/844 (83%)	683 (97%)	20 (3%)	38 65

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	VAL
1	A	85	ILE
1	A	95	LEU
1	A	247	THR
1	A	309	GLN
1	A	339	VAL
1	A	359	ASN
1	A	375	ASP
1	A	376	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	384	ILE
1	A	494	MET
1	A	533	THR
1	A	567	ARG
1	A	568	ASP
1	A	591	LEU
1	A	621	VAL
1	A	680	GLU
1	A	873	PHE
1	A	951	ASP
1	A	971	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	421	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PCW	A	1103	-	53,53,53	0.99	1 (1%)	59,61,61	0.67	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PCW	A	1103	-	-	35/57/57/57	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1103	PCW	O4P-C4	-2.51	1.34	1.44

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1103	PCW	C2-O2-C31	2.48	123.73	117.80
3	A	1103	PCW	O3-C11-O11	-2.08	118.43	123.63

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1103	PCW	C1-O3P-P-O1P
3	A	1103	PCW	C1-O3P-P-O4P
3	A	1103	PCW	C4-O4P-P-O1P
3	A	1103	PCW	C4-O4P-P-O2P
3	A	1103	PCW	C4-O4P-P-O3P
3	A	1103	PCW	C12-C11-O3-C3
3	A	1103	PCW	C11-C12-C13-C14
3	A	1103	PCW	C43-C44-C45-C46
3	A	1103	PCW	O31-C31-O2-C2
3	A	1103	PCW	C12-C13-C14-C15
3	A	1103	PCW	C13-C14-C15-C16
3	A	1103	PCW	O11-C11-O3-C3
3	A	1103	PCW	C32-C31-O2-C2
3	A	1103	PCW	C35-C36-C37-C38
3	A	1103	PCW	C1-C2-C3-O3
3	A	1103	PCW	C14-C15-C16-C17

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	1103	PCW	C32-C33-C34-C35
3	A	1103	PCW	C21-C22-C23-C24
3	A	1103	PCW	C40-C41-C42-C43
3	A	1103	PCW	C15-C16-C17-C18
3	A	1103	PCW	O2-C2-C3-O3
3	A	1103	PCW	C25-C26-C27-C28
3	A	1103	PCW	O3P-C1-C2-O2
3	A	1103	PCW	C1-C2-O2-C31
3	A	1103	PCW	C20-C21-C22-C23
3	A	1103	PCW	C42-C43-C44-C45
3	A	1103	PCW	O4P-C4-C5-N
3	A	1103	PCW	C36-C37-C38-C39
3	A	1103	PCW	O3P-C1-C2-C3
3	A	1103	PCW	O11-C11-C12-C13
3	A	1103	PCW	O3-C11-C12-C13
3	A	1103	PCW	C33-C34-C35-C36
3	A	1103	PCW	C24-C25-C26-C27
3	A	1103	PCW	C17-C18-C19-C20
3	A	1103	PCW	O2-C31-C32-C33

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1103	PCW	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	830/1000 (83%)	-0.32	13 (1%) 70 51	46, 104, 185, 277	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	602	PRO	4.2
1	A	339	VAL	3.3
1	A	387	SER	2.7
1	A	360	GLN	2.7
1	A	598	GLY	2.6
1	A	561	CYS	2.6
1	A	317	THR	2.6
1	A	92	PHE	2.5
1	A	501	ALA	2.4
1	A	313	ALA	2.3
1	A	99	ILE	2.2
1	A	386	GLY	2.1
1	A	415	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PCW	A	1103	54/54	0.88	0.22	54,101,131,135	0
4	K	A	1104	1/1	0.95	0.06	149,149,149,149	0
2	CA	A	1102	1/1	0.98	0.07	50,50,50,50	0
2	CA	A	1101	1/1	0.99	0.04	69,69,69,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.