



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 7, 2022 – 04:48 PM EDT

PDB ID : 4NPA  
Title : Scrystal structure of protein with unknown function from Vibrio cholerae at P22121 spacegroup  
Authors : Boyko, K.M.; Gorbacheva, M.A.; Rakitina, T.V.; Korgenevsky, D.A.; Dorovatsky, P.V.; Lipkin, A.V.; Minor, W.; Shumilin, I.A.; Popov, V.O.  
Deposited on : 2013-11-21  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.27  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.27


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	 2% 75% 15% • 8%
1	B	456	 3% 74% 15% • 8%
1	C	456	 5% 74% 16% • 8%
1	D	456	 5% 72% 17% • 9%

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 12881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	418	3173	2017	557	578	21	0	0	0
1	B	420	3175	2013	556	585	21	0	1	0
1	C	418	3164	2011	553	579	21	0	1	0
1	D	413	3041	1923	537	562	19	0	2	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	4	MET	-	expression tag	UNP Q9KTK3
A	5	SER	-	expression tag	UNP Q9KTK3
A	6	LEU	-	expression tag	UNP Q9KTK3
A	458	GLU	-	expression tag	UNP Q9KTK3
A	459	GLY	-	expression tag	UNP Q9KTK3
B	4	MET	-	expression tag	UNP Q9KTK3
B	5	SER	-	expression tag	UNP Q9KTK3
B	6	LEU	-	expression tag	UNP Q9KTK3
B	458	GLU	-	expression tag	UNP Q9KTK3
B	459	GLY	-	expression tag	UNP Q9KTK3
C	4	MET	-	expression tag	UNP Q9KTK3
C	5	SER	-	expression tag	UNP Q9KTK3
C	6	LEU	-	expression tag	UNP Q9KTK3
C	458	GLU	-	expression tag	UNP Q9KTK3
C	459	GLY	-	expression tag	UNP Q9KTK3
D	4	MET	-	expression tag	UNP Q9KTK3
D	5	SER	-	expression tag	UNP Q9KTK3
D	6	LEU	-	expression tag	UNP Q9KTK3
D	458	GLU	-	expression tag	UNP Q9KTK3
D	459	GLY	-	expression tag	UNP Q9KTK3

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
3	B	1	5	4	1	0	0
3	C	1	5	4	1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
3	D	1	5	4	1	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	D	1	7	4	3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	93	Total	O	0	0
			93	93		
5	B	91	Total	O	0	0
			91	91		
5	C	78	Total	O	0	0
			78	78		
5	D	39	Total	O	0	0
			39	39		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative uncharacterized protein




- Molecule 1: Putative uncharacterized protein





- Molecule 1: Putative uncharacterized protein





• Molecule 1: Putative uncharacterized protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.33Å 96.34Å 333.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.74 – 2.10 29.74 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.74-2.10) 99.7 (29.74-2.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.91 (at 2.10Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.206 , 0.267 0.206 , 0.266	Depositor DCC
$R_{free}$ test set	5567 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.3	Xtrriage
Anisotropy	0.043	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 46.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12881	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, PO4, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.06	1/3241 (0.0%)	1.14	14/4397 (0.3%)
1	B	1.09	1/3246 (0.0%)	1.11	12/4404 (0.3%)
1	C	0.99	1/3238 (0.0%)	1.07	8/4398 (0.2%)
1	D	0.92	1/3115 (0.0%)	1.00	4/4241 (0.1%)
All	All	1.02	4/12840 (0.0%)	1.08	38/17440 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	180	GLU	CD-OE2	-5.80	1.19	1.25
1	C	74	GLU	CG-CD	5.50	1.60	1.51
1	B	153	VAL	C-O	5.49	1.33	1.23
1	D	213	TYR	CG-CD2	5.08	1.45	1.39

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	339	ARG	NE-CZ-NH2	-16.27	112.16	120.30
1	B	339	ARG	NE-CZ-NH2	-12.10	114.25	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	339	ARG	NE-CZ-NH1	10.24	125.42	120.30
1	C	107	ARG	NE-CZ-NH1	8.50	124.55	120.30
1	B	339	ARG	NE-CZ-NH1	8.31	124.45	120.30
1	B	214	LEU	CB-CG-CD1	-8.18	97.09	111.00
1	C	107	ARG	NE-CZ-NH2	-7.80	116.40	120.30
1	A	302	ASP	CB-CG-OD1	7.59	125.13	118.30
1	A	302	ASP	CB-CG-OD2	-7.30	111.73	118.30
1	A	170	ARG	NE-CZ-NH1	7.25	123.93	120.30
1	A	342	ARG	NE-CZ-NH2	-6.98	116.81	120.30
1	A	214	LEU	CB-CG-CD1	-6.91	99.26	111.00
1	B	170	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	D	212	ARG	NE-CZ-NH1	6.50	123.55	120.30
1	A	18	LEU	CB-CG-CD1	-6.39	100.13	111.00
1	D	214	LEU	CB-CG-CD1	-6.25	100.38	111.00
1	A	16	MET	CG-SD-CE	6.06	109.90	100.20
1	B	249	ARG	NE-CZ-NH2	-5.97	117.31	120.30
1	A	233	GLU	OE1-CD-OE2	-5.90	116.22	123.30
1	B	243	ARG	CB-CG-CD	-5.85	96.39	111.60
1	A	73	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	C	139	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	B	170	ARG	NE-CZ-NH2	-5.59	117.51	120.30
1	B	385	VAL	CB-CA-C	5.56	121.97	111.40
1	D	107	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	C	214	LEU	CB-CG-CD1	-5.46	101.72	111.00
1	C	440	ARG	NE-CZ-NH2	-5.43	117.59	120.30
1	B	34	ASP	CB-CG-OD1	5.42	123.17	118.30
1	A	347	ASP	CB-CG-OD1	5.39	123.15	118.30
1	B	281	ASP	CB-CG-OD1	5.39	123.15	118.30
1	C	75	ARG	CG-CD-NE	-5.37	100.53	111.80
1	B	162	ASN	N-CA-C	-5.32	96.63	111.00
1	A	440	ARG	NE-CZ-NH1	5.27	122.93	120.30
1	C	179	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	A	11	SER	C-N-CD	5.08	139.06	128.40
1	D	81	LEU	CB-CG-CD1	-5.03	102.44	111.00
1	C	337	LEU	CA-CB-CG	5.01	126.83	115.30
1	B	215	GLY	N-CA-C	-5.01	100.58	113.10

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	15	SER	Peptide

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	15	SER	Peptide
1	C	33	SER	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3173	0	3086	43	0
1	B	3175	0	3057	50	0
1	C	3164	0	3058	47	0
1	D	3041	0	2831	43	0
2	A	5	0	0	0	0
3	B	5	0	0	1	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	D	7	0	10	1	0
5	A	93	0	0	3	0
5	B	91	0	0	2	0
5	C	78	0	0	3	0
5	D	39	0	0	1	0
All	All	12881	0	12042	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:THR:O	1:B:31:ALA:CB	2.08	0.97
1:B:30:THR:O	1:B:31:ALA:HB2	1.64	0.97
1:C:283:PRO:O	1:C:284:MET:CB	2.11	0.94
1:D:28:LYS:O	1:D:30:THR:HG22	1.70	0.90
1:D:415:PRO:HB3	4:D:502:PEG:H31	1.58	0.86
1:B:276:HIS:CE1	1:B:278:GLU:HG3	2.15	0.82
1:C:283:PRO:O	1:C:284:MET:HB2	1.78	0.82
1:C:33:SER:C	1:C:35:LEU:H	1.90	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:ALA:HA	1:A:403:LYS:HD3	1.70	0.74
1:D:425:MET:O	1:D:429:ASP:HB2	1.88	0.74
1:B:161[B]:ILE:HG13	1:B:165:GLU:OE1	1.88	0.73
1:A:185:THR:HG23	1:A:186:GLY:O	1.87	0.72
1:A:307:ASP:OD2	1:A:427:LYS:HE2	1.90	0.70
1:A:131:THR:HB	1:A:245:GLU:OE2	1.91	0.70
1:C:131:THR:HB	1:C:245:GLU:OE2	1.91	0.70
1:B:243:ARG:HD3	5:B:621:HOH:O	1.92	0.69
1:B:276:HIS:HE1	1:B:278:GLU:HG3	1.57	0.69
1:C:105:VAL:HA	1:C:236:ILE:HD13	1.73	0.69
1:D:25:GLU:HG2	1:D:26:ARG:N	2.05	0.69
1:C:283:PRO:O	1:C:284:MET:HB3	1.94	0.67
1:A:314:ARG:NH1	1:A:319:ILE:HD12	2.10	0.67
1:C:89:PHE:HA	1:C:93:GLN:O	1.95	0.67
1:A:126:ASN:HA	1:A:129:HIS:HB3	1.76	0.67
1:C:131:THR:HG22	1:C:362:GLN:HE22	1.60	0.66
1:B:131:THR:HG22	1:B:362:GLN:NE2	2.10	0.66
1:D:243:ARG:HD3	1:D:247:PHE:CE2	2.31	0.66
1:B:131:THR:HB	1:B:245:GLU:OE2	1.96	0.65
1:C:16:MET:HE3	5:C:636:HOH:O	1.97	0.64
1:B:125:THR:O	1:B:127:ALA:N	2.31	0.63
1:D:421:ASP:OD1	1:D:423:VAL:HG23	1.97	0.63
1:B:236:ILE:HD12	1:B:236:ILE:N	2.12	0.63
1:C:275:MET:HE1	1:C:309:LEU:HD13	1.81	0.62
1:D:217:THR:HG21	1:D:222:ILE:HG13	1.82	0.61
1:C:16:MET:HG3	1:C:103:PHE:HB3	1.82	0.61
1:C:159[B]:HIS:CE1	1:C:192:MET:HG3	2.36	0.60
1:A:438:GLN:O	1:A:439:ASN:HB2	2.01	0.60
1:D:288:LEU:HB3	1:D:298:PHE:CE1	2.36	0.60
1:A:425:MET:O	1:A:429:ASP:HB2	2.00	0.60
1:B:360:GLU:H	1:B:360:GLU:CD	2.04	0.60
1:A:154:VAL:HA	1:A:184:CYS:O	2.02	0.59
1:C:16:MET:CE	5:C:636:HOH:O	2.49	0.59
1:A:369:HIS:CE1	1:A:413:HIS:HB3	2.38	0.58
1:C:275:MET:CE	1:C:309:LEU:HD13	2.33	0.58
1:C:44:LEU:O	1:C:48:ASN:HB2	2.03	0.58
1:A:268:LEU:HD13	1:A:390:LEU:HB3	1.85	0.57
1:B:159:HIS:ND1	3:B:501:PO4:O2	2.26	0.57
1:B:161[B]:ILE:CG1	1:B:165:GLU:OE1	2.53	0.56
1:C:399:ALA:HA	1:C:403:LYS:HD3	1.88	0.56
1:B:131:THR:HG22	1:B:362:GLN:HE22	1.70	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:88:ALA:O	1:B:94:ILE:HA	2.06	0.56
1:B:30:THR:O	1:B:31:ALA:HB3	2.05	0.55
1:B:192:MET:HA	1:B:192:MET:HE2	1.89	0.55
1:C:33:SER:C	1:C:35:LEU:N	2.60	0.53
1:A:131:THR:HG22	1:A:362:GLN:HE22	1.74	0.53
1:D:87:HIS:CD2	1:D:87:HIS:H	2.25	0.53
1:A:98:ILE:HD13	5:A:665:HOH:O	2.09	0.53
1:D:421:ASP:OD1	1:D:421:ASP:C	2.47	0.52
1:A:12:PRO:CD	1:A:12:PRO:O	2.57	0.52
1:B:423:VAL:HG12	1:B:427:LYS:HE2	1.91	0.52
1:C:378:HIS:HA	1:C:421:ASP:HB2	1.92	0.52
1:D:347:ASP:OD1	1:D:348:ALA:N	2.43	0.52
1:D:152:LEU:HD11	1:D:184:CYS:HB2	1.91	0.52
1:D:369:HIS:CD2	1:D:416:PHE:HA	2.44	0.51
1:C:47:LEU:HD21	1:C:102:LEU:HD11	1.91	0.51
1:A:12:PRO:O	1:A:12:PRO:HD2	2.10	0.51
1:C:5:SER:HB2	1:C:83:ASN:OD1	2.10	0.51
1:C:378:HIS:H	1:C:381:GLN:HE21	1.57	0.51
1:D:385:VAL:O	1:D:389:ASN:ND2	2.43	0.51
1:B:399:ALA:HA	1:B:403:LYS:HD3	1.92	0.51
1:A:16:MET:HG3	1:A:103:PHE:HB3	1.93	0.51
1:B:74:GLU:HG3	1:C:349:TYR:CZ	2.46	0.51
1:A:399:ALA:O	1:A:406:GLY:HA3	2.12	0.50
1:C:335:MET:N	1:C:336:PRO:CD	2.75	0.50
1:B:365:PHE:CD1	1:B:392:ARG:HD3	2.47	0.50
1:C:237:MET:HG3	1:C:243:ARG:HA	1.94	0.50
1:D:89:PHE:HA	1:D:93:GLN:O	2.12	0.50
1:B:249:ARG:HD2	1:B:351:PHE:CZ	2.47	0.50
1:C:46:VAL:HG22	1:C:227:PRO:HG2	1.94	0.50
1:D:426:LYS:O	1:D:429:ASP:HB3	2.11	0.50
1:D:194:GLY:N	1:D:195:PRO:CD	2.74	0.49
1:B:412:ARG:O	1:B:413:HIS:ND1	2.46	0.49
1:B:127:ALA:O	1:B:131:THR:HG23	2.12	0.49
1:A:415:PRO:HB3	5:A:669:HOH:O	2.12	0.49
1:C:231:VAL:O	1:D:207:ARG:NH2	2.46	0.49
1:B:282:GLN:HG3	1:B:355:LEU:HD12	1.94	0.48
1:B:288:LEU:O	1:B:319:ILE:HA	2.13	0.48
1:C:406:GLY:O	1:C:410:ILE:HG12	2.14	0.48
1:B:74:GLU:HB2	1:C:349:TYR:CD1	2.49	0.48
1:B:276:HIS:CE1	1:B:278:GLU:CG	2.92	0.48
1:B:360:GLU:CD	1:B:360:GLU:N	2.66	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:169:THR:HB	1:D:195:PRO:HG3	1.95	0.47
1:D:188:GLY:O	1:D:192:MET:HB2	2.13	0.47
1:A:133:LEU:O	1:A:137:ILE:HG13	2.13	0.47
1:D:345:LYS:CD	1:D:345:LYS:N	2.77	0.47
1:D:45:ALA:HB3	1:D:222:ILE:HD13	1.96	0.47
1:D:249:ARG:HD3	1:D:352:ASN:O	2.14	0.47
1:A:243:ARG:HB3	5:A:653:HOH:O	2.15	0.47
1:A:301:LEU:O	1:A:305:ILE:HG12	2.15	0.47
1:B:74:GLU:HB2	1:C:349:TYR:CE1	2.50	0.47
1:C:87:HIS:CD2	5:C:671:HOH:O	2.68	0.46
1:B:180:GLU:HB3	1:B:208:TYR:CD1	2.50	0.46
1:C:101:HIS:HE1	1:C:228:ASN:O	1.96	0.46
1:D:217:THR:CG2	1:D:236:ILE:HD13	2.46	0.46
1:B:399:ALA:HA	1:B:403:LYS:CD	2.46	0.46
1:C:105:VAL:HG22	1:C:236:ILE:HD11	1.97	0.46
1:C:427:LYS:HB3	1:C:427:LYS:HE3	1.39	0.46
1:B:412:ARG:O	1:B:413:HIS:CG	2.69	0.46
1:A:215:GLY:O	1:A:234:LEU:HD12	2.16	0.45
1:B:378:HIS:HA	1:B:421:ASP:HB2	1.97	0.45
1:D:174:HIS:CE1	1:D:178:LEU:HD11	2.51	0.45
1:B:160:SER:HA	5:B:626:HOH:O	2.16	0.45
1:D:312:ALA:O	1:D:315:LYS:HG2	2.17	0.45
1:D:215:GLY:O	1:D:234:LEU:HD12	2.16	0.45
1:A:240:ILE:HD13	1:A:240:ILE:HA	1.87	0.45
1:B:434:ASP:O	1:B:435:PHE:C	2.55	0.45
1:A:177:GLY:HA2	1:A:203:HIS:CD2	2.52	0.44
1:D:194:GLY:N	1:D:195:PRO:HD3	2.31	0.44
1:D:394:PHE:O	1:D:398:VAL:HG23	2.17	0.44
1:C:90:VAL:N	1:C:93:GLN:O	2.41	0.44
1:A:98:ILE:HG13	1:A:229:PRO:HB3	2.00	0.44
1:A:276:HIS:ND1	1:A:278:GLU:HB2	2.32	0.44
1:C:131:THR:HG22	1:C:362:GLN:NE2	2.32	0.44
1:A:131:THR:HG22	1:A:362:GLN:NE2	2.33	0.44
1:B:185:THR:HG22	1:B:196:MET:CE	2.48	0.44
1:D:390:LEU:O	1:D:391:ARG:C	2.56	0.44
1:B:399:ALA:CB	1:B:403:LYS:HD3	2.47	0.43
1:A:101:HIS:HE1	1:A:228:ASN:O	2.00	0.43
1:A:288:LEU:HB3	1:A:298:PHE:CE1	2.54	0.43
1:B:87:HIS:CD2	1:B:87:HIS:H	2.33	0.43
1:D:40:ARG:NH1	1:D:66:PHE:O	2.49	0.43
1:D:421:ASP:OD1	1:D:423:VAL:CG2	2.65	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:7:ILE:HG23	1:C:80:GLU:HG2	2.00	0.43
1:C:257:PHE:HB3	1:C:258:PRO:CD	2.49	0.43
1:B:101:HIS:HE1	1:B:228:ASN:O	2.02	0.43
1:C:35:LEU:HD12	1:C:35:LEU:HA	1.73	0.43
1:C:154:VAL:HA	1:C:184:CYS:O	2.18	0.43
1:D:390:LEU:HD23	1:D:390:LEU:HA	1.82	0.43
1:B:306:THR:O	1:B:310:GLY:HA2	2.19	0.43
1:D:145:ILE:HA	1:D:146:PRO:HD3	1.86	0.43
1:C:32:SER:C	1:C:34:ASP:N	2.71	0.42
1:C:360:GLU:OE1	1:C:360:GLU:HA	2.18	0.42
1:A:342:ARG:HD2	1:A:348:ALA:O	2.19	0.42
1:B:377:LEU:HD23	1:B:377:LEU:HA	1.85	0.42
1:B:128:THR:O	1:B:132:ASN:ND2	2.52	0.42
1:B:421:ASP:HA	1:B:422:PRO:HD3	1.77	0.42
1:D:128:THR:HG22	1:D:129:HIS:N	2.34	0.42
1:C:347:ASP:OD1	1:C:353:TRP:HB2	2.19	0.42
1:C:375:LEU:HD23	1:C:375:LEU:HA	1.86	0.42
1:B:366:GLU:HA	1:B:367:PRO:HD2	1.91	0.42
1:B:7:ILE:HA	1:B:81:LEU:O	2.19	0.42
1:D:195:PRO:HD2	5:D:615:HOH:O	2.19	0.42
1:A:73:ARG:HA	1:A:73:ARG:HD3	1.86	0.41
1:A:343:LYS:HD3	1:A:349:TYR:OH	2.20	0.41
1:C:71:MET:CE	1:C:80:GLU:HB2	2.49	0.41
1:C:193:GLU:HG3	1:C:197:LYS:HE3	2.02	0.41
1:D:35:LEU:HD12	1:D:35:LEU:HA	1.73	0.41
1:A:347:ASP:OD1	1:A:353:TRP:HB2	2.20	0.41
1:D:151:ASN:HB2	1:D:181:LEU:HD23	2.02	0.41
1:D:258:PRO:HA	1:D:297:TYR:CE2	2.55	0.41
1:A:268:LEU:CD1	1:A:394:PHE:HE2	2.33	0.41
1:A:268:LEU:CD1	1:A:394:PHE:CE2	3.04	0.41
1:A:407:ILE:O	1:A:410:ILE:N	2.54	0.41
1:B:268:LEU:HD13	1:B:390:LEU:HB3	2.03	0.41
1:C:377:LEU:HB3	1:C:424:LEU:HD23	2.03	0.41
1:B:373:ALA:O	1:B:419:HIS:CE1	2.74	0.41
1:C:356:LYS:HA	1:C:356:LYS:HD2	1.93	0.41
1:D:289:THR:HA	1:D:320:ALA:O	2.20	0.41
1:A:410:ILE:HD12	1:A:415:PRO:HA	2.02	0.41
1:D:342:ARG:HD2	1:D:348:ALA:O	2.21	0.41
1:D:73:ARG:HD3	1:D:73:ARG:HA	1.83	0.40
1:A:367:PRO:HG2	1:A:399:ALA:CB	2.51	0.40
1:A:74:GLU:HA	1:D:347:ASP:O	2.21	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:ALA:O	1:A:403:LYS:HB2	2.21	0.40
1:B:180:GLU:HB3	1:B:208:TYR:CE1	2.56	0.40
1:A:126:ASN:HD22	1:A:126:ASN:C	2.25	0.40
1:A:431:LEU:O	1:A:434:ASP:HB2	2.22	0.40
1:B:156:TRP:CE3	1:B:266:GLU:HB3	2.56	0.40
1:A:181:LEU:HA	1:A:181:LEU:HD23	1.90	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	412/456 (90%)	397 (96%)	13 (3%)	2 (0%)	29	26
1	B	415/456 (91%)	387 (93%)	22 (5%)	6 (1%)	11	6
1	C	413/456 (91%)	384 (93%)	24 (6%)	5 (1%)	13	8
1	D	407/456 (89%)	376 (92%)	29 (7%)	2 (0%)	29	26
All	All	1647/1824 (90%)	1544 (94%)	88 (5%)	15 (1%)	17	12

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	126	ASN
1	B	162	ASN
1	B	411	GLU
1	C	31	ALA
1	C	34	ASP
1	C	284	MET
1	B	31	ALA
1	B	413	HIS
1	C	32	SER

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	D	26	ARG
1	D	29	LYS
1	A	13	ALA
1	B	151	ASN
1	C	151	ASN
1	A	32	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	322/385 (84%)	310 (96%)	12 (4%)	34 35
1	B	322/385 (84%)	308 (96%)	14 (4%)	29 29
1	C	322/385 (84%)	307 (95%)	15 (5%)	26 25
1	D	291/385 (76%)	268 (92%)	23 (8%)	12 9
All	All	1257/1540 (82%)	1193 (95%)	64 (5%)	24 22

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	MET
1	A	27	LEU
1	A	30	THR
1	A	38	LEU
1	A	126	ASN
1	A	131	THR
1	A	293	GLN
1	A	315	LYS
1	A	339	ARG
1	A	413	HIS
1	A	429	ASP
1	A	439	ASN
1	B	17	ASP
1	B	41	ASN
1	B	46	VAL

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	87	HIS
1	B	131	THR
1	B	151	ASN
1	B	160	SER
1	B	161[A]	ILE
1	B	161[B]	ILE
1	B	220	SER
1	B	360	GLU
1	B	402	VAL
1	B	418	MET
1	B	429	ASP
1	C	11	SER
1	C	16	MET
1	C	24	VAL
1	C	33	SER
1	C	94	ILE
1	C	113	ASN
1	C	131	THR
1	C	149	THR
1	C	193	GLU
1	C	300	SER
1	C	337	LEU
1	C	385	VAL
1	C	427	LYS
1	C	430	GLN
1	C	439	ASN
1	D	11	SER
1	D	17	ASP
1	D	25	GLU
1	D	30	THR
1	D	38	LEU
1	D	46	VAL
1	D	93	GLN
1	D	112	VAL
1	D	126	ASN
1	D	131	THR
1	D	149	THR
1	D	160	SER
1	D	218	GLU
1	D	222	ILE
1	D	293	GLN
1	D	299	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	300	SER
1	D	306	THR
1	D	365	PHE
1	D	418	MET
1	D	421	ASP
1	D	423	VAL
1	D	427	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	101	HIS
1	A	126	ASN
1	A	167	GLN
1	A	333	ASN
1	A	362	GLN
1	A	381	GLN
1	A	430	GLN
1	B	87	HIS
1	B	101	HIS
1	B	115	HIS
1	B	151	ASN
1	B	333	ASN
1	B	362	GLN
1	B	419	HIS
1	C	101	HIS
1	C	167	GLN
1	C	333	ASN
1	C	362	GLN
1	C	413	HIS
1	D	101	HIS
1	D	126	ASN
1	D	293	GLN
1	D	316	HIS

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	PO4	C	501	-	4,4,4	1.02	0	6,6,6	1.35	1 (16%)
3	PO4	D	501	-	4,4,4	0.46	0	6,6,6	1.49	1 (16%)
2	SO4	A	501	-	4,4,4	0.53	0	6,6,6	0.55	0
3	PO4	B	501	-	4,4,4	1.15	0	6,6,6	0.91	0
4	PEG	D	502	-	6,6,6	0.56	0	5,5,5	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	D	502	-	-	3/4/4/4	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	501	PO4	O3-P-O2	2.88	117.22	107.97
3	D	501	PO4	O2-P-O1	2.56	120.28	110.89

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	502	PEG	O2-C3-C4-O4
4	D	502	PEG	O1-C1-C2-O2
4	D	502	PEG	C4-C3-O2-C2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	501	PO4	1	0
4	D	502	PEG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	418/456 (91%)	-0.17	7 (1%) 70 74	15, 30, 56, 81	0
1	B	420/456 (92%)	-0.20	12 (2%) 51 57	15, 29, 67, 93	0
1	C	418/456 (91%)	-0.02	23 (5%) 25 31	18, 33, 62, 87	0
1	D	413/456 (90%)	0.11	22 (5%) 26 32	20, 39, 72, 94	0
All	All	1669/1824 (91%)	-0.07	64 (3%) 40 46	15, 33, 67, 94	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	410	ILE	7.6
1	D	312	ALA	5.1
1	D	422	PRO	4.6
1	D	407	ILE	4.6
1	B	415	PRO	4.1
1	C	116	LEU	3.7
1	A	13	ALA	3.6
1	D	63	TYR	3.6
1	D	412	ARG	3.6
1	D	409	GLU	3.5
1	D	408	ARG	3.4
1	B	117	ALA	3.3
1	C	88	ALA	3.3
1	C	31	ALA	3.2
1	C	411	GLU	3.1
1	C	412	ARG	3.0
1	B	413	HIS	2.9
1	D	416	PHE	2.9
1	A	31	ALA	2.9
1	B	410	ILE	2.8
1	C	413	HIS	2.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	14	GLY	2.8
1	B	124	LEU	2.8
1	A	32	SER	2.8
1	C	415	PRO	2.8
1	C	62	LYS	2.7
1	B	404	ALA	2.7
1	A	415	PRO	2.6
1	D	214	LEU	2.6
1	C	30	THR	2.6
1	C	33	SER	2.6
1	A	244	LEU	2.5
1	C	407	ILE	2.5
1	B	414	GLY	2.4
1	D	127	ALA	2.4
1	C	32	SER	2.4
1	C	371	SER	2.3
1	C	414	GLY	2.3
1	D	13	ALA	2.3
1	C	89	PHE	2.3
1	B	380	ASN	2.3
1	A	404	ALA	2.3
1	C	14	GLY	2.3
1	D	128	THR	2.2
1	C	247	PHE	2.2
1	B	422	PRO	2.2
1	B	407	ILE	2.2
1	D	267	LEU	2.2
1	D	423	VAL	2.2
1	C	408	ARG	2.2
1	C	155	CYS	2.2
1	A	247	PHE	2.2
1	B	416	PHE	2.1
1	C	409	GLU	2.1
1	C	154	VAL	2.1
1	D	154	VAL	2.1
1	B	412	ARG	2.1
1	C	87	HIS	2.1
1	D	406	GLY	2.1
1	D	280	ALA	2.1
1	D	33	SER	2.0
1	C	280	ALA	2.0
1	D	419	HIS	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	369	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PEG	D	502	7/7	0.73	0.17	58,65,73,76	0
2	SO4	A	501	5/5	0.96	0.10	31,37,39,44	0
3	PO4	C	501	5/5	0.97	0.07	32,35,38,42	0
3	PO4	D	501	5/5	0.97	0.10	33,36,46,46	0
3	PO4	B	501	5/5	0.97	0.06	32,32,35,38	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.