



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2023 – 03:46 AM EDT

PDB ID : 4QV1  
Title : yCP beta5-M45A mutant  
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.  
Deposited on : 2014-07-14  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 4% 98%
1	O	250	 5% 97%
2	B	258	 4% 87% 7% 5%
2	P	258	 5% 88% 7% 5%
3	C	254	 6% 87% 6% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	11% 87% 6% • 6%
4	D	260	2% 86% • 10%
4	R	260	4% 85% 5% 10%
5	E	234	4% 93% 6% •
5	S	234	6% 93% 6% •
6	F	288	4% 82% • 16%
6	T	288	4% 81% • 16%
7	G	252	2% 91% • •
7	U	252	4% 90% 5% •
8	H	232	3% 93% • •
8	V	232	3% 94% • •
9	I	205	% 96% •
9	W	205	% 97% •
10	J	198	2% 93% 5% ••
10	X	198	2% 93% 5% ••
11	K	212	95% 5%
11	Y	212	% 95% 5%
12	L	222	% 97% •
12	Z	222	2% 97% •
13	M	246	91% • 5%
13	a	246	% 92% • 5%
14	N	196	% 96% • •
14	b	196	% 97% •

## 2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 50296 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1641	1043	280	312	6	0	0	0
11	Y	212	1641	1043	280	312	6	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	45	ALA	MET	engineered mutation	UNP P30656
Y	45	ALA	MET	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	H	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	J	1	Total Mg 1 1	0	0
15	K	2	Total Mg 2 2	0	0
15	N	1	Total Mg 1 1	0	0
15	V	1	Total Mg 1 1	0	0
15	Y	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	A	36	Total O 36 36	0	0
17	B	25	Total O 25 25	0	0
17	C	23	Total O 23 23	0	0
17	D	32	Total O 32 32	0	0
17	E	19	Total O 19 19	0	0
17	F	29	Total O 29 29	0	0
17	G	42	Total O 42 42	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	H	34	Total 34	O 34	0	0
17	I	39	Total 39	O 39	0	0
17	J	38	Total 38	O 38	0	0
17	K	44	Total 44	O 44	0	0
17	L	42	Total 42	O 42	0	0
17	M	53	Total 53	O 53	0	0
17	N	38	Total 38	O 38	0	0
17	O	25	Total 25	O 25	0	0
17	P	21	Total 21	O 21	0	0
17	Q	20	Total 20	O 20	0	0
17	R	14	Total 14	O 14	0	0
17	S	16	Total 16	O 16	0	0
17	T	25	Total 25	O 25	0	0
17	U	42	Total 42	O 42	0	0
17	V	24	Total 24	O 24	0	0
17	W	39	Total 39	O 39	0	0
17	X	30	Total 30	O 30	0	0
17	Y	36	Total 36	O 36	0	0
17	Z	29	Total 29	O 29	0	0
17	a	60	Total 60	O 60	0	0
17	b	49	Total 49	O 49	0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3



- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4












- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5



- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6





- Molecule 13: Proteasome subunit beta type-7

Chain M:  91% • 5%




- Molecule 13: Proteasome subunit beta type-7

Chain a:  92% • 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N:  96% • •



- Molecule 14: Proteasome subunit beta type-1

Chain b:  97% •



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	134.54Å 300.51Å 144.28Å 90.00° 112.67° 90.00°	Depositor
Resolution (Å)	15.00 – 2.50 15.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.8 (15.00-2.50) 98.8 (15.00-2.50)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.41 (at 2.51Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.194 , 0.216 0.202 , 0.223	Depositor DCC
$R_{free}$ test set	17852 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.9	Xtrriage
Anisotropy	0.064	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 36.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	50296	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.48	0/2618
2	P	0.27	0/1934	0.48	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.49	0/2586
4	D	0.26	0/1837	0.46	0/2475
4	R	0.26	0/1837	0.46	0/2475
5	E	0.27	0/1800	0.46	0/2433
5	S	0.26	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.44	0/2609
7	G	0.27	0/1945	0.46	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.25	0/1750	0.46	0/2373
8	V	0.25	0/1750	0.46	0/2373
9	I	0.27	0/1611	0.47	0/2174
9	W	0.27	0/1611	0.47	0/2174
10	J	0.26	0/1589	0.48	0/2142
10	X	0.26	0/1589	0.48	0/2142
11	K	0.26	0/1678	0.48	0/2271
11	Y	0.26	0/1678	0.48	0/2271
12	L	0.27	0/1795	0.47	0/2420
12	Z	0.27	0/1795	0.47	0/2420
13	M	0.27	0/1855	0.49	0/2514
13	a	0.27	0/1855	0.50	0/2514
14	N	0.25	0/1541	0.46	0/2087
14	b	0.25	0/1541	0.46	0/2087
All	All	0.27	0/50258	0.47	0/67956

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	8	0
2	P	1904	0	1904	7	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	3	0
5	E	1773	0	1775	3	0
5	S	1773	0	1775	3	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	2	0
7	U	1907	0	1901	3	0
8	H	1719	0	1719	5	0
8	V	1719	0	1719	4	0
9	I	1581	0	1574	4	0
9	W	1581	0	1574	2	0
10	J	1561	0	1569	4	0
10	X	1561	0	1569	4	0
11	K	1641	0	1591	3	0
11	Y	1641	0	1591	3	0
12	L	1757	0	1711	2	0
12	Z	1757	0	1711	2	0
13	M	1824	0	1832	2	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	3	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0
15	I	1	0	0	0	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	J	1	0	0	0	0
15	K	2	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	A	36	0	0	0	0
17	B	25	0	0	2	0
17	C	23	0	0	0	0
17	D	32	0	0	0	0
17	E	19	0	0	0	0
17	F	29	0	0	0	0
17	G	42	0	0	0	0
17	H	34	0	0	0	0
17	I	39	0	0	0	0
17	J	38	0	0	0	0
17	K	44	0	0	0	0
17	L	42	0	0	0	0
17	M	53	0	0	1	0
17	N	38	0	0	1	0
17	O	25	0	0	0	0
17	P	21	0	0	0	0
17	Q	20	0	0	0	0
17	R	14	0	0	0	0
17	S	16	0	0	1	0
17	T	25	0	0	0	0
17	U	42	0	0	1	0
17	V	24	0	0	0	0
17	W	39	0	0	0	0
17	X	30	0	0	0	0
17	Y	36	0	0	0	0
17	Z	29	0	0	0	0
17	a	60	0	0	0	0
17	b	49	0	0	0	0
All	All	50296	0	49122	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:35:THR:HG22	17:N:302:HOH:O	1.98	0.64
2:B:93:HIS:HB3	17:B:304:HOH:O	2.00	0.60
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.53
7:G:23:PHE:O	7:G:26:THR:HB	2.09	0.52
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.92	0.52
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.92	0.51
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.45	0.51
11:K:128:CYS:HB2	11:K:137:TYR:CZ	2.46	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.51
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.93	0.51
2:B:113:ARG:NE	17:B:304:HOH:O	2.35	0.50
11:Y:128:CYS:HB2	11:Y:137:TYR:CZ	2.47	0.50
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.94	0.49
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.43	0.48
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.95	0.48
13:M:2:GLN:NE2	17:M:347:HOH:O	2.47	0.47
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.95	0.47
8:V:52:THR:O	8:V:56:THR:HG23	2.14	0.47
3:C:35:LYS:HG2	3:C:158:SER:O	2.14	0.47
11:K:128:CYS:HB2	11:K:137:TYR:CE2	2.49	0.47
8:H:22:GLN:HG3	8:H:27:ALA:HB2	1.97	0.47
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.97	0.47
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.15	0.46
2:B:217:LYS:C	2:B:219:ALA:H	2.18	0.46
3:C:201:VAL:O	3:C:202:GLN:HB3	2.16	0.46
8:V:22:GLN:HG3	8:V:27:ALA:HB2	1.98	0.46
11:Y:128:CYS:HB2	11:Y:137:TYR:CE2	2.51	0.46
8:H:52:THR:O	8:H:56:THR:HG23	2.15	0.46
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.98	0.46
2:P:217:LYS:C	2:P:219:ALA:H	2.18	0.46
10:J:23:ARG:HA	10:J:23:ARG:HD3	1.74	0.46
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.51	0.45
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.16	0.45
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.99	0.45
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.99	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.44
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.52	0.44
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.52	0.44
1:O:57:MET:HE1	17:U:430:HOH:O	2.17	0.44
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.82	0.44
2:B:50:LYS:O	2:B:51:VAL:C	2.56	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.82	0.43
2:P:50:LYS:O	2:P:51:VAL:C	2.56	0.43
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.86	0.43
2:P:145:TYR:OH	2:P:217:LYS:N	2.51	0.43
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.48	0.43
2:B:145:TYR:OH	2:B:217:LYS:N	2.51	0.43
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.43
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.48	0.42
2:B:221:ASP:O	2:B:223:GLU:N	2.53	0.42
17:S:301:HOH:O	6:T:19:GLN:NE2	2.50	0.42
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.49	0.42
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.48	0.42
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.84	0.42
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.50	0.42
2:P:221:ASP:O	2:P:223:GLU:N	2.53	0.42
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.50	0.42
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.02	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.42
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.85	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.55	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.02	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.03	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.41
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.02	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.55	0.41
10:X:23:ARG:HD3	10:X:23:ARG:HA	1.74	0.41
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.02	0.41
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.51	0.41
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.02	0.41
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.41
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.02	0.41
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.51	0.40
12:Z:100:LYS:HD3	12:Z:105:TYR:CE2	2.57	0.40
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.03	0.40
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.02	0.40
9:I:98:ARG:O	9:I:126:ILE:HD11	2.22	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:35:THR:HG21	14:N:45:ARG:HE	1.86	0.40
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	54
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	54
2	B	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	16
2	P	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	16
3	C	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	21
3	Q	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	21
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
5	S	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
6	F	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
6	T	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	J	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
10	X	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
13	a	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6284/6614 (95%)	6122 (97%)	146 (2%)	16 (0%)	41	61

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
2	B	220	ASN
3	C	205	ALA
2	P	220	ASN
3	Q	205	ALA
3	C	183	PRO
3	Q	183	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	86
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	86
2	B	203/216 (94%)	199 (98%)	4 (2%)	55	79
2	P	203/216 (94%)	199 (98%)	4 (2%)	55	79
3	C	212/226 (94%)	202 (95%)	10 (5%)	26	49
3	Q	212/226 (94%)	202 (95%)	10 (5%)	26	49
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	55
4	R	194/215 (90%)	185 (95%)	9 (5%)	27	50
5	E	190/193 (98%)	183 (96%)	7 (4%)	34	60
5	S	190/193 (98%)	183 (96%)	7 (4%)	34	60
6	F	201/239 (84%)	194 (96%)	7 (4%)	36	62
6	T	201/239 (84%)	194 (96%)	7 (4%)	36	62
7	G	206/210 (98%)	197 (96%)	9 (4%)	28	52
7	U	206/210 (98%)	197 (96%)	9 (4%)	28	52
8	H	185/190 (97%)	182 (98%)	3 (2%)	62	84
8	V	185/190 (97%)	182 (98%)	3 (2%)	62	84
9	I	172/173 (99%)	170 (99%)	2 (1%)	71	88
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	88
10	J	173/175 (99%)	169 (98%)	4 (2%)	50	76
10	X	173/175 (99%)	169 (98%)	4 (2%)	50	76
11	K	168/168 (100%)	162 (96%)	6 (4%)	35	61
11	Y	168/168 (100%)	162 (96%)	6 (4%)	35	61
12	L	185/185 (100%)	182 (98%)	3 (2%)	62	84
12	Z	185/185 (100%)	182 (98%)	3 (2%)	62	84
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	68
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	68
14	N	162/162 (100%)	157 (97%)	5 (3%)	40	67
14	b	162/162 (100%)	157 (97%)	5 (3%)	40	67
All	All	5318/5538 (96%)	5163 (97%)	155 (3%)	42	69

All (155) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	181	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
7	G	125	MET
7	G	154	TYR
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	104	TYR
11	K	107	LYS
11	K	140	LEU
11	K	148	LEU
12	L	23	LEU
12	L	136	CYS
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	181	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	26	THR
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	154	TYR
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	78	GLN
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	104	TYR
11	Y	107	LYS
11	Y	140	LEU
11	Y	148	LEU
12	Z	23	LEU
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (83) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
3	C	17	GLN
3	C	38	ASN
3	C	92	GLN
3	C	147	GLN
3	C	160	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	210	GLN
4	D	225	ASN
5	E	68	HIS
5	E	99	ASN
5	E	116	GLN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	66	HIS
9	I	37	ASN
9	I	203	GLN
10	J	55	GLN
11	K	85	ASN
11	K	176	ASN
11	K	190	ASN
11	K	208	ASN
12	L	3	ASN
12	L	79	HIS
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	38	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	Q	147	GLN
3	Q	160	GLN
4	R	225	ASN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	66	HIS
9	W	37	ASN
10	X	55	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	190	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/250 (100%)	-0.18	11 (4%) 34 37	34, 48, 88, 125	0
1	O	250/250 (100%)	-0.09	12 (4%) 30 32	38, 55, 103, 131	0
2	B	244/258 (94%)	-0.02	11 (4%) 33 36	34, 54, 99, 155	0
2	P	244/258 (94%)	-0.02	14 (5%) 23 25	40, 57, 98, 152	0
3	C	240/254 (94%)	0.08	15 (6%) 20 21	35, 57, 117, 146	0
3	Q	240/254 (94%)	0.38	27 (11%) 5 4	43, 71, 150, 182	0
4	D	235/260 (90%)	-0.13	5 (2%) 63 66	40, 59, 92, 132	0
4	R	235/260 (90%)	-0.01	10 (4%) 35 38	43, 64, 107, 141	0
5	E	231/234 (98%)	-0.07	10 (4%) 35 38	39, 61, 98, 139	0
5	S	231/234 (98%)	0.13	15 (6%) 18 19	43, 70, 114, 156	0
6	F	243/288 (84%)	-0.26	11 (4%) 33 36	34, 55, 104, 127	0
6	T	243/288 (84%)	-0.04	12 (4%) 29 31	39, 67, 119, 155	0
7	G	241/252 (95%)	-0.28	4 (1%) 70 72	31, 51, 86, 137	0
7	U	241/252 (95%)	-0.13	10 (4%) 37 40	39, 55, 87, 129	0
8	H	226/232 (97%)	-0.15	7 (3%) 49 52	31, 48, 78, 145	0
8	V	226/232 (97%)	-0.11	7 (3%) 49 52	33, 50, 79, 166	0
9	I	204/205 (99%)	-0.52	2 (0%) 82 84	28, 42, 70, 99	0
9	W	204/205 (99%)	-0.46	3 (1%) 73 75	31, 45, 74, 100	0
10	J	195/198 (98%)	-0.33	4 (2%) 63 66	31, 47, 73, 117	0
10	X	195/198 (98%)	-0.30	4 (2%) 63 66	32, 48, 74, 128	0
11	K	212/212 (100%)	-0.33	1 (0%) 91 91	29, 47, 73, 87	0
11	Y	212/212 (100%)	-0.36	2 (0%) 84 86	34, 48, 75, 93	0
12	L	222/222 (100%)	-0.37	2 (0%) 84 86	31, 48, 86, 123	0
12	Z	222/222 (100%)	-0.36	4 (1%) 68 71	28, 49, 84, 122	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	233/246 (94%)	-0.46	1 (0%) 92 93	28, 47, 71, 92	0
13	a	233/246 (94%)	-0.40	2 (0%) 84 86	28, 49, 71, 92	0
14	N	196/196 (100%)	-0.46	2 (1%) 82 84	31, 42, 71, 99	0
14	b	196/196 (100%)	-0.46	2 (1%) 82 84	30, 43, 72, 104	0
All	All	6344/6614 (95%)	-0.19	210 (3%) 46 50	28, 52, 99, 182	0

All (210) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	51	VAL	8.8
3	Q	50	LEU	8.6
2	B	221	ASP	8.6
2	P	51	VAL	8.5
2	P	219	ALA	8.4
3	Q	49	THR	7.9
8	V	224	GLN	7.2
2	P	221	ASP	6.4
8	V	226	GLU	6.3
3	C	50	LEU	6.3
2	B	218	GLY	6.3
10	J	1	MET	6.1
3	Q	236	GLN	6.1
10	X	1	MET	6.1
12	L	174	TYR	5.9
5	S	202	ASP	5.8
8	V	222	ASP	5.8
8	V	223	ILE	5.3
3	C	206	LYS	5.3
1	A	2	THR	5.2
1	O	1	MET	5.2
2	P	220	ASN	5.2
3	C	49	THR	5.2
8	H	226	GLU	5.1
1	O	2	THR	5.0
10	X	194	ASP	4.9
8	H	224	GLN	4.8
8	H	222	ASP	4.8
2	B	219	ALA	4.8
3	Q	187	GLU	4.7
6	F	244	ASN	4.7
3	Q	240	GLU	4.6

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	B	220	ASN	4.6
9	W	1	SER	4.6
12	Z	174	TYR	4.5
8	H	221	CYS	4.4
3	C	238	LYS	4.4
7	U	242	GLN	4.4
1	A	1	MET	4.3
1	O	52	SER	4.3
4	R	241	ALA	4.3
3	Q	239	GLN	4.3
8	H	223	ILE	4.2
2	P	218	GLY	4.2
3	Q	206	LYS	4.2
2	P	52	THR	4.2
3	Q	48	SER	4.2
3	Q	238	LYS	4.1
9	I	1	SER	4.1
2	P	59	ASP	4.1
6	T	244	ASN	4.1
3	Q	204	GLY	4.0
3	Q	237	GLU	4.0
10	J	194	ASP	4.0
8	V	221	CYS	4.0
3	C	202	GLN	3.9
5	E	202	ASP	3.9
1	O	249	ALA	3.9
6	T	243	ILE	3.9
4	D	241	ALA	3.9
10	X	193	ASP	3.9
1	A	249	ALA	3.8
14	N	105	LYS	3.8
5	S	173	ARG	3.8
14	b	105	LYS	3.8
4	D	242	GLU	3.8
4	R	217	GLN	3.6
3	C	236	GLN	3.6
4	R	1	ASP	3.6
7	G	242	GLN	3.6
6	F	205	GLU	3.5
3	Q	202	GLN	3.5
5	E	201	ARG	3.5
6	T	181	GLU	3.5

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
7	U	222	ASP	3.5
9	W	133	LYS	3.3
1	O	250	LEU	3.3
4	R	230	GLU	3.2
1	A	250	LEU	3.2
6	F	2	THR	3.2
13	a	1	THR	3.2
6	F	181	GLU	3.2
7	U	3	TYR	3.2
6	T	180	PRO	3.1
6	F	51	THR	3.1
10	J	193	ASP	3.1
1	O	62	SER	3.1
11	Y	212	GLY	3.1
5	S	210	LEU	3.1
7	G	240	ALA	3.1
3	C	239	GLN	3.1
6	F	215	CYS	3.1
7	U	2	GLY	3.1
2	P	217	LYS	3.1
5	S	180	LYS	3.0
8	H	198	GLU	3.0
14	b	195	GLN	3.0
5	S	165	GLN	3.0
3	Q	234	ILE	3.0
3	C	216	ASP	2.9
4	R	242	GLU	2.9
2	B	217	LYS	2.9
1	O	53	SER	2.9
5	E	123	GLY	2.9
3	C	240	GLU	2.8
9	I	192	ASP	2.8
3	Q	216	ASP	2.8
8	V	225	GLU	2.8
13	M	47	ASP	2.8
1	O	201	GLU	2.8
4	R	125	LEU	2.8
2	B	59	ASP	2.7
1	A	52	SER	2.7
11	Y	106	ARG	2.7
2	B	222	GLY	2.7
4	D	1	ASP	2.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	Q	232	THR	2.7
1	A	229	THR	2.6
3	Q	55	THR	2.6
3	Q	171	GLU	2.6
1	A	203	GLU	2.6
5	S	201	ARG	2.6
6	T	53	LYS	2.6
2	P	225	TYR	2.6
2	P	222	GLY	2.6
10	J	24	GLY	2.6
3	C	175	LYS	2.6
5	S	227	GLU	2.5
7	U	181	LYS	2.5
14	N	195	GLN	2.5
12	Z	167	LYS	2.5
1	A	201	GLU	2.5
1	A	248	GLU	2.5
5	S	207	VAL	2.5
3	Q	229	GLN	2.5
5	S	54	GLU	2.5
3	Q	203	THR	2.5
2	P	203	SER	2.4
5	E	233	ILE	2.4
3	Q	3	ASP	2.4
2	B	203	SER	2.4
6	T	51	THR	2.4
6	F	202	ASP	2.4
5	E	122	TYR	2.4
6	T	178	HIS	2.4
3	Q	1	GLY	2.4
5	E	54	GLU	2.4
7	U	230	GLU	2.4
4	D	224	ASP	2.4
6	F	243	ILE	2.3
3	C	203	THR	2.3
6	F	228	LYS	2.3
12	Z	173	LYS	2.3
2	P	50	LYS	2.3
3	C	48	SER	2.3
1	O	203	GLU	2.3
3	C	3	ASP	2.3
5	S	233	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	C	180	LYS	2.3
7	U	201	MET	2.3
5	S	3	ASN	2.3
12	Z	165	ASN	2.3
4	R	201	GLU	2.3
5	S	203	GLU	2.3
5	S	52	ALA	2.2
7	U	68	ARG	2.2
7	G	3	TYR	2.2
5	E	173	ARG	2.2
5	S	194	GLU	2.2
6	T	201	GLU	2.2
6	F	201	GLU	2.2
6	T	206	LYS	2.2
4	R	54	ASP	2.2
2	B	169	SER	2.2
4	R	203	LYS	2.2
12	L	1	GLN	2.2
8	V	196	ARG	2.2
3	Q	180	LYS	2.1
10	X	94	SER	2.2
1	A	228	PRO	2.1
5	S	30	GLN	2.1
6	T	166	GLN	2.1
3	Q	225	GLU	2.1
1	O	228	PRO	2.1
1	O	231	LYS	2.1
6	T	241	LYS	2.1
5	E	210	LEU	2.1
3	Q	167	LYS	2.1
5	E	207	VAL	2.1
13	a	216	ASN	2.1
7	U	188	GLU	2.1
8	H	225	GLU	2.1
4	R	240	ALA	2.1
3	Q	37	LYS	2.1
2	B	238	LEU	2.1
3	Q	52	LEU	2.1
1	A	62	SER	2.1
7	G	68	ARG	2.1
6	T	230	ASP	2.0
1	O	229	THR	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	C	225	GLU	2.0
4	D	125	LEU	2.0
7	U	206	GLY	2.0
5	E	217	LYS	2.0
11	K	147	ASP	2.0
3	Q	181	GLU	2.0
9	W	160	GLU	2.0
2	P	182	ASP	2.0
2	P	230	LYS	2.0
6	F	166	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
15	MG	G	301	1/1	0.87	0.09	49,49,49,49	0
15	MG	H	301	1/1	0.88	0.12	58,58,58,58	0
15	MG	Y	301	1/1	0.92	0.11	48,48,48,48	0
15	MG	J	201	1/1	0.93	0.17	59,59,59,59	0
15	MG	Z	301	1/1	0.94	0.20	63,63,63,63	0
15	MG	I	301	1/1	0.95	0.23	61,61,61,61	0
15	MG	N	201	1/1	0.96	0.10	50,50,50,50	0
15	MG	K	302	1/1	0.98	0.36	51,51,51,51	0
15	MG	V	301	1/1	0.98	0.06	48,48,48,48	0
15	MG	K	301	1/1	0.99	0.08	39,39,39,39	0
16	CL	G	302	1/1	0.99	0.05	36,36,36,36	0
16	CL	U	301	1/1	1.00	0.07	43,43,43,43	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.