



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 3, 2024 – 01:10 PM JST

PDB ID : 5AZ5  
Title : Crystal structure of human TLR8 in complex with MB-343  
Authors : Tanji, H.; Ohto, U.; Shimizu, T.  
Deposited on : 2015-09-27  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	811	 % 77% 13% 8%
1	B	811	 % 77% 14% 8%
1	C	811	 4% 75% 16% 8%
1	D	811	 3% 73% 16% 8%
2	E	4	 100%
2	G	4	 100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	H	4	 100%
3	F	2	 100%
3	I	2	 100%
3	L	2	 100%
3	O	2	 100%
4	J	3	 100%
4	K	3	 67% 33%
4	N	3	 67% 33%
4	P	3	 100%
5	M	4	 100%

## 2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 25117 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	748	6029	3857	1023	1130	19	0	0	0
1	B	749	6033	3859	1024	1131	19	0	0	0
1	C	748	6024	3854	1023	1128	19	0	0	0
1	D	746	6008	3844	1019	1126	19	0	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	ARG	-	expression tag	UNP Q9NR97
A	24	SER	-	expression tag	UNP Q9NR97
A	25	PRO	-	expression tag	UNP Q9NR97
A	26	TRP	-	expression tag	UNP Q9NR97
A	828	GLU	-	expression tag	UNP Q9NR97
A	829	PHE	-	expression tag	UNP Q9NR97
A	830	LEU	-	expression tag	UNP Q9NR97
A	831	VAL	-	expression tag	UNP Q9NR97
A	832	PRO	-	expression tag	UNP Q9NR97
A	833	ARG	-	expression tag	UNP Q9NR97
B	23	ARG	-	expression tag	UNP Q9NR97
B	24	SER	-	expression tag	UNP Q9NR97
B	25	PRO	-	expression tag	UNP Q9NR97
B	26	TRP	-	expression tag	UNP Q9NR97
B	828	GLU	-	expression tag	UNP Q9NR97
B	829	PHE	-	expression tag	UNP Q9NR97
B	830	LEU	-	expression tag	UNP Q9NR97
B	831	VAL	-	expression tag	UNP Q9NR97
B	832	PRO	-	expression tag	UNP Q9NR97
B	833	ARG	-	expression tag	UNP Q9NR97
C	23	ARG	-	expression tag	UNP Q9NR97

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	24	SER	-	expression tag	UNP Q9NR97
C	25	PRO	-	expression tag	UNP Q9NR97
C	26	TRP	-	expression tag	UNP Q9NR97
C	828	GLU	-	expression tag	UNP Q9NR97
C	829	PHE	-	expression tag	UNP Q9NR97
C	830	LEU	-	expression tag	UNP Q9NR97
C	831	VAL	-	expression tag	UNP Q9NR97
C	832	PRO	-	expression tag	UNP Q9NR97
C	833	ARG	-	expression tag	UNP Q9NR97
D	23	ARG	-	expression tag	UNP Q9NR97
D	24	SER	-	expression tag	UNP Q9NR97
D	25	PRO	-	expression tag	UNP Q9NR97
D	26	TRP	-	expression tag	UNP Q9NR97
D	828	GLU	-	expression tag	UNP Q9NR97
D	829	PHE	-	expression tag	UNP Q9NR97
D	830	LEU	-	expression tag	UNP Q9NR97
D	831	VAL	-	expression tag	UNP Q9NR97
D	832	PRO	-	expression tag	UNP Q9NR97
D	833	ARG	-	expression tag	UNP Q9NR97

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
2	E	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	G	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	H	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	L	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	O	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	K	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	N	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	P	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	M	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 6 is 1-pentyl-4-phenyl-imidazol-2-amine (three-letter code: MBL) (formula: C<sub>14</sub>H<sub>19</sub>N<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	N	0	0
			17	14	3		
6	A	1	Total	C	N	0	0
			17	14	3		
6	C	1	Total	C	N	0	0
			17	14	3		
6	C	1	Total	C	N	0	0
			17	14	3		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	D	1	Total	C	N	O	0	0
			14	8	1	5		
7	D	1	Total	C	N	O	0	0
			14	8	1	5		
7	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	98	Total	O	0	0
			98	98		
8	B	83	Total	O	0	0
			83	83		
8	C	57	Total	O	0	0
			57	57		
8	D	53	Total	O	0	0
			53	53		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Toll-like receptor 8





- Molecule 1: Toll-like receptor 8







• Molecule 1: Toll-like receptor 8




• Molecule 1: Toll-like receptor 8





- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1  
MAG2  
BMA3  
MAN4

- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1  
MAG2  
BMA3  
MAN4

- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1  
MAG2  
BMA3  
MAN4

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%


MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%


MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%


MAG1  
MAG2

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%


MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  67% 33%

MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  67% 33%

MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1  
MAG2  
BMA3

- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1  
MAG2  
BMA3  
MAN4

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.63Å 141.12Å 170.97Å 90.00° 90.32° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 50.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	95.5 (50.00-2.40) 95.8 (50.00-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.08 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, $R_{free}$	0.196 , 0.259 0.200 , 0.258	Depositor DCC
$R_{free}$ test set	7732 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	53.3	Xtrriage
Anisotropy	0.011	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 24.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.026 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	25117	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, MBL, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.64	0/6153	0.75	2/8343 (0.0%)
1	B	0.58	0/6157	0.73	2/8349 (0.0%)
1	C	0.57	0/6148	0.72	2/8336 (0.0%)
1	D	0.57	0/6132	0.73	4/8315 (0.0%)
All	All	0.59	0/24590	0.73	10/33343 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	2
All	All	0	3

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	225	ARG	NE-CZ-NH1	6.11	123.35	120.30
1	D	338	ARG	NE-CZ-NH1	-5.83	117.38	120.30
1	B	645	ASP	CB-CG-OD1	5.76	123.48	118.30
1	C	630	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	C	370	ARG	NE-CZ-NH1	5.69	123.15	120.30
1	B	643	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	D	806	PRO	CA-N-CD	-5.48	103.83	111.50
1	D	338	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	D	805	SER	C-N-CD	5.38	139.71	128.40
1	A	643	ARG	NE-CZ-NH1	5.27	122.94	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	753	LYS	Peptide
1	D	762	THR	Peptide
1	D	780	ILE	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6029	0	6016	53	0
1	B	6033	0	6021	55	0
1	C	6024	0	6015	81	0
1	D	6008	0	5997	126	0
2	E	50	0	43	0	0
2	G	50	0	43	0	0
2	H	50	0	43	0	0
3	F	28	0	25	0	0
3	I	28	0	25	0	0
3	L	28	0	25	0	0
3	O	28	0	25	0	0
4	J	39	0	34	0	0
4	K	39	0	34	1	0
4	N	39	0	34	2	0
4	P	39	0	34	0	0
5	M	50	0	43	0	0
6	A	34	0	0	0	0
6	C	34	0	0	0	0
7	A	42	0	39	3	0
7	B	56	0	52	0	0
7	C	56	0	52	0	0
7	D	42	0	39	2	0
8	A	98	0	0	2	0
8	B	83	0	0	2	0
8	C	57	0	0	2	0
8	D	53	0	0	2	0
All	All	25117	0	24639	313	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (313) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:LYS:HB3	1:D:244:GLY:HA3	1.20	1.17
1:D:759:LYS:HD2	1:D:760:THR:H	1.09	1.09
1:D:758:THR:HB	1:D:760:THR:HG23	1.32	1.08
1:D:759:LYS:HD2	1:D:760:THR:N	1.79	0.97
1:D:751:ILE:HD12	1:D:783:PHE:CD1	2.01	0.96
1:B:761:THR:HB	1:B:762:THR:O	1.68	0.93
1:D:759:LYS:O	1:D:762:THR:N	2.02	0.92
1:D:780:ILE:CD1	1:D:784:ARG:HG3	2.02	0.90
1:C:732:LEU:HB2	1:C:735:VAL:HG21	1.55	0.89
1:D:780:ILE:HD12	1:D:784:ARG:HG3	1.55	0.89
1:D:758:THR:HB	1:D:760:THR:CG2	2.02	0.88
1:C:732:LEU:HB2	1:C:735:VAL:CG2	2.04	0.88
1:D:751:ILE:HD12	1:D:783:PHE:CG	2.10	0.87
1:B:761:THR:HB	1:B:762:THR:C	1.97	0.83
1:A:45:VAL:HG13	1:A:65:VAL:HA	1.59	0.82
1:C:813:SER:OG	1:C:815:VAL:HG12	1.80	0.81
1:D:243:LYS:CB	1:D:244:GLY:HA3	2.07	0.81
1:D:757:GLU:HA	1:D:758:THR:C	2.03	0.78
1:D:457:THR:OG1	1:D:458:ASP:N	2.17	0.78
1:D:777:THR:O	1:D:780:ILE:HG22	1.86	0.76
1:C:733:SER:HA	1:C:735:VAL:H	1.49	0.75
1:C:732:LEU:HD21	1:C:764:LEU:HD22	1.69	0.74
1:A:686:GLN:O	1:A:686:GLN:HG3	1.85	0.74
1:D:243:LYS:HB3	1:D:244:GLY:CA	2.08	0.74
1:D:761:THR:O	1:D:762:THR:OG1	2.05	0.74
1:A:686:GLN:HB2	8:A:1079:HOH:O	1.88	0.73
1:D:808:ASP:HA	1:D:809:GLN:C	2.08	0.72
1:D:759:LYS:O	1:D:760:THR:OG1	2.09	0.70
1:D:751:ILE:CD1	1:D:783:PHE:CD1	2.75	0.70
1:D:153:LEU:HB2	1:D:177:LEU:HD23	1.73	0.70
1:D:775:GLU:HA	1:D:805:SER:HB2	1.76	0.67
1:C:566:HIS:CE1	1:D:490:LEU:HD22	2.30	0.66
1:D:716:THR:HG23	1:D:740:HIS:HB3	1.78	0.66
1:D:739:LYS:HA	1:D:763:LYS:HG3	1.78	0.65
1:D:780:ILE:C	1:D:780:ILE:HD13	2.17	0.65
1:C:733:SER:OG	1:C:734:GLU:HA	1.98	0.64
1:D:660:LEU:HD21	1:D:683:LEU:HD22	1.79	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:806:PRO:HD2	1:D:807:GLY:H	1.62	0.64
1:A:733:SER:HB2	1:A:758:THR:HG21	1.80	0.64
1:C:278:ILE:HB	1:C:306:TRP:CZ2	2.32	0.64
1:C:707:LEU:HD23	1:C:735:VAL:HG11	1.79	0.64
1:A:536:ASP:OD1	1:A:538:THR:HG23	1.98	0.63
1:C:467:PHE:HB3	4:K:1:NAG:H81	1.79	0.63
1:C:753:LYS:HD3	1:C:755:ALA:HB2	1.82	0.62
1:C:368:SER:HA	1:C:395:ASN:HD22	1.65	0.62
1:D:680:ASN:OD1	1:D:682:THR:HB	1.99	0.62
1:D:782:ASP:OD2	1:D:782:ASP:N	2.29	0.62
1:D:806:PRO:CD	1:D:807:GLY:H	2.12	0.62
1:D:150:GLU:HG3	1:D:174:ASN:HB2	1.83	0.61
1:D:733:SER:HB3	1:D:759:LYS:HB3	1.82	0.61
1:A:460:GLU:OE1	8:A:1001:HOH:O	2.15	0.60
1:B:735:VAL:HG13	1:B:735:VAL:O	2.00	0.60
1:B:804:ALA:O	1:B:810:ARG:NH1	2.34	0.60
1:D:761:THR:O	1:D:761:THR:HG22	2.01	0.60
1:D:205:LEU:HD23	1:D:205:LEU:C	2.22	0.60
1:D:780:ILE:HD13	1:D:780:ILE:O	2.02	0.60
1:C:731:PHE:O	1:C:756:LEU:N	2.34	0.59
1:C:734:GLU:HB2	1:C:760:THR:HG22	1.84	0.59
1:C:66:THR:HG22	1:C:88:ASN:O	2.02	0.59
1:C:755:ALA:HB1	1:C:756:LEU:C	2.22	0.59
1:B:761:THR:N	1:B:762:THR:HA	2.17	0.59
1:D:813:SER:OG	1:D:815:VAL:HG12	2.02	0.59
1:C:735:VAL:HG23	1:C:735:VAL:O	2.01	0.59
1:C:370:ARG:HD3	8:C:1021:HOH:O	2.02	0.58
1:C:732:LEU:HD22	8:C:1052:HOH:O	2.04	0.58
1:D:758:THR:OG1	1:D:759:LYS:O	2.20	0.58
7:A:914:NAG:O3	7:A:914:NAG:H82	2.03	0.58
1:D:758:THR:CB	1:D:760:THR:HG23	2.20	0.58
1:D:762:THR:OG1	1:D:763:LYS:O	2.22	0.57
1:B:457:THR:O	1:B:458:ASP:HB2	2.04	0.57
1:C:96:HIS:HD2	1:C:134:ASP:HB3	1.69	0.57
1:D:124:LEU:HB3	8:D:1110:HOH:O	2.05	0.57
1:D:212:SER:OG	1:D:233:GLN:NE2	2.38	0.56
1:D:762:THR:OG1	1:D:763:LYS:N	2.35	0.56
1:D:806:PRO:HD2	1:D:809:GLN:O	2.04	0.56
1:C:733:SER:HA	1:C:735:VAL:N	2.20	0.56
1:D:752:ASN:ND2	1:D:753:LYS:H	2.04	0.56
1:D:760:THR:N	1:D:761:THR:HA	2.21	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:LYS:HD2	1:C:270:CYS:SG	2.46	0.55
1:D:809:GLN:HA	1:D:810:ARG:C	2.26	0.55
1:A:67:GLU:OE2	1:A:91:LYS:HE2	2.06	0.55
1:B:234:ILE:O	1:B:256:ASN:HB3	2.07	0.55
1:C:706:SER:HB2	1:C:709:ASP:HB2	1.89	0.55
1:D:733:SER:CB	1:D:759:LYS:HB3	2.36	0.55
1:A:87:GLN:O	1:A:88:ASN:HB2	2.07	0.54
1:B:753:LYS:HD3	1:B:753:LYS:N	2.22	0.54
1:C:252:ASP:OD1	1:C:293:ASN:HB3	2.06	0.54
1:D:806:PRO:CG	1:D:807:GLY:H	2.21	0.54
1:B:706:SER:HB3	1:B:709:ASP:OD2	2.07	0.54
1:D:211:ASN:O	1:D:232:THR:HA	2.08	0.54
1:B:675:MET:HG2	1:B:699:LYS:HE3	1.90	0.54
1:D:808:ASP:CA	1:D:809:GLN:C	2.76	0.54
1:B:317:ASP:OD1	1:B:319:GLU:OE1	2.25	0.54
1:D:757:GLU:CA	1:D:758:THR:C	2.76	0.54
1:D:758:THR:N	1:D:759:LYS:HA	2.22	0.54
1:A:807:GLY:O	1:A:808:ASP:OD2	2.25	0.54
1:A:471:THR:HG22	1:A:471:THR:O	2.08	0.53
1:C:214:SER:HA	1:C:233:GLN:O	2.08	0.53
1:A:52:ARG:HG2	1:A:799:VAL:HG11	1.89	0.53
1:B:194:ASP:OD1	1:B:219:LYS:NZ	2.33	0.53
1:A:52:ARG:HG3	1:A:799:VAL:HG21	1.90	0.53
1:D:164:GLU:O	1:D:168:ARG:NH1	2.40	0.53
1:D:707:LEU:HD12	1:D:731:PHE:CE1	2.43	0.53
1:C:600:THR:O	1:C:601:ASP:HB2	2.08	0.53
1:C:35:PRO:O	1:C:36:CYS:HB2	2.09	0.53
1:D:48:GLU:O	1:D:52:ARG:NH2	2.42	0.53
1:B:392:GLN:HB2	8:B:1136:HOH:O	2.09	0.52
1:C:490:LEU:HD22	1:D:566:HIS:NE2	2.24	0.52
1:B:523:GLY:O	1:B:552:GLU:HB3	2.09	0.52
1:D:759:LYS:C	1:D:762:THR:H	2.10	0.52
1:A:708:SER:OG	1:A:734:GLU:OE1	2.26	0.52
1:D:751:ILE:CD1	1:D:783:PHE:CE1	2.93	0.52
1:A:333:LEU:HD22	1:A:366:LEU:HD11	1.90	0.52
1:A:205:LEU:HD23	1:A:205:LEU:C	2.30	0.52
1:B:213:LEU:O	1:B:214:SER:HB2	2.09	0.52
1:D:370:ARG:HH22	7:D:1010:NAG:H81	1.75	0.52
1:B:410:ASP:O	1:B:413:LEU:HD23	2.09	0.52
1:D:493:ILE:O	1:D:493:ILE:HG22	2.10	0.52
1:B:211:ASN:O	1:B:232:THR:HA	2.11	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:35:PRO:O	1:C:36:CYS:CB	2.59	0.51
1:C:207:SER:HA	1:C:228:PHE:HB2	1.91	0.51
1:C:140:ILE:HD13	1:C:166:ILE:HD11	1.92	0.51
1:C:692:LEU:C	1:C:692:LEU:HD23	2.30	0.51
1:A:680:ASN:OD1	1:A:682:THR:HB	2.11	0.51
1:B:518:ALA:HB2	1:B:541:ARG:HD2	1.91	0.51
1:D:806:PRO:CG	1:D:807:GLY:N	2.73	0.51
1:B:166:ILE:CG2	1:B:200:LEU:HD11	2.41	0.51
1:C:794:LYS:HD3	1:C:794:LYS:N	2.26	0.51
1:D:759:LYS:N	1:D:759:LYS:CD	2.73	0.51
1:A:161:ILE:N	1:A:161:ILE:HD13	2.26	0.50
1:C:732:LEU:C	1:C:735:VAL:HG22	2.32	0.50
1:A:40:LYS:O	1:A:41:GLN:OE1	2.29	0.50
1:D:612:GLU:OE2	1:D:643:ARG:NH1	2.44	0.50
1:D:161:ILE:HD12	1:D:177:LEU:HD13	1.92	0.50
1:D:759:LYS:CD	1:D:759:LYS:H	2.24	0.50
1:C:734:GLU:CB	1:C:760:THR:HG22	2.42	0.50
1:D:428:ASN:O	1:D:429:ARG:HD3	2.11	0.50
1:D:752:ASN:ND2	1:D:753:LYS:N	2.60	0.50
1:D:774:PHE:HB2	1:D:803:CYS:HB3	1.94	0.50
1:C:149:THR:HG22	1:C:171:ASN:O	2.11	0.49
1:D:806:PRO:CD	1:D:807:GLY:N	2.73	0.49
1:D:707:LEU:HD12	1:D:731:PHE:HE1	1.76	0.49
1:D:754:SER:O	1:D:754:SER:OG	2.28	0.49
1:A:809:GLN:HE22	1:A:817:LEU:HD13	1.77	0.49
1:B:761:THR:N	1:B:762:THR:CA	2.75	0.49
1:C:96:HIS:HD2	1:C:134:ASP:CB	2.25	0.49
7:D:1011:NAG:O3	7:D:1011:NAG:H82	2.13	0.49
1:C:130:LEU:HD21	1:C:132:LEU:HD11	1.95	0.49
1:C:692:LEU:HD23	1:C:693:LEU:N	2.27	0.49
1:D:80:ASN:OD1	1:D:80:ASN:N	2.45	0.49
1:C:234:ILE:O	1:C:256:ASN:HB3	2.12	0.49
1:A:430:ILE:HD12	1:A:430:ILE:N	2.27	0.49
1:B:162:THR:HG22	1:B:165:GLY:H	1.78	0.49
1:B:808:ASP:O	1:B:812:LYS:NZ	2.45	0.49
1:D:730:GLY:H	1:D:754:SER:HB2	1.78	0.49
1:A:250:LEU:C	1:A:250:LEU:HD23	2.34	0.48
1:A:516:SER:HB3	1:B:516:SER:OG	2.14	0.48
1:B:205:LEU:C	1:B:205:LEU:HD23	2.33	0.48
1:C:88:ASN:HA	1:C:126:ASN:HD22	1.78	0.48
1:C:52:ARG:HG3	1:C:799:VAL:HG11	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:752:ASN:OD1	1:A:753:LYS:N	2.46	0.48
1:B:195:GLY:O	1:B:198:GLU:HG2	2.14	0.48
1:C:34:TYR:CD1	1:C:815:VAL:HG11	2.49	0.48
1:D:693:LEU:HD23	1:D:717:LEU:CD1	2.44	0.48
1:D:736:SER:HA	1:D:762:THR:HB	1.95	0.48
1:D:780:ILE:CD1	1:D:784:ARG:CG	2.83	0.48
1:A:534:TYR:CE2	1:A:558:VAL:HG11	2.50	0.47
1:A:54:LEU:HD13	1:A:58:PRO:HG3	1.95	0.47
1:A:234:ILE:O	1:A:256:ASN:HB3	2.14	0.47
1:D:278:ILE:HB	1:D:306:TRP:CZ2	2.49	0.47
1:A:506:ASP:OD1	1:A:531:HIS:HD2	1.97	0.47
1:A:660:LEU:HD21	1:A:683:LEU:HD22	1.96	0.47
1:B:141:PRO:HB2	1:B:144:LEU:HD21	1.97	0.47
1:B:548:SER:O	1:B:551:THR:OG1	2.21	0.47
1:C:67:GLU:OE2	1:C:91:LYS:CE	2.63	0.47
1:D:225:ARG:O	1:D:248:LEU:HD22	2.14	0.47
1:D:759:LYS:HD2	1:D:759:LYS:N	2.29	0.47
1:B:72:ASP:O	1:B:99:ASN:ND2	2.48	0.47
1:C:223:SER:O	1:C:225:ARG:NH1	2.48	0.47
1:C:670:HIS:HA	1:C:694:ASP:HB3	1.95	0.47
1:C:149:THR:HA	1:C:171:ASN:O	2.15	0.47
1:A:166:ILE:CG2	1:A:200:LEU:HD11	2.45	0.46
1:A:576:HIS:HB3	1:A:578:GLU:OE1	2.15	0.46
1:C:516:SER:OG	1:D:516:SER:HB3	2.14	0.46
1:B:40:LYS:HA	1:B:45:VAL:HA	1.97	0.46
1:C:616:SER:HA	1:C:647:SER:O	2.16	0.46
1:D:775:GLU:HA	1:D:805:SER:CB	2.41	0.46
1:D:806:PRO:HG2	1:D:807:GLY:H	1.81	0.46
1:D:809:GLN:HG3	1:D:812:LYS:HD2	1.97	0.46
1:B:52:ARG:HG2	1:B:799:VAL:HG11	1.97	0.46
1:C:385:ASP:HA	1:C:388:GLN:HG2	1.97	0.46
1:D:467:PHE:HB3	4:N:1:NAG:H81	1.97	0.46
1:D:753:LYS:HG2	1:D:782:ASP:OD1	2.16	0.46
1:C:88:ASN:N	1:C:88:ASN:HD22	2.14	0.46
1:C:720:SER:OG	1:C:742:ASP:OD2	2.25	0.46
1:B:200:LEU:O	1:B:221:PRO:HG3	2.16	0.46
1:C:67:GLU:OE2	1:C:91:LYS:HE3	2.15	0.46
1:D:484:LYS:HE2	1:D:505:PRO:HB2	1.97	0.46
1:D:518:ALA:HB2	1:D:541:ARG:HD2	1.98	0.46
1:A:57:VAL:HG21	1:A:82:SER:HB3	1.98	0.46
1:C:211:ASN:O	1:C:232:THR:HA	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:GLY:HA3	1:C:122:LEU:HD23	1.99	0.45
1:D:759:LYS:H	1:D:759:LYS:HE3	1.81	0.45
1:A:370:ARG:NH2	7:A:913:NAG:H81	2.31	0.45
1:C:388:GLN:N	1:C:389:PRO:CD	2.80	0.45
1:A:211:ASN:O	1:A:232:THR:HA	2.16	0.45
1:C:59:GLN:H	1:C:59:GLN:CD	2.18	0.45
1:C:733:SER:CB	1:C:734:GLU:HA	2.47	0.45
1:C:755:ALA:HA	1:C:756:LEU:CB	2.46	0.45
1:C:259:ARG:NH1	1:C:321:ASN:O	2.50	0.45
1:D:693:LEU:HD21	1:D:695:LEU:HD11	1.99	0.45
1:D:809:GLN:HA	1:D:810:ARG:O	2.16	0.45
1:D:45:VAL:N	1:D:66:THR:HG1	2.15	0.45
1:D:758:THR:CB	1:D:759:LYS:C	2.85	0.45
1:A:52:ARG:HB3	1:A:54:LEU:HG	1.99	0.45
1:A:401:LEU:HB2	1:A:425:LEU:HD23	1.98	0.45
1:A:616:SER:HA	1:A:647:SER:O	2.17	0.45
1:A:720:SER:HA	1:A:744:SER:O	2.17	0.45
1:D:183:PHE:HB3	1:D:266:PRO:HG2	1.99	0.45
1:D:475:ILE:HD13	1:D:487:ASP:HB2	1.99	0.45
1:D:758:THR:HB	1:D:759:LYS:C	2.37	0.45
1:D:780:ILE:HG23	1:D:781:GLY:N	2.32	0.45
1:A:505:PRO:O	1:A:507:ILE:HG12	2.17	0.44
1:B:150:GLU:HG2	1:B:174:ASN:HB2	1.99	0.44
1:B:287:THR:HA	1:B:309:ASN:O	2.17	0.44
1:B:115:ASN:OD1	1:B:115:ASN:C	2.56	0.44
1:B:338:ARG:HA	1:B:368:SER:OG	2.18	0.44
1:D:166:ILE:HA	1:D:169:LEU:HD12	1.98	0.44
1:D:312:HIS:HE1	8:D:1127:HOH:O	1.99	0.44
1:B:475:ILE:CD1	1:B:487:ASP:HB2	2.47	0.44
1:D:327:ILE:HG12	1:D:344:LEU:HD13	2.00	0.44
1:B:457:THR:O	1:B:458:ASP:CB	2.65	0.44
1:D:565:SER:O	1:D:566:HIS:C	2.55	0.44
1:D:780:ILE:CD1	1:D:780:ILE:C	2.85	0.44
1:D:501:PHE:HB2	1:D:528:ALA:HB3	1.99	0.44
1:D:757:GLU:HA	1:D:758:THR:O	2.18	0.44
1:A:213:LEU:O	1:A:214:SER:HB2	2.17	0.43
1:D:808:ASP:N	1:D:808:ASP:OD1	2.50	0.43
1:A:86:LEU:C	1:A:87:GLN:O	2.54	0.43
1:B:692:LEU:HD23	1:B:692:LEU:C	2.39	0.43
1:D:650:ARG:HA	1:D:675:MET:HE3	2.01	0.43
1:B:388:GLN:N	1:B:389:PRO:CD	2.81	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:128:ARG:HG2	1:C:147:SER:O	2.19	0.43
1:C:230:SER:HA	1:C:254:SER:O	2.19	0.43
1:C:287:THR:HA	1:C:309:ASN:O	2.18	0.43
1:A:805:SER:HB2	1:A:806:PRO:HA	2.01	0.43
1:C:336:LEU:HD13	1:C:339:LEU:HD22	2.01	0.43
1:C:753:LYS:HD2	1:C:753:LYS:O	2.19	0.43
1:A:317:ASP:OD1	1:A:319:GLU:OE1	2.37	0.43
1:B:34:TYR:CG	1:B:35:PRO:HA	2.54	0.43
1:A:373:HIS:HA	1:A:400:ASN:HB3	2.01	0.42
1:A:471:THR:O	1:A:471:THR:CG2	2.66	0.42
1:C:327:ILE:HG12	1:C:344:LEU:HD13	2.00	0.42
1:D:504:LEU:HD23	1:D:504:LEU:HA	1.87	0.42
1:A:68:LEU:HD21	1:A:70:LEU:HD11	2.01	0.42
1:A:370:ARG:HH22	7:A:913:NAG:H81	1.84	0.42
1:B:782:ASP:HA	1:B:785:ARG:NH1	2.34	0.42
1:D:467:PHE:CB	4:N:1:NAG:H81	2.49	0.42
1:D:758:THR:HB	1:D:760:THR:CB	2.48	0.42
1:C:155:GLN:HA	1:C:179:TRP:O	2.20	0.42
1:C:181:CYS:O	1:C:211:ASN:HA	2.19	0.42
1:A:807:GLY:O	1:A:808:ASP:CG	2.58	0.42
1:C:472:ARG:HH11	1:C:472:ARG:CG	2.32	0.42
1:A:159:TYR:CE1	1:A:187:CYS:HB2	2.54	0.42
1:B:583:PHE:HB3	8:B:1142:HOH:O	2.19	0.42
1:C:732:LEU:O	1:C:735:VAL:HG13	2.20	0.42
1:D:419:ASN:N	1:D:419:ASN:OD1	2.53	0.42
1:D:760:THR:HG1	1:D:762:THR:H	1.67	0.42
1:C:576:HIS:HB3	1:C:578:GLU:OE1	2.20	0.42
1:B:155:GLN:HA	1:B:179:TRP:O	2.20	0.42
1:B:353:TYR:CZ	1:B:380:GLN:HG2	2.55	0.42
1:D:230:SER:O	1:D:232:THR:HG23	2.20	0.42
1:D:234:ILE:O	1:D:256:ASN:HB3	2.19	0.42
1:B:250:LEU:HD23	1:B:250:LEU:C	2.40	0.42
1:C:375:ARG:HA	1:C:402:GLY:O	2.20	0.42
1:D:296:SER:HA	1:D:320:PHE:O	2.19	0.42
1:D:783:PHE:CE2	1:D:787:MET:SD	3.13	0.41
1:B:600:THR:O	1:B:601:ASP:HB2	2.20	0.41
1:D:505:PRO:O	1:D:507:ILE:HG12	2.20	0.41
1:D:47:ALA:HB3	1:D:68:LEU:HA	2.03	0.41
1:B:532:VAL:HB	1:B:553:LEU:HD22	2.01	0.41
1:D:69:ASP:HA	1:D:93:ASN:HB3	2.02	0.41
1:A:430:ILE:HD12	1:A:430:ILE:H	1.84	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:SER:HA	1:B:233:GLN:O	2.20	0.41
1:B:760:THR:HA	1:B:761:THR:C	2.40	0.41
1:B:565:SER:OG	1:B:569:ARG:NH1	2.53	0.41
1:C:491:ASN:HB3	1:C:492:SER:H	1.71	0.41
1:D:788:ASP:HA	1:D:791:LEU:HD21	2.02	0.41
1:A:388:GLN:N	1:A:389:PRO:CD	2.84	0.41
1:B:314:LYS:C	1:B:339:LEU:HD12	2.41	0.41
1:B:419:ASN:HD22	1:B:419:ASN:HA	1.72	0.41
1:C:235:LYS:HD3	1:C:235:LYS:N	2.35	0.41
1:D:647:SER:HA	1:D:672:ASN:O	2.20	0.41
1:A:235:LYS:HE2	1:A:235:LYS:HB2	1.87	0.41
1:B:220:LEU:HB2	1:B:245:LEU:HD21	2.03	0.41
1:B:780:ILE:O	1:B:783:PHE:N	2.54	0.41
1:C:514:ALA:HA	1:C:539:ASN:O	2.19	0.41
1:C:753:LYS:C	1:C:755:ALA:N	2.74	0.41
1:D:319:GLU:OE1	1:D:469:HIS:HD2	2.04	0.41
1:A:356:HIS:CD2	1:A:383:ARG:HE	2.39	0.41
1:C:257:CYS:N	1:C:258:PRO:CD	2.84	0.40
1:C:523:GLY:O	1:C:552:GLU:HB3	2.22	0.40
1:C:749:LYS:O	1:C:774:PHE:HA	2.21	0.40
1:D:764:LEU:O	1:D:793:VAL:HG22	2.21	0.40
1:C:261:PHE:CZ	1:C:350:LYS:HD2	2.57	0.40
1:D:413:LEU:C	1:D:413:LEU:HD12	2.41	0.40
1:B:485:ALA:HA	1:B:509:CYS:O	2.22	0.40
1:D:608:LYS:O	1:D:640:ASN:HB2	2.21	0.40
1:D:707:LEU:CD1	1:D:731:PHE:HE1	2.35	0.40
1:D:758:THR:CB	1:D:760:THR:CG2	2.85	0.40
1:A:336:LEU:N	1:A:337:PRO:CD	2.84	0.40
1:C:119:GLY:HA2	1:C:143:GLY:HA3	2.03	0.40
1:D:806:PRO:HD2	1:D:807:GLY:N	2.32	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	740/811 (91%)	692 (94%)	47 (6%)	1 (0%)	48	65
1	B	741/811 (91%)	694 (94%)	45 (6%)	2 (0%)	37	51
1	C	740/811 (91%)	680 (92%)	56 (8%)	4 (0%)	25	38
1	D	738/811 (91%)	677 (92%)	58 (8%)	3 (0%)	30	44
All	All	2959/3244 (91%)	2743 (93%)	206 (7%)	10 (0%)	37	51

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	806	PRO
1	B	458	ASP
1	D	709	ASP
1	C	378	VAL
1	B	378	VAL
1	C	36	CYS
1	C	60	THR
1	D	378	VAL
1	A	378	VAL
1	C	186	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	695/755 (92%)	646 (93%)	49 (7%)	12	20
1	B	696/755 (92%)	654 (94%)	42 (6%)	16	27
1	C	695/755 (92%)	652 (94%)	43 (6%)	15	26
1	D	693/755 (92%)	642 (93%)	51 (7%)	11	19
All	All	2779/3020 (92%)	2594 (93%)	185 (7%)	13	23

All (185) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	32	ARG
1	A	41	GLN
1	A	49	CYS
1	A	52	ARG
1	A	64	TYR
1	A	84	GLN
1	A	87	GLN
1	A	88	ASN
1	A	112	ASN
1	A	122	LEU
1	A	150	GLU
1	A	160	ASN
1	A	168	ARG
1	A	170	ILE
1	A	225	ARG
1	A	235	LYS
1	A	248	LEU
1	A	280	ARG
1	A	286	LEU
1	A	308	LYS
1	A	334	THR
1	A	338	ARG
1	A	399	ILE
1	A	419	ASN
1	A	429	ARG
1	A	465	SER
1	A	554	SER
1	A	569	ARG
1	A	629	ASN
1	A	632	ILE
1	A	657	GLU
1	A	686	GLN
1	A	689	ARG
1	A	706	SER
1	A	708	SER
1	A	712	SER
1	A	733	SER
1	A	735	VAL
1	A	753	LYS
1	A	756	LEU
1	A	763	LYS
1	A	778	CYS
1	A	779	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	794	LYS
1	A	795	ILE
1	A	799	VAL
1	A	808	ASP
1	A	815	VAL
1	A	817	LEU
1	B	40	LYS
1	B	49	CYS
1	B	51	ASN
1	B	52	ARG
1	B	56	GLU
1	B	82	SER
1	B	86	LEU
1	B	87	GLN
1	B	96	HIS
1	B	118	ASP
1	B	122	LEU
1	B	150	GLU
1	B	162	THR
1	B	168	ARG
1	B	188	GLU
1	B	199	THR
1	B	201	THR
1	B	248	LEU
1	B	286	LEU
1	B	308	LYS
1	B	368	SER
1	B	415	GLN
1	B	416	ASN
1	B	419	ASN
1	B	471	THR
1	B	472	ARG
1	B	534	TYR
1	B	595	ASN
1	B	625	ASN
1	B	632	ILE
1	B	686	GLN
1	B	702	PHE
1	B	708	SER
1	B	727	LEU
1	B	733	SER
1	B	736	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	737	SER
1	B	753	LYS
1	B	758	THR
1	B	760	THR
1	B	797	ARG
1	B	815	VAL
1	C	32	ARG
1	C	40	LYS
1	C	49	CYS
1	C	56	GLU
1	C	88	ASN
1	C	96	HIS
1	C	100	VAL
1	C	114	LEU
1	C	122	LEU
1	C	125	LYS
1	C	150	GLU
1	C	163	LYS
1	C	193	GLU
1	C	214	SER
1	C	240	GLU
1	C	248	LEU
1	C	271	ASP
1	C	286	LEU
1	C	314	LYS
1	C	361	ARG
1	C	370	ARG
1	C	384	GLU
1	C	397	SER
1	C	408	GLN
1	C	470	PHE
1	C	472	ARG
1	C	625	ASN
1	C	678	PHE
1	C	705	ASP
1	C	709	ASP
1	C	720	SER
1	C	725	SER
1	C	732	LEU
1	C	733	SER
1	C	734	GLU
1	C	753	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	756	LEU
1	C	759	LYS
1	C	761	THR
1	C	775	GLU
1	C	778	CYS
1	C	797	ARG
1	C	798	LEU
1	D	49	CYS
1	D	52	ARG
1	D	64	TYR
1	D	66	THR
1	D	118	ASP
1	D	122	LEU
1	D	125	LYS
1	D	160	ASN
1	D	162	THR
1	D	173	LYS
1	D	212	SER
1	D	235	LYS
1	D	240	GLU
1	D	243	LYS
1	D	248	LEU
1	D	280	ARG
1	D	286	LEU
1	D	301	LYS
1	D	358	ASN
1	D	413	LEU
1	D	416	ASN
1	D	457	THR
1	D	458	ASP
1	D	465	SER
1	D	475	ILE
1	D	484	LYS
1	D	534	TYR
1	D	554	SER
1	D	595	ASN
1	D	625	ASN
1	D	632	ILE
1	D	701	LEU
1	D	707	LEU
1	D	720	SER
1	D	727	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	731	PHE
1	D	745	SER
1	D	752	ASN
1	D	753	LYS
1	D	757	GLU
1	D	758	THR
1	D	759	LYS
1	D	778	CYS
1	D	780	ILE
1	D	782	ASP
1	D	787	MET
1	D	789	GLU
1	D	805	SER
1	D	806	PRO
1	D	809	GLN
1	D	812	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	GLN
1	A	77	HIS
1	A	88	ASN
1	A	96	HIS
1	A	285	ASN
1	A	356	HIS
1	A	419	ASN
1	A	531	HIS
1	A	629	ASN
1	A	686	GLN
1	A	809	GLN
1	B	51	ASN
1	B	55	GLN
1	B	87	GLN
1	B	99	ASN
1	B	285	ASN
1	B	419	ASN
1	C	88	ASN
1	C	96	HIS
1	C	126	ASN
1	C	184	ASN
1	C	191	ASN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	C	355	GLN
1	C	388	GLN
1	C	566	HIS
1	C	593	HIS
1	C	604	ASN
1	C	625	ASN
1	D	123	ASN
1	D	233	GLN
1	D	312	HIS
1	D	355	GLN
1	D	358	ASN
1	D	469	HIS
1	D	752	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

42 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	C	913	1	14,14,15	0.93	1 (7%)	17,19,21	1.30	4 (23%)
4	NAG	N	2	4	14,14,15	0.61	0	17,19,21	1.42	2 (11%)
4	NAG	P	1	1,4	14,14,15	0.65	0	17,19,21	1.43	1 (5%)
7	NAG	A	914	1	14,14,15	0.72	0	17,19,21	2.19	6 (35%)
4	NAG	P	2	4	14,14,15	0.75	0	17,19,21	1.27	2 (11%)
2	NAG	G	2	2	14,14,15	1.07	1 (7%)	17,19,21	1.23	2 (11%)
3	NAG	F	2	3	14,14,15	0.85	1 (7%)	17,19,21	1.77	4 (23%)
7	NAG	B	1010	1	14,14,15	0.78	1 (7%)	17,19,21	1.75	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	K	1	1,4	14,14,15	0.74	0	17,19,21	1.46	4 (23%)
4	NAG	K	2	4	14,14,15	0.67	0	17,19,21	2.03	9 (52%)
4	NAG	N	1	1,4	14,14,15	0.96	1 (7%)	17,19,21	1.49	2 (11%)
7	NAG	C	914	1	14,14,15	0.86	1 (7%)	17,19,21	0.98	2 (11%)
2	MAN	E	4	2	11,11,12	0.81	0	15,15,17	1.31	3 (20%)
4	NAG	J	2	4	14,14,15	1.14	2 (14%)	17,19,21	1.75	5 (29%)
7	NAG	D	1006	1	14,14,15	0.53	0	17,19,21	1.60	3 (17%)
7	NAG	B	1013	1	14,14,15	0.72	0	17,19,21	1.85	4 (23%)
5	NAG	M	1	5,1	14,14,15	0.54	0	17,19,21	1.23	3 (17%)
5	MAN	M	4	5	11,11,12	0.98	1 (9%)	15,15,17	1.46	3 (20%)
3	NAG	O	2	3	14,14,15	0.74	0	17,19,21	1.51	4 (23%)
2	NAG	G	1	2,1	14,14,15	0.63	0	17,19,21	1.50	4 (23%)
7	NAG	B	1012	1	14,14,15	0.90	1 (7%)	17,19,21	1.40	2 (11%)
3	NAG	I	2	3	14,14,15	0.89	1 (7%)	17,19,21	1.84	5 (29%)
7	NAG	C	907	1	14,14,15	0.87	0	17,19,21	1.48	2 (11%)
7	NAG	C	912	1	14,14,15	0.71	0	17,19,21	1.69	2 (11%)
2	NAG	E	1	2,1	14,14,15	0.89	0	17,19,21	1.35	2 (11%)
3	NAG	O	1	3,1	14,14,15	0.73	1 (7%)	17,19,21	1.58	2 (11%)
3	NAG	I	1	3,1	14,14,15	0.91	0	17,19,21	1.59	3 (17%)
2	MAN	H	4	2	11,11,12	0.87	0	15,15,17	1.90	7 (46%)
3	NAG	L	1	3,1	14,14,15	0.70	0	17,19,21	1.48	2 (11%)
5	NAG	M	2	5	14,14,15	0.95	1 (7%)	17,19,21	0.96	1 (5%)
7	NAG	B	1011	1	14,14,15	0.67	0	17,19,21	1.05	0
7	NAG	D	1010	1	14,14,15	0.75	0	17,19,21	1.20	3 (17%)
3	NAG	F	1	3,1	14,14,15	0.64	0	17,19,21	1.51	4 (23%)
2	NAG	E	2	2	14,14,15	0.84	0	17,19,21	1.66	7 (41%)
2	MAN	G	4	2	11,11,12	0.55	0	15,15,17	1.42	3 (20%)
7	NAG	A	913	1	14,14,15	0.73	0	17,19,21	1.51	3 (17%)
7	NAG	D	1011	1	14,14,15	0.67	0	17,19,21	1.87	5 (29%)
2	NAG	H	1	2,1	14,14,15	0.78	0	17,19,21	1.79	4 (23%)
2	NAG	H	2	2	14,14,15	0.53	0	17,19,21	1.31	3 (17%)
3	NAG	L	2	3	14,14,15	0.60	0	17,19,21	1.41	4 (23%)
7	NAG	A	912	1	14,14,15	0.59	0	17,19,21	2.41	4 (23%)
4	NAG	J	1	1,4	14,14,15	0.90	0	17,19,21	1.24	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	C	913	1	-	3/6/23/26	0/1/1/1
4	NAG	N	2	4	-	0/6/23/26	0/1/1/1
4	NAG	P	1	1,4	-	0/6/23/26	0/1/1/1
7	NAG	A	914	1	-	2/6/23/26	0/1/1/1
4	NAG	P	2	4	-	1/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
7	NAG	B	1010	1	-	0/6/23/26	0/1/1/1
4	NAG	K	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1
4	NAG	N	1	1,4	-	0/6/23/26	0/1/1/1
7	NAG	C	914	1	-	2/6/23/26	0/1/1/1
2	MAN	E	4	2	-	0/2/19/22	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
7	NAG	D	1006	1	-	4/6/23/26	0/1/1/1
7	NAG	B	1013	1	-	4/6/23/26	0/1/1/1
5	NAG	M	1	5,1	-	0/6/23/26	0/1/1/1
5	MAN	M	4	5	-	2/2/19/22	0/1/1/1
3	NAG	O	2	3	-	0/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
7	NAG	B	1012	1	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
7	NAG	C	907	1	-	4/6/23/26	0/1/1/1
7	NAG	C	912	1	-	0/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
3	NAG	O	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	0/6/23/26	0/1/1/1
2	MAN	H	4	2	-	0/2/19/22	0/1/1/1
3	NAG	L	1	3,1	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	0/6/23/26	0/1/1/1
7	NAG	B	1011	1	-	0/6/23/26	0/1/1/1
7	NAG	D	1010	1	-	0/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	MAN	G	4	2	-	0/2/19/22	0/1/1/1
7	NAG	A	913	1	-	1/6/23/26	0/1/1/1

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	D	1011	1	-	2/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	0/6/23/26	0/1/1/1
7	NAG	A	912	1	-	0/6/23/26	0/1/1/1
4	NAG	J	1	1,4	-	0/6/23/26	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	2	NAG	O5-C1	-3.20	1.38	1.43
2	G	2	NAG	O5-C1	-2.97	1.39	1.43
4	N	1	NAG	O5-C1	-2.72	1.39	1.43
5	M	2	NAG	O5-C1	-2.71	1.39	1.43
7	B	1012	NAG	O5-C1	-2.60	1.39	1.43
5	M	4	MAN	C2-C3	2.57	1.56	1.52
3	F	2	NAG	O5-C1	-2.47	1.39	1.43
3	I	2	NAG	O5-C1	-2.39	1.39	1.43
3	O	1	NAG	O5-C1	-2.22	1.40	1.43
7	C	913	NAG	O5-C1	-2.14	1.40	1.43
7	B	1010	NAG	O5-C1	-2.13	1.40	1.43
7	C	914	NAG	C1-C2	2.10	1.55	1.52
4	J	2	NAG	C2-N2	-2.08	1.42	1.46

All (140) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	912	NAG	O5-C1-C2	5.74	120.35	111.29
7	C	912	NAG	C1-O5-C5	5.54	119.70	112.19
7	A	914	NAG	O5-C1-C2	-5.38	102.80	111.29
7	A	912	NAG	C1-O5-C5	5.08	119.07	112.19
7	B	1010	NAG	C1-O5-C5	4.79	118.68	112.19
4	P	1	NAG	C1-O5-C5	4.73	118.60	112.19
4	J	2	NAG	O5-C1-C2	-4.54	104.12	111.29
7	A	914	NAG	C8-C7-N2	4.46	123.65	116.10
7	A	912	NAG	C4-C3-C2	-4.23	104.81	111.02
4	N	1	NAG	O5-C1-C2	-4.17	104.70	111.29
3	I	1	NAG	C3-C4-C5	-4.11	102.91	110.24
3	F	2	NAG	C3-C4-C5	-4.11	102.92	110.24
3	L	1	NAG	C1-C2-N2	-4.04	103.58	110.49
7	D	1011	NAG	C8-C7-N2	4.02	122.90	116.10
7	B	1013	NAG	O5-C5-C6	4.00	113.47	107.20

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	NAG	O5-C1-C2	-3.92	105.11	111.29
7	D	1006	NAG	C8-C7-N2	3.70	122.37	116.10
2	H	1	NAG	O5-C5-C6	3.61	112.87	107.20
7	A	912	NAG	C1-C2-N2	-3.52	104.47	110.49
3	I	2	NAG	C3-C4-C5	-3.52	103.96	110.24
3	F	1	NAG	C1-C2-N2	-3.50	104.51	110.49
3	O	1	NAG	C1-C2-N2	-3.46	104.58	110.49
2	H	1	NAG	O5-C1-C2	-3.42	105.89	111.29
7	B	1013	NAG	C2-N2-C7	3.37	127.71	122.90
4	K	2	NAG	C1-C2-N2	3.36	116.23	110.49
4	N	2	NAG	O5-C1-C2	-3.28	106.11	111.29
7	D	1011	NAG	C4-C3-C2	-3.20	106.33	111.02
3	O	1	NAG	C1-O5-C5	3.19	116.52	112.19
4	K	2	NAG	C1-O5-C5	-3.19	107.87	112.19
5	M	4	MAN	O3-C3-C2	3.18	116.08	109.99
7	C	907	NAG	C1-C2-N2	-3.13	105.15	110.49
3	F	1	NAG	C3-C4-C5	-3.08	104.74	110.24
4	K	2	NAG	C2-N2-C7	-3.08	118.52	122.90
7	A	913	NAG	O5-C1-C2	-3.08	106.43	111.29
4	J	1	NAG	O5-C1-C2	-3.07	106.44	111.29
3	O	2	NAG	O5-C1-C2	-3.04	106.48	111.29
2	H	2	NAG	C3-C4-C5	-3.02	104.85	110.24
7	A	913	NAG	O4-C4-C3	-3.02	103.36	110.35
4	P	2	NAG	C4-C3-C2	-3.00	106.62	111.02
2	E	2	NAG	O7-C7-N2	2.97	127.41	121.95
2	G	4	MAN	O5-C1-C2	-2.91	106.28	110.77
7	A	914	NAG	C4-C3-C2	-2.90	106.76	111.02
3	I	2	NAG	O4-C4-C5	2.90	116.50	109.30
3	O	2	NAG	O3-C3-C4	-2.87	103.70	110.35
7	D	1011	NAG	O5-C1-C2	-2.87	106.76	111.29
2	H	4	MAN	C2-C3-C4	2.86	115.85	110.89
3	F	2	NAG	O5-C5-C6	2.86	111.68	107.20
7	B	1013	NAG	C1-O5-C5	2.80	115.98	112.19
2	H	4	MAN	C1-C2-C3	2.78	113.09	109.67
4	J	2	NAG	C1-C2-N2	-2.78	105.74	110.49
2	H	1	NAG	C3-C4-C5	-2.77	105.29	110.24
2	H	4	MAN	C3-C4-C5	2.77	115.17	110.24
7	C	913	NAG	C1-O5-C5	2.76	115.92	112.19
2	E	2	NAG	C1-O5-C5	-2.72	108.51	112.19
4	J	2	NAG	O6-C6-C5	-2.72	101.97	111.29
2	H	1	NAG	C2-N2-C7	-2.68	119.09	122.90
2	H	4	MAN	O5-C1-C2	-2.67	106.65	110.77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	4	MAN	C1-C2-C3	-2.66	106.39	109.67
2	E	1	NAG	C1-O5-C5	2.65	115.79	112.19
7	A	914	NAG	O7-C7-N2	-2.65	117.08	121.95
7	D	1011	NAG	C2-N2-C7	2.64	126.66	122.90
4	K	2	NAG	O3-C3-C4	-2.63	104.26	110.35
2	H	4	MAN	O5-C5-C6	2.60	111.28	107.20
3	I	2	NAG	C8-C7-N2	2.60	120.50	116.10
4	K	2	NAG	O5-C1-C2	-2.59	107.19	111.29
3	I	1	NAG	O5-C1-C2	-2.56	107.24	111.29
3	I	1	NAG	C1-C2-N2	-2.54	106.14	110.49
2	E	2	NAG	O7-C7-C8	-2.54	117.33	122.06
7	D	1006	NAG	O7-C7-C8	-2.54	117.34	122.06
4	K	1	NAG	O4-C4-C5	-2.53	103.03	109.30
4	J	2	NAG	O5-C5-C6	-2.52	103.25	107.20
2	G	2	NAG	C4-C3-C2	-2.51	107.34	111.02
2	E	4	MAN	O2-C2-C1	2.50	114.27	109.15
3	L	2	NAG	C1-O5-C5	2.48	115.56	112.19
2	G	1	NAG	C2-N2-C7	2.48	126.43	122.90
7	C	912	NAG	O5-C1-C2	-2.48	107.38	111.29
7	B	1012	NAG	C1-O5-C5	2.42	115.47	112.19
2	G	4	MAN	C1-O5-C5	2.42	115.47	112.19
2	G	1	NAG	O7-C7-C8	-2.38	117.64	122.06
5	M	1	NAG	O5-C1-C2	-2.37	107.54	111.29
7	D	1011	NAG	O7-C7-N2	-2.37	117.59	121.95
3	L	2	NAG	O5-C5-C6	2.36	110.90	107.20
5	M	4	MAN	O2-C2-C3	2.36	114.86	110.14
3	L	2	NAG	O5-C1-C2	-2.36	107.57	111.29
3	L	1	NAG	O7-C7-C8	-2.33	117.72	122.06
7	B	1010	NAG	O7-C7-N2	-2.33	117.68	121.95
2	E	4	MAN	C1-O5-C5	2.32	115.34	112.19
7	D	1006	NAG	O5-C1-C2	-2.32	107.62	111.29
5	M	1	NAG	O5-C5-C4	-2.29	105.26	110.83
7	C	913	NAG	O5-C5-C6	-2.29	103.62	107.20
2	H	4	MAN	O3-C3-C4	-2.28	105.08	110.35
2	G	2	NAG	O6-C6-C5	-2.28	103.47	111.29
2	H	2	NAG	O5-C1-C2	-2.28	107.69	111.29
5	M	2	NAG	O4-C4-C3	-2.27	105.10	110.35
2	E	1	NAG	O7-C7-C8	-2.27	117.85	122.06
2	H	2	NAG	C1-O5-C5	2.25	115.23	112.19
3	L	2	NAG	O4-C4-C5	2.24	114.87	109.30
7	A	913	NAG	O5-C5-C6	2.24	110.72	107.20
4	P	2	NAG	O7-C7-N2	2.22	126.04	121.95

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	NAG	C3-C4-C5	-2.22	106.28	110.24
5	M	1	NAG	C1-O5-C5	2.21	115.19	112.19
3	F	1	NAG	O5-C5-C4	2.21	116.21	110.83
4	K	2	NAG	O4-C4-C5	2.21	114.78	109.30
2	G	1	NAG	O5-C5-C6	2.20	110.65	107.20
2	G	1	NAG	O7-C7-N2	2.20	125.99	121.95
7	C	907	NAG	O4-C4-C3	-2.18	105.32	110.35
4	K	1	NAG	C2-N2-C7	-2.17	119.81	122.90
4	J	1	NAG	C8-C7-N2	2.17	119.77	116.10
3	O	2	NAG	O4-C4-C5	2.16	114.67	109.30
3	I	2	NAG	C4-C3-C2	-2.16	107.85	111.02
4	K	2	NAG	C8-C7-N2	2.16	119.76	116.10
4	J	2	NAG	C4-C3-C2	-2.15	107.87	111.02
7	D	1010	NAG	O3-C3-C4	2.13	115.28	110.35
5	M	4	MAN	O3-C3-C4	2.13	115.27	110.35
7	B	1010	NAG	O3-C3-C4	-2.12	105.46	110.35
7	A	914	NAG	O5-C5-C6	2.11	110.52	107.20
4	K	1	NAG	O3-C3-C4	2.11	115.23	110.35
3	F	2	NAG	C1-O5-C5	2.11	115.05	112.19
7	D	1010	NAG	O5-C5-C4	-2.11	105.70	110.83
7	D	1010	NAG	O5-C1-C2	-2.11	107.96	111.29
2	E	4	MAN	O2-C2-C3	2.11	114.36	110.14
3	O	2	NAG	C4-C3-C2	2.10	114.09	111.02
7	A	914	NAG	C1-O5-C5	2.09	115.03	112.19
4	N	1	NAG	C3-C4-C5	-2.09	106.51	110.24
3	F	1	NAG	O3-C3-C4	2.08	115.17	110.35
7	C	913	NAG	O7-C7-C8	-2.08	118.19	122.06
2	H	4	MAN	C1-O5-C5	2.07	115.00	112.19
4	N	2	NAG	C1-C2-N2	2.07	114.02	110.49
4	K	2	NAG	O6-C6-C5	-2.07	104.20	111.29
7	C	914	NAG	C1-O5-C5	2.06	114.99	112.19
2	E	2	NAG	O5-C5-C6	2.06	110.43	107.20
4	K	2	NAG	O4-C4-C3	-2.05	105.62	110.35
4	K	1	NAG	C1-C2-N2	2.04	113.98	110.49
2	E	2	NAG	O6-C6-C5	-2.04	104.29	111.29
7	B	1012	NAG	O6-C6-C5	-2.03	104.33	111.29
3	I	2	NAG	O5-C1-C2	-2.03	108.09	111.29
7	C	914	NAG	O5-C5-C6	2.02	110.37	107.20
7	B	1013	NAG	C4-C3-C2	2.01	113.97	111.02
2	E	2	NAG	C2-N2-C7	2.01	125.76	122.90
7	C	913	NAG	O3-C3-C4	2.00	114.98	110.35

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	1013	NAG	O5-C5-C6-O6
5	M	4	MAN	O5-C5-C6-O6
7	C	907	NAG	O5-C5-C6-O6
3	O	1	NAG	O5-C5-C6-O6
7	B	1013	NAG	C4-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
7	A	914	NAG	C8-C7-N2-C2
7	A	914	NAG	O7-C7-N2-C2
7	B	1013	NAG	C8-C7-N2-C2
7	B	1013	NAG	O7-C7-N2-C2
7	C	907	NAG	C8-C7-N2-C2
7	C	907	NAG	O7-C7-N2-C2
7	D	1006	NAG	C8-C7-N2-C2
7	D	1006	NAG	O7-C7-N2-C2
7	D	1011	NAG	C8-C7-N2-C2
7	D	1011	NAG	O7-C7-N2-C2
5	M	4	MAN	C4-C5-C6-O6
7	C	907	NAG	C4-C5-C6-O6
7	D	1006	NAG	O5-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
7	D	1006	NAG	C4-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
7	C	913	NAG	O5-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6
7	C	914	NAG	C4-C5-C6-O6
7	C	913	NAG	C4-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
7	C	914	NAG	O5-C5-C6-O6
4	K	2	NAG	C4-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
7	C	913	NAG	C3-C2-N2-C7
3	I	2	NAG	O5-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
4	P	2	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
7	A	913	NAG	C4-C5-C6-O6

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	914	NAG	1	0
4	K	1	NAG	1	0
4	N	1	NAG	2	0
7	D	1010	NAG	1	0
7	A	913	NAG	2	0
7	D	1011	NAG	1	0

## 5.5 Carbohydrates [i](#)

36 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	E	1	2,1	14,14,15	0.89	0	17,19,21	1.35	2 (11%)
2	NAG	E	2	2	14,14,15	0.84	0	17,19,21	1.66	7 (41%)
2	BMA	E	3	2	11,11,12	0.78	0	15,15,17	1.92	5 (33%)
2	MAN	E	4	2	11,11,12	0.81	0	15,15,17	1.31	3 (20%)
3	NAG	F	1	3,1	14,14,15	0.64	0	17,19,21	1.51	4 (23%)
3	NAG	F	2	3	14,14,15	0.85	1 (7%)	17,19,21	1.77	4 (23%)
2	NAG	G	1	2,1	14,14,15	0.63	0	17,19,21	1.50	4 (23%)
2	NAG	G	2	2	14,14,15	1.07	1 (7%)	17,19,21	1.23	2 (11%)
2	BMA	G	3	2	11,11,12	0.58	0	15,15,17	1.69	4 (26%)
2	MAN	G	4	2	11,11,12	0.55	0	15,15,17	1.42	3 (20%)
2	NAG	H	1	2,1	14,14,15	0.78	0	17,19,21	1.79	4 (23%)
2	NAG	H	2	2	14,14,15	0.53	0	17,19,21	1.31	3 (17%)
2	BMA	H	3	2	11,11,12	0.69	0	15,15,17	1.84	4 (26%)
2	MAN	H	4	2	11,11,12	0.87	0	15,15,17	1.90	7 (46%)
3	NAG	I	1	3,1	14,14,15	0.91	0	17,19,21	1.59	3 (17%)
3	NAG	I	2	3	14,14,15	0.89	1 (7%)	17,19,21	1.84	5 (29%)
4	NAG	J	1	1,4	14,14,15	0.90	0	17,19,21	1.24	2 (11%)
4	NAG	J	2	4	14,14,15	1.14	2 (14%)	17,19,21	1.75	5 (29%)
4	BMA	J	3	4	11,11,12	0.58	0	15,15,17	1.75	4 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	K	1	1,4	14,14,15	0.74	0	17,19,21	1.46	4 (23%)
4	NAG	K	2	4	14,14,15	0.67	0	17,19,21	2.03	9 (52%)
4	BMA	K	3	4	11,11,12	0.74	0	15,15,17	1.46	3 (20%)
3	NAG	L	1	3,1	14,14,15	0.70	0	17,19,21	1.48	2 (11%)
3	NAG	L	2	3	14,14,15	0.60	0	17,19,21	1.41	4 (23%)
5	NAG	M	1	5,1	14,14,15	0.54	0	17,19,21	1.23	3 (17%)
5	NAG	M	2	5	14,14,15	0.95	1 (7%)	17,19,21	0.96	1 (5%)
5	BMA	M	3	5	11,11,12	0.70	0	15,15,17	1.61	4 (26%)
5	MAN	M	4	5	11,11,12	0.98	1 (9%)	15,15,17	1.46	3 (20%)
4	NAG	N	1	1,4	14,14,15	0.96	1 (7%)	17,19,21	1.49	2 (11%)
4	NAG	N	2	4	14,14,15	0.61	0	17,19,21	1.42	2 (11%)
4	BMA	N	3	4	11,11,12	1.21	1 (9%)	15,15,17	1.96	5 (33%)
3	NAG	O	1	3,1	14,14,15	0.73	1 (7%)	17,19,21	1.58	2 (11%)
3	NAG	O	2	3	14,14,15	0.74	0	17,19,21	1.51	4 (23%)
4	NAG	P	1	1,4	14,14,15	0.65	0	17,19,21	1.43	1 (5%)
4	NAG	P	2	4	14,14,15	0.75	0	17,19,21	1.27	2 (11%)
4	BMA	P	3	4	11,11,12	0.59	0	15,15,17	1.52	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
2	MAN	E	4	2	-	0/2/19/22	0/1/1/1
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	BMA	G	3	2	-	2/2/19/22	0/1/1/1
2	MAN	G	4	2	-	0/2/19/22	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	BMA	H	3	2	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	H	4	2	-	0/2/19/22	0/1/1/1
3	NAG	I	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
4	NAG	J	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	BMA	J	3	4	-	1/2/19/22	0/1/1/1
4	NAG	K	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1
4	BMA	K	3	4	-	1/2/19/22	0/1/1/1
3	NAG	L	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	L	2	3	-	0/6/23/26	0/1/1/1
5	NAG	M	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	0/6/23/26	0/1/1/1
5	BMA	M	3	5	-	0/2/19/22	0/1/1/1
5	MAN	M	4	5	-	2/2/19/22	0/1/1/1
4	NAG	N	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	N	2	4	-	0/6/23/26	0/1/1/1
4	BMA	N	3	4	-	1/2/19/22	0/1/1/1
3	NAG	O	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	0/6/23/26	0/1/1/1
4	NAG	P	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	P	2	4	-	1/6/23/26	0/1/1/1
4	BMA	P	3	4	-	0/2/19/22	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	2	NAG	O5-C1	-3.20	1.38	1.43
2	G	2	NAG	O5-C1	-2.97	1.39	1.43
4	N	1	NAG	O5-C1	-2.72	1.39	1.43
5	M	2	NAG	O5-C1	-2.71	1.39	1.43
4	N	3	BMA	O3-C3	2.59	1.49	1.43
5	M	4	MAN	C2-C3	2.57	1.56	1.52
3	F	2	NAG	O5-C1	-2.47	1.39	1.43
3	I	2	NAG	O5-C1	-2.39	1.39	1.43
3	O	1	NAG	O5-C1	-2.22	1.40	1.43
4	J	2	NAG	C2-N2	-2.08	1.42	1.46

All (128) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	3	BMA	C1-C2-C3	5.07	115.90	109.67
4	P	1	NAG	C1-O5-C5	4.73	118.60	112.19
4	N	3	BMA	C1-C2-C3	4.57	115.28	109.67
4	J	2	NAG	O5-C1-C2	-4.54	104.12	111.29
4	J	3	BMA	C1-O5-C5	4.46	118.24	112.19
4	N	1	NAG	O5-C1-C2	-4.17	104.70	111.29
3	I	1	NAG	C3-C4-C5	-4.11	102.91	110.24
3	F	2	NAG	C3-C4-C5	-4.11	102.92	110.24
3	L	1	NAG	C1-C2-N2	-4.04	103.58	110.49
5	M	3	BMA	C1-O5-C5	3.98	117.58	112.19
3	F	2	NAG	O5-C1-C2	-3.92	105.11	111.29
2	E	3	BMA	O5-C5-C6	3.91	113.33	107.20
4	P	3	BMA	O5-C5-C6	3.76	113.10	107.20
2	H	1	NAG	O5-C5-C6	3.61	112.87	107.20
2	G	3	BMA	C1-C2-C3	3.56	114.04	109.67
3	I	2	NAG	C3-C4-C5	-3.52	103.96	110.24
3	F	1	NAG	C1-C2-N2	-3.50	104.51	110.49
3	O	1	NAG	C1-C2-N2	-3.46	104.58	110.49
2	E	3	BMA	O4-C4-C3	-3.42	102.44	110.35
2	H	1	NAG	O5-C1-C2	-3.42	105.89	111.29
4	K	3	BMA	C1-C2-C3	3.37	113.81	109.67
4	K	2	NAG	C1-C2-N2	3.36	116.23	110.49
4	N	2	NAG	O5-C1-C2	-3.28	106.11	111.29
3	O	1	NAG	C1-O5-C5	3.19	116.52	112.19
4	K	2	NAG	C1-O5-C5	-3.19	107.87	112.19
5	M	4	MAN	O3-C3-C2	3.18	116.08	109.99
2	E	3	BMA	C1-O5-C5	3.15	116.46	112.19
3	F	1	NAG	C3-C4-C5	-3.08	104.74	110.24
4	K	2	NAG	C2-N2-C7	-3.08	118.52	122.90
4	J	1	NAG	O5-C1-C2	-3.07	106.44	111.29
3	O	2	NAG	O5-C1-C2	-3.04	106.48	111.29
2	H	2	NAG	C3-C4-C5	-3.02	104.85	110.24
4	P	2	NAG	C4-C3-C2	-3.00	106.62	111.02
2	E	2	NAG	O7-C7-N2	2.97	127.41	121.95
2	G	4	MAN	O5-C1-C2	-2.91	106.28	110.77
3	I	2	NAG	O4-C4-C5	2.90	116.50	109.30
3	O	2	NAG	O3-C3-C4	-2.87	103.70	110.35
2	H	4	MAN	C2-C3-C4	2.86	115.85	110.89
3	F	2	NAG	O5-C5-C6	2.86	111.68	107.20
2	E	3	BMA	C3-C4-C5	2.85	115.32	110.24
2	H	4	MAN	C1-C2-C3	2.78	113.09	109.67
4	J	2	NAG	C1-C2-N2	-2.78	105.74	110.49
2	H	1	NAG	C3-C4-C5	-2.77	105.29	110.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	4	MAN	C3-C4-C5	2.77	115.17	110.24
2	E	2	NAG	C1-O5-C5	-2.72	108.51	112.19
4	J	2	NAG	O6-C6-C5	-2.72	101.97	111.29
2	H	1	NAG	C2-N2-C7	-2.68	119.09	122.90
2	H	4	MAN	O5-C1-C2	-2.67	106.65	110.77
2	G	4	MAN	C1-C2-C3	-2.66	106.39	109.67
2	E	1	NAG	C1-O5-C5	2.65	115.79	112.19
4	K	2	NAG	O3-C3-C4	-2.63	104.26	110.35
2	H	4	MAN	O5-C5-C6	2.60	111.28	107.20
3	I	2	NAG	C8-C7-N2	2.60	120.50	116.10
4	K	2	NAG	O5-C1-C2	-2.59	107.19	111.29
2	G	3	BMA	O2-C2-C3	2.58	115.31	110.14
2	H	3	BMA	O5-C5-C6	2.58	111.25	107.20
5	M	3	BMA	O5-C1-C2	2.57	114.74	110.77
3	I	1	NAG	O5-C1-C2	-2.56	107.24	111.29
4	J	3	BMA	O4-C4-C3	-2.55	104.45	110.35
4	N	3	BMA	C2-C3-C4	-2.55	106.49	110.89
3	I	1	NAG	C1-C2-N2	-2.54	106.14	110.49
2	E	2	NAG	O7-C7-C8	-2.54	117.33	122.06
4	K	1	NAG	O4-C4-C5	-2.53	103.03	109.30
4	J	2	NAG	O5-C5-C6	-2.52	103.25	107.20
2	G	2	NAG	C4-C3-C2	-2.51	107.34	111.02
2	E	4	MAN	O2-C2-C1	2.50	114.27	109.15
3	L	2	NAG	C1-O5-C5	2.48	115.56	112.19
2	G	1	NAG	C2-N2-C7	2.48	126.43	122.90
4	N	3	BMA	O3-C3-C2	2.42	114.62	109.99
2	G	4	MAN	C1-O5-C5	2.42	115.47	112.19
2	G	3	BMA	O4-C4-C3	-2.41	104.77	110.35
4	N	3	BMA	O5-C5-C6	2.40	110.97	107.20
2	G	1	NAG	O7-C7-C8	-2.38	117.64	122.06
5	M	1	NAG	O5-C1-C2	-2.37	107.54	111.29
3	L	2	NAG	O5-C5-C6	2.36	110.90	107.20
5	M	4	MAN	O2-C2-C3	2.36	114.86	110.14
3	L	2	NAG	O5-C1-C2	-2.36	107.57	111.29
3	L	1	NAG	O7-C7-C8	-2.33	117.72	122.06
2	E	4	MAN	C1-O5-C5	2.32	115.34	112.19
4	K	3	BMA	C3-C4-C5	2.30	114.35	110.24
2	E	3	BMA	O6-C6-C5	2.29	119.15	111.29
5	M	1	NAG	O5-C5-C4	-2.29	105.26	110.83
2	H	4	MAN	O3-C3-C4	-2.28	105.08	110.35
2	G	2	NAG	O6-C6-C5	-2.28	103.47	111.29
2	H	2	NAG	O5-C1-C2	-2.28	107.69	111.29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	2	NAG	O4-C4-C3	-2.27	105.10	110.35
4	J	3	BMA	O3-C3-C4	2.27	115.59	110.35
2	E	1	NAG	O7-C7-C8	-2.27	117.85	122.06
2	H	2	NAG	C1-O5-C5	2.25	115.23	112.19
3	L	2	NAG	O4-C4-C5	2.24	114.87	109.30
4	P	2	NAG	O7-C7-N2	2.22	126.04	121.95
2	E	2	NAG	C3-C4-C5	-2.22	106.28	110.24
5	M	1	NAG	C1-O5-C5	2.21	115.19	112.19
3	F	1	NAG	O5-C5-C4	2.21	116.21	110.83
4	K	2	NAG	O4-C4-C5	2.21	114.78	109.30
2	G	1	NAG	O5-C5-C6	2.20	110.65	107.20
2	G	1	NAG	O7-C7-N2	2.20	125.99	121.95
4	K	1	NAG	C2-N2-C7	-2.17	119.81	122.90
4	P	3	BMA	C1-C2-C3	2.17	112.33	109.67
4	J	1	NAG	C8-C7-N2	2.17	119.77	116.10
3	O	2	NAG	O4-C4-C5	2.16	114.67	109.30
5	M	3	BMA	O3-C3-C4	2.16	115.35	110.35
3	I	2	NAG	C4-C3-C2	-2.16	107.85	111.02
4	K	2	NAG	C8-C7-N2	2.16	119.76	116.10
4	N	3	BMA	O6-C6-C5	2.16	118.70	111.29
4	J	2	NAG	C4-C3-C2	-2.15	107.87	111.02
2	H	3	BMA	C1-O5-C5	2.13	115.08	112.19
4	J	3	BMA	O5-C5-C6	2.13	110.54	107.20
5	M	4	MAN	O3-C3-C4	2.13	115.27	110.35
2	H	3	BMA	O6-C6-C5	2.12	118.56	111.29
4	K	1	NAG	O3-C3-C4	2.11	115.23	110.35
3	F	2	NAG	C1-O5-C5	2.11	115.05	112.19
4	K	3	BMA	O3-C3-C4	2.11	115.22	110.35
2	E	4	MAN	O2-C2-C3	2.11	114.36	110.14
2	G	3	BMA	O5-C5-C6	2.10	110.49	107.20
3	O	2	NAG	C4-C3-C2	2.10	114.09	111.02
4	N	1	NAG	C3-C4-C5	-2.09	106.51	110.24
3	F	1	NAG	O3-C3-C4	2.08	115.17	110.35
2	H	4	MAN	C1-O5-C5	2.07	115.00	112.19
4	N	2	NAG	C1-C2-N2	2.07	114.02	110.49
4	K	2	NAG	O6-C6-C5	-2.07	104.20	111.29
2	E	2	NAG	O5-C5-C6	2.06	110.43	107.20
4	K	2	NAG	O4-C4-C3	-2.05	105.62	110.35
4	K	1	NAG	C1-C2-N2	2.04	113.98	110.49
2	E	2	NAG	O6-C6-C5	-2.04	104.29	111.29
5	M	3	BMA	O4-C4-C5	-2.04	104.23	109.30
3	I	2	NAG	O5-C1-C2	-2.03	108.09	111.29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	NAG	C2-N2-C7	2.01	125.76	122.90

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	G	3	BMA	C4-C5-C6-O6
5	M	4	MAN	O5-C5-C6-O6
3	O	1	NAG	O5-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
5	M	4	MAN	C4-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	G	3	BMA	O5-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6
2	H	3	BMA	O5-C5-C6-O6
2	H	3	BMA	C4-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
4	K	2	NAG	C4-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
4	J	3	BMA	O5-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6
4	N	3	BMA	C4-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
4	P	2	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
4	K	3	BMA	C4-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	1	NAG	1	0
4	N	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























## 5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
7	NAG	D	1010	1	14,14,15	0.75	0	17,19,21	1.20	3 (17%)
7	NAG	C	913	1	14,14,15	0.93	1 (7%)	17,19,21	1.30	4 (23%)
6	MBL	A	915	-	16,18,18	0.92	1 (6%)	18,23,23	1.44	3 (16%)
7	NAG	D	1006	1	14,14,15	0.53	0	17,19,21	1.60	3 (17%)
7	NAG	A	914	1	14,14,15	0.72	0	17,19,21	2.19	6 (35%)
7	NAG	B	1013	1	14,14,15	0.72	0	17,19,21	1.85	4 (23%)
6	MBL	C	915	-	16,18,18	1.57	1 (6%)	18,23,23	1.51	4 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	MBL	A	901	-	16,18,18	1.13	1 (6%)	18,23,23	0.95	0
7	NAG	A	913	1	14,14,15	0.73	0	17,19,21	1.51	3 (17%)
7	NAG	B	1012	1	14,14,15	0.90	1 (7%)	17,19,21	1.40	2 (11%)
7	NAG	B	1010	1	14,14,15	0.78	1 (7%)	17,19,21	1.75	3 (17%)
7	NAG	D	1011	1	14,14,15	0.67	0	17,19,21	1.87	5 (29%)
7	NAG	C	907	1	14,14,15	0.87	0	17,19,21	1.48	2 (11%)
7	NAG	B	1011	1	14,14,15	0.67	0	17,19,21	1.05	0
7	NAG	A	912	1	14,14,15	0.59	0	17,19,21	2.41	4 (23%)
7	NAG	C	912	1	14,14,15	0.71	0	17,19,21	1.69	2 (11%)
6	MBL	C	901	-	16,18,18	0.96	1 (6%)	18,23,23	1.19	1 (5%)
7	NAG	C	914	1	14,14,15	0.86	1 (7%)	17,19,21	0.98	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	D	1010	1	-	0/6/23/26	0/1/1/1
7	NAG	C	913	1	-	3/6/23/26	0/1/1/1
6	MBL	A	915	-	-	0/9/9/9	0/2/2/2
7	NAG	D	1006	1	-	4/6/23/26	0/1/1/1
7	NAG	A	914	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1013	1	-	4/6/23/26	0/1/1/1
6	MBL	C	915	-	-	0/9/9/9	0/2/2/2
6	MBL	A	901	-	-	0/9/9/9	0/2/2/2
7	NAG	A	913	1	-	1/6/23/26	0/1/1/1
7	NAG	B	1012	1	-	0/6/23/26	0/1/1/1
7	NAG	B	1010	1	-	0/6/23/26	0/1/1/1
7	NAG	D	1011	1	-	2/6/23/26	0/1/1/1
7	NAG	C	907	1	-	4/6/23/26	0/1/1/1
7	NAG	B	1011	1	-	0/6/23/26	0/1/1/1
7	NAG	A	912	1	-	0/6/23/26	0/1/1/1
7	NAG	C	912	1	-	0/6/23/26	0/1/1/1
6	MBL	C	901	-	-	0/9/9/9	0/2/2/2
7	NAG	C	914	1	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	915	MBL	C7-N	-5.23	1.31	1.38
6	A	901	MBL	C7-N	-3.62	1.33	1.38
6	C	901	MBL	C7-N	-3.12	1.34	1.38
7	B	1012	NAG	O5-C1	-2.60	1.39	1.43
6	A	915	MBL	C7-N	-2.56	1.35	1.38
7	C	913	NAG	O5-C1	-2.14	1.40	1.43
7	B	1010	NAG	O5-C1	-2.13	1.40	1.43
7	C	914	NAG	C1-C2	2.10	1.55	1.52

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	912	NAG	O5-C1-C2	5.74	120.35	111.29
7	C	912	NAG	C1-O5-C5	5.54	119.70	112.19
7	A	914	NAG	O5-C1-C2	-5.38	102.80	111.29
7	A	912	NAG	C1-O5-C5	5.08	119.07	112.19
7	B	1010	NAG	C1-O5-C5	4.79	118.68	112.19
7	A	914	NAG	C8-C7-N2	4.46	123.65	116.10
7	A	912	NAG	C4-C3-C2	-4.23	104.81	111.02
7	D	1011	NAG	C8-C7-N2	4.02	122.90	116.10
7	B	1013	NAG	O5-C5-C6	4.00	113.47	107.20
7	D	1006	NAG	C8-C7-N2	3.70	122.37	116.10
6	A	915	MBL	N2-C8-N1	-3.55	118.66	123.28
7	A	912	NAG	C1-C2-N2	-3.52	104.47	110.49
7	B	1013	NAG	C2-N2-C7	3.37	127.71	122.90
6	C	915	MBL	C9-N-C8	3.29	130.60	126.71
7	D	1011	NAG	C4-C3-C2	-3.20	106.33	111.02
7	C	907	NAG	C1-C2-N2	-3.13	105.15	110.49
7	A	913	NAG	O5-C1-C2	-3.08	106.43	111.29
7	A	913	NAG	O4-C4-C3	-3.02	103.36	110.35
7	A	914	NAG	C4-C3-C2	-2.90	106.76	111.02
7	D	1011	NAG	O5-C1-C2	-2.87	106.76	111.29
7	B	1013	NAG	C1-O5-C5	2.80	115.98	112.19
6	C	915	MBL	N2-C8-N1	-2.78	119.66	123.28
7	C	913	NAG	C1-O5-C5	2.76	115.92	112.19
7	A	914	NAG	O7-C7-N2	-2.65	117.08	121.95
7	D	1011	NAG	C2-N2-C7	2.64	126.66	122.90
7	D	1006	NAG	O7-C7-C8	-2.54	117.34	122.06
6	C	915	MBL	C10-C9-N	-2.52	107.60	112.31
7	C	912	NAG	O5-C1-C2	-2.48	107.38	111.29
6	C	901	MBL	C9-N-C8	2.46	129.62	126.71
7	B	1012	NAG	C1-O5-C5	2.42	115.47	112.19
6	A	915	MBL	C6-C7-N	-2.41	105.47	107.96

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	1011	NAG	O7-C7-N2	-2.37	117.59	121.95
6	C	915	MBL	C3-C6-N1	2.36	124.76	120.78
7	B	1010	NAG	O7-C7-N2	-2.33	117.68	121.95
7	D	1006	NAG	O5-C1-C2	-2.32	107.62	111.29
7	C	913	NAG	O5-C5-C6	-2.29	103.62	107.20
7	A	913	NAG	O5-C5-C6	2.24	110.72	107.20
7	C	907	NAG	O4-C4-C3	-2.18	105.32	110.35
7	D	1010	NAG	O3-C3-C4	2.13	115.28	110.35
7	B	1010	NAG	O3-C3-C4	-2.12	105.46	110.35
7	A	914	NAG	O5-C5-C6	2.11	110.52	107.20
7	D	1010	NAG	O5-C5-C4	-2.11	105.70	110.83
7	D	1010	NAG	O5-C1-C2	-2.11	107.96	111.29
7	A	914	NAG	C1-O5-C5	2.09	115.03	112.19
7	C	913	NAG	O7-C7-C8	-2.08	118.19	122.06
7	C	914	NAG	C1-O5-C5	2.06	114.99	112.19
6	A	915	MBL	C9-N-C8	2.05	129.14	126.71
7	B	1012	NAG	O6-C6-C5	-2.03	104.33	111.29
7	C	914	NAG	O5-C5-C6	2.02	110.37	107.20
7	B	1013	NAG	C4-C3-C2	2.01	113.97	111.02
7	C	913	NAG	O3-C3-C4	2.00	114.98	110.35

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	1013	NAG	O5-C5-C6-O6
7	C	907	NAG	O5-C5-C6-O6
7	B	1013	NAG	C4-C5-C6-O6
7	A	914	NAG	C8-C7-N2-C2
7	A	914	NAG	O7-C7-N2-C2
7	B	1013	NAG	C8-C7-N2-C2
7	B	1013	NAG	O7-C7-N2-C2
7	C	907	NAG	C8-C7-N2-C2
7	C	907	NAG	O7-C7-N2-C2
7	D	1006	NAG	C8-C7-N2-C2
7	D	1006	NAG	O7-C7-N2-C2
7	D	1011	NAG	C8-C7-N2-C2
7	D	1011	NAG	O7-C7-N2-C2
7	C	907	NAG	C4-C5-C6-O6
7	D	1006	NAG	O5-C5-C6-O6
7	D	1006	NAG	C4-C5-C6-O6
7	C	913	NAG	O5-C5-C6-O6

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
7	C	914	NAG	C4-C5-C6-O6
7	C	913	NAG	C4-C5-C6-O6
7	C	914	NAG	O5-C5-C6-O6
7	C	913	NAG	C3-C2-N2-C7
7	A	913	NAG	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	D	1010	NAG	1	0
7	A	914	NAG	1	0
7	A	913	NAG	2	0
7	D	1011	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	748/811 (92%)	-0.35	8 (1%) 77 75	34, 50, 80, 110	0
1	B	749/811 (92%)	-0.22	12 (1%) 70 67	33, 55, 99, 145	0
1	C	748/811 (92%)	0.07	30 (4%) 43 40	34, 64, 105, 168	0
1	D	746/811 (91%)	0.02	27 (3%) 46 43	36, 63, 121, 169	0
All	All	2991/3244 (92%)	-0.12	77 (2%) 57 54	33, 57, 104, 169	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	100	VAL	6.8
1	C	817	LEU	6.7
1	A	100	VAL	6.2
1	D	732	LEU	5.8
1	B	100	VAL	5.6
1	C	100	VAL	5.6
1	B	457	THR	4.9
1	B	761	THR	4.3
1	B	817	LEU	4.1
1	C	815	VAL	3.8
1	C	761	THR	3.8
1	C	122	LEU	3.6
1	B	42	ASN	3.6
1	D	814	ILE	3.6
1	D	755	ALA	3.5
1	D	457	THR	3.5
1	C	84	GLN	3.5
1	C	64	TYR	3.4
1	C	756	LEU	3.3
1	D	678	PHE	3.3
1	C	678	PHE	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	732	LEU	3.1
1	D	64	TYR	3.1
1	C	85	GLY	3.0
1	D	813	SER	2.9
1	D	735	VAL	2.8
1	C	123	ASN	2.8
1	C	242	PHE	2.8
1	A	432	PRO	2.8
1	C	762	THR	2.7
1	C	307	PHE	2.7
1	C	86	LEU	2.6
1	B	758	THR	2.6
1	B	760	THR	2.6
1	D	751	ILE	2.6
1	C	112	ASN	2.6
1	B	759	LYS	2.5
1	D	815	VAL	2.5
1	D	113	GLY	2.5
1	D	774	PHE	2.5
1	C	113	GLY	2.5
1	C	121	PHE	2.4
1	D	767	LEU	2.4
1	D	758	THR	2.4
1	C	65	VAL	2.4
1	C	778	CYS	2.4
1	C	44	SER	2.3
1	C	798	LEU	2.3
1	C	59	GLN	2.3
1	A	817	LEU	2.3
1	D	816	SER	2.3
1	C	777	THR	2.3
1	B	495	PHE	2.3
1	D	731	PHE	2.3
1	A	458	ASP	2.2
1	C	495	PHE	2.2
1	B	64	TYR	2.2
1	D	761	THR	2.2
1	B	780	ILE	2.2
1	D	756	LEU	2.1
1	D	776	CYS	2.1
1	D	783	PHE	2.1
1	C	816	SER	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	41	GLN	2.1
1	C	758	THR	2.1
1	D	659	PHE	2.1
1	A	736	SER	2.1
1	C	470	PHE	2.1
1	D	86	LEU	2.0
1	C	806	PRO	2.0
1	A	678	PHE	2.0
1	D	750	THR	2.0
1	A	752	ASN	2.0
1	D	681	TRP	2.0
1	D	40	LYS	2.0
1	D	34	TYR	2.0
1	C	96	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MAN	G	4	11/12	0.71	0.13	78,91,95,96	0
7	NAG	A	914	14/15	0.74	0.12	61,68,72,78	0
5	MAN	M	4	11/12	0.76	0.14	76,93,101,102	0
7	NAG	D	1011	14/15	0.79	0.10	79,87,95,106	0
3	NAG	O	2	14/15	0.80	0.12	65,75,87,88	0
7	NAG	D	1006	14/15	0.82	0.12	73,83,92,96	0
2	MAN	H	4	11/12	0.83	0.12	57,75,79,81	0
3	NAG	L	2	14/15	0.84	0.14	70,82,92,93	0
7	NAG	B	1013	14/15	0.85	0.10	66,73,78,78	0
2	MAN	E	4	11/12	0.85	0.11	55,63,68,69	0
7	NAG	A	912	14/15	0.85	0.12	76,83,94,96	0
7	NAG	B	1011	14/15	0.86	0.10	74,88,92,95	0
7	NAG	C	907	14/15	0.86	0.11	66,77,87,95	0
3	NAG	F	2	14/15	0.88	0.12	48,66,70,70	0
7	NAG	C	914	14/15	0.90	0.09	59,64,67,70	0
3	NAG	I	2	14/15	0.90	0.10	54,64,70,71	0
7	NAG	B	1012	14/15	0.90	0.09	56,65,75,78	0
7	NAG	B	1010	14/15	0.90	0.08	50,57,64,72	0
7	NAG	C	912	14/15	0.91	0.10	56,66,74,82	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	K	2	14/15	0.92	0.08	53,57,64,66	0
2	NAG	G	2	14/15	0.93	0.12	33,45,49,58	0
4	NAG	P	1	14/15	0.93	0.08	42,49,54,54	0
7	NAG	C	913	14/15	0.93	0.10	61,76,82,85	0
2	NAG	H	1	14/15	0.94	0.09	35,42,48,50	0
4	NAG	N	2	14/15	0.95	0.06	42,50,58,58	0
2	NAG	H	2	14/15	0.95	0.06	45,49,58,63	0
4	NAG	J	2	14/15	0.95	0.07	36,44,51,52	0
2	NAG	G	1	14/15	0.95	0.07	38,41,46,49	0
7	NAG	D	1010	14/15	0.95	0.08	51,54,64,65	0
5	NAG	M	2	14/15	0.95	0.06	38,42,51,55	0
5	NAG	M	1	14/15	0.96	0.06	35,38,41,46	0
3	NAG	L	1	14/15	0.96	0.06	40,46,50,54	0
4	NAG	P	2	14/15	0.96	0.07	47,55,63,63	0
4	NAG	K	1	14/15	0.96	0.06	44,47,56,57	0
7	NAG	A	913	14/15	0.96	0.06	56,60,64,64	0
3	NAG	I	1	14/15	0.97	0.06	34,41,45,49	0
2	NAG	E	2	14/15	0.97	0.05	35,40,48,52	0
4	NAG	J	1	14/15	0.97	0.05	29,38,41,43	0
4	NAG	N	1	14/15	0.97	0.06	39,43,45,47	0
2	NAG	E	1	14/15	0.97	0.05	29,35,37,38	0
3	NAG	O	1	14/15	0.97	0.06	45,50,54,61	0
3	NAG	F	1	14/15	0.98	0.05	36,40,47,48	0

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MAN	G	4	11/12	0.71	0.13	78,91,95,96	0
4	BMA	P	3	11/12	0.71	0.12	69,73,80,81	0
4	BMA	K	3	11/12	0.76	0.13	64,70,79,83	0
5	MAN	M	4	11/12	0.76	0.14	76,93,101,102	0
4	BMA	N	3	11/12	0.78	0.12	50,63,71,72	0
4	BMA	J	3	11/12	0.79	0.12	53,66,72,72	0
3	NAG	O	2	14/15	0.80	0.12	65,75,87,88	0
2	BMA	E	3	11/12	0.82	0.09	50,59,62,62	0
2	BMA	G	3	11/12	0.83	0.10	55,68,79,85	0
2	MAN	H	4	11/12	0.83	0.12	57,75,79,81	0

Continued on next page...




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAG	L	2	14/15	0.84	0.14	70,82,92,93	0
2	MAN	E	4	11/12	0.85	0.11	55,63,68,69	0
2	BMA	H	3	11/12	0.85	0.10	55,66,72,82	0
5	BMA	M	3	11/12	0.87	0.09	57,65,69,84	0
3	NAG	F	2	14/15	0.88	0.12	48,66,70,70	0
3	NAG	I	2	14/15	0.90	0.10	54,64,70,71	0
4	NAG	K	2	14/15	0.92	0.08	53,57,64,66	0
4	NAG	P	1	14/15	0.93	0.08	42,49,54,54	0
2	NAG	G	2	14/15	0.93	0.12	33,45,49,58	0
2	NAG	H	1	14/15	0.94	0.09	35,42,48,50	0
2	NAG	H	2	14/15	0.95	0.06	45,49,58,63	0
4	NAG	J	2	14/15	0.95	0.07	36,44,51,52	0
5	NAG	M	2	14/15	0.95	0.06	38,42,51,55	0
4	NAG	N	2	14/15	0.95	0.06	42,50,58,58	0
2	NAG	G	1	14/15	0.95	0.07	38,41,46,49	0
5	NAG	M	1	14/15	0.96	0.06	35,38,41,46	0
3	NAG	L	1	14/15	0.96	0.06	40,46,50,54	0
4	NAG	P	2	14/15	0.96	0.07	47,55,63,63	0
4	NAG	K	1	14/15	0.96	0.06	44,47,56,57	0
2	NAG	E	2	14/15	0.97	0.05	35,40,48,52	0
4	NAG	J	1	14/15	0.97	0.05	29,38,41,43	0
4	NAG	N	1	14/15	0.97	0.06	39,43,45,47	0
2	NAG	E	1	14/15	0.97	0.05	29,35,37,38	0
3	NAG	I	1	14/15	0.97	0.06	34,41,45,49	0
3	NAG	O	1	14/15	0.97	0.06	45,50,54,61	0
3	NAG	F	1	14/15	0.98	0.05	36,40,47,48	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)













**Electron density around Chain L:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain O:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain P:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	NAG	A	914	14/15	0.74	0.12	61,68,72,78	0
7	NAG	D	1011	14/15	0.79	0.10	79,87,95,106	0
7	NAG	D	1006	14/15	0.82	0.12	73,83,92,96	0
7	NAG	A	912	14/15	0.85	0.12	76,83,94,96	0
7	NAG	B	1013	14/15	0.85	0.10	66,73,78,78	0
7	NAG	B	1011	14/15	0.86	0.10	74,88,92,95	0
7	NAG	C	907	14/15	0.86	0.11	66,77,87,95	0
7	NAG	C	914	14/15	0.90	0.09	59,64,67,70	0
7	NAG	B	1010	14/15	0.90	0.08	50,57,64,72	0
7	NAG	B	1012	14/15	0.90	0.09	56,65,75,78	0
7	NAG	C	912	14/15	0.91	0.10	56,66,74,82	0
7	NAG	C	913	14/15	0.93	0.10	61,76,82,85	0
7	NAG	D	1010	14/15	0.95	0.08	51,54,64,65	0
6	MBL	C	901	17/17	0.95	0.10	50,57,61,63	0
6	MBL	A	901	17/17	0.96	0.08	43,48,54,54	0
6	MBL	A	915	17/17	0.96	0.08	39,44,49,49	0
7	NAG	A	913	14/15	0.96	0.06	56,60,64,64	0
6	MBL	C	915	17/17	0.97	0.07	44,47,55,56	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.