



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 30, 2023 – 01:16 PM JST

PDB ID : 5B02  
Title : Structure of the prenyltransferase MoeN5 with a fusion protein tag of Sso7d  
Authors : Ko, T.-P.; Zhang, L.; Chen, C.-C.; Guo, R.-T.; Oldfield, E.O.  
Deposited on : 2015-10-27  
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5912 (2.24-2.20)
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	 2% 63% 11% 23%
1	B	343	 4% 80% 15%
1	C	343	 1% 59% 15% 24%
1	D	343	 11% 75% 20%

## 2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 9942 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MoeN5,DNA-binding protein 7d.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	264	2013	1243	374	385	11	0	0	0
1	B	332	2533	1571	463	485	14	0	0	0
1	C	262	1998	1234	372	381	11	0	0	0
1	D	333	2544	1579	466	485	14	0	0	0

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP A0A010
A	-12	ALA	-	expression tag	UNP A0A010
A	-11	HIS	-	expression tag	UNP A0A010
A	-10	HIS	-	expression tag	UNP A0A010
A	-9	HIS	-	expression tag	UNP A0A010
A	-8	HIS	-	expression tag	UNP A0A010
A	-7	HIS	-	expression tag	UNP A0A010
A	-6	HIS	-	expression tag	UNP A0A010
A	-5	VAL	-	expression tag	UNP A0A010
A	-4	ASP	-	expression tag	UNP A0A010
A	-3	ASP	-	expression tag	UNP A0A010
A	-2	ASP	-	expression tag	UNP A0A010
A	-1	ASP	-	expression tag	UNP A0A010
A	0	LYS	-	expression tag	UNP A0A010
A	261	ALA	-	linker	UNP A0A010
A	262	GLY	-	linker	UNP A0A010
A	263	ALA	-	linker	UNP A0A010
A	264	GLY	-	linker	UNP A0A010
A	265	ALA	-	linker	UNP A0A010
B	-13	MET	-	expression tag	UNP A0A010
B	-12	ALA	-	expression tag	UNP A0A010

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-11	HIS	-	expression tag	UNP A0A010
B	-10	HIS	-	expression tag	UNP A0A010
B	-9	HIS	-	expression tag	UNP A0A010
B	-8	HIS	-	expression tag	UNP A0A010
B	-7	HIS	-	expression tag	UNP A0A010
B	-6	HIS	-	expression tag	UNP A0A010
B	-5	VAL	-	expression tag	UNP A0A010
B	-4	ASP	-	expression tag	UNP A0A010
B	-3	ASP	-	expression tag	UNP A0A010
B	-2	ASP	-	expression tag	UNP A0A010
B	-1	ASP	-	expression tag	UNP A0A010
B	0	LYS	-	expression tag	UNP A0A010
B	261	ALA	-	linker	UNP A0A010
B	262	GLY	-	linker	UNP A0A010
B	263	ALA	-	linker	UNP A0A010
B	264	GLY	-	linker	UNP A0A010
B	265	ALA	-	linker	UNP A0A010
C	-13	MET	-	expression tag	UNP A0A010
C	-12	ALA	-	expression tag	UNP A0A010
C	-11	HIS	-	expression tag	UNP A0A010
C	-10	HIS	-	expression tag	UNP A0A010
C	-9	HIS	-	expression tag	UNP A0A010
C	-8	HIS	-	expression tag	UNP A0A010
C	-7	HIS	-	expression tag	UNP A0A010
C	-6	HIS	-	expression tag	UNP A0A010
C	-5	VAL	-	expression tag	UNP A0A010
C	-4	ASP	-	expression tag	UNP A0A010
C	-3	ASP	-	expression tag	UNP A0A010
C	-2	ASP	-	expression tag	UNP A0A010
C	-1	ASP	-	expression tag	UNP A0A010
C	0	LYS	-	expression tag	UNP A0A010
C	261	ALA	-	linker	UNP A0A010
C	262	GLY	-	linker	UNP A0A010
C	263	ALA	-	linker	UNP A0A010
C	264	GLY	-	linker	UNP A0A010
C	265	ALA	-	linker	UNP A0A010
D	-13	MET	-	expression tag	UNP A0A010
D	-12	ALA	-	expression tag	UNP A0A010
D	-11	HIS	-	expression tag	UNP A0A010
D	-10	HIS	-	expression tag	UNP A0A010
D	-9	HIS	-	expression tag	UNP A0A010
D	-8	HIS	-	expression tag	UNP A0A010

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-7	HIS	-	expression tag	UNP A0A010
D	-6	HIS	-	expression tag	UNP A0A010
D	-5	VAL	-	expression tag	UNP A0A010
D	-4	ASP	-	expression tag	UNP A0A010
D	-3	ASP	-	expression tag	UNP A0A010
D	-2	ASP	-	expression tag	UNP A0A010
D	-1	ASP	-	expression tag	UNP A0A010
D	0	LYS	-	expression tag	UNP A0A010
D	261	ALA	-	linker	UNP A0A010
D	262	GLY	-	linker	UNP A0A010
D	263	ALA	-	linker	UNP A0A010
D	264	GLY	-	linker	UNP A0A010
D	265	ALA	-	linker	UNP A0A010


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	229	Total O 229 229	0	0
2	B	235	Total O 235 235	0	0
2	C	176	Total O 176 176	0	0
2	D	214	Total O 214 214	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MoeN5,DNA-binding protein 7d



- Molecule 1: MoeN5,DNA-binding protein 7d




- Molecule 1: MoeN5,DNA-binding protein 7d



GLY  
GLU  
ALA  
GLY  
ALA  
GLY  
GLY  
ALA  
ALA  
MET  
MET  
ALA  
ALA  
THR  
VAL  
LYS  
PHE  
LYS  
LYS  
TYR  
LYS  
GLY  
GLY  
GLU  
GLU  
LYS  
GLU  
VAL  
ASP  
ASP  
ILE  
SER  
SER  
LYS  
LYS  
ILE  
LYS  
LYS  
VAL  
VAL  
TRP  
ARG  
VAL  
GLY  
GLY  
LYS  
MET  
MET  
ILE  
SER  
SER  
PHE  
THR  
TYR  
ASP  
GLY  
GLY  
GLY  
GLY  
LYS  
LYS  
THR  
GLY  
ARG  
GLY  
ALA  
VAL  
VAL  
SER  
GLU  
LYS  
ASP  
ALA  
PRO  
LYS

GLU  
LEU  
LEU  
GLN  
MET  
LEU  
GLU  
LYS  
GLN  
LYS  
LYS

● Molecule 1: MoeN5,DNA-binding protein 7d



MET  
ALA  
HIS  
HIS  
HIS  
HIS  
HIS  
VAL  
ASP  
D-3  
D-2  
R9  
D10  
R14  
Q18  
T19  
Y35  
V38  
P39  
E44  
R52  
L61  
D62  
I63  
D75  
R81  
L84  
R90  
L91  
H92  
L93  
R94  
E98  
L99  
E100  
D105  
Q124  
K128  
R131  
M134  
L135

R136  
E137  
Y153  
D186  
R192  
D197  
L203  
T206  
A210  
G211  
Q212  
D213  
D216  
L217  
L218  
R222  
L238  
V242  
H243  
D247  
D248  
V249  
L250  
V251  
R252  
P255  
R256  
H257  
L258  
G259  
E260  
A261  
G262  
A263  
G264  
A265  
M266  
A267  
T268  
V269  
K270  
F271  
K272  
Y273  
K274  
G275  
E276

E277  
K278  
E279  
V280  
D281  
I282  
S283  
K284  
I285  
V288  
I295  
Y299  
D300  
E301  
G302  
G303  
G304  
K305  
A310  
E313  
K314  
Q322  
M323  
L324  
E325  
K326  
Q327  
K328  
K329

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	137.88Å 217.44Å 104.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.21 24.98 – 2.21	Depositor EDS
% Data completeness (in resolution range)	96.1 (25.00-2.21) 96.0 (24.98-2.21)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.62 (at 2.22Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.176 , 0.218 0.176 , 0.218	Depositor DCC
$R_{free}$ test set	3842 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.6	Xtrriage
Anisotropy	0.222	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 43.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	9942	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.78	0/2045	0.84	2/2780 (0.1%)
1	B	0.80	2/2572 (0.1%)	0.86	2/3478 (0.1%)
1	C	0.86	2/2030 (0.1%)	0.92	4/2759 (0.1%)
1	D	0.72	0/2583	0.83	5/3489 (0.1%)
All	All	0.79	4/9230 (0.0%)	0.86	13/12506 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	219	GLU	CG-CD	6.77	1.62	1.51
1	B	15	CYS	CB-SG	-6.36	1.71	1.82
1	C	183	MET	SD-CE	5.59	2.09	1.77
1	B	172	GLU	CG-CD	5.36	1.59	1.51

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	94	ARG	NE-CZ-NH2	-9.68	115.46	120.30
1	C	94	ARG	NE-CZ-NH1	8.42	124.51	120.30
1	D	52	ARG	NE-CZ-NH1	-7.10	116.75	120.30
1	D	94	ARG	NE-CZ-NH1	7.05	123.83	120.30
1	B	224	ARG	NE-CZ-NH1	6.64	123.62	120.30
1	A	94	ARG	NE-CZ-NH1	5.99	123.29	120.30
1	D	258	LEU	N-CA-C	-5.92	95.03	111.00
1	A	107	LYS	CD-CE-NZ	-5.58	98.87	111.70

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	72	LEU	CA-CB-CG	5.45	127.84	115.30
1	C	94	ARG	CD-NE-CZ	5.41	131.17	123.60
1	D	-2	ASP	N-CA-C	-5.39	96.43	111.00
1	C	94	ARG	CG-CD-NE	-5.19	100.91	111.80
1	D	9	ARG	NE-CZ-NH2	5.06	122.83	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	153	TYR	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2013	0	1996	41	0
1	B	2533	0	2532	53	0
1	C	1998	0	1983	61	0
1	D	2544	0	2554	68	0
2	A	229	0	0	4	0
2	B	235	0	0	3	0
2	C	176	0	0	6	0
2	D	214	0	0	1	0
All	All	9942	0	9065	215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:CE	1:B:1:MET:SD	2.01	1.48
1:C:183:MET:CE	1:C:183:MET:SD	2.09	1.40
1:D:131:ARG:HG2	1:D:131:ARG:HH11	1.36	0.86

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:222:ARG:HH11	1:D:243:HIS:HD2	1.27	0.83
1:D:267:ALA:HB1	1:D:282:ILE:HB	1.61	0.83
1:B:273:TYR:CE2	1:B:274:LYS:HD2	2.16	0.81
1:D:325:GLU:HA	1:D:329:LYS:HB3	1.65	0.79
1:D:10:ASP:HB2	2:D:521:HOH:O	1.85	0.77
1:B:222:ARG:HH11	1:B:243:HIS:HD2	1.33	0.76
1:B:284:LYS:HA	1:B:284:LYS:HE3	1.71	0.73
1:C:22:SER:N	1:C:83:GLU:OE1	2.21	0.73
1:A:61:LEU:HD13	1:A:94:ARG:HG3	1.71	0.72
1:C:145:TYR:HD1	1:C:146:GLY:H	1.37	0.72
1:C:131:ARG:HG2	1:C:131:ARG:HH11	1.55	0.71
1:D:10:ASP:O	1:D:14:ARG:HG3	1.89	0.71
1:D:94:ARG:HD2	1:D:98:GLU:OE2	1.90	0.71
1:A:192:ARG:HD2	1:C:80:ASP:HB2	1.72	0.71
1:C:145:TYR:CD1	1:C:146:GLY:N	2.58	0.70
1:D:325:GLU:HB2	1:D:329:LYS:HD3	1.73	0.70
1:D:247:ASP:O	1:D:251:VAL:HG13	1.92	0.69
1:D:19:THR:HG21	1:D:90:ARG:HG3	1.73	0.69
1:D:251:VAL:O	1:D:255:PRO:HG2	1.93	0.69
1:B:179:MET:CE	1:B:217:LEU:HD21	2.22	0.69
1:A:189:ASP:HB3	1:A:195:GLU:OE1	1.92	0.68
1:D:131:ARG:HG2	1:D:131:ARG:NH1	2.09	0.68
1:D:75:ASP:HB2	1:D:81:ARG:NH1	2.09	0.67
1:C:94:ARG:HD2	1:C:98:GLU:OE2	1.95	0.66
1:B:187:LEU:HD21	1:B:204:MET:CE	2.25	0.66
1:D:61:LEU:HD13	1:D:94:ARG:HG3	1.77	0.66
1:D:19:THR:CG2	1:D:90:ARG:HG3	2.26	0.66
1:A:195:GLU:O	1:A:196:ARG:HD2	1.97	0.65
1:B:295:ILE:HD12	1:B:324:LEU:HD11	1.79	0.65
1:A:94:ARG:HD2	1:A:98:GLU:OE2	1.97	0.65
1:C:183:MET:CE	1:C:183:MET:HB3	2.28	0.64
1:C:187:LEU:HD21	1:C:204:MET:HE1	1.80	0.64
1:C:136:ARG:HH11	1:C:136:ARG:HB3	1.64	0.63
1:B:111:ASP:O	1:B:115:GLN:HG2	1.98	0.62
1:C:201:ALA:HA	1:C:204:MET:HE3	1.80	0.62
1:C:222:ARG:NH1	1:C:243:HIS:HD2	1.98	0.61
1:D:218:LEU:HD11	1:D:249:VAL:CG1	2.30	0.61
1:C:145:TYR:HB2	2:C:532:HOH:O	1.99	0.61
1:C:179:MET:CE	1:C:217:LEU:HD11	2.29	0.61
1:C:1:MET:HE2	2:C:504:HOH:O	2.00	0.61
1:C:247:ASP:O	1:C:251:VAL:HG12	2.00	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:134:ASN:HD21	1:D:136:ARG:NH2	1.99	0.61
1:C:81:ARG:HD3	1:D:81:ARG:NH2	2.16	0.60
1:D:75:ASP:HB2	1:D:81:ARG:HH12	1.64	0.60
1:C:145:TYR:HD1	1:C:146:GLY:N	1.98	0.59
1:A:187:LEU:HD21	1:A:204:MET:CE	2.32	0.59
1:A:38:VAL:HG12	1:A:39:PRO:HD3	1.84	0.59
1:D:222:ARG:NH1	1:D:243:HIS:HD2	1.96	0.59
1:B:200:LEU:HG	1:B:204:MET:HE2	1.85	0.59
1:B:187:LEU:HD21	1:B:204:MET:HE1	1.85	0.58
1:C:183:MET:HB3	1:C:183:MET:HE3	1.84	0.58
1:A:179:MET:HE2	1:A:221:LEU:HD11	1.85	0.58
1:D:218:LEU:HD11	1:D:249:VAL:HG12	1.84	0.58
1:D:281:ASP:HB3	1:D:284:LYS:HG3	1.86	0.58
1:D:255:PRO:O	1:D:258:LEU:O	2.22	0.58
1:C:5:GLU:OE2	1:C:33:ARG:HG2	2.03	0.57
1:C:219:GLU:OE1	1:C:222:ARG:NE	2.38	0.57
1:C:107:LYS:HD3	1:C:107:LYS:O	2.05	0.57
1:D:192:ARG:HH11	1:D:192:ARG:HG2	1.70	0.57
1:B:200:LEU:HG	1:B:204:MET:CE	2.35	0.57
1:A:107:LYS:O	1:A:107:LYS:HD3	2.05	0.56
1:B:301:GLU:HB3	1:B:305:LYS:HD3	1.86	0.56
1:D:124:GLN:HE21	1:D:128:LYS:HE2	1.71	0.56
1:B:35:TYR:CE2	1:B:67:LYS:HG3	2.41	0.55
1:B:301:GLU:OE2	1:B:305:LYS:HE3	2.05	0.55
1:A:201:ALA:HB1	1:A:257:HIS:CE1	2.42	0.54
1:B:301:GLU:CD	1:B:305:LYS:HE3	2.28	0.54
1:C:111:ASP:O	1:C:115:GLN:HG2	2.08	0.54
1:C:219:GLU:CD	1:C:222:ARG:HE	2.09	0.54
1:C:222:ARG:HH11	1:C:243:HIS:CD2	2.26	0.54
1:C:1:MET:C	1:C:1:MET:SD	2.86	0.54
1:C:201:ALA:HA	1:C:204:MET:CE	2.38	0.53
1:B:266:MET:HE2	1:B:267:ALA:N	2.23	0.53
1:B:65:SER:HB2	1:B:91:LEU:HB2	1.91	0.53
1:B:243:HIS:HE1	2:B:559:HOH:O	1.92	0.53
1:C:187:LEU:CD2	1:C:204:MET:HE1	2.38	0.53
1:D:222:ARG:HH11	1:D:243:HIS:CD2	2.17	0.53
1:D:269:VAL:O	1:D:279:GLU:HA	2.08	0.53
1:A:94:ARG:HD3	1:A:98:GLU:HG3	1.91	0.53
1:C:44:GLU:HG2	1:C:238:LEU:HG	1.91	0.53
1:D:18:GLN:O	1:D:18:GLN:HG2	2.08	0.53
1:C:38:VAL:HG12	1:C:39:PRO:HD3	1.90	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:319:GLU:CD	1:B:319:GLU:H	2.13	0.52
1:D:238:LEU:O	1:D:242:VAL:HG23	2.10	0.52
1:D:280:VAL:HG21	1:D:299:TYR:CZ	2.45	0.52
1:D:288:VAL:HG12	1:D:324:LEU:HD13	1.92	0.52
1:C:183:MET:CE	1:C:183:MET:CB	2.88	0.52
1:A:90:ARG:C	1:A:90:ARG:HD3	2.30	0.52
1:A:9:ARG:HD2	2:A:468:HOH:O	2.10	0.52
1:B:187:LEU:HD21	1:B:204:MET:HE3	1.90	0.52
1:B:295:ILE:CD1	1:B:324:LEU:HD11	2.39	0.52
1:D:313:GLU:HG3	1:D:314:LYS:N	2.25	0.51
1:C:210:ALA:HB3	1:C:213:ASP:OD2	2.10	0.51
1:D:281:ASP:HB3	1:D:284:LYS:CG	2.40	0.51
1:D:61:LEU:CD1	1:D:94:ARG:HG3	2.41	0.51
1:D:251:VAL:CG2	1:D:252:ARG:N	2.74	0.51
1:A:187:LEU:HD21	1:A:204:MET:HE1	1.92	0.51
1:D:267:ALA:HB1	1:D:282:ILE:CB	2.38	0.50
1:B:98:GLU:OE1	2:B:401:HOH:O	2.19	0.50
1:A:192:ARG:HD2	1:C:80:ASP:CB	2.41	0.50
1:C:10:ASP:OD2	1:C:14:ARG:NH1	2.44	0.50
1:A:38:VAL:CG1	1:A:39:PRO:HD3	2.42	0.50
1:D:75:ASP:CB	1:D:81:ARG:NH1	2.75	0.50
1:C:11:HIS:CE1	1:C:57:ARG:HD2	2.47	0.49
1:D:325:GLU:CB	1:D:329:LYS:HD3	2.41	0.49
1:B:273:TYR:HB3	1:B:278:LYS:HD2	1.94	0.49
1:B:303:GLY:C	1:B:305:LYS:H	2.14	0.49
1:B:322:GLN:O	1:B:325:GLU:HG3	2.12	0.49
1:B:269:VAL:HG21	1:B:320:LEU:HD22	1.95	0.49
1:D:203:LEU:O	1:D:206:THR:HG22	2.12	0.48
1:D:285:ILE:HG22	1:D:323:MET:HE2	1.95	0.48
1:B:19:THR:O	1:B:19:THR:HG22	2.14	0.48
1:B:201:ALA:HB1	1:B:257:HIS:CE1	2.49	0.48
1:C:179:MET:HE2	1:C:217:LEU:HD11	1.96	0.48
1:A:131:ARG:HG3	1:A:197:ASP:HB3	1.96	0.47
1:C:14:ARG:HG3	2:C:486:HOH:O	2.13	0.47
1:A:222:ARG:NH1	1:A:243:HIS:ND1	2.61	0.47
1:B:285:ILE:CD1	1:B:320:LEU:HD13	2.44	0.47
1:C:139:ARG:HG3	1:C:179:MET:HE1	1.96	0.47
1:C:126:ARG:NH2	2:C:402:HOH:O	2.31	0.47
1:D:252:ARG:O	1:D:255:PRO:HD2	2.14	0.47
1:B:295:ILE:O	1:B:310:ALA:HA	2.15	0.47
1:D:259:GLY:O	1:D:260:GLU:HG2	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:202:HIS:O	1:B:206:THR:HB	2.15	0.47
1:C:100:GLU:OE1	1:D:100:GLU:OE1	2.33	0.47
1:D:90:ARG:C	1:D:90:ARG:HD3	2.36	0.47
1:D:210:ALA:O	1:D:213:ASP:HB2	2.14	0.47
1:B:90:ARG:HD3	1:B:90:ARG:C	2.35	0.46
1:B:179:MET:HE1	1:B:217:LEU:HD11	1.97	0.46
1:C:131:ARG:HH11	1:C:131:ARG:CG	2.25	0.46
1:C:136:ARG:HH11	1:C:136:ARG:CG	2.29	0.46
1:C:119:HIS:CD2	2:C:402:HOH:O	2.69	0.45
1:C:46:THR:HG21	1:C:51:ARG:HG2	1.99	0.45
1:C:138:TRP:CH2	1:C:183:MET:HG2	2.51	0.45
1:A:183:MET:HE2	1:A:218:LEU:HD21	1.98	0.45
1:A:147:SER:O	1:A:175:GLU:HG2	2.17	0.45
1:C:222:ARG:NH1	1:C:243:HIS:CD2	2.80	0.45
1:D:267:ALA:C	1:D:282:ILE:HG12	2.37	0.45
1:A:134:ASN:OD1	1:A:137:GLU:HG3	2.17	0.45
1:B:187:LEU:HD23	1:B:201:ALA:HB2	1.98	0.45
1:D:38:VAL:HG12	1:D:39:PRO:HD3	1.97	0.45
1:D:259:GLY:HA2	1:D:322:GLN:HG3	1.99	0.45
1:D:325:GLU:CA	1:D:329:LYS:HB3	2.42	0.45
1:A:187:LEU:CD2	1:A:204:MET:CE	2.95	0.45
1:D:44:GLU:O	1:D:44:GLU:HG3	2.17	0.44
1:D:295:ILE:O	1:D:310:ALA:HA	2.17	0.44
1:A:139:ARG:HD3	1:A:179:MET:CE	2.48	0.44
1:B:321:LEU:O	1:B:324:LEU:HB2	2.17	0.44
1:A:61:LEU:CD1	1:A:94:ARG:HG3	2.44	0.44
1:A:192:ARG:HA	2:A:494:HOH:O	2.18	0.44
1:C:136:ARG:HB2	2:C:448:HOH:O	2.17	0.44
1:C:183:MET:CE	1:C:218:LEU:HG	2.47	0.44
1:D:218:LEU:HD11	1:D:249:VAL:HG11	1.99	0.44
1:C:136:ARG:HH11	1:C:136:ARG:CB	2.29	0.44
1:A:10:ASP:OD2	1:C:192:ARG:HD2	2.18	0.44
1:A:187:LEU:CD2	1:A:204:MET:HE3	2.48	0.44
1:B:267:ALA:O	1:B:282:ILE:HG12	2.18	0.44
1:A:44:GLU:HG2	1:A:238:LEU:HG	1.99	0.43
1:A:187:LEU:HD22	1:A:204:MET:HE3	1.99	0.43
1:B:302:GLY:H	1:B:305:LYS:HB3	1.82	0.43
1:A:14:ARG:HD2	2:A:543:HOH:O	2.17	0.43
1:C:81:ARG:HD3	1:D:81:ARG:HH22	1.82	0.43
1:D:280:VAL:HG11	1:D:299:TYR:CD2	2.53	0.43
1:C:19:THR:HG22	1:C:19:THR:O	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:VAL:O	1:B:91:LEU:HG	2.18	0.43
1:B:90:ARG:NH1	1:B:94:ARG:HB2	2.34	0.43
1:B:269:VAL:O	1:B:279:GLU:HA	2.18	0.43
1:D:258:LEU:HD12	1:D:258:LEU:HA	1.81	0.43
1:D:301:GLU:O	1:D:303:GLY:N	2.51	0.43
1:B:206:THR:HG22	1:B:208:ALA:H	1.83	0.43
1:B:266:MET:CE	1:B:267:ALA:N	2.82	0.43
1:B:115:GLN:HG3	2:B:581:HOH:O	2.18	0.43
1:A:165:GLN:HE21	1:A:165:GLN:HB2	1.60	0.43
1:C:254:LEU:N	1:C:255:PRO:CD	2.82	0.43
1:B:271:PHE:HB3	1:B:311:VAL:CG1	2.49	0.43
1:A:10:ASP:CG	1:C:192:ARG:HD2	2.39	0.42
1:A:80:ASP:OD1	1:A:82:VAL:HB	2.19	0.42
1:B:131:ARG:HA	1:B:131:ARG:HD2	1.83	0.42
1:C:70:ASP:OD2	1:C:128:LYS:HE3	2.19	0.42
1:A:33:ARG:HG2	1:A:33:ARG:NH1	2.34	0.42
1:A:81:ARG:HG2	1:A:81:ARG:HH11	1.85	0.42
1:D:134:ASN:OD1	1:D:137:GLU:HG3	2.19	0.42
1:D:266:MET:H	1:D:266:MET:HG3	1.64	0.42
1:D:285:ILE:HG22	1:D:323:MET:CE	2.49	0.42
1:C:231:ALA:HA	1:C:232:PRO:HD3	1.85	0.42
1:B:271:PHE:HB3	1:B:311:VAL:HG12	2.01	0.42
1:C:183:MET:CE	1:C:183:MET:CG	2.94	0.42
1:D:131:ARG:NH1	1:D:131:ARG:CG	2.76	0.42
1:A:158:ALA:CB	1:A:165:GLN:HG2	2.49	0.42
1:B:303:GLY:C	1:B:305:LYS:N	2.74	0.42
1:B:131:ARG:HG3	1:B:197:ASP:HB3	2.02	0.41
1:C:131:ARG:HG2	1:C:131:ARG:NH1	2.31	0.41
1:D:35:TYR:HB3	1:D:63:ILE:HG22	2.02	0.41
1:B:285:ILE:O	1:B:285:ILE:HG22	2.19	0.41
1:C:92:HIS:NE2	1:D:92:HIS:NE2	2.63	0.41
1:A:131:ARG:CG	1:A:131:ARG:HH11	2.33	0.41
1:A:195:GLU:C	1:A:196:ARG:HD2	2.41	0.41
1:C:38:VAL:N	1:C:39:PRO:CD	2.84	0.41
1:D:124:GLN:NE2	1:D:128:LYS:HE2	2.34	0.41
1:A:9:ARG:HG2	2:A:443:HOH:O	2.20	0.41
1:B:179:MET:HE2	1:B:217:LEU:HD21	2.01	0.41
1:B:266:MET:HA	1:B:266:MET:HE3	2.01	0.41
1:D:135:LEU:CD2	1:D:213:ASP:HB3	2.51	0.41
1:D:288:VAL:HG12	1:D:324:LEU:CD1	2.50	0.41
1:A:163:GLU:H	1:A:163:GLU:HG2	1.79	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:CE	1:B:1:MET:HB2	2.52	0.40
1:B:301:GLU:HB3	1:B:305:LYS:CD	2.50	0.40
1:C:131:ARG:CG	1:C:131:ARG:NH1	2.84	0.40
1:A:254:LEU:HB2	1:A:255:PRO:HD3	2.02	0.40
1:D:212:GLN:NE2	1:D:216:ASP:OD1	2.48	0.40
1:D:251:VAL:HG22	1:D:252:ARG:N	2.36	0.40
1:D:84:LEU:HD23	1:D:84:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/343 (76%)	256 (98%)	6 (2%)	0	100	100
1	B	330/343 (96%)	311 (94%)	17 (5%)	2 (1%)	25	25
1	C	260/343 (76%)	252 (97%)	7 (3%)	1 (0%)	34	37
1	D	331/343 (96%)	310 (94%)	16 (5%)	5 (2%)	10	7
All	All	1183/1372 (86%)	1129 (95%)	46 (4%)	8 (1%)	22	21

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	261	ALA
1	C	164	GLY
1	D	302	GLY
1	B	261	ALA
1	D	263	ALA
1	D	303	GLY
1	B	302	GLY
1	D	264	GLY



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/270 (77%)	197 (95%)	11 (5%)	22	26
1	B	260/270 (96%)	250 (96%)	10 (4%)	33	41
1	C	206/270 (76%)	199 (97%)	7 (3%)	37	46
1	D	261/270 (97%)	252 (97%)	9 (3%)	37	46
All	All	935/1080 (87%)	898 (96%)	37 (4%)	31	38

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	29	THR
1	A	90	ARG
1	A	128	LYS
1	A	131	ARG
1	A	139	ARG
1	A	163	GLU
1	A	165	GLN
1	A	186	ASP
1	A	191	ASP
1	A	197	ASP
1	B	18	GLN
1	B	90	ARG
1	B	131	ARG
1	B	186	ASP
1	B	197	ASP
1	B	206	THR
1	B	229	VAL
1	B	266	MET
1	B	284	LYS
1	B	325	GLU
1	C	29	THR
1	C	52	ARG
1	C	90	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	94	ARG
1	C	107	LYS
1	C	136	ARG
1	C	254	LEU
1	D	-2	ASP
1	D	18	GLN
1	D	19	THR
1	D	90	ARG
1	D	105	ASP
1	D	186	ASP
1	D	251	VAL
1	D	266	MET
1	D	314	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	18	GLN
1	B	243	HIS
1	C	119	HIS
1	C	165	GLN
1	C	243	HIS
1	D	124	GLN
1	D	165	GLN
1	D	243	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	264/343 (76%)	-0.47	7 (2%) 54 52	17, 26, 52, 81	0
1	B	332/343 (96%)	-0.30	15 (4%) 33 31	16, 28, 66, 84	0
1	C	262/343 (76%)	-0.51	3 (1%) 80 79	15, 29, 45, 73	0
1	D	333/343 (97%)	0.04	37 (11%) 5 4	15, 30, 100, 120	0
All	All	1191/1372 (86%)	-0.29	62 (5%) 27 25	15, 28, 78, 120	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	266	MET	9.5
1	D	264	GLY	9.2
1	D	303	GLY	8.1
1	B	264	GLY	7.8
1	D	265	ALA	6.2
1	D	328	LYS	6.2
1	D	267	ALA	6.0
1	D	326	LYS	6.0
1	D	304	GLY	5.6
1	B	304	GLY	5.1
1	D	305	LYS	4.9
1	D	302	GLY	4.9
1	D	325	GLU	4.7
1	D	268	THR	4.7
1	D	275	GLY	4.5
1	B	326	LYS	4.4
1	B	305	LYS	4.3
1	D	329	LYS	4.2
1	D	283	SER	4.1
1	D	263	ALA	4.1
1	B	325	GLU	4.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	261	ALA	3.7
1	A	164	GLY	3.6
1	D	276	GLU	3.6
1	C	-3	ASP	3.5
1	D	327	GLN	3.4
1	B	303	GLY	3.3
1	B	265	ALA	3.1
1	D	262	GLY	3.1
1	B	302	GLY	3.0
1	D	281	ASP	3.0
1	D	322	GLN	3.0
1	A	194	GLY	2.9
1	D	274	LYS	2.9
1	A	-5	VAL	2.8
1	D	314	LYS	2.7
1	D	277	GLU	2.7
1	B	276	GLU	2.6
1	D	284	LYS	2.6
1	A	195	GLU	2.6
1	D	300	ASP	2.6
1	A	193	ASN	2.6
1	A	163	GLU	2.5
1	B	327	GLN	2.5
1	D	-2	ASP	2.5
1	D	197	ASP	2.4
1	D	270	LYS	2.3
1	D	259	GLY	2.3
1	D	-3	ASP	2.3
1	D	269	VAL	2.3
1	D	301	GLU	2.2
1	D	272	LYS	2.2
1	C	164	GLY	2.2
1	B	-4	ASP	2.1
1	D	256	ARG	2.1
1	B	300	ASP	2.1
1	B	277	GLU	2.1
1	A	192	ARG	2.1
1	C	256	ARG	2.1
1	B	75	ASP	2.1
1	D	279	GLU	2.1
1	D	273	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.