



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 4, 2024 – 07:47 am GMT

PDB ID : 5BUG  
Title : Crystal structure of human phosphatase PTEN oxidized by H2O2  
Authors : Lee, C.-U.; Bier, D.; Hennig, S.; Grossmann, T.N.  
Deposited on : 2015-06-03  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="text-align: center;">79%      18%      .</p>
1	B	314	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="text-align: center;">77%      17%      6%      .</p>
1	C	314	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="text-align: center;">82%      14%      .</p>
1	D	314	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="text-align: center;">81%      14%      . .</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TLA	A	401	-	X	X	-
2	TLA	D	401	-	X	X	-

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 11129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-specificity protein phosphatase PTEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	314	2566	1662	430	459	15	0	0	0
1	B	314	2583	1675	433	459	16	0	0	0
1	C	314	2595	1682	440	457	16	0	0	0
1	D	314	2594	1681	439	458	16	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	THR	deletion	UNP P60484
A	?	-	SER	deletion	UNP P60484
A	?	-	GLU	deletion	UNP P60484
A	?	-	LYS	deletion	UNP P60484
A	?	-	VAL	deletion	UNP P60484
A	?	-	GLU	deletion	UNP P60484
A	?	-	ASN	deletion	UNP P60484
A	?	-	GLY	deletion	UNP P60484
A	?	-	SER	deletion	UNP P60484
A	?	-	LEU	deletion	UNP P60484
A	?	-	CYS	deletion	UNP P60484
A	?	-	ASP	deletion	UNP P60484
A	?	-	GLN	deletion	UNP P60484
A	?	-	GLU	deletion	UNP P60484
A	?	-	ILE	deletion	UNP P60484
A	?	-	ASP	deletion	UNP P60484
A	?	-	SER	deletion	UNP P60484
A	?	-	ILE	deletion	UNP P60484
A	?	-	CYS	deletion	UNP P60484
A	?	-	SER	deletion	UNP P60484

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ILE	deletion	UNP P60484
A	?	-	GLU	deletion	UNP P60484
A	?	-	ARG	deletion	UNP P60484
A	?	-	ALA	deletion	UNP P60484
B	?	-	THR	deletion	UNP P60484
B	?	-	SER	deletion	UNP P60484
B	?	-	GLU	deletion	UNP P60484
B	?	-	LYS	deletion	UNP P60484
B	?	-	VAL	deletion	UNP P60484
B	?	-	GLU	deletion	UNP P60484
B	?	-	ASN	deletion	UNP P60484
B	?	-	GLY	deletion	UNP P60484
B	?	-	SER	deletion	UNP P60484
B	?	-	LEU	deletion	UNP P60484
B	?	-	CYS	deletion	UNP P60484
B	?	-	ASP	deletion	UNP P60484
B	?	-	GLN	deletion	UNP P60484
B	?	-	GLU	deletion	UNP P60484
B	?	-	ILE	deletion	UNP P60484
B	?	-	ASP	deletion	UNP P60484
B	?	-	SER	deletion	UNP P60484
B	?	-	ILE	deletion	UNP P60484
B	?	-	CYS	deletion	UNP P60484
B	?	-	SER	deletion	UNP P60484
B	?	-	ILE	deletion	UNP P60484
B	?	-	GLU	deletion	UNP P60484
B	?	-	ARG	deletion	UNP P60484
B	?	-	ALA	deletion	UNP P60484
C	?	-	THR	deletion	UNP P60484
C	?	-	SER	deletion	UNP P60484
C	?	-	GLU	deletion	UNP P60484
C	?	-	LYS	deletion	UNP P60484
C	?	-	VAL	deletion	UNP P60484
C	?	-	GLU	deletion	UNP P60484
C	?	-	ASN	deletion	UNP P60484
C	?	-	GLY	deletion	UNP P60484
C	?	-	SER	deletion	UNP P60484
C	?	-	LEU	deletion	UNP P60484
C	?	-	CYS	deletion	UNP P60484
C	?	-	ASP	deletion	UNP P60484
C	?	-	GLN	deletion	UNP P60484
C	?	-	GLU	deletion	UNP P60484

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	ILE	deletion	UNP P60484
C	?	-	ASP	deletion	UNP P60484
C	?	-	SER	deletion	UNP P60484
C	?	-	ILE	deletion	UNP P60484
C	?	-	CYS	deletion	UNP P60484
C	?	-	SER	deletion	UNP P60484
C	?	-	ILE	deletion	UNP P60484
C	?	-	GLU	deletion	UNP P60484
C	?	-	ARG	deletion	UNP P60484
C	?	-	ALA	deletion	UNP P60484
D	?	-	THR	deletion	UNP P60484
D	?	-	SER	deletion	UNP P60484
D	?	-	GLU	deletion	UNP P60484
D	?	-	LYS	deletion	UNP P60484
D	?	-	VAL	deletion	UNP P60484
D	?	-	GLU	deletion	UNP P60484
D	?	-	ASN	deletion	UNP P60484
D	?	-	GLY	deletion	UNP P60484
D	?	-	SER	deletion	UNP P60484
D	?	-	LEU	deletion	UNP P60484
D	?	-	CYS	deletion	UNP P60484
D	?	-	ASP	deletion	UNP P60484
D	?	-	GLN	deletion	UNP P60484
D	?	-	GLU	deletion	UNP P60484
D	?	-	ILE	deletion	UNP P60484
D	?	-	ASP	deletion	UNP P60484
D	?	-	SER	deletion	UNP P60484
D	?	-	ILE	deletion	UNP P60484
D	?	-	CYS	deletion	UNP P60484
D	?	-	SER	deletion	UNP P60484
D	?	-	ILE	deletion	UNP P60484
D	?	-	GLU	deletion	UNP P60484
D	?	-	ARG	deletion	UNP P60484
D	?	-	ALA	deletion	UNP P60484

- Molecule 2 is L(+)-TARTARIC ACID (three-letter code: TLA) (formula: C<sub>4</sub>H<sub>6</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 10 4 6	0	0
2	B	1	Total C O 10 4 6	0	0
2	C	1	Total C O 10 4 6	0	0
2	D	1	Total C O 10 4 6	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	180	Total O 180 180	0	0
3	B	181	Total O 181 181	0	0
3	C	202	Total O 202 202	0	0
3	D	188	Total O 188 188	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-specificity protein phosphatase PTEN



- Molecule 1: Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-specificity protein phosphatase PTEN




- Molecule 1: Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-specificity protein phosphatase PTEN







- Molecule 1: Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-specificity protein phosphatase PTEN



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	206.87Å 206.83Å 87.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.76 – 2.40 48.76 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.76-2.40) 99.9 (48.76-2.40)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.59 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.8.0103	Depositor
R, $R_{free}$	0.175 , 0.211 0.180 , 0.216	Depositor DCC
$R_{free}$ test set	3675 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.0	Xtrriage
Anisotropy	0.640	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 49.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	0.488 for -k,-h,-l	Xtrriage
Reported twinning fraction	0.500 for H, K, L 0.500 for K, H, -L	Depositor
Outliers	2 of 73497 reflections (0.003%)	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	11129	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	63.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.74 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.1336e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.53	0/2642	0.80	1/3578 (0.0%)
1	B	0.54	0/2659	0.87	5/3596 (0.1%)
1	C	0.51	0/2671	0.81	4/3609 (0.1%)
1	D	0.55	1/2670 (0.0%)	0.83	2/3610 (0.1%)
All	All	0.53	1/10642 (0.0%)	0.83	12/14393 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9
1	B	0	10
1	C	0	12
1	D	0	11
All	All	0	42

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	282	GLY	C-O	5.08	1.31	1.23

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	280	ILE	C-N-CD	-10.24	98.08	120.60
1	B	280	ILE	CB-CA-C	-5.72	100.16	111.60
1	C	189	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	C	44	GLY	N-CA-C	5.57	127.02	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	15	ARG	CA-CB-CG	5.45	125.39	113.40
1	B	281	PRO	N-CA-C	-5.40	98.06	112.10
1	B	265	LEU	CA-CB-CG	5.20	127.27	115.30
1	C	15	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	C	280	ILE	C-N-CD	-5.13	109.32	120.60
1	B	48	ASN	N-CA-CB	-5.13	101.37	110.60
1	A	282	GLY	N-CA-C	5.07	125.77	113.10
1	D	47	ARG	NE-CZ-NH1	5.06	122.83	120.30

There are no chirality outliers.

All (42) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	123	HIS	Peptide
1	A	20	GLY	Peptide
1	A	264	MET	Peptide
1	A	280	ILE	Peptide
1	A	281	PRO	Peptide
1	A	283	PRO	Peptide
1	A	45	VAL	Peptide
1	A	61	HIS	Peptide
1	A	72	ALA	Peptide
1	B	123	HIS	Peptide
1	B	20	GLY	Peptide
1	B	280	ILE	Mainchain
1	B	312	ASP	Peptide
1	B	36	GLY	Peptide
1	B	38	PRO	Peptide
1	B	41	ARG	Peptide
1	B	47	ARG	Peptide
1	B	72	ALA	Peptide
1	B	81	PHE	Peptide
1	C	123	HIS	Peptide
1	C	20	GLY	Peptide
1	C	280	ILE	Peptide
1	C	284	GLU	Peptide
1	C	310	ASP	Peptide
1	C	312	ASP	Peptide
1	C	40	GLU	Peptide
1	C	41	ARG	Peptide
1	C	45	VAL	Peptide
1	C	46	TYR	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	C	61	HIS	Peptide
1	C	72	ALA	Peptide
1	D	123	HIS	Peptide
1	D	20	GLY	Peptide
1	D	264	MET	Peptide
1	D	280	ILE	Peptide,Mainchain
1	D	282	GLY	Peptide
1	D	41	ARG	Peptide
1	D	44	GLY	Peptide
1	D	46	TYR	Peptide
1	D	61	HIS	Peptide
1	D	72	ALA	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2566	0	2439	46	1
1	B	2583	0	2482	86	7
1	C	2595	0	2511	45	0
1	D	2594	0	2504	62	4
2	A	10	0	4	4	0
2	B	10	0	4	2	0
2	C	10	0	4	0	0
2	D	10	0	4	5	0
3	A	180	0	0	20	1
3	B	181	0	0	14	0
3	C	202	0	0	15	0
3	D	188	0	0	17	0
All	All	11129	0	9952	234	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (234) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:CYS:SG	3:A:524:HOH:O	2.01	1.17
1:A:15:ARG:NH2	3:A:501:HOH:O	1.92	1.00
1:C:84:ARG:NH1	3:C:501:HOH:O	1.96	0.98
1:B:236:ASP:OD2	1:B:237:LYS:HE2	1.67	0.93
1:D:250:CYS:SG	3:D:527:HOH:O	2.27	0.93
1:B:46:TYR:OH	1:B:74:ARG:HB3	1.69	0.92
1:D:207:SER:OG	1:D:261:GLN:NE2	2.03	0.91
1:A:207:SER:OG	1:A:261:GLN:NE2	2.03	0.91
1:B:221:LYS:HG2	1:B:222:VAL:HG23	1.50	0.91
1:B:237:LYS:HE3	1:B:237:LYS:H	1.36	0.91
1:B:219:GLN:O	3:B:501:HOH:O	1.88	0.91
1:D:282:GLY:HA3	1:D:284:GLU:H	1.36	0.89
1:B:46:TYR:OH	1:B:74:ARG:NE	2.03	0.89
1:A:110:GLN:NE2	3:A:502:HOH:O	2.07	0.88
1:B:15:ARG:NH2	3:B:503:HOH:O	2.07	0.87
1:B:264:MET:HB3	1:B:265:LEU:HD12	1.58	0.86
1:B:50:ILE:HG23	1:B:51:ASP:H	1.42	0.85
1:C:15:ARG:HG2	1:C:158:VAL:O	1.76	0.85
1:B:222:VAL:HB	3:B:501:HOH:O	1.77	0.84
1:A:237:LYS:HG3	1:A:238:PHE:CE2	2.15	0.81
1:D:261:GLN:OE1	1:D:262:ASN:N	2.13	0.81
1:C:40:GLU:O	1:C:42:LEU:HB2	1.80	0.81
1:B:46:TYR:OH	1:B:74:ARG:CG	2.28	0.81
1:D:41:ARG:HA	1:D:41:ARG:HH11	1.46	0.81
1:D:221:LYS:HG2	1:D:222:VAL:HG23	1.61	0.80
1:B:46:TYR:OH	1:B:74:ARG:CB	2.31	0.78
1:D:41:ARG:HA	1:D:41:ARG:NH1	2.00	0.76
1:B:252:ASP:OD2	3:B:502:HOH:O	2.04	0.74
1:D:17:GLN:NE2	3:D:504:HOH:O	2.19	0.74
1:C:21:PHE:HA	3:C:520:HOH:O	1.87	0.74
1:B:65:TYR:CE1	1:B:83:CYS:HB3	2.23	0.74
1:B:38:PRO:O	1:B:50:ILE:HD13	1.88	0.73
1:D:129:GLY:N	2:D:401:TLA:O2	2.21	0.73
1:D:47:ARG:NH2	3:D:506:HOH:O	2.20	0.73
1:D:221:LYS:H	1:D:221:LYS:HD3	1.54	0.73
1:C:310:ASP:HB3	1:C:311:ASN:O	1.90	0.72
1:B:221:LYS:H	1:B:221:LYS:HD3	1.55	0.72
1:B:37:PHE:CE1	1:B:125:LYS:O	2.43	0.71
1:B:46:TYR:HH	1:B:74:ARG:HB3	1.54	0.71
1:B:265:LEU:HD13	1:B:266:LYS:H	1.55	0.71
1:C:269:LYS:NZ	3:C:506:HOH:O	2.23	0.71
1:D:277:THR:OG1	3:D:501:HOH:O	2.09	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:HIS:CE1	1:A:117:ASN:OD1	2.44	0.70
1:A:281:PRO:HB3	1:A:317:VAL:O	1.92	0.70
1:A:114:GLU:OE1	3:A:502:HOH:O	2.09	0.69
1:D:126:ALA:HB3	3:D:513:HOH:O	1.92	0.69
1:B:41:ARG:HG3	1:B:42:LEU:HA	1.73	0.69
1:B:50:ILE:HG23	1:B:51:ASP:N	2.06	0.69
3:A:519:HOH:O	1:D:97:GLN:HG2	1.92	0.68
1:D:125:LYS:HB2	3:D:503:HOH:O	1.95	0.67
1:C:324:ASP:O	3:C:502:HOH:O	2.13	0.66
1:A:78:THR:HG22	3:A:580:HOH:O	1.96	0.66
1:D:44:GLY:O	1:D:46:TYR:N	2.27	0.65
1:B:39:ALA:HB1	1:B:46:TYR:HD2	1.61	0.65
1:D:282:GLY:HA3	1:D:284:GLU:N	2.10	0.65
1:B:233:ARG:NH2	3:B:508:HOH:O	2.27	0.65
1:C:261:GLN:NE2	1:C:266:LYS:O	2.30	0.65
1:D:188:TYR:OH	3:D:502:HOH:O	2.11	0.64
1:B:234:ARG:NH2	3:B:507:HOH:O	2.21	0.64
1:C:261:GLN:HE22	1:C:267:LYS:HA	1.62	0.64
1:D:41:ARG:NE	1:D:47:ARG:O	2.25	0.64
1:C:42:LEU:CD2	1:C:47:ARG:HB2	2.29	0.63
1:B:20:GLY:HA3	3:B:531:HOH:O	1.98	0.62
1:A:84:ARG:NH2	3:A:507:HOH:O	2.30	0.62
1:D:237:LYS:CD	1:D:237:LYS:H	2.12	0.62
1:C:42:LEU:HD21	1:C:47:ARG:HB2	1.82	0.62
1:D:311:ASN:N	1:D:311:ASN:OD1	2.30	0.62
1:B:50:ILE:CG2	1:B:51:ASP:H	2.12	0.62
1:C:40:GLU:HG3	1:C:41:ARG:H	1.65	0.62
1:D:47:ARG:CZ	3:D:506:HOH:O	2.48	0.61
1:A:73:GLU:OE1	1:A:125:LYS:NZ	2.28	0.61
1:A:20:GLY:HA3	3:A:525:HOH:O	2.00	0.61
1:B:81:PHE:CD2	1:B:85:VAL:HG23	2.35	0.61
1:B:81:PHE:CD2	1:B:83:CYS:O	2.53	0.61
1:B:51:ASP:N	1:B:51:ASP:OD1	2.34	0.60
1:B:220:LEU:HD11	3:B:502:HOH:O	2.00	0.60
1:C:283:PRO:HB3	3:C:554:HOH:O	2.02	0.60
1:D:221:LYS:H	1:D:221:LYS:CD	2.14	0.60
1:B:221:LYS:H	1:B:221:LYS:CD	2.14	0.60
1:B:265:LEU:HB3	1:D:310:ASP:O	2.02	0.60
1:C:311:ASN:HB3	1:C:313:LYS:O	2.01	0.59
1:C:261:GLN:NE2	1:C:268:ASP:OD1	2.35	0.59
1:D:15:ARG:NH1	1:D:27:TYR:O	2.32	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:ILE:HG12	1:B:83:CYS:SG	2.43	0.58
1:B:81:PHE:HD2	1:B:85:VAL:HG23	1.68	0.58
1:D:17:GLN:NE2	3:D:514:HOH:O	2.35	0.58
1:A:237:LYS:HG3	1:A:238:PHE:CD2	2.38	0.58
1:D:332:LYS:NZ	3:D:516:HOH:O	2.36	0.58
1:A:92:ASP:OD1	2:A:401:TLA:O41	2.22	0.58
1:A:191:VAL:C	3:A:524:HOH:O	2.42	0.57
1:B:46:TYR:OH	1:B:74:ARG:CD	2.51	0.57
1:A:75:HIS:CD2	3:A:565:HOH:O	2.57	0.57
1:B:46:TYR:OH	1:B:74:ARG:HG3	2.04	0.57
2:D:401:TLA:O3	3:D:503:HOH:O	2.17	0.57
1:C:272:HIS:CD2	3:C:528:HOH:O	2.57	0.57
1:A:64:HIS:ND1	1:A:117:ASN:OD1	2.38	0.56
1:B:37:PHE:O	1:B:49:ASN:CB	2.54	0.56
1:D:41:ARG:NH1	1:D:43:GLU:H	2.03	0.56
3:A:531:HOH:O	1:D:84:ARG:HD2	2.05	0.56
1:B:326:ASP:O	3:B:505:HOH:O	2.18	0.56
1:B:46:TYR:HH	1:B:74:ARG:HE	1.51	0.56
1:B:189:ARG:HG3	3:B:510:HOH:O	2.04	0.56
1:B:126:ALA:HB3	2:B:401:TLA:O2	2.06	0.56
1:A:15:ARG:HG2	1:A:158:VAL:O	2.05	0.56
1:C:261:GLN:OE1	1:C:261:GLN:N	2.30	0.56
1:B:15:ARG:HG2	1:B:158:VAL:O	2.06	0.55
1:B:81:PHE:HD1	1:B:81:PHE:O	1.89	0.55
1:A:271:PHE:HB2	3:A:503:HOH:O	2.06	0.55
1:B:62:LYS:HB3	1:B:64:HIS:ND1	2.22	0.54
1:B:189:ARG:NH1	3:B:510:HOH:O	2.28	0.54
1:B:237:LYS:HE3	1:B:237:LYS:N	2.16	0.54
1:B:78:THR:HG22	1:B:81:PHE:CE2	2.43	0.54
1:D:312:ASP:OD1	1:D:313:LYS:N	2.40	0.54
1:D:207:SER:CB	1:D:261:GLN:HE22	2.21	0.53
1:A:24:ASP:OD2	1:A:47:ARG:NE	2.43	0.52
1:B:42:LEU:O	1:B:43:GLU:HG3	2.09	0.52
1:C:281:PRO:HD3	1:C:316:LEU:HD23	1.91	0.52
1:A:95:PRO:O	3:A:504:HOH:O	2.18	0.52
1:A:269:LYS:NZ	3:A:513:HOH:O	2.43	0.52
1:A:335:ARG:HD2	1:A:335:ARG:C	2.29	0.52
1:C:280:ILE:HG22	1:C:281:PRO:N	2.25	0.51
1:B:263:LYS:O	1:D:312:ASP:HB3	2.11	0.51
1:B:44:GLY:O	1:B:46:TYR:N	2.40	0.51
1:C:335:ARG:HD2	1:C:335:ARG:C	2.31	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:GLY:N	2:B:401:TLA:H2	2.26	0.51
1:B:261:GLN:O	1:B:262:ASN:HB3	2.11	0.51
1:A:129:GLY:N	2:A:401:TLA:O3	2.44	0.50
1:A:312:ASP:HA	3:A:595:HOH:O	2.11	0.50
1:C:20:GLY:HA3	3:C:508:HOH:O	2.11	0.49
1:A:221:LYS:HG3	1:A:222:VAL:HG23	1.94	0.49
1:B:236:ASP:CG	1:B:237:LYS:HE2	2.33	0.49
1:C:233:ARG:NE	3:C:514:HOH:O	2.31	0.49
1:B:89:PRO:O	3:B:504:HOH:O	2.17	0.49
1:A:138:TYR:CZ	1:A:142:ARG:HG3	2.48	0.49
1:D:41:ARG:HH21	1:D:47:ARG:HB2	1.77	0.49
1:B:41:ARG:HG3	1:B:42:LEU:N	2.28	0.49
1:B:65:TYR:CE1	1:B:83:CYS:CB	2.96	0.48
1:C:94:ASN:ND2	3:C:517:HOH:O	2.34	0.48
1:D:264:MET:SD	1:D:264:MET:N	2.86	0.48
1:B:41:ARG:HG3	1:B:42:LEU:CA	2.43	0.48
1:D:261:GLN:HB3	1:D:263:LYS:O	2.13	0.48
1:D:39:ALA:CB	1:D:41:ARG:NH2	2.77	0.48
1:D:44:GLY:C	1:D:46:TYR:H	2.15	0.48
1:C:138:TYR:CZ	1:C:142:ARG:HG3	2.49	0.48
1:C:261:GLN:H	1:C:261:GLN:CD	2.12	0.48
1:B:264:MET:O	1:D:310:ASP:O	2.32	0.48
1:B:78:THR:O	1:B:81:PHE:CD2	2.67	0.47
1:D:134:MET:CE	1:D:134:MET:HA	2.45	0.47
1:D:42:LEU:N	1:D:42:LEU:CD1	2.77	0.47
1:D:350:THR:O	1:D:350:THR:OG1	2.31	0.47
1:A:14:ARG:HA	1:A:161:ARG:HA	1.96	0.47
1:A:322:LYS:HE3	1:A:339:PRO:HA	1.96	0.47
1:D:39:ALA:HB3	1:D:41:ARG:NH2	2.29	0.47
1:D:41:ARG:NH2	1:D:47:ARG:HB2	2.29	0.47
1:D:130:ARG:H	2:D:401:TLA:C2	2.27	0.47
1:D:221:LYS:HD3	1:D:221:LYS:N	2.26	0.47
1:C:261:GLN:HE22	1:C:267:LYS:CA	2.27	0.47
1:A:233:ARG:NH2	3:A:515:HOH:O	2.48	0.47
1:C:311:ASN:CB	1:C:313:LYS:O	2.62	0.47
1:B:81:PHE:CD1	1:B:81:PHE:C	2.88	0.47
1:B:81:PHE:CG	1:B:83:CYS:O	2.69	0.46
1:C:261:GLN:NE2	1:C:267:LYS:HA	2.29	0.46
1:B:14:ARG:HA	1:B:161:ARG:HA	1.96	0.46
1:B:312:ASP:HB3	1:B:313:LYS:HD2	1.97	0.46
1:C:322:LYS:HE3	1:C:339:PRO:HA	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:14:ARG:HA	1:D:161:ARG:HA	1.97	0.46
1:A:126:ALA:HB3	2:A:401:TLA:O2	2.15	0.46
1:D:324:ASP:O	3:D:505:HOH:O	2.20	0.46
1:D:237:LYS:H	1:D:237:LYS:HD2	1.78	0.46
1:C:14:ARG:HA	1:C:161:ARG:HA	1.97	0.46
1:D:130:ARG:HG3	2:D:401:TLA:H2	1.96	0.46
1:D:163:LYS:HE2	3:D:520:HOH:O	2.15	0.46
1:C:40:GLU:O	1:C:42:LEU:CB	2.60	0.45
1:D:41:ARG:HH12	1:D:43:GLU:HG3	1.81	0.45
1:A:259:HIS:NE2	1:A:261:GLN:OE1	2.49	0.45
1:B:81:PHE:CE2	1:B:83:CYS:O	2.70	0.45
1:D:322:LYS:HE3	1:D:339:PRO:HA	1.97	0.45
1:B:72:ALA:HA	1:B:89:PRO:HB2	1.98	0.45
1:B:29:TYR:CE2	1:B:144:LYS:HE2	2.51	0.45
1:B:322:LYS:HE3	1:B:339:PRO:HA	1.97	0.45
1:C:40:GLU:HG3	1:C:41:ARG:N	2.32	0.45
1:A:327:LYS:N	3:A:503:HOH:O	2.13	0.45
1:C:54:VAL:HG22	1:C:81:PHE:CD1	2.51	0.45
1:B:147:LYS:NZ	3:B:512:HOH:O	2.35	0.45
1:A:163:LYS:HD2	3:A:626:HOH:O	2.15	0.44
1:A:335:ARG:HD2	1:A:335:ARG:O	2.18	0.44
1:A:183:LYS:HA	1:C:43:GLU:O	2.17	0.44
1:D:134:MET:HA	1:D:134:MET:HE2	2.00	0.44
1:B:81:PHE:HD1	1:B:81:PHE:C	2.21	0.44
1:D:128:LYS:CB	3:D:513:HOH:O	2.65	0.44
1:C:330:LYS:HE3	3:C:557:HOH:O	2.17	0.44
1:B:49:ASN:O	1:B:50:ILE:HB	2.17	0.44
1:B:203:ILE:HG13	1:B:234:ARG:NH1	2.33	0.44
1:C:72:ALA:HA	1:C:89:PRO:HB2	2.00	0.44
1:B:265:LEU:HD22	1:B:266:LYS:HB2	2.00	0.44
1:D:128:LYS:N	2:D:401:TLA:O4	2.49	0.44
1:C:314:GLU:CB	3:C:603:HOH:O	2.64	0.43
1:B:39:ALA:HB1	1:B:46:TYR:CD2	2.49	0.43
1:C:335:ARG:HD2	1:C:335:ARG:O	2.18	0.43
1:B:78:THR:HG22	1:B:81:PHE:CZ	2.53	0.43
1:A:326:ASP:N	3:A:503:HOH:O	2.52	0.43
1:A:92:ASP:OD1	2:A:401:TLA:C4	2.66	0.43
1:B:264:MET:O	1:D:311:ASN:O	2.37	0.43
1:B:41:ARG:CG	1:B:42:LEU:N	2.82	0.43
1:B:73:GLU:HA	3:B:565:HOH:O	2.19	0.43
1:B:237:LYS:H	1:B:237:LYS:CE	2.21	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37:PHE:CG	1:B:47:ARG:CB	3.02	0.43
1:B:221:LYS:HD3	1:B:221:LYS:N	2.28	0.42
1:B:263:LYS:O	1:D:311:ASN:O	2.35	0.42
1:D:72:ALA:HA	1:D:89:PRO:HB2	2.01	0.42
1:A:72:ALA:HA	1:A:89:PRO:HB2	2.00	0.42
1:D:142:ARG:NH2	3:D:525:HOH:O	2.53	0.42
1:A:46:TYR:O	1:A:47:ARG:HD2	2.19	0.42
1:C:117:ASN:O	3:C:504:HOH:O	2.21	0.42
1:D:31:ASN:HA	1:D:119:VAL:HG22	2.01	0.42
1:A:31:ASN:HA	1:A:119:VAL:HG22	2.01	0.41
1:A:192:ALA:N	3:A:524:HOH:O	2.53	0.41
1:D:20:GLY:CA	3:D:509:HOH:O	2.68	0.41
1:A:15:ARG:CG	1:A:158:VAL:O	2.68	0.41
1:A:15:ARG:HD2	1:A:26:THR:HG23	2.03	0.41
1:B:31:ASN:HA	1:B:119:VAL:HG22	2.01	0.41
1:C:233:ARG:NH2	3:C:514:HOH:O	2.44	0.41
1:D:118:HIS:O	3:D:507:HOH:O	2.22	0.41
1:A:77:ASP:HB3	1:A:80:LYS:HB2	2.01	0.41
1:C:31:ASN:HA	1:C:119:VAL:HG22	2.02	0.41
1:C:78:THR:HG22	3:C:620:HOH:O	2.19	0.41
1:A:98:LEU:HD11	1:A:181:LEU:HD11	2.03	0.41
1:C:77:ASP:HB3	1:C:80:LYS:HB2	2.01	0.41
1:B:50:ILE:CG2	1:B:51:ASP:N	2.74	0.40
1:B:98:LEU:HD11	1:B:181:LEU:HD11	2.03	0.40
1:C:74:ARG:NH2	3:C:532:HOH:O	2.53	0.40
1:B:264:MET:O	1:B:265:LEU:HB3	2.22	0.40
1:C:261:GLN:N	1:C:261:GLN:CD	2.74	0.40
1:B:15:ARG:CG	1:B:158:VAL:O	2.69	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:LYS:NZ	1:B:242:GLU:O[6_755]	1.78	0.42
1:B:20:GLY:O	1:B:41:ARG:NH2[3_755]	1.88	0.32
1:B:106:GLU:OE2	1:D:42:LEU:CD1[1_554]	2.05	0.15
1:B:102:LYS:NZ	1:D:42:LEU:CD2[1_554]	2.11	0.09
1:B:102:LYS:CE	1:D:42:LEU:CD2[1_554]	2.13	0.07
1:B:20:GLY:O	1:B:41:ARG:CZ[3_755]	2.14	0.06
1:B:106:GLU:OE2	1:D:42:LEU:CG[1_554]	2.17	0.03
3:A:501:HOH:O	3:A:501:HOH:O[4_556]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	312/314 (99%)	295 (95%)	16 (5%)	1 (0%)	41	55
1	B	312/314 (99%)	285 (91%)	21 (7%)	6 (2%)	8	10
1	C	312/314 (99%)	292 (94%)	19 (6%)	1 (0%)	41	55
1	D	312/314 (99%)	293 (94%)	14 (4%)	5 (2%)	9	13
All	All	1248/1256 (99%)	1165 (93%)	70 (6%)	13 (1%)	15	23

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	45	VAL
1	B	49	ASN
1	B	50	ILE
1	D	45	VAL
1	D	264	MET
1	D	283	PRO
1	D	312	ASP
1	B	265	LEU
1	B	313	LYS
1	D	282	GLY
1	B	281	PRO
1	C	42	LEU
1	B	283	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/286 (95%)	262 (97%)	9 (3%)	38	57
1	B	275/286 (96%)	262 (95%)	13 (5%)	26	42
1	C	277/286 (97%)	272 (98%)	5 (2%)	59	76
1	D	277/286 (97%)	263 (95%)	14 (5%)	24	39
All	All	1100/1144 (96%)	1059 (96%)	41 (4%)	34	53

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	ARG
1	A	110	GLN
1	A	237	LYS
1	A	261	GLN
1	A	263	LYS
1	A	266	LYS
1	A	281	PRO
1	A	284	GLU
1	A	311	ASN
1	B	42	LEU
1	B	43	GLU
1	B	51	ASP
1	B	81	PHE
1	B	183	LYS
1	B	189	ARG
1	B	221	LYS
1	B	237	LYS
1	B	264	MET
1	B	265	LEU
1	B	266	LYS
1	B	267	LYS
1	B	311	ASN
1	C	47	ARG
1	C	62	LYS
1	C	189	ARG
1	C	261	GLN
1	C	268	ASP
1	D	15	ARG
1	D	41	ARG
1	D	42	LEU
1	D	80	LYS
1	D	110	GLN
1	D	221	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	237	LYS
1	D	261	GLN
1	D	264	MET
1	D	268	ASP
1	D	281	PRO
1	D	285	GLU
1	D	311	ASN
1	D	313	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	262	ASN
1	D	17	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TLA	A	401	-	9,9,9	1.40	1 (11%)	12,12,12	1.42	4 (33%)
2	TLA	C	401	-	9,9,9	1.10	0	12,12,12	1.84	4 (33%)
2	TLA	B	401	-	9,9,9	1.08	0	12,12,12	1.15	1 (8%)
2	TLA	D	401	-	9,9,9	1.10	0	12,12,12	2.41	6 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TLA	A	401	-	-	11/12/12/12	-
2	TLA	C	401	-	-	8/12/12/12	-
2	TLA	B	401	-	-	0/12/12/12	-
2	TLA	D	401	-	-	8/12/12/12	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	TLA	C3-C4	-2.55	1.49	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	TLA	C3-C2-C1	5.17	121.42	109.87
2	D	401	TLA	O41-C4-C3	3.38	122.42	113.27
2	D	401	TLA	O41-C4-O4	-3.20	116.83	124.09
2	C	401	TLA	O41-C4-C3	3.16	121.82	113.27
2	D	401	TLA	O2-C2-C1	-3.15	104.06	110.66
2	C	401	TLA	C2-C3-C4	2.67	115.84	109.87
2	C	401	TLA	O11-C1-O1	-2.30	118.88	124.09
2	A	401	TLA	O3-C3-C4	-2.21	106.03	110.66
2	D	401	TLA	O11-C1-C2	2.21	119.24	113.27
2	C	401	TLA	C3-C2-C1	2.17	114.72	109.87
2	B	401	TLA	O11-C1-C2	2.08	118.91	113.27
2	A	401	TLA	O11-C1-C2	2.07	118.87	113.27
2	A	401	TLA	O4-C4-C3	-2.03	116.29	121.63
2	D	401	TLA	O1-C1-C2	-2.01	116.34	121.63
2	A	401	TLA	O41-C4-C3	2.01	118.70	113.27

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	401	TLA	C1-C2-C3-O3
2	C	401	TLA	O2-C2-C3-O3
2	C	401	TLA	O2-C2-C3-C4
2	D	401	TLA	O3-C3-C4-O4
2	D	401	TLA	O3-C3-C4-O41
2	C	401	TLA	C1-C2-C3-C4
2	A	401	TLA	O1-C1-C2-O2
2	A	401	TLA	O11-C1-C2-O2
2	A	401	TLA	O3-C3-C4-O4
2	A	401	TLA	O3-C3-C4-O41
2	D	401	TLA	O1-C1-C2-O2
2	D	401	TLA	O11-C1-C2-O2
2	A	401	TLA	C2-C3-C4-O4
2	A	401	TLA	C2-C3-C4-O41
2	C	401	TLA	O11-C1-C2-C3
2	C	401	TLA	O1-C1-C2-C3
2	D	401	TLA	C2-C3-C4-O4
2	D	401	TLA	C2-C3-C4-O41
2	D	401	TLA	O11-C1-C2-C3
2	D	401	TLA	O1-C1-C2-C3
2	C	401	TLA	O11-C1-C2-O2
2	C	401	TLA	O1-C1-C2-O2
2	A	401	TLA	O2-C2-C3-O3
2	A	401	TLA	O11-C1-C2-C3
2	A	401	TLA	C1-C2-C3-O3
2	A	401	TLA	O1-C1-C2-C3
2	A	401	TLA	O2-C2-C3-C4

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	TLA	4	0
2	B	401	TLA	2	0
2	D	401	TLA	5	0

## 5.7 Other polymers

There are no such residues in this entry.



## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	314/314 (100%)	0.11	15 (4%) 30 29	34, 59, 109, 135	3 (0%)
1	B	314/314 (100%)	0.22	21 (6%) 17 16	36, 61, 120, 164	3 (0%)
1	C	314/314 (100%)	0.04	9 (2%) 51 50	36, 57, 96, 125	2 (0%)
1	D	314/314 (100%)	0.02	12 (3%) 40 39	36, 57, 100, 127	4 (1%)
All	All	1256/1256 (100%)	0.10	57 (4%) 33 31	34, 58, 109, 164	12 (0%)

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	44	GLY	9.0
1	A	283	PRO	7.4
1	B	82	ASN	7.1
1	B	14	ARG	6.5
1	D	46	TYR	5.8
1	C	264	MET	5.7
1	B	42	LEU	5.4
1	A	46	TYR	5.4
1	B	83	CYS	5.3
1	A	282	GLY	5.1
1	B	45	VAL	5.1
1	C	45	VAL	5.0
1	C	43	GLU	4.9
1	B	49	ASN	4.7
1	D	265	LEU	4.6
1	D	283	PRO	4.6
1	B	265	LEU	4.5
1	B	284	GLU	4.2
1	A	284	GLU	3.9
1	D	15	ARG	3.9
1	A	42	LEU	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	43	GLU	3.7
1	A	311	ASN	3.6
1	A	83	CYS	3.6
1	B	76	TYR	3.6
1	D	282	GLY	3.5
1	B	79	ALA	3.4
1	D	310	ASP	3.4
1	B	262	ASN	3.3
1	A	310	ASP	3.3
1	A	48	ASN	3.2
1	B	44	GLY	3.2
1	B	283	PRO	3.2
1	B	72	ALA	3.1
1	B	47	ARG	3.0
1	A	285	GLU	2.9
1	D	44	GLY	2.8
1	D	311	ASN	2.7
1	D	42	LEU	2.6
1	C	46	TYR	2.6
1	D	268	ASP	2.6
1	A	281	PRO	2.5
1	D	262	ASN	2.5
1	D	285	GLU	2.5
1	C	310	ASP	2.4
1	B	48	ASN	2.4
1	B	15	ARG	2.4
1	C	265	LEU	2.4
1	C	208	GLY	2.3
1	A	15	ARG	2.3
1	A	81	PHE	2.3
1	A	312	ASP	2.2
1	B	78	THR	2.2
1	A	76	TYR	2.1
1	C	285	GLU	2.1
1	B	81	PHE	2.0
1	B	266	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	TLA	C	401	10/10	0.84	0.21	74,93,99,101	0
2	TLA	B	401	10/10	0.85	0.12	64,78,87,94	0
2	TLA	A	401	10/10	0.89	0.15	82,87,91,98	0
2	TLA	D	401	10/10	0.93	0.12	47,61,73,77	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.