



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 3, 2024 – 12:25 pm GMT

PDB ID : 5CDN  
Title : 2.8Å structure of etoposide with S.aureus DNA gyrase and DNA  
Authors : Bax, B.D.; Srikannathasan, V.; Chan, P.F.  
Deposited on : 2015-07-04  
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 91%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div>
1	C	481	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 91%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div>
1	R	481	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 90%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 4%; height: 10px; background-color: grey;"></div> </div>
1	T	481	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div>
2	B	189	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 4%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	D	189	 16% 85% 13%
2	S	189	 10% 89% 11%
2	U	189	 15% 88% 11%
3	E	8	 100%
3	F	8	 88% 12%
3	V	8	 100%
3	W	8	 88% 12%
4	G	12	 75% 25%
4	N	12	 50% 42% 8%
4	O	12	 83% 17%
4	P	12	 75% 25%

## 2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 23069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA gyrase subunit A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	481	Total 3778	C 2348	N 682	O 731	P 1	S 16	0	2	0
1	C	480	Total 3775	C 2349	N 683	O 726	P 1	S 16	0	0	0
1	R	475	Total 3723	C 2320	N 670	O 716	P 1	S 16	0	0	0
1	T	481	Total 3798	C 2359	N 686	O 736	P 1	S 16	0	5	0

- Molecule 2 is a protein called DNA gyrase subunit B,DNA gyrase subunit B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	188	Total 1456	C 912	N 251	O 284	S 9	0	0	0
2	D	187	Total 1433	C 898	N 250	O 276	S 9	0	1	0
2	S	188	Total 1437	C 903	N 249	O 276	S 9	0	0	0
2	U	189	Total 1447	C 908	N 255	O 275	S 9	0	1	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	544	THR	-	linker	UNP P66937
B	545	GLY	-	linker	UNP P66937
D	544	THR	-	linker	UNP P66937
D	545	GLY	-	linker	UNP P66937
S	544	THR	-	linker	UNP P66937
S	545	GLY	-	linker	UNP P66937
U	544	THR	-	linker	UNP P66937
U	545	GLY	-	linker	UNP P66937


- Molecule 3 is a DNA chain called DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*\*GP\*GP\*C P\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	E	8	Total 162	C 78	N 33	O 44	P 7	0	0	0
3	F	8	Total 163	C 78	N 33	O 45	P 7	0	0	0
3	V	8	Total 163	C 78	N 33	O 45	P 7	0	0	0
3	W	8	Total 163	C 78	N 33	O 45	P 7	0	0	0

- Molecule 4 is a DNA chain called DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*C\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	G	12	Total 240	C 115	N 44	O 70	P 11	0	0	0
4	O	12	Total 227	C 108	N 41	O 67	P 11	0	0	0
4	N	12	Total 259	C 124	N 47	O 76	P 12	0	1	0
4	P	12	Total 231	C 111	N 41	O 68	P 11	0	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mn	0	0
			1	1		
6	D	1	Total	Mn	0	0
			1	1		
6	S	1	Total	Mn	0	0
			1	1		
6	U	1	Total	Mn	0	0
			1	1		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	E	1	Total	C	O	0	0
			6	3	3		
7	T	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	C	1	Total Na 1 1	0	0

- Molecule 9 is (5S,5aR,8aR,9R)-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxo-5,5a,6,8,8a,9-hexahydrofuro[3',4':6,7]naphtho[2,3-d][1,3]dioxol-5-yl 4,6-O-[(1R)-ethylidene]-beta-D-glucopyranoside (three-letter code: EVP) (formula: C<sub>29</sub>H<sub>32</sub>O<sub>13</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	G	1	Total C O 42 29 13	0	0
9	O	1	Total C O 42 29 13	0	0
9	N	1	Total C O 42 29 13	0	0
9	P	1	Total C O 42 29 13	0	0

- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	75	Total O 75 75	0	0
10	B	27	Total O 27 27	0	0
10	C	76	Total O 76 76	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	D	17	Total O 17 17	0	0
10	E	8	Total O 8 8	0	0
10	G	9	Total O 9 9	0	0
10	F	5	Total O 5 5	0	0
10	O	6	Total O 6 6	0	0
10	R	64	Total O 64 64	0	0
10	S	15	Total O 15 15	0	0
10	T	79	Total O 79 79	0	0
10	U	12	Total O 12 12	0	0
10	V	4	Total O 4 4	0	0
10	N	2	Total O 2 2	0	0
10	W	7	Total O 7 7	0	0
10	P	6	Total O 6 6	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA gyrase subunit A




- Molecule 1: DNA gyrase subunit A




- Molecule 1: DNA gyrase subunit A




- Molecule 1: DNA gyrase subunit A




- Molecule 2: DNA gyrase subunit B,DNA gyrase subunit B




- Molecule 2: DNA gyrase subunit B,DNA gyrase subunit B




- Molecule 2: DNA gyrase subunit B,DNA gyrase subunit B



- Molecule 2: DNA gyrase subunit B,DNA gyrase subunit B





- Molecule 3: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain E: 100%

There are no outlier residues recorded for this chain.

- Molecule 3: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain F: 88% 12%



- Molecule 3: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain V: 100%

There are no outlier residues recorded for this chain.

- Molecule 3: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain W: 88% 12%



- Molecule 4: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*C\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain G: 75% 25%




- Molecule 4: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*C\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain O: 83% 17%



- Molecule 4: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*C\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain N: 50% 42% 8%



- Molecule 4: DNA (5'-D(P\*GP\*AP\*GP\*CP\*GP\*TP\*AP\*C\*GP\*GP\*CP\*CP\*GP\*TP\*AP\*CP\*GP\*CP\*TP\*C)-3')

Chain P: 75% 25%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.78Å 170.08Å 124.54Å 90.00° 102.27° 90.00°	Depositor
Resolution (Å)	39.35 – 2.79 39.35 – 2.79	Depositor EDS
% Data completeness (in resolution range)	96.1 (39.35-2.79) 96.2 (39.35-2.79)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.02 (at 2.81Å)	Xtrriage
Refinement program	BUSTER 2.11.5	Depositor
R, $R_{free}$	0.213 , 0.242 0.230 , 0.266	Depositor DCC
$R_{free}$ test set	3484 reflections (4.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.0	Xtrriage
Anisotropy	0.868	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 47.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	23069	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	77.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PTR, GOL, SO4, MN, EVP, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3807	0.59	0/5135
1	C	0.38	0/3805	0.59	0/5131
1	R	0.40	0/3751	0.59	0/5062
1	T	0.39	0/3830	0.60	0/5168
2	B	0.39	0/1479	0.61	0/2000
2	D	0.39	0/1458	0.61	0/1973
2	S	0.38	0/1460	0.59	0/1975
2	U	0.39	0/1473	0.61	0/1994
3	E	0.91	0/182	0.90	0/280
3	F	0.87	0/183	0.83	0/281
3	V	0.91	0/183	0.89	0/281
3	W	0.93	0/183	0.86	0/281
4	G	1.04	0/268	0.95	0/412
4	N	1.15	1/288 (0.3%)	0.99	0/440
4	O	0.97	0/253	0.95	0/389
4	P	0.98	0/258	1.00	0/396
All	All	0.46	1/22861 (0.0%)	0.63	0/31198

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	N	2013	DG	O5'-C5'	-5.10	1.29	1.42

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3778	0	3768	19	0
1	C	3775	0	3799	25	0
1	R	3723	0	3720	19	0
1	T	3798	0	3777	21	0
2	B	1456	0	1413	12	0
2	D	1433	0	1376	17	0
2	S	1437	0	1388	9	0
2	U	1447	0	1400	13	0
3	E	162	0	88	0	0
3	F	163	0	91	2	0
3	V	163	0	91	0	0
3	W	163	0	91	1	0
4	G	240	0	133	4	0
4	N	259	0	145	8	0
4	O	227	0	123	2	0
4	P	231	0	126	3	0
5	A	5	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
6	S	1	0	0	0	0
6	U	1	0	0	0	0
7	C	12	0	16	1	0
7	E	6	0	8	0	0
7	T	6	0	8	0	0
8	C	1	0	0	0	0
9	G	42	0	32	0	0
9	N	42	0	32	0	0
9	O	42	0	32	0	0
9	P	42	0	32	0	0
10	A	75	0	0	1	0
10	B	27	0	0	0	0
10	C	76	0	0	1	0
10	D	17	0	0	0	0
10	E	8	0	0	0	0
10	F	5	0	0	0	0
10	G	9	0	0	0	0
10	N	2	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	O	6	0	0	0	0
10	P	6	0	0	0	0
10	R	64	0	0	0	0
10	S	15	0	0	0	0
10	T	79	0	0	0	0
10	U	12	0	0	0	0
10	V	4	0	0	0	0
10	W	7	0	0	0	0
All	All	23069	0	21689	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:388:LEU:HD23	1:R:391:ILE:HD11	1.70	0.73
1:A:401:SER:HB3	1:A:406:VAL:HG23	1.73	0.71
4:G:2020:DC:H2 <sup>''</sup>	3:F:1:DG:H1	1.57	0.70
2:U:502:LYS:HG2	2:U:538:TYR:HE2	1.56	0.70
2:B:432:PHE:HB2	2:B:454:ILE:CD1	2.23	0.69
4:N:2013:DG:C8	4:N:2013:DG:H5 <sup>''</sup>	2.36	0.61
1:C:122:ARG:HD3	1:C:122:ARG:H	1.65	0.60
2:S:589:ASP:CB	1:T:298:LEU:HD12	2.31	0.60
4:N:2013:DG:H5 <sup>''</sup>	4:N:2013:DG:H8	1.66	0.59
1:A:66:LYS:HB3	10:A:601:HOH:O	2.01	0.59
2:B:432:PHE:HB2	2:B:454:ILE:HD13	1.84	0.59
1:R:426:LEU:HB3	1:T:431:ARG:HB3	1.84	0.59
1:C:14:ILE:CD1	2:D:618:PHE:HZ	2.15	0.58
2:D:461:ILE:HD13	2:D:477:GLU:HB3	1.85	0.58
4:G:2020:DC:H2 <sup>''</sup>	3:F:1:DG:N1	2.18	0.58
2:B:457:LEU:HB3	2:B:461:ILE:HD11	1.86	0.58
1:R:291:ASP:H	1:R:307:ASP:HB2	1.68	0.57
2:U:437:ASP:HB2	4:N:2010:DG:OP1	2.05	0.57
1:R:388:LEU:HA	1:R:391:ILE:HD11	1.86	0.57
1:C:73:ASP:O	1:C:77:LYS:HG2	2.06	0.56
1:T:64:TYR:HB3	1:T:125:GLU:HB3	1.88	0.56
1:C:224:ILE:HG21	1:C:230:ILE:HD11	1.88	0.56
1:T:224:ILE:HG21	1:T:230:ILE:HD11	1.87	0.55
1:R:224:ILE:HG21	1:R:230:ILE:HD11	1.89	0.53
1:A:224:ILE:HG21	1:A:230:ILE:HD11	1.91	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:U:626:VAL:HG11	4:P:2017:DG:H3'	1.92	0.52
1:T:113:MET:CE	1:T:220:THR:HG22	2.40	0.52
1:C:388:LEU:HD22	1:C:438:ARG:HG2	1.92	0.51
1:A:426:LEU:HB3	1:C:431:ARG:HB3	1.92	0.51
1:C:387:ALA:HA	1:C:394:ILE:HG13	1.92	0.51
2:S:473:LEU:HD21	2:S:489:ILE:HD11	1.92	0.51
2:D:434:VAL:HG21	2:D:440:GLY:HA2	1.93	0.50
2:D:626:VAL:HG11	4:O:2017:DG:H3'	1.94	0.49
1:C:377:ARG:HH22	7:C:503:GOL:H12	1.77	0.49
1:R:431:ARG:HB3	1:T:426:LEU:HB3	1.94	0.49
2:U:502:LYS:HG2	2:U:538:TYR:CE2	2.44	0.49
2:B:473:LEU:HD21	2:B:489:ILE:HD11	1.95	0.49
4:N:2020[B]:DC:H2'	3:W:1:DG:O6	2.11	0.49
1:R:177:VAL:HG22	4:N:2016:DC:H4'	1.92	0.49
1:C:312:ALA:HB1	1:C:317:ILE:HD11	1.95	0.49
2:D:592:TRP:HA	2:D:596:MET:HB2	1.95	0.49
2:U:434:VAL:HG21	2:U:440:GLY:HA2	1.93	0.49
2:S:626:VAL:HG11	4:N:2017:DG:H3'	1.94	0.49
1:C:77:LYS:HB2	1:C:154:GLU:HG3	1.95	0.48
1:A:393:GLU:HB3	1:A:414:ARG:HH11	1.78	0.48
1:A:150:TYR:HD2	2:B:580:TYR:HB2	1.78	0.48
1:T:122[B]:ARG:H	1:T:122[B]:ARG:HD3	1.79	0.48
1:A:64:TYR:HB3	1:A:125:GLU:HB3	1.95	0.48
1:A:391:ILE:HG21	1:C:399:ARG:HD3	1.95	0.47
1:T:388:LEU:HD22	1:T:438:ARG:HG2	1.95	0.47
1:R:100:ARG:HA	1:R:219:PRO:HB3	1.97	0.47
1:R:150:TYR:HD2	2:S:580:TYR:HB2	1.78	0.47
1:T:387:ALA:HA	1:T:394:ILE:HG13	1.94	0.47
2:S:592:TRP:HA	2:S:596:MET:HB2	1.96	0.47
2:S:434:VAL:HG21	2:S:440:GLY:HA2	1.95	0.47
1:A:364:ARG:HG2	1:A:368:GLN:HE21	1.79	0.47
1:A:387:ALA:HA	1:A:394:ILE:HG13	1.96	0.47
1:R:388:LEU:HA	1:R:391:ILE:CD1	2.45	0.47
1:T:177:VAL:HG22	4:P:2016:DC:H4'	1.97	0.47
2:U:473:LEU:HD21	2:U:489:ILE:HD11	1.97	0.47
1:A:431:ARG:HB3	1:C:426:LEU:HB3	1.96	0.47
1:C:100:ARG:HA	1:C:219:PRO:HB3	1.97	0.47
1:R:122:ARG:NH2	4:N:2009:DG:H2'	2.31	0.46
1:T:122[B]:ARG:HH22	4:P:2009:DG:H2'	1.79	0.46
1:R:387:ALA:HA	1:R:394:ILE:HG13	1.97	0.46
2:U:592:TRP:HA	2:U:596:MET:HB2	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:U:504:VAL:HG22	2:U:538:TYR:HB2	1.98	0.46
1:C:14:ILE:CD1	2:D:618:PHE:CZ	2.98	0.46
2:B:592:TRP:HA	2:B:596:MET:HB2	1.97	0.46
2:D:473:LEU:HD21	2:D:489:ILE:HD11	1.97	0.45
1:A:177:VAL:HG22	4:G:2016:DC:H4'	1.98	0.45
1:R:164:PHE:HB2	1:R:188:LEU:HD11	1.98	0.45
2:B:506:MET:HG2	2:B:583:LEU:HD21	1.98	0.45
2:D:461:ILE:HD11	2:D:478:ILE:HG12	1.99	0.45
2:U:634:GLU:HA	2:U:638:VAL:HB	1.98	0.45
1:A:65:LYS:HE2	1:A:69:ARG:HB3	1.99	0.45
1:A:100:ARG:HA	1:A:219:PRO:HB3	1.98	0.45
1:C:186:HIS:HB2	1:C:191:LEU:HD11	1.98	0.44
1:A:186:HIS:HB2	1:A:191:LEU:HD11	2.00	0.44
1:T:186:HIS:HB2	1:T:191:LEU:HD11	1.99	0.44
2:D:464:VAL:HG12	2:D:472:ILE:HG12	2.00	0.44
1:C:14:ILE:HD12	2:D:618:PHE:HZ	1.83	0.44
1:C:177:VAL:HG22	4:O:2016:DC:H4'	2.00	0.44
2:B:430:GLU:HB3	2:B:502:LYS:HB2	2.00	0.44
1:C:164:PHE:HB2	1:C:188:LEU:HD11	1.99	0.44
1:T:65:LYS:HE2	1:T:69:ARG:HB3	2.00	0.44
1:R:65:LYS:HE2	1:R:69:ARG:HB3	2.00	0.43
2:U:444:LYS:HA	2:U:454:ILE:HD13	2.00	0.43
1:C:350:GLU:HG2	10:C:608:HOH:O	2.18	0.43
2:D:634:GLU:HA	2:D:638:VAL:HB	2.00	0.43
2:U:430:GLU:HB3	2:U:502:LYS:HB2	2.00	0.43
1:A:164:PHE:HB2	1:A:188:LEU:HD11	1.99	0.43
2:D:465:GLU:HG3	2:D:622:MET:HB2	2.00	0.43
2:S:430:GLU:HB3	2:S:502:LYS:HB2	2.00	0.43
2:D:461:ILE:HD12	2:D:462:LEU:H	1.84	0.43
2:D:444:LYS:HA	2:D:454:ILE:HD13	2.01	0.43
1:R:186:HIS:HB2	1:R:191:LEU:HD11	1.99	0.43
2:U:464:VAL:HG12	2:U:472:ILE:HG12	2.00	0.43
1:T:429:ARG:H	1:T:432:ARG:HH21	1.66	0.43
1:C:65:LYS:HE2	1:C:69:ARG:HB3	1.99	0.43
2:B:626:VAL:HG11	4:G:2017:DG:H3'	2.01	0.43
1:T:38:VAL:HA	1:T:167:LEU:HD22	2.01	0.43
2:S:419:ALA:HB3	2:S:454:ILE:HG13	2.01	0.42
1:C:38:VAL:HA	1:C:167:LEU:HD22	2.01	0.42
1:A:38:VAL:HA	1:A:167:LEU:HD22	2.01	0.42
1:R:135:LEU:HA	1:R:162:ALA:HA	2.01	0.42
2:S:464:VAL:HG12	2:S:472:ILE:HG12	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:T:100:ARG:HA	1:T:219:PRO:HB3	2.00	0.42
2:B:464:VAL:HG12	2:B:472:ILE:HG12	2.01	0.42
1:T:164:PHE:HB2	1:T:188:LEU:HD11	2.00	0.42
2:B:529:ARG:HH21	2:B:611:ALA:HB1	1.84	0.42
2:D:464:VAL:HG21	2:D:523:PHE:HA	2.02	0.41
1:A:107:GLN:HB3	1:A:125:GLU:HB2	2.03	0.41
1:C:259:ILE:HG21	1:C:318:LEU:HD13	2.01	0.41
1:R:259:ILE:HG21	1:R:318:LEU:HD13	2.03	0.41
1:C:14:ILE:HD12	2:D:618:PHE:CZ	2.56	0.41
1:R:38:VAL:HA	1:R:167:LEU:HD22	2.02	0.41
1:T:259:ILE:HG21	1:T:318:LEU:HD13	2.01	0.41
2:B:441:GLY:HA2	2:B:444:LYS:HG2	2.03	0.41
1:R:261:VAL:HB	1:R:304:VAL:HB	2.03	0.41
2:U:437:ASP:CB	4:N:2010:DG:OP1	2.68	0.41
1:T:184:PRO:HB2	1:T:216:PRO:HB3	2.03	0.40
1:C:28:SER:HB2	2:D:511:VAL:HG11	2.03	0.40
1:A:261:VAL:HB	1:A:304:VAL:HB	2.03	0.40
1:C:135:LEU:HA	1:C:162:ALA:HA	2.04	0.40
1:T:135:LEU:HA	1:T:162:ALA:HA	2.04	0.40
1:T:261:VAL:HB	1:T:304:VAL:HB	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	480/481 (100%)	463 (96%)	14 (3%)	3 (1%)	25 56
1	C	477/481 (99%)	462 (97%)	14 (3%)	1 (0%)	47 78
1	R	468/481 (97%)	451 (96%)	15 (3%)	2 (0%)	34 66
1	T	483/481 (100%)	464 (96%)	18 (4%)	1 (0%)	47 78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	186/189 (98%)	183 (98%)	3 (2%)	0	100	100
2	D	184/189 (97%)	177 (96%)	6 (3%)	1 (0%)	29	61
2	S	186/189 (98%)	183 (98%)	3 (2%)	0	100	100
2	U	188/189 (100%)	180 (96%)	7 (4%)	1 (0%)	29	61
All	All	2652/2680 (99%)	2563 (97%)	80 (3%)	9 (0%)	41	72

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	R	310	LYS
2	U	583	LEU
2	D	588	ALA
1	A	33	ARG
1	C	33	ARG
1	R	33	ARG
1	T	33	ARG
1	A	121	MET
1	A	254	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	401/415 (97%)	393 (98%)	8 (2%)	55	84
1	C	404/415 (97%)	397 (98%)	7 (2%)	60	87
1	R	396/415 (95%)	387 (98%)	9 (2%)	50	82
1	T	403/415 (97%)	399 (99%)	4 (1%)	76	93
2	B	152/158 (96%)	145 (95%)	7 (5%)	27	60
2	D	146/158 (92%)	142 (97%)	4 (3%)	44	78
2	S	146/158 (92%)	141 (97%)	5 (3%)	37	71
2	U	147/158 (93%)	143 (97%)	4 (3%)	44	78

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2195/2292 (96%)	2147 (98%)	48 (2%)	52 83

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	SER
1	A	107	GLN
1	A	182	ASN
1	A	300	THR
1	A	432	ARG
1	A	453	SER
1	A	466	LEU
1	A	483	ASP
2	B	434	VAL
2	B	443	THR
2	B	445	SER
2	B	479	ARG
2	B	529	ARG
2	B	587	ASN
2	B	595	THR
1	C	14	ILE
1	C	75	MET
1	C	83	ASP
1	C	122	ARG
1	C	256	ARG
1	C	282	ARG
1	C	299	ARG
2	D	477	GLU
2	D	587	ASN
2	D	600	HIS
2	D	615	ASP
1	R	84	SER
1	R	258	ARG
1	R	290	THR
1	R	300	THR
1	R	315	SER
1	R	392	ASP
1	R	408	MET
1	R	440	LYS
1	R	465	LEU
2	S	445	SER
2	S	529	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	S	593	GLU
2	S	595	THR
2	S	607	LYS
1	T	83	ASP
1	T	298	LEU
1	T	300	THR
1	T	432	ARG
2	U	583	LEU
2	U	589	ASP
2	U	595	THR
2	U	615	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	182	ASN
1	A	368	GLN
2	D	476	ASN
2	D	480	GLN
2	D	597	ASN
2	D	600	HIS
2	S	628	ASN
1	T	54	ASN
1	T	153	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PTR	T	123	1,4	15,16,17	1.26	2 (13%)	19,22,24	1.34	2 (10%)
1	PTR	A	123	1	15,16,17	1.73	4 (26%)	19,22,24	1.87	6 (31%)
1	PTR	C	123	1	15,16,17	1.43	2 (13%)	19,22,24	1.40	3 (15%)
1	PTR	R	123	1,4	15,16,17	1.38	1 (6%)	19,22,24	1.08	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	T	123	1,4	-	1/10/11/13	0/1/1/1
1	PTR	A	123	1	-	0/10/11/13	0/1/1/1
1	PTR	C	123	1	-	0/10/11/13	0/1/1/1
1	PTR	R	123	1,4	-	0/10/11/13	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	123	PTR	CE2-CZ	3.87	1.46	1.38
1	A	123	PTR	CE2-CD2	3.42	1.45	1.38
1	C	123	PTR	CE1-CZ	3.23	1.45	1.38
1	R	123	PTR	CE1-CZ	2.80	1.44	1.38
1	A	123	PTR	CD2-CG	2.61	1.44	1.38
1	T	123	PTR	P-OH	-2.33	1.55	1.59
1	A	123	PTR	CE1-CZ	2.24	1.43	1.38
1	C	123	PTR	CE1-CD1	2.14	1.42	1.38
1	T	123	PTR	CE1-CZ	2.12	1.42	1.38

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	123	PTR	O3P-P-O1P	-4.09	94.67	110.68
1	T	123	PTR	O2P-P-OH	3.87	117.33	105.24
1	C	123	PTR	O3P-P-OH	2.87	114.23	105.24
1	A	123	PTR	CD1-CE1-CZ	2.62	122.94	119.73
1	A	123	PTR	P-OH-CZ	-2.60	115.42	123.75
1	A	123	PTR	O3P-P-OH	2.56	113.26	105.24
1	A	123	PTR	CB-CG-CD1	-2.53	115.89	120.91
1	A	123	PTR	O2P-P-OH	2.44	112.87	105.24
1	C	123	PTR	O2P-P-OH	2.20	112.12	105.24

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	T	123	PTR	CD2-CG-CD1	2.17	121.58	118.17
1	C	123	PTR	O3P-P-O1P	-2.04	102.71	110.68
1	R	123	PTR	O3P-P-OH	2.03	111.59	105.24

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	T	123	PTR	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 5 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	GOL	C	503	-	5,5,5	0.08	0	5,5,5	0.20	0
9	EVP	G	2101	-	48,48,48	0.78	1 (2%)	72,73,73	1.98	18 (25%)
7	GOL	C	501	-	5,5,5	0.06	0	5,5,5	0.12	0
5	SO4	A	501	-	4,4,4	0.19	0	6,6,6	0.16	0
7	GOL	E	101	-	5,5,5	0.08	0	5,5,5	0.33	0
9	EVP	P	2101	-	48,48,48	0.81	1 (2%)	72,73,73	2.11	15 (20%)
7	GOL	T	501	-	5,5,5	0.07	0	5,5,5	0.14	0
9	EVP	N	2101	-	48,48,48	0.77	1 (2%)	72,73,73	1.91	12 (16%)
9	EVP	O	2101	-	48,48,48	0.79	1 (2%)	72,73,73	1.77	16 (22%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	C	503	-	-	0/4/4/4	-
9	EVP	G	2101	-	-	2/12/76/76	0/7/7/7
7	GOL	C	501	-	-	0/4/4/4	-
7	GOL	E	101	-	-	0/4/4/4	-
9	EVP	P	2101	-	-	4/12/76/76	0/7/7/7
7	GOL	T	501	-	-	2/4/4/4	-
9	EVP	N	2101	-	-	2/12/76/76	0/7/7/7
9	EVP	O	2101	-	-	2/12/76/76	0/7/7/7

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	O	2101	EVP	C6-C9	-2.36	1.49	1.54
9	P	2101	EVP	C6-C9	-2.30	1.50	1.54
9	G	2101	EVP	C6-C9	-2.19	1.50	1.54
9	N	2101	EVP	C6-C9	-2.04	1.50	1.54

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	P	2101	EVP	C20-O5-C16	-6.97	107.00	117.53
9	G	2101	EVP	C20-O5-C16	-6.92	107.08	117.53
9	N	2101	EVP	C20-O5-C16	-6.47	107.77	117.53
9	P	2101	EVP	O5-C16-C17	6.28	120.87	114.54
9	N	2101	EVP	O5-C16-C17	5.90	120.49	114.54
9	G	2101	EVP	O5-C16-C17	5.88	120.47	114.54
9	P	2101	EVP	C1-O2-C2	-5.62	98.04	105.34
9	P	2101	EVP	C1-O1-C13	-5.36	98.37	105.34
9	O	2101	EVP	C20-O5-C16	-4.94	110.07	117.53
9	N	2101	EVP	C1-O2-C2	-4.93	98.94	105.34
9	G	2101	EVP	C21-O7-C18	-4.76	110.34	117.53
9	P	2101	EVP	C21-O7-C18	-4.68	110.46	117.53
9	G	2101	EVP	C1-O2-C2	-4.58	99.40	105.34
9	G	2101	EVP	C1-O1-C13	-4.56	99.42	105.34
9	N	2101	EVP	C1-O1-C13	-4.51	99.48	105.34
9	P	2101	EVP	O7-C18-C17	4.51	119.09	114.54
9	O	2101	EVP	C21-O7-C18	-4.36	110.95	117.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	N	2101	EVP	C21-O7-C18	-4.35	110.97	117.53
9	O	2101	EVP	C1-O2-C2	-4.34	99.70	105.34
9	P	2101	EVP	C11-C10-C9	-4.29	106.28	111.51
9	O	2101	EVP	C1-O1-C13	-4.25	99.82	105.34
9	O	2101	EVP	C11-C10-C9	-4.04	106.59	111.51
9	O	2101	EVP	O2-C1-O1	3.91	114.32	108.08
9	G	2101	EVP	O7-C18-C17	3.71	118.28	114.54
9	N	2101	EVP	C11-C10-C9	-3.67	107.05	111.51
9	G	2101	EVP	O2-C1-O1	3.44	113.58	108.08
9	O	2101	EVP	O7-C18-C17	3.41	117.98	114.54
9	P	2101	EVP	O3-C7-O4	3.38	124.93	121.42
9	N	2101	EVP	O2-C1-O1	3.36	113.45	108.08
9	O	2101	EVP	C11-C4-C5	3.26	123.02	114.40
9	G	2101	EVP	C11-C10-C9	-3.25	107.55	111.51
9	N	2101	EVP	C11-C4-C5	3.23	122.92	114.40
9	G	2101	EVP	C11-C4-C5	3.20	122.85	114.40
9	P	2101	EVP	C11-C4-C5	3.19	122.83	114.40
9	P	2101	EVP	O2-C1-O1	3.08	113.00	108.08
9	O	2101	EVP	O5-C16-C17	3.01	117.58	114.54
9	N	2101	EVP	O7-C18-C17	3.00	117.57	114.54
9	P	2101	EVP	O5-C16-C15	-2.98	118.99	124.12
9	N	2101	EVP	O3-C7-O4	2.95	124.48	121.42
9	O	2101	EVP	O3-C7-O4	2.81	124.33	121.42
9	O	2101	EVP	C22-O9-C23	-2.69	108.41	113.69
9	G	2101	EVP	O5-C16-C15	-2.66	119.55	124.12
9	N	2101	EVP	O5-C16-C15	-2.62	119.61	124.12
9	G	2101	EVP	O3-C7-O4	2.60	124.11	121.42
9	N	2101	EVP	O2-C2-C13	2.58	112.72	109.78
9	G	2101	EVP	C22-O8-C10	-2.58	110.80	114.99
9	O	2101	EVP	O2-C2-C13	2.53	112.66	109.78
9	O	2101	EVP	C24-O10-C25	-2.50	109.19	111.65
9	P	2101	EVP	O2-C2-C13	2.46	112.58	109.78
9	P	2101	EVP	C22-O9-C23	-2.42	108.95	113.69
9	P	2101	EVP	O4-C7-C6	-2.38	126.31	129.38
9	G	2101	EVP	O2-C2-C13	2.30	112.41	109.78
9	O	2101	EVP	O1-C13-C2	2.30	112.40	109.78
9	G	2101	EVP	O4-C7-C6	-2.30	126.43	129.38
9	P	2101	EVP	C24-O10-C25	-2.28	109.41	111.65
9	G	2101	EVP	O1-C13-C2	2.28	112.38	109.78
9	O	2101	EVP	O4-C7-C6	-2.21	126.54	129.38
9	G	2101	EVP	C24-O10-C25	-2.12	109.56	111.65
9	G	2101	EVP	C4-C5-C6	2.09	110.10	106.58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	O	2101	EVP	O11-C25-O10	2.03	112.94	110.86
9	G	2101	EVP	C22-C28-C27	2.02	114.21	110.00

There are no chirality outliers.

All (12) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
9	N	2101	EVP	C17-C16-O5-C20
9	G	2101	EVP	C17-C16-O5-C20
9	P	2101	EVP	C17-C16-O5-C20
9	G	2101	EVP	C15-C16-O5-C20
9	P	2101	EVP	C15-C16-O5-C20
9	N	2101	EVP	C15-C16-O5-C20
9	P	2101	EVP	C17-C18-O7-C21
7	T	501	GOL	O1-C1-C2-C3
9	P	2101	EVP	C19-C18-O7-C21
9	O	2101	EVP	C15-C16-O5-C20
9	O	2101	EVP	C17-C16-O5-C20
7	T	501	GOL	O1-C1-C2-O2


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	C	503	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	480/481 (99%)	0.47	26 (5%) 25 17	48, 69, 101, 115	0
1	C	479/481 (99%)	0.43	16 (3%) 46 36	43, 65, 95, 132	0
1	R	474/481 (98%)	0.53	32 (6%) 17 10	45, 70, 120, 155	0
1	T	480/481 (99%)	0.54	43 (8%) 9 5	47, 70, 125, 152	0
2	B	188/189 (99%)	0.68	13 (6%) 16 10	53, 85, 112, 121	0
2	D	187/189 (98%)	1.10	30 (16%) 1 1	49, 95, 142, 161	0
2	S	188/189 (99%)	0.80	19 (10%) 7 4	62, 102, 134, 149	0
2	U	189/189 (100%)	0.85	29 (15%) 2 1	58, 90, 125, 144	0
3	E	8/8 (100%)	0.47	0 100 100	52, 64, 76, 78	0
3	F	8/8 (100%)	0.44	0 100 100	52, 59, 87, 93	0
3	V	8/8 (100%)	0.48	0 100 100	54, 63, 86, 88	0
3	W	8/8 (100%)	0.34	0 100 100	56, 66, 91, 99	0
4	G	12/12 (100%)	0.09	0 100 100	54, 74, 89, 91	0
4	N	12/12 (100%)	0.08	0 100 100	61, 76, 93, 98	0
4	O	12/12 (100%)	0.31	0 100 100	53, 66, 90, 93	0
4	P	12/12 (100%)	-0.09	0 100 100	56, 76, 88, 93	0
All	All	2745/2760 (99%)	0.58	208 (7%) 13 7	43, 73, 121, 161	0

All (208) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	U	587	ASN	6.9
2	D	585	GLU	6.3
1	R	259	ILE	6.1
1	T	305	VAL	5.3
2	D	586	MET	5.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	539	ILE	5.2
2	D	545	GLY	5.1
2	D	604	LEU	5.0
2	U	437	ASP	5.0
2	D	544	THR	4.9
1	R	260	VAL	4.9
2	U	639	TYR	4.7
2	D	602	ALA	4.7
1	R	289	ILE	4.7
2	U	600	HIS	4.6
2	D	583	LEU	4.6
2	U	592	TRP	4.6
2	D	599	GLU	4.5
1	T	223	LEU	4.5
2	D	600	HIS	4.5
1	T	254	GLY	4.5
1	R	261	VAL	4.5
1	T	300	THR	4.4
2	B	491	GLY	4.3
1	A	259	ILE	4.2
1	T	247	ALA	4.2
1	R	277	ILE	4.1
2	S	501	HIS	4.1
2	U	583	LEU	4.1
2	U	544	THR	4.1
1	T	255	GLY	4.0
2	S	588	ALA	3.8
1	A	308	VAL	3.8
1	T	289	ILE	3.8
2	U	545	GLY	3.7
1	R	278	ALA	3.7
1	C	490	LEU	3.7
1	T	285	LYS	3.7
1	A	223	LEU	3.7
1	T	308	VAL	3.7
1	R	250	GLU	3.6
2	S	605	GLN	3.6
2	D	491	GLY	3.6
2	B	604	LEU	3.6
2	S	608	LEU	3.6
1	A	260	VAL	3.6
2	B	490	GLY	3.6

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	540	ALA	3.5
1	A	292	LEU	3.5
2	D	454	ILE	3.5
1	T	16	SER	3.4
1	T	281	VAL	3.4
2	D	543	PRO	3.4
1	A	289	ILE	3.4
1	R	286	ILE	3.4
2	S	539	ILE	3.3
1	C	326	PRO	3.3
1	A	313	ASN	3.3
2	S	600	HIS	3.3
2	U	611	ALA	3.3
2	S	604	LEU	3.3
1	T	284	LYS	3.2
1	C	460	ALA	3.2
1	R	305	VAL	3.2
1	T	256	ARG	3.2
1	T	283	ASP	3.2
2	S	503	ILE	3.2
1	C	223	LEU	3.2
1	R	321	LEU	3.2
2	D	443	THR	3.1
1	R	307	ASP	3.1
1	R	297	SER	3.1
1	R	282	ARG	3.0
1	T	299	ARG	3.0
2	D	594	THR	3.0
2	U	638	VAL	3.0
1	R	116	ASP	3.0
1	R	292	LEU	3.0
2	B	454	ILE	3.0
1	C	308	VAL	3.0
2	U	601	ARG	3.0
1	T	413	GLN	3.0
1	C	305	VAL	3.0
2	U	585	GLU	3.0
1	R	300	THR	3.0
1	C	277	ILE	3.0
1	R	316	VAL	3.0
1	C	312	ALA	3.0
1	R	306	ILE	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	402	ASP	2.9
2	D	429	CYS	2.9
1	T	306	ILE	2.9
2	B	493	PHE	2.9
2	U	450	ARG	2.9
1	R	290	THR	2.9
2	D	432	PHE	2.9
1	T	277	ILE	2.9
2	B	431	ILE	2.9
1	R	270	LYS	2.9
1	T	286	ILE	2.8
1	R	325	THR	2.8
2	D	541	GLN	2.8
1	T	298	LEU	2.8
1	A	224	ILE	2.8
2	B	428	GLU	2.8
2	S	611	ALA	2.8
2	B	437	ASP	2.8
1	T	259	ILE	2.8
2	S	603	LEU	2.8
2	D	446	GLY	2.8
2	B	586	MET	2.7
1	C	16	SER	2.7
2	S	595	THR	2.7
1	A	278	ALA	2.7
1	R	248	VAL	2.7
2	U	422	SER	2.7
2	U	591	LEU	2.7
1	T	251	GLU	2.7
1	A	321	LEU	2.7
1	T	314	ALA	2.7
2	D	603	LEU	2.7
1	T	274	ILE	2.7
1	C	15	THR	2.7
2	D	500	TYR	2.5
1	A	265	PRO	2.5
2	U	543	PRO	2.5
1	T	248	VAL	2.5
1	T	303	ARG	2.5
1	T	220	THR	2.5
2	S	632	PHE	2.5
1	A	268	VAL	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	426	PRO	2.5
1	A	316	VAL	2.5
1	A	309	ARG	2.4
1	T	489	GLN	2.4
1	T	290	THR	2.4
2	U	594	THR	2.4
1	T	249	ILE	2.4
1	T	295	GLU	2.4
2	U	504	VAL	2.4
2	B	481	MET	2.4
2	U	595	THR	2.4
1	T	324	GLN	2.4
2	D	418	LEU	2.4
2	U	432	PHE	2.4
1	T	235	GLU	2.4
2	B	605	GLN	2.4
2	S	422	SER	2.4
2	U	445	SER	2.4
1	T	252	ARG	2.4
1	T	304	VAL	2.3
1	A	448	LEU	2.3
1	C	371	LEU	2.3
1	R	279	GLU	2.3
2	U	501	HIS	2.3
1	R	288	GLY	2.3
1	T	224	ILE	2.3
2	S	532	ILE	2.3
1	A	460	ALA	2.3
2	S	536	TYR	2.3
2	D	595	THR	2.3
2	U	602	ALA	2.3
2	S	540	ALA	2.3
2	U	540	ALA	2.3
1	T	312	ALA	2.3
1	C	11	GLU	2.3
2	U	451	THR	2.3
1	A	254	GLY	2.2
1	T	152	GLY	2.2
1	A	488	ILE	2.2
1	A	490	LEU	2.2
1	A	290	THR	2.2
1	R	249	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	R	274	ILE	2.2
1	C	322	TYR	2.2
2	S	454	ILE	2.2
2	U	606	VAL	2.2
2	U	421	CYS	2.2
1	T	490	LEU	2.2
2	B	537	VAL	2.2
1	T	23	LEU	2.2
2	S	453	ALA	2.2
1	A	489	GLN	2.2
2	U	427	GLU	2.1
2	U	452	GLN	2.1
1	A	286	ILE	2.1
1	A	426	LEU	2.1
1	T	82	GLY	2.1
1	R	13	ASN	2.1
1	C	432	ARG	2.1
2	D	436	GLY	2.1
1	R	287	ASP	2.1
1	A	459	LEU	2.1
1	R	318	LEU	2.1
1	C	265	PRO	2.1
1	R	371	LEU	2.1
2	D	582	GLY	2.1
1	R	12	ARG	2.1
1	T	436	LEU	2.0
1	R	265	PRO	2.0
1	T	276	LYS	2.0
1	A	257	GLN	2.0
2	B	600	HIS	2.0
2	D	452	GLN	2.0
2	D	506	MET	2.0
1	A	256	ARG	2.0
2	D	538	TYR	2.0
2	S	437	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	PTR	A	123	16/17	0.89	0.22	71,82,98,99	0
1	PTR	R	123	16/17	0.89	0.20	70,80,94,94	0
1	PTR	C	123	16/17	0.94	0.17	65,73,84,85	0
1	PTR	T	123	16/17	0.96	0.21	63,67,77,79	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	GOL	C	503	6/6	0.75	0.34	66,72,74,75	0
7	GOL	C	501	6/6	0.81	0.37	76,81,82,83	0
8	NA	C	502	1/1	0.86	0.19	61,61,61,61	0
5	SO4	A	501	5/5	0.87	0.25	113,114,115,115	0
7	GOL	T	501	6/6	0.89	0.24	57,58,59,61	0
9	EVP	P	2101	42/42	0.89	0.23	73,82,92,94	0
9	EVP	O	2101	42/42	0.90	0.21	81,86,91,96	0
7	GOL	E	101	6/6	0.90	0.43	80,82,83,84	0
9	EVP	G	2101	42/42	0.94	0.17	62,73,83,86	0
9	EVP	N	2101	42/42	0.95	0.17	63,69,75,76	0
6	MN	B	1001	1/1	0.98	0.17	57,57,57,57	0
6	MN	U	1001	1/1	0.99	0.16	64,64,64,64	0
6	MN	D	1001	1/1	0.99	0.15	84,84,84,84	0
6	MN	S	6001	1/1	1.00	0.18	61,61,61,61	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around EVP P 2101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around EVP O 2101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around EVP G 2101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around EVP N 2101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.