



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 10:34 PM EDT

PDB ID : 5I2T  
Title : Domain characterization of the WD protein Pwp2 and their relevance in ribosome biogenesis  
Authors : Fribourg, S.; Boissier, F.  
Deposited on : 2016-02-09  
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1284 (2.56-2.52)
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)
RSRZ outliers	127900	1272 (2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	742	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4839 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Periodic tryptophan protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	606	4790	3055	823	899	13	0	0	0

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	initiating methionine	UNP P25635
A	-23	GLY	-	expression tag	UNP P25635
A	-22	SER	-	expression tag	UNP P25635
A	-21	SER	-	expression tag	UNP P25635
A	-20	HIS	-	expression tag	UNP P25635
A	-19	HIS	-	expression tag	UNP P25635
A	-18	HIS	-	expression tag	UNP P25635
A	-17	HIS	-	expression tag	UNP P25635
A	-16	HIS	-	expression tag	UNP P25635
A	-15	HIS	-	expression tag	UNP P25635
A	-14	SER	-	expression tag	UNP P25635
A	-13	SER	-	expression tag	UNP P25635
A	-12	GLY	-	expression tag	UNP P25635
A	-11	THR	-	expression tag	UNP P25635
A	-10	GLY	-	expression tag	UNP P25635
A	-9	SER	-	expression tag	UNP P25635
A	-8	GLY	-	expression tag	UNP P25635
A	-7	GLU	-	expression tag	UNP P25635
A	-6	ASN	-	expression tag	UNP P25635
A	-5	LEU	-	expression tag	UNP P25635
A	-4	TYR	-	expression tag	UNP P25635
A	-3	PHE	-	expression tag	UNP P25635
A	-2	GLN	-	expression tag	UNP P25635
A	-1	GLY	-	expression tag	UNP P25635
A	0	HIS	-	expression tag	UNP P25635

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	44	Total	O	0	0
			44	44		

### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### ● Molecule 1: Periodic tryptophan protein 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.83Å 76.04Å 191.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.40 – 2.54 48.87 – 2.54	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.40-2.54) 99.7 (48.87-2.54)	Depositor EDS
$R_{merge}$	0.02	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.25 (at 2.54Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.213 , 0.252 0.217 , 0.256	Depositor DCC
$R_{free}$ test set	1735 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	62.4	Xtrriage
Anisotropy	0.569	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 50.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4839	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/4899	0.67	3/6634 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	556	ARG	N-CA-C	6.06	127.36	111.00
1	A	524	ARG	C-N-CD	5.28	139.49	128.40
1	A	325	GLY	N-CA-C	-5.27	99.92	113.10

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	515	TYR	Peptide
1	A	516	SER	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4790	0	4669	122	1
2	A	5	0	0	1	0
3	A	44	0	0	4	1
All	All	4839	0	4669	122	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:521:LEU:HD13	1:A:532:VAL:HG12	1.34	1.07
1:A:524:ARG:NH2	1:A:526:ASP:OD2	1.88	1.05
1:A:521:LEU:HD13	1:A:532:VAL:CG1	1.88	1.03
1:A:495:LYS:HD3	1:A:516:SER:OG	1.65	0.97
1:A:25:ASP:OD2	3:A:901:HOH:O	1.82	0.97
1:A:495:LYS:HD3	1:A:516:SER:CB	1.99	0.91
1:A:521:LEU:HD11	1:A:530:VAL:CG1	2.01	0.90
1:A:462:THR:HB	1:A:464:GLN:H	1.37	0.89
1:A:400:GLN:HG3	1:A:417:ILE:HD11	1.57	0.87
1:A:521:LEU:CD1	1:A:532:VAL:HG12	2.08	0.83
1:A:405:SER:HB3	1:A:436:LEU:HD13	1.65	0.79
1:A:524:ARG:HG2	1:A:525:PRO:HD2	1.65	0.78
1:A:530:VAL:HG23	1:A:544:ILE:HD11	1.67	0.77
1:A:495:LYS:CD	1:A:516:SER:OG	2.33	0.77
1:A:521:LEU:HD12	1:A:531:ALA:O	1.85	0.75
1:A:398:ARG:HB3	1:A:399:GLY:HA2	1.69	0.74
1:A:558:ASP:HA	1:A:600:SER:OG	1.88	0.73
1:A:556:ARG:C	1:A:557:LYS:HD3	2.08	0.73
1:A:495:LYS:HD3	1:A:516:SER:HB2	1.68	0.73
1:A:521:LEU:HD11	1:A:530:VAL:HG11	1.70	0.72
1:A:521:LEU:CD1	1:A:532:VAL:CG1	2.65	0.72
1:A:179:GLU:HG2	1:A:181:ASN:HD21	1.56	0.71
1:A:419:TYR:OH	3:A:902:HOH:O	2.09	0.71
1:A:178:GLU:HG2	1:A:179:GLU:HB3	1.72	0.71
1:A:485:ASN:HB3	1:A:486:SER:OG	1.94	0.67
1:A:475:PRO:HD2	1:A:493:TRP:HB2	1.77	0.67
1:A:400:GLN:HG3	1:A:417:ILE:CD1	2.24	0.66
1:A:495:LYS:HD3	1:A:516:SER:HG	1.59	0.66

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:582:THR:HG21	1:A:684:VAL:H	1.60	0.65
1:A:28:GLN:NE2	3:A:901:HOH:O	2.26	0.63
1:A:438:VAL:HG22	1:A:445:VAL:HG23	1.81	0.63
1:A:515:TYR:HA	1:A:516:SER:OG	2.00	0.62
1:A:54:HIS:CE1	1:A:80:ILE:HD12	2.36	0.61
1:A:282:GLY:HA3	1:A:301:GLY:O	2.01	0.60
1:A:414:TRP:CZ3	1:A:421:ASN:HB2	2.37	0.59
1:A:691:ASN:O	1:A:706:THR:HG22	2.02	0.59
1:A:13:THR:HG22	1:A:33:VAL:HG22	1.85	0.58
1:A:273:ARG:HD3	2:A:801:SO4:O4	2.04	0.58
1:A:426:THR:O	1:A:465:LEU:HD21	2.04	0.58
1:A:543:ASN:HB2	1:A:550:VAL:HG21	1.86	0.58
1:A:408:ASP:N	1:A:409:GLY:HA2	2.20	0.56
1:A:444:VAL:HG23	1:A:458:TRP:O	2.06	0.56
1:A:599:ASN:OD1	1:A:617:VAL:HB	2.06	0.56
1:A:516:SER:HB2	1:A:517:ASP:HA	1.88	0.55
1:A:599:ASN:ND2	1:A:616:ILE:HG23	2.22	0.55
1:A:358:SER:OG	1:A:359:ARG:HG3	2.07	0.55
1:A:360:VAL:HG12	1:A:374:ILE:HD11	1.89	0.55
1:A:579:PHE:CD1	1:A:579:PHE:N	2.74	0.54
1:A:526:ASP:OD1	1:A:527:GLY:N	2.41	0.54
1:A:478:CYS:HB2	1:A:491:ALA:HB3	1.89	0.54
1:A:296:GLN:HE21	1:A:332:TRP:HB2	1.73	0.53
1:A:354:SER:OG	1:A:356:ASP:OD1	2.26	0.53
1:A:485:ASN:CB	1:A:486:SER:OG	2.56	0.53
1:A:482:SER:HB2	1:A:525:PRO:O	2.08	0.53
1:A:582:THR:HG21	1:A:684:VAL:N	2.22	0.53
1:A:179:GLU:HG2	1:A:181:ASN:ND2	2.22	0.52
1:A:582:THR:HG21	1:A:683:SER:HA	1.91	0.52
1:A:462:THR:HG22	1:A:464:GLN:HG2	1.90	0.52
1:A:515:TYR:N	1:A:515:TYR:CD2	2.78	0.52
1:A:537:GLY:O	1:A:555:CYS:HB2	2.09	0.52
1:A:150:THR:HG21	1:A:195:MET:HE1	1.91	0.51
1:A:36:ARG:NH1	1:A:51:GLU:O	2.34	0.51
1:A:75:GLU:O	1:A:98:LYS:HD3	2.10	0.51
1:A:30:LEU:HG	1:A:39:VAL:HG22	1.93	0.50
1:A:498:ARG:NH2	1:A:511:PRO:HG3	2.25	0.50
1:A:521:LEU:HD11	1:A:530:VAL:HG12	1.86	0.50
1:A:10:LEU:HD23	1:A:33:VAL:HG13	1.94	0.50
1:A:469:LEU:HB3	1:A:500:TRP:CZ3	2.47	0.49
1:A:543:ASN:HB2	1:A:550:VAL:CG2	2.42	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:LEU:H	1:A:325:GLY:HA2	1.77	0.49
1:A:689:THR:OG1	1:A:691:ASN:ND2	2.46	0.48
1:A:408:ASP:OD1	1:A:410:THR:N	2.47	0.47
1:A:605:ASP:HB3	1:A:610:VAL:HG22	1.97	0.47
1:A:152:LEU:HD23	1:A:163:THR:HG22	1.96	0.47
1:A:549:GLN:OE1	1:A:552:ASN:HB2	2.14	0.47
1:A:485:ASN:HA	1:A:486:SER:HA	1.67	0.47
1:A:142:HIS:HB3	1:A:173:TRP:CZ3	2.50	0.47
1:A:400:GLN:HG3	1:A:417:ILE:CG1	2.44	0.47
1:A:555:CYS:O	1:A:556:ARG:HD3	2.14	0.46
1:A:455:ILE:HB	1:A:469:LEU:HB2	1.97	0.46
1:A:425:PHE:HB3	1:A:458:TRP:CD1	2.50	0.46
1:A:536:LYS:HB2	1:A:538:GLN:HG2	1.98	0.46
1:A:398:ARG:CB	1:A:399:GLY:HA2	2.42	0.46
1:A:525:PRO:HG3	1:A:587:PHE:O	2.16	0.46
1:A:458:TRP:CD1	1:A:465:LEU:HD23	2.50	0.46
1:A:462:THR:HB	1:A:464:GLN:N	2.19	0.46
1:A:324:LEU:N	1:A:325:GLY:HA2	2.31	0.45
1:A:612:LEU:O	1:A:613:LYS:HD3	2.16	0.45
1:A:519:LEU:CD1	1:A:579:PHE:CD2	3.00	0.44
1:A:359:ARG:NE	3:A:902:HOH:O	2.50	0.44
1:A:352:ALA:O	1:A:361:VAL:HG12	2.18	0.44
1:A:178:GLU:HA	1:A:179:GLU:HA	1.59	0.44
1:A:122:TRP:NE1	1:A:138:ARG:HG3	2.32	0.43
1:A:273:ARG:O	1:A:288:ASP:HA	2.18	0.43
1:A:398:ARG:HB3	1:A:399:GLY:CA	2.44	0.43
1:A:498:ARG:HD3	1:A:500:TRP:CZ2	2.54	0.43
1:A:556:ARG:O	1:A:557:LYS:HD3	2.18	0.43
1:A:50:PHE:CE2	1:A:87:ARG:HG2	2.54	0.43
1:A:157:ASP:OD1	1:A:159:ARG:HB2	2.18	0.43
1:A:366:ASP:OD1	1:A:367:GLY:N	2.52	0.43
1:A:472:HIS:CE1	1:A:498:ARG:HG3	2.54	0.43
1:A:546:ASP:HB3	1:A:548:LYS:HG2	2.01	0.43
1:A:286:LEU:HB3	1:A:296:GLN:HB2	2.01	0.42
1:A:521:LEU:CD1	1:A:532:VAL:HG13	2.45	0.42
1:A:351:LEU:HD23	1:A:696:ALA:HB2	2.01	0.42
1:A:437:ALA:HB2	1:A:479:LEU:HB3	2.01	0.42
1:A:360:VAL:CG1	1:A:374:ILE:HD11	2.48	0.42
1:A:9:ASN:HB2	1:A:703:ILE:HB	2.01	0.42
1:A:118:PHE:O	1:A:149:ILE:HD12	2.19	0.42
1:A:491:ALA:HB2	1:A:521:LEU:HD22	2.02	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:LYS:HG2	1:A:43:ILE:HD13	2.02	0.41
1:A:497:ILE:HD11	1:A:532:VAL:HG11	2.02	0.41
1:A:437:ALA:HB3	1:A:446:CYS:SG	2.60	0.41
1:A:373:ASP:HB2	1:A:380:LEU:HD21	2.02	0.41
1:A:495:LYS:CD	1:A:516:SER:CB	2.85	0.41
1:A:150:THR:HG21	1:A:195:MET:HA	2.01	0.41
1:A:397:LYS:HA	1:A:398:ARG:HA	1.94	0.40
1:A:498:ARG:CZ	1:A:511:PRO:HG3	2.51	0.40
1:A:117:ARG:HD2	1:A:145:HIS:O	2.21	0.40
1:A:458:TRP:NE1	1:A:465:LEU:HD23	2.37	0.40
1:A:164:THR:HB	1:A:194:VAL:HB	2.03	0.40
1:A:462:THR:N	1:A:463:GLY:HA2	2.37	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ARG:NH2	1:A:510:GLU:OE2[3_746]	2.08	0.12
3:A:926:HOH:O	3:A:934:HOH:O[4_456]	2.12	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	598/742 (81%)	559 (94%)	38 (6%)	1 (0%)	47 60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	524/648 (81%)	499 (95%)	25 (5%)	25 34

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	33	VAL
1	A	150	THR
1	A	178	GLU
1	A	179	GLU
1	A	180	LYS
1	A	203	GLN
1	A	220	PHE
1	A	247	SER
1	A	251	THR
1	A	324	LEU
1	A	328	LEU
1	A	346	ASP
1	A	358	SER
1	A	365	GLU
1	A	423	ARG
1	A	454	ASP
1	A	472	HIS
1	A	513	GLU
1	A	515	TYR
1	A	516	SER
1	A	517	ASP
1	A	557	LYS
1	A	560	ILE
1	A	579	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	181	ASN
1	A	296	GLN
1	A	538	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	801	-	4,4,4	0.98	0	6,6,6	1.66	1 (16%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	A	801	SO4	O4-S-O3	3.83	125.39	109.06

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	606/742 (81%)	0.34	35 (5%) <span style="border: 1px solid red; padding: 2px;">23</span> <span style="border: 1px solid red; padding: 2px;">27</span>	47, 71, 112, 152	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	503	PHE	6.1
1	A	505	ARG	4.8
1	A	515	TYR	4.6
1	A	443	GLU	4.6
1	A	462	THR	4.3
1	A	178	GLU	3.7
1	A	516	SER	3.7
1	A	466	LEU	3.7
1	A	464	GLN	3.6
1	A	504	GLY	3.5
1	A	465	LEU	3.2
1	A	431	ILE	3.0
1	A	502	ILE	3.0
1	A	422	PHE	3.0
1	A	556	ARG	2.9
1	A	577	SER	2.9
1	A	420	ARG	2.9
1	A	428	THR	2.8
1	A	400	GLN	2.8
1	A	514	VAL	2.8
1	A	457	VAL	2.6
1	A	558	ASP	2.6
1	A	398	ARG	2.5
1	A	260	GLN	2.5
1	A	179	GLU	2.4
1	A	129	LYS	2.3
1	A	401	VAL	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	425	PHE	2.2
1	A	128	ASN	2.2
1	A	506	SER	2.2
1	A	517	ASP	2.2
1	A	678	GLU	2.1
1	A	429	GLU	2.1
1	A	470	SER	2.0
1	A	521	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	801	5/5	0.98	0.16	64,69,81,82	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.