



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2024 – 08:08 AM JST

PDB ID : 5ID6  
Title : Structure of Cpf1/RNA Complex  
Authors : Dong, D.; Ren, K.; Qiu, X.; Wang, J.; Huang, Z.  
Deposited on : 2016-02-24  
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	6699 (2.40-2.36)
Clashscore	180529	7414 (2.40-2.36)
Ramachandran outliers	177936	7337 (2.40-2.36)
Sidechain outliers	177891	7338 (2.40-2.36)
RSRZ outliers	164620	6699 (2.40-2.36)
RNA backbone	3690	1094 (2.70-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1228	 4% 68% 25% 6%
2	G	21	 5% 48% 38% 5% 10%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10400 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cpf1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	1209	9949	6407	1632	1882	9	19	0	0	0

- Molecule 2 is a RNA chain called RNA (5'-R(P\*AP\*AP\*UP\*UP\*UP\*CP\*UP\*AP\*CP\*UP\*AP\*AP\*GP\*UP\*GP\*UP\*AP\*GP\*AP\*UP\*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	G	21	443	199	75	148	21	0	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
3	A	1	1	1	0	0
3	G	1	1	1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	G	6	6	6	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Cpf1





- Molecule 2: RNA (5'-R(P\*AP\*AP\*UP\*UP\*UP\*CP\*UP\*AP\*CP\*UP\*AP\*AP\*GP\*UP\*GP\*U P\*AP\*GP\*AP\*UP\*C)-3')



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	168.35Å 83.01Å 124.09Å 90.00° 106.72° 90.00°	Depositor
Resolution (Å)	41.51 – 2.38 41.51 – 2.38	Depositor EDS
% Data completeness (in resolution range)	97.8 (41.51-2.38) 97.6 (41.51-2.38)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.32 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.8_1069	Depositor
R, $R_{free}$	0.202 , 0.261 0.210 , 0.269	Depositor DCC
$R_{free}$ test set	3272 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	58.3	Xtrriage
Anisotropy	0.144	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 51.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10400	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	82.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	1/10136 (0.0%)	0.66	5/13584 (0.0%)
2	G	1.01	1/494 (0.2%)	1.76	13/766 (1.7%)
All	All	0.53	2/10630 (0.0%)	0.76	18/14350 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	14	A	N9-C4	-5.82	1.34	1.37
1	A	583	TYR	CD1-CE1	-5.71	1.30	1.39

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	734	GLY	N-CA-C	9.98	138.05	113.10
2	G	14	A	C2-N3-C4	-8.11	106.55	110.60
2	G	20	G	C8-N9-C4	-7.14	103.55	106.40
2	G	15	G	N1-C6-O6	-7.08	115.65	119.90
2	G	14	A	N1-C6-N6	7.01	122.81	118.60
2	G	23	C	O5'-P-OP2	-6.83	99.55	105.70
2	G	20	G	O5'-P-OP1	-6.21	100.11	105.70
2	G	14	A	C5-N7-C8	-6.16	100.82	103.90
2	G	11	C	O5'-P-OP2	-5.96	100.33	105.70

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	9	U	C5-C6-N1	-5.94	119.73	122.70
1	A	583	TYR	N-CA-C	5.92	126.98	111.00
2	G	14	A	C4-C5-N7	5.75	113.58	110.70
2	G	9	U	N1-C2-N3	5.74	118.34	114.90
1	A	142	ASN	C-N-CA	5.48	135.41	121.70
1	A	143	SER	N-CA-CB	5.35	118.53	110.50
2	G	20	G	N7-C8-N9	5.20	115.70	113.10
2	G	20	G	C5'-C4'-C3'	-5.14	107.77	116.00
1	A	294	TYR	CA-CB-CG	5.03	122.95	113.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	583	TYR	Peptide
1	A	733	HIS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9949	0	9908	237	1
2	G	443	0	224	7	0
3	A	1	0	0	0	0
3	G	1	0	0	0	0
4	G	6	0	0	0	0
All	All	10400	0	10132	242	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:536:LYS:NZ	1:A:653:TYR:OH	1.97	0.97

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:GLN:HG2	1:A:280:VAL:HG13	1.48	0.95
1:A:658:SER:HB3	1:A:662:LYS:HE2	1.52	0.88
1:A:933:ASN:O	1:A:935:ARG:N	2.07	0.86
1:A:1073:ARG:HD3	1:A:1133:LEU:HD21	1.58	0.85
1:A:583:TYR:HA	1:A:584:LYS:HD3	1.61	0.82
2:G:20:G:H5''	2:G:20:G:H8	1.43	0.82
1:A:735:GLN:OE1	1:A:737:ARG:NE	2.12	0.80
1:A:531:MSE:HE3	1:A:534:TRP:CH2	2.16	0.80
1:A:207:GLU:O	1:A:212:SER:N	2.12	0.79
1:A:263:ASN:HA	1:A:268:GLN:HG2	1.64	0.79
1:A:442:LEU:HD11	1:A:446:LEU:HD13	1.65	0.79
1:A:558:MSE:HE2	1:A:566:LEU:HD12	1.64	0.78
1:A:231:GLN:HB2	1:A:278:LYS:HZ2	1.51	0.75
1:A:439:ASP:OD1	1:A:439:ASP:N	2.17	0.75
1:A:531:MSE:HE3	1:A:534:TRP:HH2	1.52	0.74
1:A:566:LEU:O	1:A:580:LYS:NZ	2.15	0.73
1:A:142:ASN:N	1:A:143:SER:HB3	2.04	0.72
1:A:1163:ASP:OD2	1:A:1165:ARG:NH2	2.22	0.71
1:A:833:ARG:HH12	1:A:932:LYS:HD3	1.56	0.70
1:A:27:THR:HG21	1:A:701:MSE:H	1.58	0.69
1:A:272:LYS:NZ	1:A:489:ASP:OD1	2.26	0.69
1:A:833:ARG:HH22	1:A:932:LYS:HE3	1.57	0.69
1:A:314:ILE:HD13	1:A:500:VAL:HG12	1.75	0.68
1:A:361:LYS:NZ	1:A:403:TYR:O	2.21	0.68
1:A:63:ASN:ND2	1:A:231:GLN:OE1	2.27	0.68
1:A:205:ILE:HB	1:A:252:ILE:HD13	1.75	0.67
1:A:1155:LYS:HA	1:A:1161:PHE:HB3	1.77	0.67
1:A:73:ASN:HD21	1:A:97:LEU:HG	1.60	0.67
1:A:1021:ILE:HD11	1:A:1025:LYS:HE3	1.76	0.67
1:A:203:GLN:O	1:A:207:GLU:HB3	1.95	0.66
1:A:912:CYS:HA	1:A:957:MSE:HE2	1.78	0.66
1:A:1036:TYR:HB2	1:A:1043:PHE:CE1	2.31	0.65
1:A:206:LYS:O	1:A:210:LEU:HB2	1.97	0.65
1:A:326:LYS:HD3	1:A:419:ILE:HD11	1.79	0.63
1:A:785:LYS:HB2	2:G:3:A:H5''	1.81	0.63
1:A:1165:ARG:HA	1:A:1168:GLU:HB2	1.82	0.62
2:G:20:G:H5''	2:G:20:G:C8	2.30	0.62
1:A:1186:ASN:OD1	1:A:1189:ARG:NH1	2.31	0.62
1:A:27:THR:CG2	1:A:701:MSE:H	2.14	0.61
1:A:733:HIS:O	1:A:735:GLN:HB2	1.99	0.61
1:A:582:ASN:ND2	1:A:583:TYR:H	1.98	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:GLU:HB3	1:A:258:TYR:CE2	2.36	0.61
1:A:583:TYR:HE1	1:A:681:SER:O	1.84	0.61
1:A:200:HIS:HA	1:A:204:GLU:HG3	1.82	0.61
1:A:584:LYS:HB3	1:A:653:TYR:CE1	2.35	0.61
1:A:535:ASP:O	1:A:584:LYS:N	2.30	0.60
1:A:79:SER:O	1:A:83:LYS:HD3	2.02	0.60
1:A:1226:VAL:O	1:A:1227:LYS:NZ	2.35	0.60
1:A:572:ASP:OD2	1:A:574:VAL:N	2.33	0.59
1:A:209:ILE:HG21	1:A:246:THR:HG22	1.84	0.59
1:A:1138:ARG:NH1	1:A:1148:ASP:OD2	2.36	0.59
1:A:477:GLY:HA3	1:A:479:GLU:HB2	1.83	0.59
1:A:301:LEU:HD23	1:A:305:ARG:HD2	1.83	0.59
1:A:1000:LEU:HD22	1:A:1011:VAL:HG21	1.86	0.58
1:A:1076:ALA:HA	1:A:1085:ALA:HB1	1.85	0.58
1:A:211:ASN:N	1:A:211:ASN:OD1	2.37	0.58
1:A:955:ASN:OD1	1:A:977:THR:HG22	2.03	0.57
1:A:79:SER:HB3	1:A:83:LYS:NZ	2.19	0.57
2:G:20:G:H2'	2:G:21:A:O4'	2.03	0.57
1:A:34:LYS:NZ	1:A:697:GLY:O	2.37	0.57
1:A:628:ASN:HB3	1:A:631:ASP:HB2	1.86	0.57
1:A:256:ASN:HD21	1:A:273:PHE:H	1.50	0.57
1:A:418:ILE:HG12	1:A:470:ILE:HD11	1.86	0.57
1:A:237:TYR:HA	1:A:240:ILE:HD12	1.87	0.56
1:A:63:ASN:OD1	1:A:231:GLN:NE2	2.37	0.56
1:A:75:ASN:ND2	1:A:223:GLU:OE2	2.38	0.56
1:A:724:PHE:O	1:A:727:LEU:HB2	2.06	0.56
1:A:73:ASN:HB3	1:A:101:LEU:HD13	1.88	0.56
1:A:1091:LEU:O	1:A:1094:ALA:N	2.35	0.56
2:G:14:A:H8	2:G:14:A:H5''	1.71	0.56
1:A:1198:PHE:CE1	1:A:1211:ILE:HD11	2.41	0.56
1:A:120:LYS:O	1:A:123:ILE:HG22	2.06	0.56
1:A:572:ASP:HB2	1:A:577:ASN:HD21	1.70	0.56
1:A:1150:LEU:H	1:A:1164:SER:HB2	1.71	0.56
1:A:954:LEU:HD11	1:A:957:MSE:HE3	1.87	0.55
1:A:1144:ARG:HG2	1:A:1146:ASP:HB2	1.89	0.55
1:A:1185:TYR:CZ	1:A:1189:ARG:HD2	2.41	0.55
1:A:1068:TYR:OH	1:A:1161:PHE:N	2.40	0.55
1:A:658:SER:CB	1:A:662:LYS:HE2	2.32	0.54
1:A:860:ILE:HG12	1:A:869:LYS:HB3	1.88	0.54
1:A:394:SER:OG	1:A:479:GLU:OE1	2.19	0.54
1:A:1167:TYR:HD1	1:A:1173:ALA:HB1	1.70	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:ARG:NH2	1:A:188:ASP:OD1	2.32	0.54
2:G:14:A:H5''	2:G:14:A:C8	2.43	0.54
1:A:231:GLN:HB2	1:A:278:LYS:NZ	2.21	0.53
1:A:366:TYR:CE2	1:A:385:ARG:HB2	2.43	0.53
1:A:508:ARG:O	1:A:512:THR:HB	2.07	0.53
1:A:361:LYS:HZ3	1:A:403:TYR:HB3	1.74	0.53
1:A:717:PRO:HG2	1:A:722:MSE:HE3	1.91	0.53
1:A:1147:VAL:HG11	1:A:1165:ARG:HG2	1.91	0.53
1:A:100:ASN:HA	1:A:103:LYS:HB2	1.90	0.52
1:A:174:ARG:HG2	1:A:279:GLN:HB3	1.91	0.52
1:A:177:ASN:OD1	1:A:177:ASN:N	2.42	0.52
1:A:202:VAL:HG13	1:A:203:GLN:H	1.73	0.52
1:A:292:GLU:HB3	1:A:502:HIS:NE2	2.24	0.52
1:A:600:LYS:HA	1:A:603:MSE:HB2	1.90	0.52
1:A:1147:VAL:HG12	1:A:1149:PHE:HB3	1.92	0.52
1:A:102:ARG:NH2	1:A:166:ALA:HB2	2.25	0.52
1:A:912:CYS:SG	1:A:957:MSE:HE2	2.50	0.52
1:A:954:LEU:CD1	1:A:957:MSE:HE3	2.40	0.51
1:A:729:ASP:OD2	1:A:731:ASN:N	2.37	0.51
1:A:193:VAL:O	1:A:196:ILE:HG12	2.11	0.50
1:A:127:ILE:HA	1:A:130:GLU:OE1	2.11	0.50
1:A:73:ASN:OD1	1:A:100:ASN:HB2	2.12	0.50
1:A:536:LYS:HZ3	1:A:585:LEU:C	2.14	0.50
1:A:665:ASP:OD1	1:A:665:ASP:N	2.44	0.50
1:A:626:MSE:HE2	1:A:626:MSE:HA	1.94	0.50
1:A:1111:ILE:HD12	1:A:1115:LEU:HD21	1.92	0.50
1:A:1007:SER:O	1:A:1226:VAL:HG21	2.12	0.50
1:A:852:GLU:HG2	1:A:1172:ASN:ND2	2.26	0.49
1:A:211:ASN:HB2	1:A:213:ASP:H	1.76	0.49
1:A:578:TYR:CE1	1:A:701:MSE:HE1	2.47	0.49
1:A:1138:ARG:HD3	1:A:1148:ASP:OD1	2.12	0.49
1:A:96:ASN:O	1:A:100:ASN:ND2	2.45	0.49
1:A:202:VAL:HG13	1:A:203:GLN:OE1	2.12	0.49
1:A:206:LYS:HE2	1:A:252:ILE:HD11	1.93	0.49
1:A:1063:TRP:CE3	1:A:1154:VAL:HG11	2.48	0.49
1:A:663:TYR:OH	1:A:672:GLU:OE1	2.16	0.49
1:A:67:HIS:ND1	1:A:230:THR:HG21	2.28	0.48
1:A:79:SER:HB3	1:A:83:LYS:HZ2	1.77	0.48
1:A:474:PHE:CE1	1:A:490:PHE:HE2	2.31	0.48
1:A:65:VAL:O	1:A:69:ILE:HG12	2.14	0.48
1:A:246:THR:HG21	1:A:250:GLU:HB3	1.94	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:GLN:HG2	1:A:410:VAL:HB	1.96	0.48
1:A:103:LYS:HB3	1:A:103:LYS:HE2	1.57	0.48
1:A:836:ARG:HH12	1:A:1142:THR:HA	1.76	0.48
1:A:1025:LYS:HE2	1:A:1116:CYS:O	2.13	0.48
1:A:1075:PHE:CD2	1:A:1087:GLU:HB2	2.48	0.48
1:A:43:ARG:HG2	1:A:144:PHE:CE1	2.49	0.48
1:A:92:LYS:HA	1:A:95:GLU:OE1	2.14	0.48
1:A:294:TYR:HA	1:A:510:TYR:CD1	2.50	0.47
1:A:1046:ALA:HB2	1:A:1064:LYS:HE2	1.95	0.47
1:A:666:ILE:HD12	1:A:670:TYR:CE2	2.49	0.47
1:A:1111:ILE:O	1:A:1115:LEU:HG	2.15	0.47
1:A:47:TYR:CZ	1:A:51:LYS:HD2	2.48	0.47
1:A:230:THR:O	1:A:234:ILE:HG13	2.14	0.47
1:A:842:VAL:HG23	1:A:1184:ALA:HB3	1.96	0.47
1:A:196:ILE:HD12	1:A:262:TYR:CE1	2.50	0.47
1:A:536:LYS:HG3	1:A:584:LYS:HD2	1.97	0.47
1:A:951:ILE:O	1:A:977:THR:HG21	2.15	0.47
1:A:262:TYR:C	1:A:268:GLN:HE21	2.17	0.47
1:A:1194:ALA:HB1	1:A:1211:ILE:HD12	1.96	0.47
1:A:536:LYS:NZ	1:A:653:TYR:HH	2.10	0.47
1:A:798:ILE:O	1:A:798:ILE:HG13	2.14	0.46
1:A:574:VAL:HG11	1:A:688:LYS:NZ	2.31	0.46
1:A:566:LEU:HD23	1:A:566:LEU:HA	1.77	0.46
1:A:582:ASN:CG	1:A:583:TYR:H	2.19	0.46
1:A:652:ALA:O	1:A:679:LYS:HD3	2.15	0.45
1:A:927:LEU:HD21	1:A:943:TYR:HD2	1.82	0.45
1:A:102:ARG:CZ	1:A:166:ALA:HB2	2.46	0.45
1:A:176:ILE:O	1:A:180:LEU:HB3	2.17	0.45
1:A:446:LEU:HD12	1:A:446:LEU:HA	1.78	0.45
1:A:567:GLN:HB3	1:A:568:LYS:HD3	1.98	0.45
1:A:610:GLU:OE1	1:A:614:LYS:NZ	2.43	0.45
1:A:414:LEU:HD12	1:A:414:LEU:HA	1.87	0.45
1:A:924:LEU:HD23	1:A:924:LEU:HA	1.77	0.45
1:A:554:TYR:CD1	1:A:701:MSE:HE3	2.52	0.45
1:A:686:SER:OG	1:A:688:LYS:HG3	2.17	0.45
1:A:36:LEU:HD13	1:A:525:PHE:HD1	1.82	0.45
1:A:142:ASN:CA	1:A:143:SER:HB3	2.46	0.45
1:A:123:ILE:HG23	1:A:124:ILE:HG23	1.99	0.45
1:A:1037:VAL:HG22	1:A:1042:LEU:O	2.17	0.45
1:A:536:LYS:HD2	1:A:584:LYS:HA	1.99	0.44
1:A:636:ILE:HD11	1:A:666:ILE:HG12	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:THR:HG23	1:A:694:VAL:HG13	1.98	0.44
1:A:572:ASP:CG	1:A:574:VAL:HG23	2.38	0.44
1:A:399:GLN:O	1:A:402:GLU:HB2	2.18	0.43
1:A:27:THR:HG22	1:A:700:TYR:HA	2.00	0.43
1:A:1095:TYR:CZ	1:A:1130:LEU:HD22	2.53	0.43
1:A:66:LEU:HD23	1:A:66:LEU:HA	1.83	0.43
1:A:845:ASP:OD2	1:A:849:ASN:HB2	2.18	0.43
1:A:328:PHE:HD1	1:A:328:PHE:HA	1.73	0.43
1:A:1060:ILE:O	1:A:1062:LYS:N	2.44	0.43
1:A:1068:TYR:CE2	1:A:1161:PHE:CE2	3.07	0.43
1:A:85:THR:HG23	1:A:86:ARG:H	1.83	0.43
1:A:1147:VAL:CG1	1:A:1149:PHE:HB3	2.49	0.43
1:A:118:LEU:HD23	1:A:119:PHE:CE2	2.54	0.43
1:A:183:TYR:O	1:A:187:MSE:HG3	2.19	0.43
1:A:4:LEU:HD23	1:A:976:ILE:HG21	1.99	0.43
1:A:58:TYR:O	1:A:62:ILE:HG13	2.19	0.43
1:A:658:SER:OG	1:A:672:GLU:OE2	2.35	0.43
1:A:428:VAL:O	1:A:432:SER:OG	2.34	0.42
1:A:1144:ARG:CD	1:A:1146:ASP:HB2	2.49	0.42
1:A:1203:ASP:HA	1:A:1206:LEU:HD22	2.01	0.42
1:A:102:ARG:HH11	1:A:177:ASN:HD21	1.66	0.42
1:A:714:HIS:NE2	2:G:14:A:OP2	2.50	0.42
1:A:1109:GLY:HA2	1:A:1110:ASP:C	2.38	0.42
1:A:128:LEU:HD12	1:A:128:LEU:HA	1.95	0.42
1:A:497:LEU:O	1:A:500:VAL:HG13	2.19	0.42
1:A:996:ILE:HD13	1:A:996:ILE:HA	1.71	0.42
1:A:554:TYR:CG	1:A:701:MSE:HE3	2.54	0.42
1:A:1207:ASP:OD2	1:A:1208:LYS:NZ	2.53	0.42
1:A:86:ARG:CZ	1:A:86:ARG:HB2	2.48	0.42
1:A:123:ILE:HD12	1:A:127:ILE:HB	2.01	0.42
1:A:237:TYR:CD2	1:A:276:LEU:HD22	2.54	0.42
1:A:351:ILE:HD13	1:A:410:VAL:HG22	2.01	0.42
1:A:1108:GLN:OE1	1:A:1108:GLN:N	2.53	0.42
1:A:586:LEU:HD12	1:A:587:PRO:HD2	2.02	0.42
1:A:279:GLN:O	1:A:280:VAL:HG22	2.20	0.42
1:A:4:LEU:HB3	1:A:974:TYR:CE1	2.55	0.42
1:A:666:ILE:HD12	1:A:670:TYR:CZ	2.55	0.42
1:A:323:LYS:HB3	1:A:323:LYS:HE2	1.83	0.41
1:A:582:ASN:C	1:A:583:TYR:CD1	2.93	0.41
1:A:1032:ASP:HB2	1:A:1046:ALA:O	2.20	0.41
1:A:1192:LEU:HD23	1:A:1192:LEU:HA	1.78	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:LYS:O	1:A:267:LYS:N	2.47	0.41
1:A:1042:LEU:HD21	1:A:1068:TYR:HB3	2.01	0.41
1:A:82:ARG:H	1:A:82:ARG:HG2	1.71	0.41
1:A:246:THR:O	1:A:247:GLU:HB3	2.21	0.41
1:A:640:LYS:HE2	1:A:657:PHE:HB3	2.01	0.41
1:A:447:LYS:HE2	1:A:447:LYS:HB3	1.70	0.41
1:A:121:LYS:HD3	1:A:125:GLU:OE2	2.20	0.41
1:A:174:ARG:HG2	1:A:279:GLN:CB	2.50	0.41
1:A:1034:ILE:HG12	1:A:1045:PHE:HD1	1.85	0.41
1:A:595:LYS:HB2	1:A:595:LYS:HE3	1.89	0.41
1:A:886:ALA:HB1	1:A:889:ASN:ND2	2.35	0.41
1:A:950:LEU:HD23	1:A:950:LEU:HA	1.85	0.41
1:A:1035:MSE:SE	1:A:1109:GLY:HA3	2.71	0.41
1:A:2:SER:H	1:A:5:GLU:HG3	1.85	0.41
1:A:254:GLY:N	1:A:257:GLU:OE1	2.40	0.41
1:A:574:VAL:HG11	1:A:688:LYS:HZ2	1.86	0.41
1:A:580:LYS:HB3	1:A:683:GLU:HB3	2.03	0.41
1:A:116:LYS:HB3	1:A:116:LYS:HE2	1.90	0.41
1:A:210:LEU:HD13	1:A:210:LEU:HA	1.82	0.41
1:A:424:GLU:O	1:A:428:VAL:HG23	2.21	0.41
1:A:572:ASP:HB3	1:A:577:ASN:OD1	2.21	0.41
1:A:1206:LEU:HD12	1:A:1206:LEU:HA	1.78	0.41
1:A:41:GLU:O	1:A:44:ALA:HB3	2.21	0.40
1:A:66:LEU:HB3	1:A:230:THR:HG22	2.03	0.40
1:A:82:ARG:C	1:A:84:LYS:H	2.25	0.40
1:A:122:ASP:HA	1:A:125:GLU:HB2	2.03	0.40
1:A:270:LEU:HD12	1:A:270:LEU:HA	1.91	0.40
1:A:443:GLU:HG3	1:A:444:LYS:H	1.85	0.40
1:A:577:ASN:HD22	1:A:685:ALA:C	2.25	0.40
1:A:1027:PHE:CE2	1:A:1031:PHE:HE2	2.40	0.40
1:A:811:LYS:HB3	1:A:811:LYS:HE2	1.78	0.40
1:A:1208:LYS:HA	1:A:1208:LYS:HD3	1.87	0.40
1:A:910:LYS:HA	1:A:910:LYS:HD3	1.82	0.40
1:A:1098:LEU:HD12	1:A:1098:LEU:HA	1.82	0.40
1:A:845:ASP:C	1:A:847:LYS:H	2.25	0.40
1:A:1095:TYR:CE1	1:A:1130:LEU:HD22	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:GLU:OE1	1:A:607:ASN:ND2[2_646]	2.11	0.09

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1201/1228 (98%)	1106 (92%)	73 (6%)	22 (2%)	<b>7</b> <b>8</b>

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	85	THR
1	A	202	VAL
1	A	934	SER
1	A	143	SER
1	A	376	VAL
1	A	480	THR
1	A	83	LYS
1	A	214	TYR
1	A	294	TYR
1	A	1049	TYR
1	A	1092	THR
1	A	1212	ALA
1	A	204	GLU
1	A	266	THR
1	A	588	GLY
1	A	625	ASP
1	A	988	THR
1	A	1061	LYS
1	A	1076	ALA
1	A	1146	ASP
1	A	680	VAL
1	A	584	LYS

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1085/1084 (100%)	957 (88%)	128 (12%)	<b>4</b> <b>5</b>

All (128) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	16	THR
1	A	35	ARG
1	A	37	LEU
1	A	59	LEU
1	A	71	LEU
1	A	73	ASN
1	A	82	ARG
1	A	86	ARG
1	A	88	GLU
1	A	93	GLU
1	A	94	LEU
1	A	101	LEU
1	A	122	ASP
1	A	124	ILE
1	A	126	THR
1	A	130	GLU
1	A	165	GLU
1	A	177	ASN
1	A	198	ASP
1	A	199	LYS
1	A	205	ILE
1	A	206	LYS
1	A	211	ASN
1	A	213	ASP
1	A	224	PHE
1	A	226	ASN
1	A	228	VAL
1	A	252	ILE
1	A	255	LEU

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	256	ASN
1	A	257	GLU
1	A	260	ASN
1	A	262	TYR
1	A	265	LYS
1	A	268	GLN
1	A	276	LEU
1	A	278	LYS
1	A	279	GLN
1	A	294	TYR
1	A	295	THR
1	A	301	LEU
1	A	311	ASN
1	A	328	PHE
1	A	357	LEU
1	A	376	VAL
1	A	383	ASP
1	A	401	GLN
1	A	410	VAL
1	A	414	LEU
1	A	422	VAL
1	A	432	SER
1	A	439	ASP
1	A	442	LEU
1	A	443	GLU
1	A	446	LEU
1	A	464	LYS
1	A	465	SER
1	A	470	ILE
1	A	479	GLU
1	A	480	THR
1	A	498	LEU
1	A	512	THR
1	A	536	LYS
1	A	540	THR
1	A	548	ARG
1	A	558	MSE
1	A	568	LYS
1	A	574	VAL
1	A	583	TYR
1	A	601	LYS
1	A	605	TYR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	609	SER
1	A	611	ASP
1	A	629	LEU
1	A	666	ILE
1	A	680	VAL
1	A	683	GLU
1	A	684	SER
1	A	691	ASP
1	A	727	LEU
1	A	730	GLU
1	A	735	GLN
1	A	738	LEU
1	A	748	ARG
1	A	798	ILE
1	A	836	ARG
1	A	838	LEU
1	A	839	LEU
1	A	844	VAL
1	A	877	ASP
1	A	885	GLU
1	A	887	ARG
1	A	888	GLN
1	A	892	SER
1	A	897	LYS
1	A	916	GLU
1	A	921	VAL
1	A	932	LYS
1	A	935	ARG
1	A	950	LEU
1	A	963	ASN
1	A	967	THR
1	A	977	THR
1	A	1002	SER
1	A	1021	ILE
1	A	1049	TYR
1	A	1064	LYS
1	A	1065	LEU
1	A	1074	ILE
1	A	1075	PHE
1	A	1088	GLU
1	A	1092	THR
1	A	1093	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1101	LYS
1	A	1114	LEU
1	A	1125	SER
1	A	1130	LEU
1	A	1131	MSE
1	A	1138	ARG
1	A	1147	VAL
1	A	1152	SER
1	A	1155	LYS
1	A	1157	SER
1	A	1171	GLU
1	A	1206	LEU
1	A	1226	VAL
1	A	1227	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	ASN
1	A	256	ASN
1	A	401	GLN
1	A	577	ASN
1	A	582	ASN
1	A	861	ASN
1	A	906	GLN
1	A	1172	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	G	20/21 (95%)	6 (30%)	0

All (6) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	G	13	A
2	G	14	A
2	G	16	U
2	G	17	G
2	G	20	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	G	23	C

There are no RNA pucker outliers to report.

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1190/1228 (96%)	0.25	48 (4%) 43 43	33, 83, 131, 159	0
2	G	21/21 (100%)	-0.71	1 (4%) 36 37	39, 43, 59, 108	0
All	All	1211/1249 (96%)	0.24	49 (4%) 43 43	33, 82, 131, 159	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1068	TYR	5.4
1	A	113	ALA	4.2
1	A	202	VAL	4.2
1	A	1161	PHE	3.8
1	A	1078	ALA	3.7
1	A	1076	ALA	3.4
1	A	214	TYR	3.4
1	A	1095	TYR	3.4
1	A	197	PHE	3.3
1	A	193	VAL	3.2
1	A	112	ALA	3.2
1	A	280	VAL	3.1
1	A	205	ILE	3.0
1	A	931	PHE	3.0
1	A	69	ILE	3.0
1	A	135	LYS	2.9
1	A	101	LEU	2.9
1	A	1085	ALA	2.8
1	A	0	ALA	2.8
1	A	131	ALA	2.8
1	A	132	ALA	2.7
1	A	195	ALA	2.7
1	A	536	LYS	2.6
1	A	583	TYR	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	38	VAL	2.6
1	A	605	TYR	2.6
1	A	406	ALA	2.5
1	A	376	VAL	2.5
1	A	824	ASP	2.4
1	A	355	TRP	2.4
1	A	273	PHE	2.4
1	A	474	PHE	2.4
1	A	85	THR	2.4
1	A	216	VAL	2.3
1	A	118	LEU	2.3
1	A	1091	LEU	2.3
1	A	1075	PHE	2.2
1	A	1227	LYS	2.2
1	A	1174	ILE	2.1
1	A	294	TYR	2.1
1	A	114	GLY	2.1
1	A	295	THR	2.1
1	A	1147	VAL	2.1
1	A	94	LEU	2.1
1	A	87	THR	2.1
1	A	1077	ALA	2.1
1	A	67	HIS	2.0
2	G	23	C	2.0
1	A	1160	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MG	A	1301	1/1	0.88	0.21	53,53,53,53	0
3	MG	G	101	1/1	0.99	0.03	42,42,42,42	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.