



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 5, 2023 – 03:39 AM EST

PDB ID : 5KQK  
Title : Crystal structure of the Q233E/N240D variant of the catalase-peroxidase from *B. pseudomallei*  
Authors : Loewen, P.C.  
Deposited on : 2016-07-06  
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2340 (1.76-1.76)
Clashscore	141614	2466 (1.76-1.76)
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)
RSRZ outliers	127900	2298 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	
1	B	728	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MPD	B	805	-	-	X	-

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12860 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	713	Total 5548	C 3506	N 985	O 1043	S 14	0	7	0
1	B	713	Total 5557	C 3514	N 986	O 1043	S 14	0	10	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	233	GLU	GLN	conflict	UNP Q3JNW6
A	240	ASP	ASN	conflict	UNP Q3JNW6
B	233	GLU	GLN	conflict	UNP Q3JNW6
B	240	ASP	ASN	conflict	UNP Q3JNW6

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		
4	B	1	Total	Cl	0	0
			1	1		

- Molecule 5 is OXYGEN MOLECULE (three-letter code: OXY) (formula: O<sub>2</sub>).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O	0	0
			2	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total O 2 2	0	0

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 8 6 2	0	0
6	A	1	Total C O 8 6 2	0	0
6	B	1	Total C O 8 6 2	0	0
6	B	1	Total C O 8 6 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	817	Total O 817 817	0	0
7	B	812	Total O 812 812	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Catalase-peroxidase



- Molecule 1: Catalase-peroxidase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	100.72Å 115.05Å 174.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	96.06 – 1.75 48.02 – 1.75	Depositor EDS
% Data completeness (in resolution range)	98.0 (96.06-1.75) 98.0 (48.02-1.75)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.58 (at 1.75Å)	Xtrriage
Refinement program	REFMAC 5.8.0151	Depositor
R, $R_{free}$	0.152 , 0.182 0.165 , 0.192	Depositor DCC
$R_{free}$ test set	10034 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.2	Xtrriage
Anisotropy	0.643	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 43.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12860	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, TOX, CL, NA, OXY, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.38	29/5692 (0.5%)	1.21	40/7736 (0.5%)
1	B	1.36	26/5710 (0.5%)	1.24	54/7764 (0.7%)
All	All	1.37	55/11402 (0.5%)	1.22	94/15500 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	343	GLU	CD-OE2	8.56	1.35	1.25
1	B	410	GLU	CG-CD	8.38	1.64	1.51
1	B	512	ASP	CG-OD2	8.32	1.44	1.25
1	B	485	TRP	CE3-CZ3	8.09	1.52	1.38
1	B	426	ARG	CZ-NH2	7.96	1.43	1.33
1	B	298	GLU	CD-OE2	7.79	1.34	1.25
1	B	438	GLU	CD-OE1	-7.69	1.17	1.25
1	A	726	GLU	CG-CD	7.26	1.62	1.51
1	A	349	GLU	CD-OE1	-7.20	1.17	1.25
1	A	407[A]	GLU	CG-CD	7.08	1.62	1.51
1	A	407[B]	GLU	CG-CD	7.08	1.62	1.51
1	B	725	GLN	CD-OE1	7.01	1.39	1.24
1	B	198	GLU	CD-OE2	6.71	1.33	1.25
1	A	519	GLU	CD-OE1	6.59	1.32	1.25
1	A	584	GLU	CG-CD	6.52	1.61	1.51
1	A	70	GLN	CG-CD	6.44	1.65	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	725	GLN	CG-CD	6.38	1.65	1.51
1	A	46	GLN	CG-CD	6.25	1.65	1.51
1	A	434	TYR	CE2-CZ	-6.22	1.30	1.38
1	B	512	ASP	CB-CG	6.12	1.64	1.51
1	B	303	GLU	CD-OE2	-6.06	1.19	1.25
1	A	196	GLU	CB-CG	-5.98	1.40	1.52
1	B	726	GLU	CD-OE1	5.97	1.32	1.25
1	A	589	GLU	CD-OE1	5.96	1.32	1.25
1	A	512	ASP	CB-CG	5.93	1.64	1.51
1	A	578	ARG	CZ-NH1	5.87	1.40	1.33
1	B	196	GLU	CB-CG	-5.83	1.41	1.52
1	A	434	TYR	CG-CD1	-5.82	1.31	1.39
1	A	726	GLU	CD-OE2	5.81	1.32	1.25
1	B	327	GLU	CD-OE2	5.81	1.32	1.25
1	A	327	GLU	CG-CD	5.79	1.60	1.51
1	A	196	GLU	CG-CD	5.79	1.60	1.51
1	A	223	ARG	CZ-NH2	5.66	1.40	1.33
1	B	375	PHE	CA-CB	-5.55	1.41	1.53
1	A	330	TRP	CG-CD1	-5.45	1.29	1.36
1	A	736	TRP	CD1-NE1	5.45	1.47	1.38
1	B	178	GLU	CG-CD	5.42	1.60	1.51
1	A	428	MET	CG-SD	-5.38	1.67	1.81
1	A	584	GLU	CD-OE1	5.38	1.31	1.25
1	B	196	GLU	CG-CD	5.35	1.59	1.51
1	B	63	GLY	N-CA	5.24	1.53	1.46
1	A	363	VAL	C-O	5.23	1.33	1.23
1	B	602	ARG	CZ-NH2	-5.22	1.26	1.33
1	B	226	GLU	CB-CG	-5.18	1.42	1.52
1	A	420	TRP	N-CA	5.15	1.56	1.46
1	B	179	SER	CB-OG	5.11	1.48	1.42
1	B	434	TYR	CG-CD1	-5.10	1.32	1.39
1	A	198	GLU	CD-OE2	5.09	1.31	1.25
1	B	36	GLY	N-CA	5.08	1.53	1.46
1	A	584	GLU	CD-OE2	5.08	1.31	1.25
1	B	697	TRP	CG-CD1	5.07	1.43	1.36
1	B	297	PRO	CA-CB	5.06	1.63	1.53
1	B	296	GLU	CD-OE2	5.02	1.31	1.25
1	A	128	GLU	CD-OE1	-5.01	1.20	1.25
1	B	338	SER	CB-OG	-5.00	1.35	1.42

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	149	ARG	NE-CZ-NH1	12.53	126.56	120.30
1	B	108	ARG	NE-CZ-NH1	10.66	125.63	120.30
1	A	633[A]	VAL	CG1-CB-CG2	-10.50	94.10	110.90
1	A	633[B]	VAL	CG1-CB-CG2	-10.50	94.10	110.90
1	A	404	ARG	NE-CZ-NH1	10.48	125.54	120.30
1	A	404	ARG	NE-CZ-NH2	-9.66	115.47	120.30
1	B	433	ARG	NE-CZ-NH2	-9.54	115.53	120.30
1	A	433	ARG	NE-CZ-NH2	-9.32	115.64	120.30
1	B	393	ARG	NE-CZ-NH2	-9.10	115.75	120.30
1	B	512	ASP	CB-CG-OD1	-8.92	110.27	118.30
1	B	688	ARG	NE-CZ-NH1	8.81	124.70	120.30
1	A	149	ARG	NE-CZ-NH2	-8.63	115.98	120.30
1	A	713	ARG	NE-CZ-NH1	8.54	124.57	120.30
1	B	403	ARG	NE-CZ-NH1	8.48	124.54	120.30
1	B	512	ASP	CB-CG-OD2	8.47	125.92	118.30
1	A	403	ARG	CG-CD-NE	8.31	129.25	111.80
1	B	404	ARG	NE-CZ-NH1	8.29	124.44	120.30
1	B	149	ARG	NE-CZ-NH2	-8.23	116.18	120.30
1	B	403	ARG	NE-CZ-NH2	-8.20	116.20	120.30
1	B	688	ARG	NE-CZ-NH2	-8.19	116.20	120.30
1	A	132	ARG	NE-CZ-NH1	8.03	124.31	120.30
1	B	382	ARG	NE-CZ-NH2	-8.00	116.30	120.30
1	B	40	ARG	NE-CZ-NH1	7.63	124.12	120.30
1	A	744	ARG	NE-CZ-NH2	-7.38	116.61	120.30
1	B	108	ARG	NE-CZ-NH2	-7.33	116.64	120.30
1	A	82	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	A	512	ASP	CB-CG-OD1	7.13	124.72	118.30
1	B	744	ARG	NE-CZ-NH2	-6.99	116.81	120.30
1	A	60	ASP	CB-CG-OD1	6.99	124.59	118.30
1	B	98	ASP	CB-CG-OD2	-6.95	112.05	118.30
1	B	540	ARG	CB-CA-C	6.86	124.12	110.40
1	B	76	ASP	CB-CG-OD2	-6.86	112.13	118.30
1	B	404	ARG	NE-CZ-NH2	-6.85	116.88	120.30
1	B	258	ARG	NE-CZ-NH1	6.84	123.72	120.30
1	B	376	ASP	CB-CG-OD2	-6.81	112.17	118.30
1	A	40	ARG	NE-CZ-NH1	6.80	123.70	120.30
1	B	268	ASP	CB-CG-OD1	6.68	124.31	118.30
1	A	76	ASP	CB-CG-OD2	-6.49	112.46	118.30
1	B	434	TYR	CB-CG-CD1	6.36	124.81	121.00
1	A	587	ASP	CB-CG-OD1	6.31	123.98	118.30
1	B	506	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	A	161	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	B	428	MET	CA-CB-CG	-6.25	102.67	113.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	108	ARG	NE-CZ-NH1	6.23	123.42	120.30
1	A	407[A]	GLU	CG-CD-OE1	6.19	130.68	118.30
1	A	407[B]	GLU	CG-CD-OE1	6.19	130.68	118.30
1	A	82	ARG	NE-CZ-NH2	-6.18	117.21	120.30
1	B	694	GLU	OE1-CD-OE2	6.16	130.69	123.30
1	B	541	GLY	N-CA-C	-6.08	97.90	113.10
1	A	434	TYR	CB-CG-CD1	6.07	124.64	121.00
1	B	123	ARG	NE-CZ-NH1	6.07	123.34	120.30
1	B	587	ASP	CB-CG-OD1	6.06	123.75	118.30
1	A	701	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	A	541	GLY	N-CA-C	-5.93	98.28	113.10
1	B	133	PHE	CB-CG-CD1	5.91	124.94	120.80
1	A	268	ASP	CB-CG-OD2	-5.91	112.98	118.30
1	A	433	ARG	NE-CZ-NH1	5.89	123.25	120.30
1	A	93	ASP	CB-CG-OD1	5.80	123.52	118.30
1	B	426	ARG	NE-CZ-NH1	-5.76	117.42	120.30
1	B	578	ARG	NE-CZ-NH2	-5.73	117.43	120.30
1	B	54	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	B	497	ARG	NE-CZ-NH1	-5.71	117.45	120.30
1	B	55	HIS	CB-CA-C	5.70	121.79	110.40
1	B	225	LEU	CB-CG-CD2	-5.70	101.32	111.00
1	B	382	ARG	CG-CD-NE	-5.68	99.87	111.80
1	A	713	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	B	133	PHE	CB-CG-CD2	-5.65	116.85	120.80
1	A	506	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	B	599	ASP	CB-CG-OD2	-5.55	113.31	118.30
1	A	382	ARG	NE-CZ-NH2	-5.53	117.54	120.30
1	A	578	ARG	NE-CZ-NH1	5.52	123.06	120.30
1	B	730	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	B	412	PHE	CB-CG-CD1	5.48	124.63	120.80
1	B	199	ASP	CB-CG-OD1	-5.38	113.46	118.30
1	A	403	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	A	376	ASP	CB-CG-OD2	-5.32	113.51	118.30
1	A	222	ASP	CB-CG-OD1	5.30	123.07	118.30
1	B	433	ARG	NE-CZ-NH1	5.29	122.95	120.30
1	A	54	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	A	578	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	B	161	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	B	54	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	B	123	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	B	492	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	B	187	PHE	CB-CG-CD2	5.15	124.40	120.80

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	93	ASP	CB-CG-OD2	-5.12	113.70	118.30
1	B	149	ARG	NE-CZ-NH1	5.09	122.85	120.30
1	A	320	ASP	CB-CG-OD1	-5.07	113.74	118.30
1	B	683	ASP	CB-CG-OD2	-5.03	113.77	118.30
1	A	191	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	B	713	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	B	649[A]	ARG	NE-CZ-NH2	-5.01	117.79	120.30
1	B	649[B]	ARG	NE-CZ-NH2	-5.01	117.79	120.30
1	B	560	GLU	OE1-CD-OE2	5.00	129.30	123.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	569	ALA	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5548	0	5374	27	0
1	B	5557	0	5389	32	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	16	0	28	3	0
6	B	16	0	28	10	0
7	A	817	0	0	12	1
7	B	812	0	0	11	1
All	All	12860	0	10879	67	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 3.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:569:ALA:O	1:B:570[A]:VAL:HG23	1.58	1.02
1:B:568:HIS:ND1	7:B:901:HOH:O	1.94	1.01
1:B:55:HIS:HD2	7:B:1347:HOH:O	1.48	0.96
1:B:506:ARG:HE	6:B:805:MPD:H12	1.38	0.88
1:A:119[B]:THR:HG21	7:A:1138:HOH:O	1.80	0.81
1:B:119[B]:THR:HG23	7:B:1081:HOH:O	1.82	0.79
1:A:119[B]:THR:HG23	1:A:593:VAL:HG11	1.67	0.77
1:B:512:ASP:OD1	7:B:902:HOH:O	2.02	0.77
6:B:806:MPD:O4	6:B:806:MPD:H12	1.85	0.77
6:B:805:MPD:H51	7:B:1269:HOH:O	1.84	0.76
1:B:119[B]:THR:HG22	1:B:593:VAL:HG21	1.66	0.76
1:B:569:ALA:O	1:B:570[A]:VAL:CG2	2.35	0.75
6:A:805:MPD:H52	6:A:805:MPD:H11	1.69	0.73
6:A:805:MPD:H11	6:A:805:MPD:C5	2.20	0.71
6:B:805:MPD:H13	7:B:1555:HOH:O	1.91	0.70
1:B:519:GLU:OE1	7:B:903:HOH:O	2.09	0.69
6:B:806:MPD:O2	6:B:806:MPD:H53	1.97	0.65
1:A:85:HIS:HD2	7:A:1502:HOH:O	1.82	0.61
1:A:593:VAL:HG13	7:A:926:HOH:O	2.02	0.60
1:A:376:ASP:OD2	1:A:379:LYS:HE3	2.02	0.59
1:B:591:MET:SD	1:B:594:LEU:HD12	2.45	0.57
1:A:343:GLU:OE1	7:A:903:HOH:O	2.17	0.56
1:A:58:LEU:HB3	1:B:53[A]:HIS:HD2	1.71	0.55
1:B:629:PRO:O	1:B:633[A]:VAL:HG23	2.08	0.54
6:B:805:MPD:H52	6:B:805:MPD:C1	2.38	0.54
1:B:568:HIS:CE1	7:B:901:HOH:O	2.51	0.52
1:B:506:ARG:NE	6:B:805:MPD:H12	2.17	0.52
1:B:662:ASN:H	1:B:725:GLN:HE22	1.57	0.51
1:A:119[B]:THR:CG2	1:A:593:VAL:HG11	2.40	0.51
1:A:58:LEU:HB3	1:B:53[A]:HIS:CD2	2.46	0.51
1:A:629:PRO:O	1:A:633[B]:VAL:HG23	2.11	0.51
1:B:74:LYS:HB2	7:B:1037:HOH:O	2.11	0.50
1:B:566:ALA:O	1:B:568:HIS:HD2	1.95	0.49
1:A:650:HIS:HE1	7:A:1562:HOH:O	1.96	0.48
1:B:506:ARG:HE	6:B:805:MPD:C1	2.18	0.48
1:A:633[B]:VAL:HG22	1:A:719:TYR:CE2	2.48	0.48
1:A:748:ALA:C	7:A:1564:HOH:O	2.53	0.47
1:B:76:ASP:OD2	7:B:904:HOH:O	2.20	0.47

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:ILE:HD11	1:A:618:VAL:HG12	1.96	0.47
6:A:805:MPD:HM2	7:A:1460:HOH:O	2.13	0.47
1:B:571[A]:THR:OG1	7:B:905:HOH:O	2.20	0.47
1:A:53:HIS:CD2	7:A:958:HOH:O	2.68	0.47
6:B:805:MPD:H52	6:B:805:MPD:H11	1.97	0.46
1:B:54:ARG:HB3	1:B:55:HIS:ND1	2.30	0.46
1:A:119[A]:THR:CG2	1:A:265:ALA:HB2	2.46	0.46
1:A:336:GLN:HG2	7:A:1648:HOH:O	2.15	0.46
1:A:650:HIS:HD2	7:A:1346:HOH:O	1.98	0.46
1:A:633[B]:VAL:HG22	1:A:719:TYR:CZ	2.52	0.45
1:A:54:ARG:NE	1:A:199:ASP:OD2	2.50	0.44
1:A:633[B]:VAL:CG2	1:A:719:TYR:CZ	3.01	0.44
1:B:50[B]:SER:OG	1:B:53[B]:HIS:CE1	2.71	0.44
1:B:454:ASP:OD1	1:B:454:ASP:N	2.51	0.43
1:A:454:ASP:OD1	1:A:454:ASP:N	2.50	0.43
1:A:422:LYS:NZ	7:A:931:HOH:O	2.50	0.43
1:B:566:ALA:O	1:B:568:HIS:CD2	2.71	0.43
1:B:633[A]:VAL:HG22	1:B:719:TYR:CZ	2.55	0.42
1:B:431:ARG:HD2	1:B:447:GLN:OE1	2.19	0.42
1:B:633[A]:VAL:HG22	1:B:719:TYR:CE2	2.54	0.42
1:A:111:TOX:H9	1:A:238:TYR:OH	2.19	0.42
1:B:144:ASN:HA	1:B:146:ASP:OD1	2.20	0.41
1:A:431:ARG:HD2	1:A:447:GLN:OE1	2.20	0.41
1:B:99:PHE:CD1	1:B:374:ALA:HA	2.56	0.41
6:B:806:MPD:O2	6:B:806:MPD:C5	2.63	0.41
1:A:369:ALA:O	1:A:380:LYS:HD2	2.21	0.41
1:B:50[B]:SER:HA	1:B:53[B]:HIS:CE1	2.56	0.40
1:A:431:ARG:HD3	7:A:1447:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1372:HOH:O	7:B:1232:HOH:O[2_444]	2.02	0.18

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	717/728 (98%)	706 (98%)	11 (2%)	0	100	100
1	B	720/728 (99%)	709 (98%)	11 (2%)	0	100	100
All	All	1437/1456 (99%)	1415 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	556/560 (99%)	547 (98%)	9 (2%)	62	45
1	B	559/560 (100%)	549 (98%)	10 (2%)	59	40
All	All	1115/1120 (100%)	1096 (98%)	19 (2%)	62	42

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	A	46	GLN
1	A	64	LYS
1	A	74	LYS
1	A	118	ARG
1	A	141	ASP
1	A	608	LYS
1	A	610	ARG

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	725	GLN
1	B	40	ARG
1	B	46	GLN
1	B	64	LYS
1	B	118	ARG
1	B	141	ASP
1	B	223	ARG
1	B	540	ARG
1	B	571[A]	THR
1	B	571[B]	THR
1	B	610	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	HIS
1	A	247	ASN
1	A	650	HIS
1	B	46	GLN
1	B	55	HIS
1	B	227	ASN
1	B	568	HIS
1	B	725	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	TOX	B	111	2,1	10,17,18	2.50	4 (40%)	10,23,25	2.10	4 (40%)
1	TOX	A	111	1	10,17,18	2.40	3 (30%)	10,23,25	2.09	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	B	111	2,1	-	2/4/8/10	0/2/2/2
1	TOX	A	111	1	-	2/4/8/10	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111	TOX	CD1-NE1	-5.63	1.33	1.39
1	B	111	TOX	CD1-NE1	-4.82	1.34	1.39
1	B	111	TOX	O-C	4.10	1.36	1.19
1	A	111	TOX	CH2-CZ3	3.44	1.47	1.38
1	B	111	TOX	CE3-CD2	-2.86	1.36	1.42
1	A	111	TOX	O-C	2.66	1.30	1.19
1	B	111	TOX	CZ2-CE2	-2.23	1.36	1.41

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111	TOX	CB-CA-C	4.50	119.90	111.47
1	B	111	TOX	CZ3-CH2-CZ2	-3.74	115.20	120.44
1	B	111	TOX	CH2-CZ2-CE2	2.94	125.09	119.44
1	B	111	TOX	CZ2-CE2-CD2	-2.74	117.22	120.94
1	A	111	TOX	CG-CB-CA	-2.73	110.31	114.53
1	B	111	TOX	CB-CG-CD1	-2.52	124.86	127.97
1	A	111	TOX	CB-CG-CD1	-2.24	125.19	127.97
1	A	111	TOX	CZ3-CH2-CZ2	-2.16	117.41	120.44

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	111	TOX	N-CA-CB-CG

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	111	TOX	C-CA-CB-CG
1	B	111	TOX	N-CA-CB-CG
1	B	111	TOX	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	111	TOX	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	MPD	B	805	-	7,7,7	1.09	0	9,10,10	1.37	1 (11%)
2	HEM	B	801	1	41,50,50	1.70	9 (21%)	45,82,82	1.83	12 (26%)
5	OXY	B	804	-	1,1,1	0.03	0	-		
6	MPD	B	806	-	7,7,7	0.72	0	9,10,10	1.41	1 (11%)
5	OXY	A	804	-	1,1,1	0.08	0	-		
2	HEM	A	801	1	41,50,50	1.83	12 (29%)	45,82,82	2.13	13 (28%)
6	MPD	A	805	-	7,7,7	0.74	0	9,10,10	1.09	1 (11%)
6	MPD	A	806	-	7,7,7	0.71	0	9,10,10	1.33	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPD	B	805	-	-	3/5/5/5	-
2	HEM	B	801	1	-	2/12/54/54	-
6	MPD	B	806	-	-	0/5/5/5	-
2	HEM	A	801	1	-	2/12/54/54	-
6	MPD	A	805	-	-	2/5/5/5	-
6	MPD	A	806	-	-	2/5/5/5	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	C1B-NB	-6.39	1.29	1.40
2	B	801	HEM	C1B-NB	-4.74	1.32	1.40
2	B	801	HEM	C2C-C1C	4.17	1.52	1.42
2	B	801	HEM	CMD-C2D	-3.42	1.43	1.50
2	A	801	HEM	C1A-NA	3.22	1.42	1.36
2	B	801	HEM	C1A-NA	2.98	1.42	1.36
2	A	801	HEM	C2C-C1C	2.90	1.49	1.42
2	A	801	HEM	C1B-C2B	-2.80	1.39	1.44
2	A	801	HEM	FE-NB	2.79	2.10	1.96
2	B	801	HEM	CHB-C1B	2.52	1.41	1.35
2	A	801	HEM	O1D-CGD	2.41	1.30	1.22
2	A	801	HEM	CMA-C3A	2.33	1.56	1.51
2	B	801	HEM	C3D-C2D	2.32	1.41	1.36
2	B	801	HEM	CMC-C2C	-2.31	1.46	1.51
2	A	801	HEM	CHC-C4B	-2.28	1.34	1.41
2	B	801	HEM	C2A-C3A	-2.26	1.31	1.37
2	A	801	HEM	O1A-CGA	2.24	1.29	1.22
2	A	801	HEM	C3B-C2B	2.12	1.41	1.37
2	A	801	HEM	CAB-C3B	-2.10	1.41	1.47
2	A	801	HEM	CMB-C2B	2.08	1.55	1.50
2	B	801	HEM	C3C-C2C	-2.03	1.37	1.40

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	HEM	C4B-CHC-C1C	8.21	133.39	122.56
2	B	801	HEM	CBA-CAA-C2A	4.20	119.79	112.62
2	A	801	HEM	C4B-C3B-C2B	-4.15	103.82	107.11
2	A	801	HEM	O2A-CGA-CBA	4.12	127.28	114.03
2	B	801	HEM	CMD-C2D-C1D	3.98	131.10	125.04

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	HEM	C3C-C4C-NC	-3.92	103.54	110.94
2	B	801	HEM	C4A-C3A-C2A	3.69	109.56	107.00
2	B	801	HEM	CMA-C3A-C4A	-3.44	123.18	128.46
2	A	801	HEM	O1A-CGA-CBA	-3.11	113.09	123.08
2	A	801	HEM	CHB-C1B-NB	-3.08	120.58	124.38
6	A	806	MPD	O2-C2-CM	2.72	116.82	108.08
6	B	806	MPD	O2-C2-CM	-2.61	99.70	108.08
2	B	801	HEM	C2C-C3C-C4C	-2.60	105.08	106.90
2	A	801	HEM	CBD-CAD-C3D	2.58	119.78	112.63
2	B	801	HEM	CAA-CBA-CGA	-2.54	106.63	113.76
2	A	801	HEM	O2D-CGD-CBD	2.54	122.19	114.03
2	B	801	HEM	C4B-C3B-C2B	-2.53	105.10	107.11
2	A	801	HEM	O1D-CGD-CBD	-2.50	115.05	123.08
2	B	801	HEM	CAD-CBD-CGD	2.49	118.95	113.60
2	B	801	HEM	C4D-ND-C1D	2.46	107.62	105.07
2	A	801	HEM	C2B-C1B-NB	2.45	112.75	109.84
2	A	801	HEM	C1B-NB-C4B	2.39	107.54	105.07
6	B	805	MPD	CM-C2-C1	-2.34	105.70	110.57
2	B	801	HEM	CMC-C2C-C3C	2.33	129.05	124.68
6	A	805	MPD	O2-C2-CM	-2.29	100.73	108.08
2	A	801	HEM	CMA-C3A-C4A	-2.29	124.95	128.46
2	B	801	HEM	C4B-CHC-C1C	2.27	125.55	122.56
2	B	801	HEM	O2A-CGA-CBA	2.27	121.31	114.03
2	A	801	HEM	CAA-CBA-CGA	-2.15	107.74	113.76

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	805	MPD	C2-C3-C4-C5
6	A	806	MPD	O2-C2-C3-C4
6	B	805	MPD	O2-C2-C3-C4
6	A	805	MPD	C2-C3-C4-O4
6	A	806	MPD	C1-C2-C3-C4
6	B	805	MPD	C1-C2-C3-C4
2	B	801	HEM	CAA-CBA-CGA-O1A
2	A	801	HEM	CAA-CBA-CGA-O1A
2	B	801	HEM	CAA-CBA-CGA-O2A
2	A	801	HEM	CAA-CBA-CGA-O2A
6	B	805	MPD	C2-C3-C4-C5


There are no ring outliers.

3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	805	MPD	7	0
6	B	806	MPD	3	0
6	A	805	MPD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	712/728 (97%)	-0.40	13 (1%) 68 76	10, 17, 36, 87	0
1	B	712/728 (97%)	-0.41	13 (1%) 68 76	11, 17, 37, 88	0
All	All	1424/1456 (97%)	-0.40	26 (1%) 68 76	10, 17, 36, 88	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	610	ARG	6.3
1	B	680	ALA	5.1
1	B	679	ALA	4.8
1	A	540	ARG	4.4
1	B	540	ARG	4.4
1	A	610	ARG	3.8
1	B	53[A]	HIS	3.8
1	B	748	ALA	3.3
1	A	748	ALA	3.1
1	A	680	ALA	3.0
1	A	53	HIS	2.8
1	A	541	GLY	2.8
1	B	608	LYS	2.7
1	B	55	HIS	2.6
1	A	213	GLY	2.4
1	A	55	HIS	2.4
1	A	64	LYS	2.3
1	A	54	ARG	2.3
1	A	608	LYS	2.3
1	B	64	LYS	2.3
1	A	679	ALA	2.3
1	B	541	GLY	2.2
1	B	682	ALA	2.1
1	A	221	GLY	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	366	GLY	2.1
1	B	65	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	TOX	A	111	16/17	0.97	0.09	10,12,23,23	0
1	TOX	B	111	16/17	0.98	0.10	10,12,18,18	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	MPD	B	806	8/8	0.86	0.16	50,58,65,65	0
6	MPD	B	805	8/8	0.90	0.15	29,35,35,37	0
6	MPD	A	805	8/8	0.90	0.12	37,39,46,47	0
6	MPD	A	806	8/8	0.91	0.16	45,51,62,64	0
5	OXY	A	804	2/2	0.95	0.21	36,36,36,37	0
2	HEM	A	801	43/43	0.98	0.08	11,14,16,17	0
5	OXY	B	804	2/2	0.98	0.10	25,25,25,28	0
3	NA	A	802	1/1	0.99	0.06	14,14,14,14	0
3	NA	B	802	1/1	0.99	0.04	14,14,14,14	0
4	CL	A	803	1/1	0.99	0.04	26,26,26,26	0
4	CL	B	803	1/1	0.99	0.05	26,26,26,26	0
2	HEM	B	801	43/43	0.99	0.09	10,11,13,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.