



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2024 – 09:58 AM EDT

PDB ID : 5SVM
Title : Crystal structure of the ATP-gated human P2X3 ion channel bound to agonist 2-methylthio-ATP in the desensitized state
Authors : Mansoor, S.E.; Lu, W.; Oosterheert, W.; Shekhar, M.; Tajkhorshid, E.; Gouaux, E.
Deposited on : 2016-08-06
Resolution : 3.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1351 (3.10-3.10)
Clashscore	180529	1454 (3.10-3.10)
Ramachandran outliers	177936	1391 (3.10-3.10)
Sidechain outliers	177891	1391 (3.10-3.10)
RSRZ outliers	164620	1351 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	 5% 63% 26% 11%
1	B	363	 7% 59% 29% 12%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 5262 atoms, of which 134 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P2X purinoceptor 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	323	2499	1607	416	458	18	0	0	0
1	B	320	2429	1562	397	452	18	0	0	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	GLY	-	expression tag	UNP P56373
A	3	SER	-	expression tag	UNP P56373
A	4	ARG	-	expression tag	UNP P56373
A	5	ALA	-	expression tag	UNP P56373
B	2	GLY	-	expression tag	UNP P56373
B	3	SER	-	expression tag	UNP P56373
B	4	ARG	-	expression tag	UNP P56373
B	5	ALA	-	expression tag	UNP P56373

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
2	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
2	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
2	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
2	B	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
2	B	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
2	B	1	Total	C	H	N	O	0	0
			28	8	14	1	5		

- Molecule 3 is 2-(methylsulfonyl)adenosine 5'-(tetrahydrogen triphosphate) (three-letter code: 6AT) (formula: $C_{11}H_{18}N_5O_{13}P_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
5	A	1	20	4	12	1	3	0	0

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
6	A	1	10	2	6	2	0	0
6	B	1	10	2	6	2	0	0

- Molecule 7 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: P2X purinoceptor 3



- Molecule 1: P2X purinoceptor 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	172.64Å 172.64Å 172.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.88 – 3.09 47.88 – 3.09	Depositor EDS
% Data completeness (in resolution range)	76.9 (47.88-3.09) 96.2 (47.88-3.09)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 3.07Å)	Xtrriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.203 , 0.228 0.206 , 0.222	Depositor DCC
R_{free} test set	1520 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	91.9	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.035 for l,-k,h	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5262	wwPDB-VP
Average B, all atoms (Å ²)	98.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 6AT, TRS, NAG, ATP, EDO, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/2555	0.46	0/3467
1	B	0.26	0/2485	0.46	0/3381
All	All	0.26	0/5040	0.46	0/6848

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2499	0	2465	81	1
1	B	2429	0	2333	85	2
2	A	42	42	39	2	0
2	B	42	42	39	2	0
3	A	33	14	16	4	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	8	12	12	2	0
6	A	4	6	6	0	0
6	B	4	6	6	1	0
7	B	31	12	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A	19	0	0	1	1
8	B	15	0	0	0	1
All	All	5128	134	4928	170	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:404:6AT:C4'	3:A:404:6AT:O4'	1.64	1.21
1:B:127:LEU:HD22	1:B:128:PRO:HD2	1.35	1.05
1:A:26:ILE:HD11	1:A:343:LEU:HD21	1.50	0.92
1:B:31:GLN:HG2	1:B:336:THR:HG22	1.51	0.90
1:A:319:ILE:HB	1:A:320:PRO:HD3	1.60	0.82
1:A:34:ILE:HG22	1:A:332:VAL:HG12	1.61	0.82
1:B:34:ILE:HG22	1:B:332:VAL:HG12	1.63	0.81
1:A:109:GLU:HG2	1:A:114:TYR:CG	2.17	0.80
1:A:35:ILE:HD13	1:A:332:VAL:HG11	1.64	0.79
1:B:281:ARG:NH1	1:B:299:LYS:HD2	1.98	0.79
1:B:319:ILE:HB	1:B:320:PRO:HD3	1.66	0.78
1:B:127:LEU:CD2	1:B:128:PRO:HD2	2.16	0.75
1:A:184:PHE:CD2	1:A:249:LEU:HD12	2.22	0.75
1:B:51:VAL:HG13	1:B:320:PRO:HG2	1.69	0.74
1:B:35:ILE:HD13	1:B:332:VAL:HG11	1.69	0.73
1:B:156:GLU:OE2	1:B:281:ARG:NH1	2.22	0.73
1:A:26:ILE:HD11	1:A:343:LEU:CD2	2.19	0.72
1:A:95:LYS:HB3	1:A:301:PHE:HB2	1.71	0.71
1:A:304:ARG:NH2	8:A:501:HOH:O	2.24	0.71
1:B:95:LYS:HB3	1:B:301:PHE:HB2	1.73	0.70
1:B:252:ALA:HB3	1:B:255:GLN:HG2	1.72	0.70
1:A:51:VAL:HG13	1:A:320:PRO:HG2	1.76	0.68
1:B:115:ARG:HA	1:B:146:THR:HG22	1.76	0.67
1:B:98:VAL:HG22	1:B:298:LEU:HD23	1.77	0.66
1:B:50:GLN:NE2	1:B:250:ASP:OD2	2.24	0.65
1:A:184:PHE:HD2	1:A:249:LEU:HD12	1.61	0.64
1:A:51:VAL:CG1	1:A:320:PRO:HG2	2.28	0.63
1:A:138:VAL:HG23	1:A:148:GLU:HB2	1.81	0.62
1:B:127:LEU:HD13	1:B:128:PRO:CD	2.28	0.62
1:A:34:ILE:HD13	1:A:335:GLY:HA3	1.81	0.62
1:A:281:ARG:NH1	1:A:299:LYS:HD2	2.15	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:ARG:HD3	1:B:220:ASP:OD1	2.00	0.61
2:B:403:NAG:O7	2:B:403:NAG:O3	2.17	0.60
1:A:218:VAL:O	1:A:222:VAL:HG23	2.01	0.60
1:B:34:ILE:CG2	1:B:332:VAL:HA	2.31	0.60
1:A:99:THR:HB	1:A:297:LEU:HB3	1.83	0.60
1:A:109:GLU:HG2	1:A:114:TYR:CD1	2.37	0.60
1:B:110:SER:OG	1:B:157:VAL:HG22	2.02	0.59
1:A:31:GLN:HG2	1:A:336:THR:HG22	1.85	0.59
1:A:98:VAL:HG22	1:A:298:LEU:HD23	1.85	0.59
1:B:127:LEU:HD13	1:B:128:PRO:N	2.18	0.59
1:A:35:ILE:HD13	1:A:332:VAL:CG1	2.31	0.58
1:A:51:VAL:HG22	1:A:315:LYS:O	2.02	0.58
1:B:114:TYR:OH	1:B:128:PRO:O	2.21	0.58
1:B:212:PHE:HZ	1:B:257:ILE:HD12	1.68	0.58
1:B:184:PHE:CD2	1:B:249:LEU:HD12	2.38	0.58
1:B:283:ALA:HB3	1:B:285:TYR:CE1	2.39	0.58
1:A:26:ILE:CD1	1:A:343:LEU:HD21	2.32	0.57
1:A:77:VAL:HG23	1:A:81:VAL:HG21	1.86	0.57
1:A:139:ASN:ND2	1:A:145:ARG:HG2	2.20	0.57
1:A:281:ARG:NH2	3:A:404:6AT:OAH	2.36	0.57
1:B:34:ILE:HD13	1:B:335:GLY:HA3	1.87	0.57
1:B:35:ILE:HD13	1:B:332:VAL:CG1	2.34	0.56
1:A:179:ILE:HG13	1:A:188:LYS:O	2.05	0.56
1:B:192:LEU:HD11	1:B:212:PHE:CD1	2.40	0.56
1:B:278:TYR:HA	6:B:406:EDO:H11	1.87	0.56
1:B:34:ILE:HG21	1:B:332:VAL:HA	1.85	0.56
1:A:34:ILE:HG21	1:A:332:VAL:HA	1.88	0.56
1:A:26:ILE:HD11	1:A:343:LEU:HD11	1.87	0.55
1:B:188:LYS:HE2	1:B:256:CYS:O	2.06	0.54
1:B:80:TYR:CE1	1:B:81:VAL:HG23	2.43	0.53
1:B:50:GLN:HG2	1:B:315:LYS:N	2.23	0.53
1:B:70:TYR:HB2	1:B:165:MET:HE3	1.90	0.53
1:B:317:ASN:O	1:B:320:PRO:HD2	2.09	0.53
1:A:50:GLN:HG2	1:A:315:LYS:N	2.23	0.53
1:A:114:TYR:OH	1:A:128:PRO:O	2.27	0.53
1:A:188:LYS:HG3	1:A:253:TRP:CZ2	2.44	0.53
1:B:99:THR:HB	1:B:297:LEU:HB3	1.91	0.52
1:B:109:GLU:HG2	1:B:114:TYR:CD1	2.44	0.52
1:A:330:THR:O	1:A:334:VAL:HG23	2.08	0.52
1:A:185:ASN:O	1:A:185:ASN:ND2	2.42	0.52
1:A:156:GLU:OE2	1:A:281:ARG:NH1	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:MET:HG3	1:A:165:MET:CE	2.40	0.52
1:A:51:VAL:HG13	1:A:317:ASN:HB3	1.92	0.52
1:B:184:PHE:HD2	1:B:249:LEU:HD12	1.75	0.51
1:B:80:TYR:CD1	1:B:81:VAL:HG23	2.46	0.51
1:A:26:ILE:CD1	1:A:343:LEU:HD11	2.40	0.51
1:B:330:THR:O	1:B:334:VAL:HG23	2.11	0.51
1:B:252:ALA:O	1:B:255:GLN:HB2	2.11	0.51
1:B:164:ILE:HD11	1:B:166:MET:SD	2.51	0.50
1:A:127:LEU:HD13	5:A:406:TRS:N	2.27	0.50
1:B:39:VAL:O	1:B:44:LEU:HG	2.11	0.50
1:A:80:TYR:O	1:A:93:ILE:HG13	2.12	0.50
1:A:127:LEU:HB3	1:A:128:PRO:HD2	1.94	0.50
1:B:75:MET:HG3	1:B:165:MET:CE	2.42	0.50
1:A:217:ARG:HD3	1:A:220:ASP:OD1	2.12	0.50
1:B:177:ASN:H	1:B:190:ASN:HD22	1.59	0.49
1:B:281:ARG:NH2	7:B:401:ATP:O3G	2.45	0.49
1:B:51:VAL:CG1	1:B:320:PRO:HG2	2.41	0.49
1:A:272:SER:OG	1:A:274:VAL:HG12	2.12	0.49
1:A:339:CYS:O	1:A:343:LEU:HG	2.12	0.49
1:B:179:ILE:HG12	1:B:245:TRP:CD2	2.48	0.49
1:A:39:VAL:O	1:A:44:LEU:HG	2.13	0.49
1:A:75:MET:HG3	1:A:165:MET:HE2	1.94	0.48
1:A:333:GLY:O	1:A:337:VAL:HG23	2.13	0.48
1:B:180:ARG:HB2	1:B:187:GLU:HG2	1.94	0.48
1:B:114:TYR:OH	1:B:129:GLY:HA2	2.14	0.48
1:B:328:ALA:O	1:B:332:VAL:HG22	2.13	0.48
1:A:62:THR:HA	1:A:174:PHE:O	2.13	0.48
1:A:97:ILE:HB	1:A:299:LYS:HB3	1.95	0.48
1:B:333:GLY:O	1:B:337:VAL:HG23	2.14	0.48
1:A:47:LYS:HA	1:A:49:TYR:CE1	2.49	0.48
1:A:188:LYS:NZ	1:A:256:CYS:O	2.37	0.47
1:B:83:PRO:HB2	1:B:85:GLN:OE1	2.13	0.47
1:B:185:ASN:O	1:B:185:ASN:ND2	2.47	0.47
1:A:180:ARG:HA	1:A:186:PHE:O	2.13	0.47
1:A:34:ILE:CG2	1:A:332:VAL:HA	2.44	0.47
1:B:179:ILE:HG21	1:B:245:TRP:CD1	2.49	0.47
1:A:26:ILE:O	1:A:30:VAL:HG23	2.15	0.47
1:A:117:VAL:HG12	1:A:121:GLN:OE1	2.14	0.47
1:A:127:LEU:HD13	5:A:406:TRS:HN3	1.79	0.47
1:A:138:VAL:HG12	1:A:139:ASN:N	2.31	0.46
1:B:35:ILE:O	1:B:39:VAL:HB	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:GLY:HA3	1:B:171:PHE:CD1	2.51	0.46
1:B:191:LEU:HD22	1:B:195:LEU:CD2	2.46	0.46
1:A:26:ILE:HD11	1:A:343:LEU:CD1	2.46	0.46
1:B:252:ALA:HB1	1:B:254:ASP:OD1	2.16	0.46
1:B:90:PHE:HZ	1:B:173:ILE:HD13	1.80	0.46
1:B:190:ASN:OD1	1:B:260:TYR:OH	2.34	0.46
1:B:316:PHE:HE1	1:B:321:THR:HG1	1.54	0.45
1:A:244:GLY:HA3	1:A:310:TYR:CZ	2.51	0.45
1:A:248:ASP:OD1	1:A:250:ASP:HB2	2.16	0.45
1:B:221:VAL:HG13	1:B:262:PHE:CD2	2.52	0.45
1:A:179:ILE:HG21	1:A:245:TRP:CD1	2.51	0.45
1:B:337:VAL:O	1:B:341:ILE:HG12	2.17	0.45
1:B:70:TYR:HB2	1:B:165:MET:CE	2.47	0.45
1:B:179:ILE:HG12	1:B:245:TRP:CE2	2.52	0.45
1:B:322:ILE:O	1:B:326:VAL:HG23	2.18	0.44
1:A:275:SER:HB2	3:A:404:6AT:H5	1.99	0.44
1:B:232:LEU:HD11	1:B:237:GLY:HA3	1.98	0.44
1:B:26:ILE:HD12	1:B:26:ILE:C	2.38	0.44
1:B:197:ALA:O	1:B:201:LYS:HG3	2.17	0.44
1:A:328:ALA:O	1:A:332:VAL:HG22	2.17	0.44
1:B:117:VAL:HG12	1:B:121:GLN:OE1	2.18	0.44
1:B:245:TRP:CZ2	1:B:258:PRO:HB3	2.53	0.43
1:A:26:ILE:C	1:A:26:ILE:HD12	2.39	0.43
3:A:404:6AT:O4'	3:A:404:6AT:C5'	2.54	0.43
1:B:217:ARG:HB3	1:B:220:ASP:CG	2.39	0.43
1:B:242:LYS:HA	1:B:308:LEU:O	2.18	0.43
1:B:218:VAL:O	1:B:222:VAL:HG23	2.18	0.43
1:A:80:TYR:CE1	1:A:81:VAL:HG23	2.55	0.42
1:A:319:ILE:HB	1:A:320:PRO:CD	2.41	0.42
1:A:232:LEU:HD11	1:A:237:GLY:HA3	2.00	0.42
1:B:268:VAL:O	1:B:272:SER:N	2.52	0.42
1:A:257:ILE:C	1:A:257:ILE:HD12	2.39	0.42
1:B:153:CYS:HA	1:B:154:PRO:C	2.38	0.42
1:A:195:LEU:HD12	1:A:199:ASP:HB2	2.00	0.42
1:B:39:VAL:O	1:B:39:VAL:HG12	2.20	0.42
1:B:316:PHE:C	1:B:316:PHE:CD1	2.93	0.42
1:B:180:ARG:NH1	1:B:185:ASN:HA	2.34	0.42
1:B:134:THR:OG1	1:B:148:GLU:HB3	2.20	0.42
1:A:192:LEU:HD21	1:A:212:PHE:CE1	2.55	0.42
1:A:132:ILE:O	1:A:149:ILE:HA	2.20	0.41
1:B:212:PHE:CZ	1:B:257:ILE:HD12	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:212:PHE:HE1	1:B:257:ILE:HB	1.85	0.41
1:A:139:ASN:CG	1:A:145:ARG:HG2	2.40	0.41
1:A:254:ASP:HB3	2:A:402:NAG:O6	2.20	0.41
1:B:51:VAL:HG22	1:B:315:LYS:O	2.21	0.41
1:A:39:VAL:O	1:A:39:VAL:HG12	2.20	0.41
1:A:322:ILE:O	1:A:326:VAL:HG23	2.21	0.41
1:A:161:GLU:OE2	1:A:234:ARG:NE	2.51	0.41
1:A:192:LEU:HD13	2:A:402:NAG:H5	2.03	0.41
2:B:403:NAG:HO3	2:B:403:NAG:C7	2.25	0.41
1:B:62:THR:HA	1:B:174:PHE:O	2.21	0.40
1:A:195:LEU:HD21	1:A:200:MET:SD	2.61	0.40
1:A:83:PRO:HB2	1:A:85:GLN:OE1	2.22	0.40
1:A:89:VAL:HA	1:A:305:PHE:O	2.21	0.40
1:A:200:MET:HE3	1:A:215:ILE:HD11	2.04	0.40
1:B:46:GLU:HA	1:B:46:GLU:OE1	2.22	0.40
1:B:80:TYR:O	1:B:93:ILE:HG13	2.22	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:503:HOH:O	8:B:510:HOH:O[9_555]	1.96	0.24
1:A:200:MET:O	1:B:198:ARG:NH2[6_555]	2.04	0.16
1:B:79:ASP:OD1	1:B:285:TYR:OH[12_554]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/363 (88%)	316 (98%)	5 (2%)	0	100	100
1	B	318/363 (88%)	311 (98%)	7 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	639/726 (88%)	627 (98%)	12 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	274/318 (86%)	273 (100%)	1 (0%)	89	94
1	B	260/318 (82%)	258 (99%)	2 (1%)	79	89
All	All	534/636 (84%)	531 (99%)	3 (1%)	84	91

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	261	SER
1	B	190	ASN
1	B	316	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	190	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	402	1	14,14,15	0.77	1 (7%)	17,19,21	1.36	1 (5%)
5	TRS	A	406	-	7,7,7	0.39	0	9,9,9	0.57	0
7	ATP	B	401	-	28,33,33	1.05	3 (10%)	34,52,52	1.18	2 (5%)
6	EDO	B	406	-	3,3,3	0.71	0	2,2,2	0.57	0
2	NAG	A	402	1	14,14,15	0.23	0	17,19,21	0.45	0
2	NAG	A	401	1	14,14,15	0.25	0	17,19,21	0.51	0
3	6AT	A	404	4	30,35,35	4.91	15 (50%)	38,55,55	1.69	3 (7%)
6	EDO	A	407	-	3,3,3	0.71	0	2,2,2	0.48	0
2	NAG	A	403	1	14,14,15	0.36	0	17,19,21	0.48	0
2	NAG	B	404	1	14,14,15	0.21	0	17,19,21	0.47	0
2	NAG	B	403	1	14,14,15	0.62	0	17,19,21	1.50	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	402	1	-	2/6/23/26	0/1/1/1
5	TRS	A	406	-	-	6/9/9/9	-
7	ATP	B	401	-	-	5/18/38/38	0/3/3/3
6	EDO	B	406	-	-	1/1/1/1	-
2	NAG	A	402	1	-	2/6/23/26	0/1/1/1
2	NAG	A	401	1	-	0/6/23/26	0/1/1/1
3	6AT	A	404	4	-	3/20/40/40	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	407	-	-	1/1/1/1	-
2	NAG	A	403	1	-	2/6/23/26	0/1/1/1
2	NAG	B	404	1	-	2/6/23/26	0/1/1/1
2	NAG	B	403	1	-	2/6/23/26	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	404	6AT	PBF-OAT	9.81	1.70	1.59
3	A	404	6AT	C4-N3	9.76	1.50	1.35
3	A	404	6AT	PBG-OAT	9.65	1.69	1.59
3	A	404	6AT	O4'-C4'	8.67	1.64	1.45
3	A	404	6AT	C2-N3	8.29	1.46	1.34
3	A	404	6AT	O4'-C1'	-7.76	1.30	1.40
3	A	404	6AT	C3'-C4'	-7.47	1.34	1.53
3	A	404	6AT	C2-N1	7.08	1.44	1.34
3	A	404	6AT	C2-S2	5.37	1.80	1.75
3	A	404	6AT	C6-N1	4.88	1.42	1.33
3	A	404	6AT	PBG-OAS	4.32	1.64	1.59
3	A	404	6AT	C6-N6	3.76	1.47	1.34
3	A	404	6AT	O2'-C2'	-3.63	1.34	1.43
3	A	404	6AT	C6-C5	3.22	1.55	1.43
3	A	404	6AT	O3'-C3'	2.92	1.50	1.43
2	B	402	NAG	O5-C1	2.78	1.48	1.43
7	B	401	ATP	PA-O3A	2.29	1.62	1.59
7	B	401	ATP	PB-O3A	2.09	1.61	1.59
7	B	401	ATP	C2-N3	2.05	1.35	1.32

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	404	6AT	CAA-S2-C2	7.79	108.09	102.25
2	B	402	NAG	C1-O5-C5	5.33	119.33	112.19
7	B	401	ATP	N3-C2-N1	-4.50	122.57	128.67
3	A	404	6AT	N3-C2-N1	-3.70	120.26	127.03
2	B	403	NAG	C8-C7-N2	3.43	121.81	116.12
2	B	403	NAG	C1-C2-N2	2.95	115.08	110.43
3	A	404	6AT	C2-N1-C6	2.62	119.67	116.74
7	B	401	ATP	C4-C5-N7	-2.18	107.03	109.34
2	B	403	NAG	O7-C7-N2	-2.07	118.33	121.98

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	404	6AT	PBG-OAS-PBE-OAI
2	A	403	NAG	O5-C5-C6-O6
2	B	402	NAG	O5-C5-C6-O6
2	A	403	NAG	C4-C5-C6-O6
2	A	402	NAG	O5-C5-C6-O6
2	B	402	NAG	C4-C5-C6-O6
2	B	404	NAG	O5-C5-C6-O6
5	A	406	TRS	C2-C-C1-O1
6	B	406	EDO	O1-C1-C2-O2
2	B	403	NAG	O5-C5-C6-O6
2	A	402	NAG	C4-C5-C6-O6
5	A	406	TRS	C3-C-C1-O1
5	A	406	TRS	C3-C-C2-O2
7	B	401	ATP	PB-O3B-PG-O1G
2	B	403	NAG	C3-C2-N2-C7
2	B	404	NAG	C4-C5-C6-O6
5	A	406	TRS	N-C-C1-O1
5	A	406	TRS	N-C-C2-O2
3	A	404	6AT	PBG-OAT-PBF-OAD
3	A	404	6AT	PBG-OAS-PBE-OAH
7	B	401	ATP	PB-O3B-PG-O2G
7	B	401	ATP	PB-O3B-PG-O3G
7	B	401	ATP	PB-O3A-PA-O1A
6	A	407	EDO	O1-C1-C2-O2
5	A	406	TRS	C1-C-C2-O2
7	B	401	ATP	PB-O3A-PA-O2A


There are no ring outliers.


6 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	406	TRS	2	0
7	B	401	ATP	1	0
6	B	406	EDO	1	0
2	A	402	NAG	2	0
3	A	404	6AT	4	0
2	B	403	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/363 (88%)	0.22	18 (5%) 31 19	58, 87, 148, 175	0
1	B	320/363 (88%)	0.34	26 (8%) 19 11	59, 91, 163, 186	0
All	All	643/726 (88%)	0.28	44 (6%) 25 14	58, 89, 157, 186	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	24	GLY	4.0
1	A	346	PHE	3.4
1	B	128	PRO	3.3
1	B	111	GLU	3.3
1	B	125	GLU	3.2
1	A	125	GLU	3.2
1	B	130	GLY	3.1
1	A	120	SER	3.1
1	B	26	ILE	3.1
1	B	127	LEU	3.0
1	B	139	ASN	2.9
1	A	339	CYS	2.9
1	A	344	LEU	2.8
1	A	33	LEU	2.7
1	B	159	THR	2.6
1	A	25	ILE	2.6
1	A	340	ASP	2.6
1	A	333	GLY	2.6
1	B	140	TYR	2.6
1	A	343	LEU	2.5
1	B	158	ASP	2.5
1	B	285	TYR	2.5
1	A	85	GLN	2.5
1	B	291	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	342	ILE	2.4
1	A	283	ALA	2.3
1	A	338	LEU	2.3
1	B	38	PHE	2.3
1	A	183	LEU	2.3
1	B	112	GLU	2.3
1	B	42	VAL	2.2
1	B	52	ARG	2.2
1	B	261	SER	2.2
1	B	72	ASN	2.2
1	B	39	VAL	2.2
1	B	32	LEU	2.1
1	B	329	PHE	2.1
1	A	253	TRP	2.1
1	B	41	TRP	2.1
1	A	277	GLY	2.1
1	A	181	PHE	2.1
1	B	145	ARG	2.1
1	B	292	SER	2.0
1	B	338	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	404	14/15	0.48	0.18	138,172,201,207	0
2	NAG	A	403	14/15	0.80	0.12	133,162,194,198	0
2	NAG	A	402	14/15	0.81	0.11	93,117,141,161	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	TRS	A	406	8/8	0.82	0.18	65,110,135,135	0
2	NAG	B	402	14/15	0.83	0.12	95,128,154,161	0
2	NAG	B	403	14/15	0.83	0.16	78,100,123,151	0
4	NA	A	405	1/1	0.84	0.21	100,100,100,100	0
4	NA	B	405	1/1	0.90	0.19	90,90,90,90	0
2	NAG	A	401	14/15	0.95	0.09	71,88,127,127	0
6	EDO	B	406	4/4	0.95	0.17	67,84,101,109	0
6	EDO	A	407	4/4	0.97	0.11	59,87,104,108	0
7	ATP	B	401	31/31	0.97	0.07	52,72,96,124	0
3	6AT	A	404	33/33	0.98	0.07	58,75,100,111	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.