



Full wwPDB EM Validation Report ⓘ

Oct 26, 2024 – 08:41 AM EDT

PDB ID : 5VFR
EMDB ID : EMD-8665
Title : Nucleotide-driven Triple-state Remodeling of the AAA-ATPase Channel in the Activated Human 26S Proteasome
Authors : Zhu, Y.; Wang, W.L.; Yu, D.; Ouyang, Q.; Lu, Y.; Mao, Y.
Deposited on : 2017-04-09
Resolution : 4.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	U	911	
2	V	480	
3	W	456	
4	X	380	
5	Y	378	
6	Z	286	
7	a	373	
8	b	191	
9	c	287	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	d	257	98% 99%
11	e	70	56% 54% 43%
12	G	240	77% 99%
12	g	240	78% 100%
13	H	232	84% 98%
13	h	232	79% 100%
14	I	250	76% 98%
14	i	250	84% 99%
15	J	243	76% 95%
15	j	243	76% 97%
16	K	234	63% 94%
16	k	234	62% 97%
17	L	238	60% 100%
17	l	238	67% 100%
18	M	245	69% 98%
18	m	245	74% 98%
19	N	191	61% 99%
19	n	191	55% 98%
20	O	220	69% 99%
20	o	220	66% 100%
21	P	204	63% 100%
21	p	204	63% 100%
22	Q	199	64% 99%
22	q	199	58% 97%
23	R	201	50% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
23	r	201	59% 100%
24	S	213	62% 100%
24	s	213	60% 100%
25	T	215	56% 100%
25	t	215	51% 100%
26	A	399	75% 82% 14%
27	B	389	84% 88% 10%
28	C	392	84% 86% 5% 7%
29	D	380	90% 95%
30	E	375	93% 99%
31	F	396	87% 91% 5%
32	f	908	76% 73% 24%

2 Entry composition [i](#)

There are 34 unique types of molecules in this entry. The entry contains 99908 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	U	806	6287	3990	1075	1178	44	0	0

- Molecule 2 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	V	472	3799	2413	675	697	14	0	0

- Molecule 3 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	W	456	3703	2339	635	704	25	0	0

- Molecule 4 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	X	241	1905	1212	320	365	8	0	0

- Molecule 5 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	Y	378	3115	1987	533	578	17	0	0

- Molecule 6 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	Z	286	2281	1457	392	427	5	0	0

- Molecule 7 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	a	373	2995	1911	510	559	15	0	0

- Molecule 8 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	b	191	1458	910	261	279	8	0	0

- Molecule 9 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	c	278	2187	1389	374	406	18	0	0

- Molecule 10 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	d	257	2116	1371	346	390	9	0	0

- Molecule 11 is a protein called Sem1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	e	40	334	200	55	77	2	0	0

- Molecule 12 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	G	239	1820	1157	304	346	13	0	0
12	g	240	1826	1160	305	348	13	0	0

- Molecule 13 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	H	230	1688	1070	284	329	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
13	h	232	Total	C	N	O	S	0	0
			1708	1081	289	333	5		

- Molecule 14 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	I	248	Total	C	N	O	S	0	0
			1895	1195	324	368	8		
14	i	250	Total	C	N	O	S	0	0
			1912	1204	329	371	8		

- Molecule 15 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	J	239	Total	C	N	O	S	0	0
			1704	1056	308	335	5		
15	j	239	Total	C	N	O	S	0	0
			1704	1056	308	335	5		

- Molecule 16 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	K	228	Total	C	N	O	S	0	0
			1729	1086	284	349	10		
16	k	228	Total	C	N	O	S	0	0
			1722	1080	284	348	10		

- Molecule 17 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	L	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		
17	l	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		

- Molecule 18 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	M	240	Total	C	N	O	S	0	0
			1856	1178	314	353	11		
18	m	240	Total	C	N	O	S	0	0
			1856	1178	314	353	11		

- Molecule 19 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	N	191	Total 1430	C 893	N 245	O 280	S 12	0	0
19	n	191	Total 1430	C 893	N 245	O 280	S 12	0	0

- Molecule 20 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	O	220	Total 1643	C 1033	N 280	O 318	S 12	0	0
20	o	220	Total 1643	C 1033	N 280	O 318	S 12	0	0

- Molecule 21 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	P	204	Total 1585	C 1010	N 262	O 294	S 19	0	0
21	p	204	Total 1585	C 1010	N 262	O 294	S 19	0	0

- Molecule 22 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	Q	199	Total 1570	C 1006	N 265	O 290	S 9	0	0
22	q	199	Total 1570	C 1006	N 265	O 290	S 9	0	0

- Molecule 23 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	R	201	Total 1548	C 974	N 273	O 292	S 9	0	0
23	r	201	Total 1548	C 974	N 273	O 292	S 9	0	0

- Molecule 24 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	S	213	Total	C	N	O	S	0	0
			1641	1036	282	313	10		
24	s	213	Total	C	N	O	S	0	0
			1641	1036	282	313	10		

- Molecule 25 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	T	215	Total	C	N	O	S	0	0
			1667	1052	285	318	12		
25	t	215	Total	C	N	O	S	0	0
			1667	1052	285	318	12		

- Molecule 26 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	A	342	Total	C	N	O	S	0	0
			2672	1684	475	497	16		

- Molecule 27 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	B	350	Total	C	N	O	S	0	0
			2706	1703	458	533	12		

- Molecule 28 is a protein called 26S proteasome regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	C	363	Total	C	N	O	S	0	0
			2859	1804	513	525	17		

- Molecule 29 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	D	380	Total	C	N	O	S	0	0
			3040	1923	524	580	13		

- Molecule 30 is a protein called 26S proteasome regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	E	375	Total	C	N	O	S	0	0
			2860	1796	512	536	16		

- Molecule 31 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	F	376	2859	1802	496	546	15	0	0


- Molecule 32 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	f	689	5319	3343	904	1037	35	0	0

- Molecule 33 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
33	c	1	1	1	0

- Molecule 34 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
34	A	1	31	10	5	12	3	1	0
34	B	1	31	10	5	12	3	1	0
34	D	1	31	10	5	12	3	1	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
34	F	1	31	10	5	12	3	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 26S proteasome non-ATPase regulatory subunit 1







● Molecule 2: 26S proteasome non-ATPase regulatory subunit 3




Chain V:






• Molecule 5: 26S proteasome non-ATPase regulatory subunit 6




• Molecule 6: 26S proteasome non-ATPase regulatory subunit 7






• Molecule 7: 26S proteasome non-ATPase regulatory subunit 13





• Molecule 8: 26S proteasome non-ATPase regulatory subunit 4








• Molecule 9: 26S proteasome non-ATPase regulatory subunit 14




• Molecule 10: 26S proteasome non-ATPase regulatory subunit 8














• Molecule 11: Sem1




• Molecule 12: Proteasome subunit alpha type-6





• Molecule 12: Proteasome subunit alpha type-6









• Molecule 13: Proteasome subunit alpha type-2




• Molecule 13: Proteasome subunit alpha type-2





• Molecule 14: Proteasome subunit alpha type-4








• Molecule 14: Proteasome subunit alpha type-4




• Molecule 15: Proteasome subunit alpha type-7




• Molecule 15: Proteasome subunit alpha type-7




• Molecule 16: Proteasome subunit alpha type-5




• Molecule 16: Proteasome subunit alpha type-5







• Molecule 17: Proteasome subunit alpha type-1




• Molecule 17: Proteasome subunit alpha type-1





• Molecule 18: Proteasome subunit alpha type-3






• Molecule 18: Proteasome subunit alpha type-3




• Molecule 19: Proteasome subunit beta type-6




• Molecule 19: Proteasome subunit beta type-6







• Molecule 20: Proteasome subunit beta type-7



• Molecule 20: Proteasome subunit beta type-7



• Molecule 21: Proteasome subunit beta type-3




• Molecule 21: Proteasome subunit beta type-3




• Molecule 22: Proteasome subunit beta type-2




• Molecule 22: Proteasome subunit beta type-2







• Molecule 23: Proteasome subunit beta type-5




• Molecule 23: Proteasome subunit beta type-5




• Molecule 24: Proteasome subunit beta type-1







• Molecule 24: Proteasome subunit beta type-1





• Molecule 25: Proteasome subunit beta type-4





• Molecule 25: Proteasome subunit beta type-4



• Molecule 26: 26S proteasome regulatory subunit 7





• Molecule 27: 26S proteasome regulatory subunit 4







• Molecule 28: 26S proteasome regulatory subunit 8




• Molecule 29: 26S proteasome regulatory subunit 6B







• Molecule 30: 26S proteasome regulatory subunit 10B





• Molecule 31: 26S proteasome regulatory subunit 6A





• Molecule 32: 26S proteasome non-ATPase regulatory subunit 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	33278	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.017	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.008	Depositor
Map size (Å)	420.0, 420.0, 420.0	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.75, 0.75, 0.75	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, AGS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	U	0.33	0/6396	0.66	7/8646 (0.1%)
2	V	0.35	0/3874	0.71	4/5234 (0.1%)
3	W	0.32	0/3751	0.71	3/5042 (0.1%)
4	X	0.31	0/1936	0.62	0/2614
5	Y	0.35	0/3173	0.70	3/4273 (0.1%)
6	Z	0.33	0/2324	0.77	7/3150 (0.2%)
7	a	0.32	0/3053	0.71	5/4133 (0.1%)
8	b	0.32	0/1478	0.69	0/2001
9	c	0.35	0/2226	0.75	2/3007 (0.1%)
10	d	0.33	0/2162	0.71	1/2919 (0.0%)
11	e	0.37	0/338	0.84	1/450 (0.2%)
12	G	0.35	0/1853	0.65	0/2515
12	g	0.34	0/1859	0.61	0/2523
13	H	0.35	0/1723	0.62	2/2346 (0.1%)
13	h	0.34	0/1743	0.60	1/2372 (0.0%)
14	I	0.35	0/1925	0.72	1/2606 (0.0%)
14	i	0.34	0/1942	0.67	0/2628
15	J	0.39	0/1728	0.75	2/2358 (0.1%)
15	j	0.41	1/1728 (0.1%)	0.69	0/2358
16	K	0.34	0/1755	0.69	5/2375 (0.2%)
16	k	0.33	0/1747	0.60	0/2364
17	L	0.36	0/1885	0.63	0/2552
17	l	0.34	0/1885	0.63	0/2552
18	M	0.36	0/1891	0.61	1/2552 (0.0%)
18	m	0.35	0/1891	0.59	0/2552
19	N	0.34	0/1454	0.60	0/1967
19	n	0.36	0/1454	0.62	0/1967
20	O	0.34	0/1670	0.59	0/2265
20	o	0.35	0/1670	0.66	1/2265 (0.0%)
21	P	0.33	0/1614	0.56	0/2177
21	p	0.34	0/1614	0.57	0/2177
22	Q	0.40	0/1603	0.70	0/2174

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
22	q	0.40	0/1603	0.72	1/2174 (0.0%)
23	R	0.36	0/1579	0.56	0/2134
23	r	0.34	0/1579	0.55	0/2134
24	S	0.35	0/1671	0.59	0/2253
24	s	0.35	0/1671	0.59	0/2253
25	T	0.35	0/1700	0.57	0/2305
25	t	0.34	0/1700	0.57	0/2305
26	A	0.34	0/2717	0.68	2/3665 (0.1%)
27	B	0.31	0/2745	0.67	1/3709 (0.0%)
28	C	0.34	0/2896	0.79	4/3895 (0.1%)
29	D	0.39	0/3090	0.77	3/4168 (0.1%)
30	E	0.31	0/2904	0.60	0/3924
31	F	0.33	0/2897	0.66	3/3912 (0.1%)
32	f	0.31	0/5393	0.68	1/7271 (0.0%)
All	All	0.34	1/101490 (0.0%)	0.67	61/137216 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	U	0	2
2	V	0	1
3	W	0	1
5	Y	0	1
6	Z	0	5
8	b	0	1
9	c	0	5
15	J	0	2
15	j	0	1
16	K	0	3
16	k	0	1
20	O	0	1
26	A	0	3
27	B	0	1
28	C	0	10
29	D	0	8
31	F	0	5
All	All	0	51

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	j	21	TYR	CD2-CE2	-5.53	1.31	1.39

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	B	320	ASP	CB-CG-OD1	9.52	126.87	118.30
22	q	140	LEU	CA-CB-CG	8.52	134.90	115.30
9	c	278	GLN	C-N-CA	8.51	142.97	121.70
6	Z	176	LEU	CA-CB-CG	8.23	134.23	115.30
6	Z	251	LEU	CA-CB-CG	7.49	132.53	115.30
11	e	56	LEU	CA-CB-CG	7.17	131.78	115.30
16	K	21	LEU	C-N-CA	7.14	139.56	121.70
6	Z	121	LEU	CA-CB-CG	6.86	131.08	115.30
5	Y	287	LEU	CA-CB-CG	6.86	131.08	115.30
2	V	170	LEU	CA-CB-CG	6.82	130.97	115.30
18	M	6	GLY	C-N-CA	6.77	138.63	121.70
15	J	2	SER	C-N-CA	6.68	138.40	121.70
1	U	24	LEU	CA-CB-CG	6.64	130.58	115.30
15	J	5	ARG	NE-CZ-NH2	-6.62	116.99	120.30
26	A	157	ILE	C-N-CA	6.38	137.64	121.70
2	V	332	LEU	CA-CB-CG	6.29	129.77	115.30
13	H	110	LEU	CA-CB-CG	6.28	129.74	115.30
2	V	357	LEU	CA-CB-CG	6.16	129.47	115.30
1	U	471	ASP	CB-CG-OD1	5.98	123.68	118.30
16	K	8	TYR	C-N-CA	5.96	136.60	121.70
1	U	224	ASP	CB-CG-OD1	5.93	123.64	118.30
7	a	187	ASP	CB-CG-OD1	5.92	123.63	118.30
5	Y	88	LEU	CA-CB-CG	5.86	128.79	115.30
31	F	436	GLN	C-N-CA	5.83	136.28	121.70
29	D	414	HIS	N-CA-C	5.82	126.71	111.00
7	a	8	LEU	CA-CB-CG	5.81	128.66	115.30
3	W	305	LEU	CA-CB-CG	5.77	128.58	115.30
16	K	33	LEU	CB-CG-CD1	5.77	120.80	111.00
1	U	884	VAL	C-N-CA	5.63	135.77	121.70
28	C	396	GLU	CA-CB-CG	5.61	125.75	113.40
32	f	493	ASN	N-CA-C	-5.58	95.94	111.00
10	d	55	LEU	CA-CB-CG	-5.57	102.50	115.30
13	H	7	SER	C-N-CA	5.55	135.59	121.70
7	a	188	LEU	CA-CB-CG	5.54	128.05	115.30
31	F	198	LEU	CA-CB-CG	5.53	128.02	115.30
3	W	308	LEU	CA-CB-CG	5.52	128.00	115.30
6	Z	21	ASP	CB-CG-OD1	5.50	123.25	118.30
7	a	128	LEU	CA-CB-CG	5.47	127.88	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	D	327	LEU	CA-CB-CG	5.41	127.74	115.30
26	A	153	LEU	N-CA-C	-5.39	96.44	111.00
13	h	110	LEU	CA-CB-CG	5.39	127.70	115.30
6	Z	251	LEU	CB-CG-CD1	-5.37	101.88	111.00
5	Y	250	LEU	CA-CB-CG	5.32	127.53	115.30
28	C	188	LEU	CA-CB-CG	5.31	127.52	115.30
6	Z	257	MET	CA-CB-CG	5.29	122.30	113.30
28	C	286	THR	C-N-CA	5.29	134.93	121.70
1	U	656	LEU	CA-CB-CG	5.28	127.45	115.30
16	K	19	GLY	C-N-CA	5.25	134.82	121.70
6	Z	48	LEU	CA-CB-CG	5.24	127.34	115.30
1	U	764	LEU	CA-CB-CG	5.24	127.34	115.30
2	V	98	LEU	CA-CB-CG	5.23	127.33	115.30
14	I	11	ILE	CG1-CB-CG2	-5.22	99.91	111.40
7	a	180	LEU	CA-CB-CG	5.21	127.29	115.30
1	U	411	ILE	CG1-CB-CG2	-5.17	100.01	111.40
31	F	437	TYR	CB-CA-C	-5.16	100.07	110.40
29	D	317	LEU	C-N-CA	5.16	134.60	121.70
20	o	113	ILE	C-N-CA	5.10	134.46	121.70
28	C	401	ILE	N-CA-C	5.09	124.74	111.00
3	W	128	LEU	CA-CB-CG	5.04	126.90	115.30
9	c	58	LEU	CA-CB-CG	5.04	126.88	115.30
16	K	20	ARG	N-CA-CB	5.03	119.66	110.60

There are no chirality outliers.

All (51) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	A	157	ILE	Peptide
26	A	233	THR	Peptide
26	A	311	PRO	Peptide
27	B	278	ALA	Peptide
28	C	129	ASN	Peptide
28	C	132	ASP	Peptide
28	C	230	MET	Peptide
28	C	288	ASN	Peptide
28	C	358	GLU	Peptide
28	C	397	LYS	Peptide
28	C	400	SER	Peptide
28	C	88	LYS	Peptide
28	C	89	VAL	Peptide
28	C	90	HIS	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
29	D	318	ASP	Peptide
29	D	354	LEU	Peptide
29	D	355	SER	Peptide
29	D	370	ILE	Peptide
29	D	371	SER	Peptide
29	D	413	GLU	Peptide
29	D	417	TYR	Peptide
29	D	84	SER	Peptide
31	F	343	LEU	Peptide
31	F	425	LEU	Peptide
31	F	426	GLU	Peptide
31	F	86	LEU	Peptide
31	F	87	PRO	Peptide
15	J	184	ASP	Mainchain
15	J	5	ARG	Peptide
16	K	121	LEU	Peptide
16	K	19	GLY	Peptide
16	K	22	PHE	Peptide
20	O	200	GLY	Peptide
1	U	432	SER	Peptide
1	U	598	ALA	Peptide
2	V	194	LYS	Peptide
3	W	313	GLU	Peptide
5	Y	373	GLY	Peptide
6	Z	143	GLU	Peptide
6	Z	158	VAL	Peptide
6	Z	166	GLU	Peptide
6	Z	219	LYS	Peptide
6	Z	224	HIS	Peptide
8	b	101	GLN	Peptide
9	c	150	SER	Peptide
9	c	155	VAL	Peptide
9	c	272	ILE	Peptide
9	c	278	GLN	Peptide
9	c	33	ILE	Peptide
15	j	180	ALA	Peptide
16	k	11	GLY	Peptide

5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	U	798/911 (88%)	735 (92%)	63 (8%)	0	100	100
2	V	470/480 (98%)	400 (85%)	68 (14%)	2 (0%)	30	68
3	W	454/456 (100%)	394 (87%)	58 (13%)	2 (0%)	30	68
4	X	239/380 (63%)	222 (93%)	16 (7%)	1 (0%)	30	68
5	Y	376/378 (100%)	336 (89%)	40 (11%)	0	100	100
6	Z	284/286 (99%)	240 (84%)	39 (14%)	5 (2%)	7	34
7	a	371/373 (100%)	339 (91%)	31 (8%)	1 (0%)	37	72
8	b	189/191 (99%)	160 (85%)	29 (15%)	0	100	100
9	c	274/287 (96%)	237 (86%)	33 (12%)	4 (2%)	8	39
10	d	255/257 (99%)	219 (86%)	34 (13%)	2 (1%)	16	54
11	e	36/70 (51%)	26 (72%)	9 (25%)	1 (3%)	4	24
12	G	237/240 (99%)	215 (91%)	22 (9%)	0	100	100
12	g	238/240 (99%)	220 (92%)	18 (8%)	0	100	100
13	H	228/232 (98%)	210 (92%)	18 (8%)	0	100	100
13	h	230/232 (99%)	219 (95%)	11 (5%)	0	100	100
14	I	246/250 (98%)	222 (90%)	23 (9%)	1 (0%)	30	68
14	i	248/250 (99%)	218 (88%)	29 (12%)	1 (0%)	30	68
15	J	237/243 (98%)	222 (94%)	12 (5%)	3 (1%)	10	42
15	j	237/243 (98%)	220 (93%)	15 (6%)	2 (1%)	16	54
16	K	224/234 (96%)	205 (92%)	18 (8%)	1 (0%)	30	68
16	k	224/234 (96%)	203 (91%)	20 (9%)	1 (0%)	30	68
17	L	236/238 (99%)	221 (94%)	15 (6%)	0	100	100
17	l	236/238 (99%)	221 (94%)	15 (6%)	0	100	100
18	M	238/245 (97%)	216 (91%)	22 (9%)	0	100	100
18	m	238/245 (97%)	219 (92%)	19 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	N	189/191 (99%)	179 (95%)	9 (5%)	1 (0%)	25	64
19	n	189/191 (99%)	179 (95%)	7 (4%)	3 (2%)	8	37
20	O	218/220 (99%)	204 (94%)	14 (6%)	0	100	100
20	o	218/220 (99%)	209 (96%)	9 (4%)	0	100	100
21	P	202/204 (99%)	190 (94%)	12 (6%)	0	100	100
21	p	202/204 (99%)	190 (94%)	12 (6%)	0	100	100
22	Q	197/199 (99%)	181 (92%)	15 (8%)	1 (0%)	25	64
22	q	197/199 (99%)	179 (91%)	16 (8%)	2 (1%)	13	48
23	R	199/201 (99%)	190 (96%)	9 (4%)	0	100	100
23	r	199/201 (99%)	190 (96%)	9 (4%)	0	100	100
24	S	211/213 (99%)	198 (94%)	13 (6%)	0	100	100
24	s	211/213 (99%)	198 (94%)	13 (6%)	0	100	100
25	T	213/215 (99%)	203 (95%)	10 (5%)	0	100	100
25	t	213/215 (99%)	203 (95%)	10 (5%)	0	100	100
26	A	338/399 (85%)	269 (80%)	64 (19%)	5 (2%)	8	39
27	B	348/389 (90%)	300 (86%)	46 (13%)	2 (1%)	22	59
28	C	359/392 (92%)	290 (81%)	59 (16%)	10 (3%)	4	24
29	D	378/380 (100%)	298 (79%)	74 (20%)	6 (2%)	8	37
30	E	373/375 (100%)	343 (92%)	29 (8%)	1 (0%)	37	72
31	F	372/396 (94%)	334 (90%)	33 (9%)	5 (1%)	10	42
32	f	669/908 (74%)	579 (86%)	82 (12%)	8 (1%)	11	44
All	All	12738/13558 (94%)	11445 (90%)	1222 (10%)	71 (1%)	24	59

All (71) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	W	424	LEU
9	c	279	ASP
11	e	60	LEU
15	J	184	ASP
16	K	10	ARG
19	n	91	ARG
19	n	92	GLU
28	C	89	VAL
28	C	231	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	C	232	ARG
28	C	289	ILE
28	C	298	ILE
31	F	427	VAL
32	f	337	LEU
32	f	364	GLN
32	f	367	SER
32	f	665	GLU
3	W	314	LEU
6	Z	167	ALA
6	Z	168	GLU
9	c	273	LYS
10	d	235	THR
15	J	176	TYR
16	k	11	GLY
26	A	431	THR
27	B	430	LYS
28	C	216	GLY
29	D	408	LYS
29	D	411	GLU
32	f	183	PRO
32	f	365	VAL
9	c	149	GLN
15	J	3	TYR
22	q	2	GLU
26	A	428	ARG
27	B	180	PRO
28	C	288	ASN
32	f	184	LEU
32	f	326	LEU
4	X	203	PRO
6	Z	224	HIS
7	a	338	PRO
19	N	19	ARG
22	Q	72	GLY
19	n	19	ARG
22	q	72	GLY
28	C	401	ILE
29	D	371	SER
29	D	413	GLU
31	F	358	ASN
31	F	436	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	V	299	GLN
28	C	91	PRO
28	C	290	LYS
6	Z	99	PRO
6	Z	134	PRO
9	c	187	PRO
14	I	7	SER
15	j	9	VAL
15	j	181	ILE
29	D	407	ILE
31	F	88	TYR
26	A	157	ILE
26	A	427	PRO
10	d	159	PRO
14	i	221	GLY
29	D	372	GLY
30	E	117	PRO
2	V	277	PRO
26	A	109	PRO
31	F	87	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	U	685/779 (88%)	681 (99%)	4 (1%)	84	88
2	V	409/414 (99%)	407 (100%)	2 (0%)	86	89
3	W	416/416 (100%)	414 (100%)	2 (0%)	86	89
4	X	208/327 (64%)	208 (100%)	0	100	100
5	Y	334/334 (100%)	333 (100%)	1 (0%)	91	92
6	Z	257/257 (100%)	254 (99%)	3 (1%)	67	79
7	a	333/333 (100%)	332 (100%)	1 (0%)	91	92
8	b	167/167 (100%)	167 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	c	243/252 (96%)	241 (99%)	2 (1%)	79	85
10	d	231/231 (100%)	231 (100%)	0	100	100
11	e	38/63 (60%)	38 (100%)	0	100	100
12	G	192/205 (94%)	191 (100%)	1 (0%)	86	89
12	g	193/205 (94%)	193 (100%)	0	100	100
13	H	162/190 (85%)	162 (100%)	0	100	100
13	h	164/190 (86%)	164 (100%)	0	100	100
14	I	191/210 (91%)	191 (100%)	0	100	100
14	i	193/210 (92%)	192 (100%)	1 (0%)	86	89
15	J	152/207 (73%)	147 (97%)	5 (3%)	33	53
15	j	152/207 (73%)	152 (100%)	0	100	100
16	K	187/196 (95%)	187 (100%)	0	100	100
16	k	186/196 (95%)	186 (100%)	0	100	100
17	L	198/204 (97%)	198 (100%)	0	100	100
17	l	198/204 (97%)	198 (100%)	0	100	100
18	M	192/202 (95%)	192 (100%)	0	100	100
18	m	192/202 (95%)	192 (100%)	0	100	100
19	N	148/148 (100%)	148 (100%)	0	100	100
19	n	148/148 (100%)	148 (100%)	0	100	100
20	O	177/181 (98%)	176 (99%)	1 (1%)	84	88
20	o	177/181 (98%)	177 (100%)	0	100	100
21	P	172/173 (99%)	171 (99%)	1 (1%)	84	88
21	p	172/173 (99%)	171 (99%)	1 (1%)	84	88
22	Q	164/170 (96%)	163 (99%)	1 (1%)	84	88
22	q	164/170 (96%)	160 (98%)	4 (2%)	44	63
23	R	153/156 (98%)	152 (99%)	1 (1%)	81	87
23	r	153/156 (98%)	153 (100%)	0	100	100
24	S	174/178 (98%)	174 (100%)	0	100	100
24	s	174/178 (98%)	173 (99%)	1 (1%)	84	88
25	T	175/178 (98%)	174 (99%)	1 (1%)	84	88
25	t	175/178 (98%)	174 (99%)	1 (1%)	84	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
26	A	286/343 (83%)	281 (98%)	5 (2%)	56	72
27	B	300/345 (87%)	296 (99%)	4 (1%)	65	77
28	C	315/340 (93%)	310 (98%)	5 (2%)	58	74
29	D	333/333 (100%)	328 (98%)	5 (2%)	60	75
30	E	298/329 (91%)	294 (99%)	4 (1%)	65	77
31	F	296/340 (87%)	291 (98%)	5 (2%)	56	72
32	f	580/763 (76%)	559 (96%)	21 (4%)	30	51
All	All	10607/11562 (92%)	10524 (99%)	83 (1%)	77	85

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	U	361	ARG
1	U	554	LEU
1	U	611	ASN
1	U	844	LYS
2	V	257	ASN
2	V	398	LEU
3	W	55	ARG
3	W	248	ARG
5	Y	32	ARG
6	Z	187	LEU
6	Z	190	ARG
6	Z	237	LEU
7	a	349	MET
9	c	272	ILE
9	c	279	ASP
12	G	11	ARG
15	J	5	ARG
15	J	7	ILE
15	J	28	LYS
15	J	175	ASN
15	J	176	TYR
20	O	89	ARG
21	P	93	ASN
22	Q	171	PHE
23	R	61	ARG
25	T	179	ARG
14	i	17	ARG
21	p	93	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	q	4	LEU
22	q	25	ILE
22	q	140	LEU
22	q	167	LEU
24	s	1	ARG
25	t	179	ARG
26	A	297	ARG
26	A	360	ARG
26	A	369	ARG
26	A	403	ILE
26	A	430	MET
27	B	125	THR
27	B	249	ARG
27	B	294	ARG
27	B	438	LEU
28	C	57	ARG
28	C	78	ARG
28	C	113	ARG
28	C	184	LYS
28	C	286	THR
29	D	81	ARG
29	D	125	LYS
29	D	229	ARG
29	D	317	LEU
29	D	384	MET
30	E	105	LEU
30	E	194	ASN
30	E	216	ARG
30	E	255	ARG
31	F	72	LYS
31	F	134	LEU
31	F	250	LYS
31	F	416	THR
31	F	437	TYR
32	f	39	LYS
32	f	88	SER
32	f	184	LEU
32	f	207	LEU
32	f	275	MET
32	f	370	MET
32	f	387	GLN
32	f	389	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	f	391	LEU
32	f	460	ASP
32	f	463	LEU
32	f	473	ASN
32	f	479	LEU
32	f	493	ASN
32	f	565	ASN
32	f	569	LYS
32	f	639	LYS
32	f	641	GLU
32	f	662	MET
32	f	788	MET
32	f	797	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (55) such sidechains are listed below:

Mol	Chain	Res	Type
1	U	207	ASN
1	U	389	ASN
2	V	459	GLN
2	V	473	GLN
2	V	487	HIS
3	W	218	ASN
3	W	236	HIS
3	W	362	ASN
3	W	380	GLN
6	Z	174	HIS
7	a	244	ASN
7	a	305	ASN
8	b	34	ASN
9	c	190	GLN
9	c	199	HIS
9	c	256	ASN
11	e	63	HIS
12	G	123	GLN
13	H	148	GLN
14	I	20	GLN
14	I	119	GLN
14	I	146	GLN
15	J	54	GLN
15	J	122	ASN
15	J	154	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	J	175	ASN
16	K	214	ASN
17	L	152	ASN
19	N	154	GLN
19	N	187	GLN
21	P	169	GLN
22	Q	101	ASN
22	Q	132	HIS
23	R	38	ASN
14	i	119	GLN
14	i	146	GLN
16	k	214	ASN
21	p	61	GLN
21	p	169	GLN
22	q	132	HIS
23	r	38	ASN
26	A	305	GLN
27	B	195	GLN
27	B	315	GLN
27	B	332	ASN
28	C	270	GLN
29	D	187	HIS
30	E	339	ASN
32	f	102	HIS
32	f	387	GLN
32	f	452	ASN
32	f	473	ASN
32	f	493	ASN
32	f	540	GLN
32	f	752	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
34	AGS	A	501	-	28,33,33	0.95	1 (3%)	31,52,52	1.07	2 (6%)
34	AGS	D	501	-	28,33,33	0.80	1 (3%)	31,52,52	1.10	1 (3%)
34	AGS	B	501	-	28,33,33	1.04	2 (7%)	31,52,52	1.37	2 (6%)
34	AGS	F	501	-	28,33,33	0.79	0	31,52,52	1.06	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
34	AGS	A	501	-	-	8/17/38/38	0/3/3/3
34	AGS	D	501	-	-	2/17/38/38	0/3/3/3
34	AGS	B	501	-	-	2/17/38/38	0/3/3/3
34	AGS	F	501	-	-	5/17/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	B	501	AGS	PA-O3A	-2.26	1.57	1.59
34	B	501	AGS	PB-O3A	-2.15	1.57	1.59
34	A	501	AGS	PA-O3A	-2.09	1.57	1.59
34	D	501	AGS	PG-S1G	2.06	1.95	1.90

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	B	501	AGS	PB-O3B-PG	-5.16	114.27	133.17
34	A	501	AGS	PB-O3B-PG	-4.41	117.01	133.17
34	D	501	AGS	PB-O3B-PG	-4.22	117.73	133.17
34	F	501	AGS	PB-O3B-PG	-2.87	122.65	133.17
34	B	501	AGS	C5-C6-N6	2.64	124.33	120.31
34	F	501	AGS	C5-C6-N6	2.60	124.28	120.31
34	A	501	AGS	C5-C6-N6	2.33	123.86	120.31

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
34	A	501	AGS	C5'-O5'-PA-O1A
34	A	501	AGS	C5'-O5'-PA-O2A
34	A	501	AGS	C5'-O5'-PA-O3A
34	B	501	AGS	C5'-O5'-PA-O1A
34	F	501	AGS	C5'-O5'-PA-O1A
34	D	501	AGS	O4'-C4'-C5'-O5'
34	D	501	AGS	C3'-C4'-C5'-O5'
34	A	501	AGS	O4'-C4'-C5'-O5'
34	A	501	AGS	C3'-C4'-C5'-O5'
34	F	501	AGS	PA-O3A-PB-O1B
34	A	501	AGS	C4'-C5'-O5'-PA
34	A	501	AGS	PA-O3A-PB-O2B
34	F	501	AGS	O4'-C4'-C5'-O5'
34	F	501	AGS	PB-O3B-PG-O3G
34	A	501	AGS	PA-O3A-PB-O1B
34	B	501	AGS	O4'-C4'-C5'-O5'
34	F	501	AGS	C3'-C4'-C5'-O5'


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8665. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 278



Y Index: 273




Z Index: 286


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.008. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 199 nm³; this corresponds to an approximate mass of 180 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.204 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8665 and PDB model 5VFR. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.008 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.008).

9.4 Atom inclusion [i](#)



At the recommended contour level, 32% of all backbone atoms, 20% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.008) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.1970	0.1860
A	0.1520	0.1910
B	0.1050	0.1900
C	0.1190	0.1960
D	0.1460	0.1980
E	0.1200	0.2070
F	0.1280	0.2010
G	0.2490	0.2070
H	0.2100	0.2030
I	0.2340	0.2090
J	0.2470	0.2200
K	0.3090	0.2120
L	0.3360	0.2280
M	0.2830	0.2150
N	0.3350	0.2540
O	0.2910	0.2390
P	0.3380	0.2470
Q	0.3400	0.2390
R	0.4270	0.2710
S	0.3460	0.2450
T	0.3900	0.2640
U	0.1060	0.1580
V	0.0700	0.1380
W	0.0870	0.1360
X	0.0740	0.1310
Y	0.1580	0.1480
Z	0.1580	0.1450
a	0.0980	0.1480
b	0.0490	0.0980
c	0.1770	0.1640
d	0.0480	0.1520
e	0.0700	0.1860
f	0.0040	0.0220
g	0.2400	0.2120
h	0.2190	0.2030



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	■ 0.1970	■ 0.1760
j	■ 0.2430	■ 0.1990
k	■ 0.2920	■ 0.2100
l	■ 0.3080	■ 0.2060
m	■ 0.2660	■ 0.2030
n	■ 0.3570	■ 0.2410
o	■ 0.3190	■ 0.2460
p	■ 0.3480	■ 0.2360
q	■ 0.3720	■ 0.2570
r	■ 0.3810	■ 0.2470
s	■ 0.3510	■ 0.2470
t	■ 0.3820	■ 0.2450