



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2024 – 03:26 PM EDT

PDB ID : 6C95  
Title : The Human NatA (Naa10/Naa15) amino-terminal acetyltransferase complex bound to HYPK  
Authors : Gottlieb, L.; Marmorstein, R.  
Deposited on : 2018-01-25  
Resolution : 3.15 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1665 (3.20-3.12)
Clashscore	141614	1804 (3.20-3.12)
Ramachandran outliers	138981	1770 (3.20-3.12)
Sidechain outliers	138945	1769 (3.20-3.12)
RSRZ outliers	127900	1616 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	866	 69% 20% 11%
2	B	236	 52% 17% 32%
3	D	129	 64% 9% 26%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8454 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-alpha-acetyltransferase 15, NatA auxiliary subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	773	6365	4076	1087	1162	40	0	0	0

- Molecule 2 is a protein called N-alpha-acetyltransferase 10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	161	1287	811	227	238	11	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	ACE	-	acetylation	UNP P41227

- Molecule 3 is a protein called Huntingtin-interacting protein K.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	D	95	732	442	131	155	4	0	0	0

- Molecule 4 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula: C<sub>6</sub>H<sub>18</sub>O<sub>24</sub>P<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
4	A	1	36	6	24	6	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	24	Total	O	0	0
			24	24		
5	B	6	Total	O	0	0
			6	6		
5	D	4	Total	O	0	0
			4	4		



VAL  
SER  
GLU  
THR  
THR  
GLU  
SER  
THR  
THR  
ASP  
VAL  
LYS  
ASP  
SER  
SER  
GLU  
ALA  
SER  
SER  
ALA  
SER

• Molecule 3: Huntingtin-interacting protein K

Chain D:  64% 9% 26%

MET  
ARG  
ARG  
ARG  
GLY  
GLU  
ILE  
ASP  
MET  
ALA  
THR  
GLU  
GLY  
ASP  
VAL  
LEU  
LEU  
LEU  
GLU  
THR  
GLU  
THR  
THR  
SER  
GLY  
PRO  
GLU  
ARG  
PRO  
PRO  
GLU  
LYS  
PRO  
ARG  
K35  
H36  
D37  
D42  
R45  
V46  
K76  
E80  
K91  
D94  
E103  
V121  
T128  
N129

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.32Å 182.32Å 86.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.04 – 3.15 49.04 – 3.15	Depositor EDS
% Data completeness (in resolution range)	95.3 (49.04-3.15) 95.3 (49.04-3.15)	Depositor EDS
$R_{merge}$	0.01	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.09 (at 3.12Å)	Xtrriage
Refinement program	PHENIX (1.11.1-2575)	Depositor
R, $R_{free}$	0.221 , 0.255 0.221 , 0.254	Depositor DCC
$R_{free}$ test set	1352 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	87.7	Xtrriage
Anisotropy	0.344	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 54.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.021 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8454	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	95.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.61% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IHP, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/6501	0.43	0/8761
2	B	0.32	1/1313 (0.1%)	0.49	1/1773 (0.1%)
3	D	0.25	0/734	0.40	0/983
All	All	0.29	1/8548 (0.0%)	0.43	1/11517 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	0	ACE	C-N	5.03	1.45	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	MET	CG-SD-CE	6.13	110.02	100.20

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6365	0	6404	133	0
2	B	1287	0	1244	30	0
3	D	732	0	718	18	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	36	0	6	2	0
5	A	24	0	0	1	0
5	B	6	0	0	0	0
5	D	4	0	0	0	0
All	All	8454	0	8372	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:696:LYS:HD3	3:D:128:THR:HG22	1.55	0.88
1:A:693:GLN:HA	3:D:128:THR:HG23	1.60	0.83
1:A:693:GLN:HA	3:D:128:THR:CG2	2.08	0.82
1:A:331:SER:HB2	2:B:48:GLU:OE1	1.80	0.81
1:A:422:GLY:HA3	1:A:835:ALA:HA	1.65	0.78
1:A:693:GLN:CA	3:D:128:THR:HG23	2.13	0.77
1:A:50:ALA:HB1	1:A:85:VAL:HG21	1.72	0.70
2:B:47:ASP:OD1	2:B:48:GLU:N	2.24	0.70
1:A:331:SER:CB	2:B:48:GLU:OE1	2.40	0.69
1:A:470:ARG:HG2	1:A:472:GLY:H	1.58	0.68
1:A:295:ARG:HE	1:A:328:THR:HB	1.59	0.67
1:A:685:LYS:NZ	3:D:103:GLU:OE2	2.26	0.67
1:A:193:LEU:HD13	1:A:216:TYR:HB3	1.76	0.67
1:A:541:LEU:HD22	2:B:36:LEU:HD11	1.76	0.67
1:A:470:ARG:HH11	1:A:473:THR:HG21	1.60	0.66
2:B:12:MET:HG2	2:B:28:MET:HE3	1.79	0.65
1:A:696:LYS:HD3	3:D:128:THR:CG2	2.26	0.64
1:A:418:TYR:HB2	1:A:427:ALA:HB2	1.81	0.62
1:A:294:ARG:NH2	1:A:316:MET:SD	2.74	0.61
1:A:730:VAL:O	1:A:734:LEU:N	2.28	0.61
1:A:423:ASN:HA	1:A:836:LEU:HG	1.83	0.59
1:A:693:GLN:HA	3:D:128:THR:HG22	1.84	0.59
2:B:41:LEU:HB3	2:B:58:ALA:HB3	1.85	0.59
1:A:788:THR:HG22	1:A:788:THR:O	2.03	0.58
1:A:513:ARG:HA	1:A:516:ILE:HD12	1.85	0.57
1:A:817:CYS:HB3	1:A:820:ALA:HB3	1.86	0.57
1:A:152:ILE:O	1:A:156:ILE:HG13	2.04	0.57
1:A:295:ARG:NH2	1:A:328:THR:O	2.27	0.57
1:A:692:LEU:HG	3:D:128:THR:HG21	1.85	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:113:LYS:HD3	2:B:143:ASP:HB2	1.85	0.57
2:B:5:ASN:OD1	2:B:7:ARG:NH2	2.38	0.56
1:A:807:GLU:O	1:A:811:ASP:N	2.36	0.56
1:A:284:TRP:HD1	1:A:293:PRO:HB2	1.70	0.56
1:A:501:PHE:HD2	1:A:564:ILE:HG23	1.71	0.56
1:A:816:ASP:OD1	1:A:818:LYS:HG3	2.07	0.55
2:B:56:VAL:CG2	2:B:90:LEU:HB3	2.36	0.55
1:A:723:SER:O	1:A:731:ARG:NH1	2.39	0.55
1:A:408:ILE:HG21	1:A:444:ILE:HD13	1.88	0.55
1:A:508:CYS:HA	1:A:511:ILE:HD12	1.88	0.55
1:A:525:PHE:HA	1:A:528:TYR:HB3	1.89	0.55
1:A:549:ARG:HB2	1:A:667:LEU:HD12	1.89	0.54
1:A:452:MET:HE3	1:A:461:ALA:HA	1.90	0.53
1:A:569:HIS:HD2	1:A:684:ARG:HD3	1.73	0.53
1:A:457:LEU:HB3	1:A:460:GLU:HB2	1.90	0.53
1:A:6:LEU:HB2	1:A:11:ASN:HB2	1.90	0.52
1:A:239:ARG:NH2	1:A:242:ASP:OD2	2.38	0.52
1:A:254:ASN:ND2	1:A:257:ASN:HB2	2.24	0.52
1:A:329:LEU:HD12	1:A:342:ILE:HD13	1.92	0.52
1:A:329:LEU:HB3	1:A:333:TYR:HE1	1.74	0.52
1:A:836:LEU:HA	1:A:839:MET:HG2	1.91	0.52
1:A:110:ASP:HB3	1:A:113:ASN:HB2	1.92	0.52
1:A:70:ARG:O	1:A:74:ARG:HG2	2.10	0.52
1:A:719:ALA:O	1:A:723:SER:HB2	2.09	0.52
2:B:56:VAL:HG21	2:B:90:LEU:HB3	1.91	0.52
2:B:67:VAL:HB	2:B:105:LYS:HG3	1.91	0.52
1:A:547:VAL:HG12	1:A:667:LEU:HD22	1.91	0.52
1:A:422:GLY:CA	1:A:835:ALA:HA	2.39	0.51
2:B:59:LYS:NZ	3:D:42:ASP:OD2	2.42	0.51
1:A:31:LYS:O	1:A:35:GLN:HG3	2.11	0.51
1:A:492:ALA:HB2	1:A:507:LYS:HB2	1.93	0.51
1:A:752:GLU:OE2	1:A:782:ARG:NH1	2.43	0.51
1:A:662:THR:O	1:A:666:ASN:ND2	2.38	0.51
1:A:708:LEU:O	1:A:712:MET:HG3	2.10	0.51
1:A:733:VAL:HG22	3:D:121:VAL:HG13	1.92	0.51
1:A:479:LEU:HD13	1:A:487:PHE:CG	2.46	0.50
2:B:6:ALA:HB2	2:B:44:ILE:HG23	1.93	0.50
1:A:788:THR:HG23	1:A:824:TYR:HD1	1.77	0.50
2:B:38:TRP:HB3	2:B:41:LEU:HD22	1.94	0.49
1:A:523:PHE:HA	1:A:526:HIS:CD2	2.47	0.49
1:A:20:CYS:O	1:A:25:GLN:N	2.45	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:533:ILE:O	1:A:535:LEU:N	2.45	0.49
1:A:166:MET:O	1:A:170:ILE:HG13	2.12	0.49
1:A:448:CYS:O	1:A:452:MET:HG3	2.13	0.49
1:A:738:MET:HG3	1:A:742:PHE:CD1	2.48	0.48
1:A:117:LEU:HB2	1:A:140:LEU:HD21	1.94	0.48
1:A:496:LYS:HD2	1:A:560:ILE:HG23	1.94	0.48
1:A:652:THR:O	1:A:652:THR:OG1	2.27	0.48
1:A:569:HIS:CD2	1:A:684:ARG:HD3	2.48	0.48
1:A:693:GLN:HB2	3:D:128:THR:HA	1.95	0.48
1:A:360:ASN:OD1	1:A:361:PRO:HD2	2.14	0.47
1:A:68:LEU:HD23	1:A:71:ARG:NH1	2.29	0.47
1:A:191:GLU:OE2	2:B:40:GLN:NE2	2.47	0.47
1:A:470:ARG:HH11	1:A:473:THR:CG2	2.27	0.47
1:A:14:PHE:HA	1:A:17:ILE:HG13	1.95	0.47
1:A:390:PRO:HA	1:A:393:ALA:HB3	1.96	0.47
1:A:159:HIS:NE2	1:A:202:GLU:OE1	2.39	0.47
1:A:479:LEU:HD12	1:A:487:PHE:CE2	2.50	0.47
1:A:356:CYS:O	1:A:357:ARG:HG2	2.15	0.47
1:A:484:CYS:HA	2:B:19:LEU:HD13	1.95	0.47
1:A:716:PHE:HB2	1:A:742:PHE:CE2	2.50	0.47
1:A:189:TYR:CE2	1:A:193:LEU:HD11	2.50	0.47
2:B:112:ARG:NH1	2:B:142:GLU:OE1	2.41	0.47
1:A:255:PRO:O	1:A:261:TYR:HE2	1.99	0.46
2:B:122:TYR:HB3	2:B:128:PHE:HB2	1.96	0.46
1:A:311:ASP:OD1	1:A:349:TYR:OH	2.22	0.46
2:B:80:SER:HG	2:B:81:HIS:CE1	2.33	0.46
1:A:125:ILE:O	1:A:128:ARG:HD3	2.16	0.46
1:A:338:LYS:O	1:A:342:ILE:HG13	2.15	0.45
1:A:408:ILE:HG12	1:A:437:LEU:HD12	1.98	0.45
1:A:479:LEU:CD1	1:A:487:PHE:CD2	2.99	0.45
3:D:76:LYS:O	3:D:80:GLU:HG3	2.17	0.45
1:A:421:ALA:HB1	1:A:834:TYR:HB2	1.99	0.45
1:A:734:LEU:O	1:A:738:MET:HB2	2.16	0.45
1:A:788:THR:HG23	1:A:824:TYR:CD1	2.51	0.45
1:A:696:LYS:NZ	3:D:129:ASN:OD1	2.36	0.45
1:A:301:LEU:C	1:A:306:PHE:HB2	2.37	0.45
2:B:94:ALA:O	2:B:98:MET:HG3	2.17	0.45
3:D:91:LYS:HB3	3:D:94:ASP:OD2	2.17	0.45
1:A:257:ASN:HB3	1:A:260:TYR:CD2	2.53	0.44
1:A:94:LYS:HA	1:A:96:TYR:CE1	2.53	0.44
2:B:41:LEU:HD21	2:B:60:MET:HG2	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:70:GLY:HA3	2:B:98:MET:SD	2.57	0.44
1:A:447:LYS:NZ	4:A:901:IHP:O35	2.36	0.44
1:A:650:VAL:HG22	1:A:652:THR:H	1.83	0.44
1:A:705:HIS:HB3	1:A:708:LEU:HB3	1.99	0.44
1:A:139:GLN:O	1:A:143:LEU:HG	2.18	0.44
1:A:66:TYR:OH	1:A:93:ASP:OD2	2.22	0.44
1:A:256:GLU:HG3	2:B:89:LYS:HD3	2.00	0.44
1:A:7:PRO:O	1:A:11:ASN:N	2.45	0.43
1:A:797:ARG:HH22	1:A:831:LEU:HD22	1.84	0.43
1:A:496:LYS:HB2	1:A:564:ILE:HD11	2.00	0.43
1:A:528:TYR:CG	3:D:46:VAL:HG13	2.53	0.43
1:A:693:GLN:N	3:D:128:THR:HG23	2.33	0.43
2:B:4:ARG:HE	2:B:46:GLU:CD	2.22	0.43
3:D:37:ASP:OD1	3:D:37:ASP:N	2.51	0.43
1:A:788:THR:O	1:A:788:THR:CG2	2.67	0.43
1:A:27:ARG:HA	1:A:27:ARG:HD2	1.78	0.42
1:A:456:ASN:HB3	1:A:498:MET:SD	2.60	0.42
1:A:96:TYR:CD1	1:A:123:LEU:HD11	2.54	0.42
1:A:256:GLU:O	1:A:292:VAL:HG21	2.20	0.42
1:A:7:PRO:HD2	1:A:10:GLU:HB2	2.01	0.42
1:A:240:LEU:HB3	1:A:267:ALA:O	2.19	0.42
1:A:311:ASP:OD2	1:A:315:ARG:NH1	2.52	0.42
1:A:213:LEU:O	1:A:217:GLU:HB3	2.19	0.42
1:A:486:TRP:HB3	2:B:16:HIS:CE1	2.54	0.42
2:B:113:LYS:HG2	2:B:143:ASP:O	2.20	0.42
3:D:42:ASP:HA	3:D:45:ARG:HH11	1.83	0.42
1:A:479:LEU:HD12	1:A:487:PHE:CD2	2.54	0.42
1:A:98:GLU:OE1	1:A:98:GLU:N	2.52	0.42
1:A:295:ARG:NE	1:A:328:THR:HB	2.32	0.42
1:A:776:ASP:OD1	1:A:778:SER:OG	2.36	0.42
1:A:808:ALA:HB1	1:A:814:LEU:HD13	2.02	0.41
1:A:479:LEU:HB3	1:A:484:CYS:HB3	2.03	0.41
1:A:484:CYS:SG	1:A:486:TRP:NE1	2.93	0.41
1:A:324:PRO:HB3	2:B:80:SER:O	2.20	0.41
1:A:654:LEU:O	1:A:658:ILE:HG13	2.20	0.41
1:A:255:PRO:O	1:A:261:TYR:CE2	2.74	0.41
1:A:503:GLU:O	1:A:506:LYS:HB3	2.20	0.41
1:A:738:MET:O	1:A:742:PHE:HB2	2.20	0.41
1:A:144:ARG:HB3	1:A:147:GLN:HG3	2.03	0.41
1:A:261:TYR:OH	1:A:293:PRO:HG3	2.21	0.41
2:B:2:ASN:HB3	2:B:46:GLU:HG2	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:655:GLU:OE2	1:A:685:LYS:NZ	2.52	0.40
1:A:721:CYS:O	1:A:722:GLU:HG3	2.21	0.40
4:A:901:IHP:O42	5:A:1001:HOH:O	2.22	0.40
2:B:114:SER:OG	2:B:142:GLU:OE2	2.24	0.40
1:A:444:ILE:H	1:A:444:ILE:HG13	1.70	0.40
1:A:452:MET:O	1:A:457:LEU:HB2	2.21	0.40
1:A:825:ARG:NH2	1:A:838:PHE:O	2.54	0.40
2:B:113:LYS:CD	2:B:143:ASP:HB2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	769/866 (89%)	747 (97%)	20 (3%)	2 (0%)	41	73
2	B	159/236 (67%)	157 (99%)	2 (1%)	0	100	100
3	D	93/129 (72%)	89 (96%)	4 (4%)	0	100	100
All	All	1021/1231 (83%)	993 (97%)	26 (2%)	2 (0%)	47	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	533	ILE
1	A	534	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	688/769 (90%)	688 (100%)	0	100	100
2	B	134/202 (66%)	134 (100%)	0	100	100
3	D	77/111 (69%)	77 (100%)	0	100	100
All	All	899/1082 (83%)	899 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	IHP	A	901	-	36,36,36	1.95	12 (33%)	54,60,60	3.52	14 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IHP	A	901	-	-	11/30/54/54	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	IHP	P2-O12	4.29	1.67	1.59
4	A	901	IHP	C3-C2	3.99	1.60	1.52
4	A	901	IHP	P3-O13	3.85	1.66	1.59
4	A	901	IHP	P4-O14	3.74	1.66	1.59
4	A	901	IHP	C2-C1	3.00	1.58	1.52
4	A	901	IHP	P6-O16	2.96	1.64	1.59
4	A	901	IHP	C4-C3	2.92	1.58	1.52
4	A	901	IHP	C6-C5	-2.92	1.46	1.52
4	A	901	IHP	P5-O15	2.86	1.64	1.59
4	A	901	IHP	C5-C4	-2.54	1.47	1.52
4	A	901	IHP	O15-C5	-2.53	1.34	1.44
4	A	901	IHP	P1-O11	2.04	1.63	1.59

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	901	IHP	O15-C5-C6	-13.52	76.82	108.69
4	A	901	IHP	O15-C5-C4	-10.58	83.75	108.69
4	A	901	IHP	C6-C5-C4	10.41	133.20	110.41
4	A	901	IHP	O11-C1-C6	-8.06	89.68	108.69
4	A	901	IHP	O16-C6-C1	6.87	124.87	108.69
4	A	901	IHP	O14-C4-C3	6.01	122.86	108.69
4	A	901	IHP	C3-C2-C1	4.45	120.15	110.41
4	A	901	IHP	O14-C4-C5	3.74	117.51	108.69
4	A	901	IHP	O12-C2-C3	3.62	117.23	108.69
4	A	901	IHP	C6-C1-C2	3.50	118.07	110.41
4	A	901	IHP	C4-C3-C2	3.27	117.57	110.41
4	A	901	IHP	O16-C6-C5	2.78	115.23	108.69
4	A	901	IHP	O13-C3-C2	2.25	114.00	108.69
4	A	901	IHP	O32-P2-O12	2.04	115.12	105.99

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	901	IHP	C2-C1-O11-P1
4	A	901	IHP	C6-C1-O11-P1
4	A	901	IHP	C1-C2-O12-P2
4	A	901	IHP	C3-C2-O12-P2
4	A	901	IHP	C5-C4-O14-P4
4	A	901	IHP	C1-C6-O16-P6
4	A	901	IHP	C3-O13-P3-O23
4	A	901	IHP	C4-C3-O13-P3
4	A	901	IHP	C6-O16-P6-O26
4	A	901	IHP	C3-O13-P3-O33
4	A	901	IHP	C3-C4-O14-P4


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	901	IHP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	773/866 (89%)	-0.04	4 (0%) 91 86	47, 90, 133, 175	0
2	B	160/236 (67%)	-0.11	1 (0%) 89 84	50, 84, 138, 185	0
3	D	95/129 (73%)	-0.01	0 100 100	74, 112, 152, 168	0
All	All	1028/1231 (83%)	-0.05	5 (0%) 91 86	47, 91, 137, 185	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	116	ARG	2.5
1	A	182	PRO	2.5
1	A	822	GLU	2.4
1	A	75	ASN	2.4
1	A	68	LEU	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	IHP	A	901	36/36	0.87	0.30	118,178,187,189	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.