



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 09:29 AM UTC

PDB ID : 6PA1 / pdb_00006pa1
Title : Killer cell immunoglobulin-like receptor 2DL2 in complex with HLA-C*07:02
Authors : Moradi, S.; Rossjohn, J.; Vivian, J.P.
Deposited on : 2019-06-11
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	277	78% (green), 17% (yellow), 5% (orange), 2% (red), 2% (grey)
1	E	277	77% (green), 17% (yellow), 5% (orange), 2% (red), 2% (grey)
2	B	100	68% (green), 29% (yellow), 3% (orange), 2% (red), 2% (grey)
2	F	100	63% (green), 36% (yellow), 1% (orange), 2% (red), 2% (grey)
3	C	9	78% (green), 22% (yellow)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	9	 89% 11%
4	D	204	 62% 27% 8%
4	H	204	 63% 26% 9%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, Cw-7 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	271	Total	C	N	O	S	0	0	0
			2193	1355	404	427	7			
1	E	269	Total	C	N	O	S	0	0	0
			2176	1346	402	421	7			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	99	Total	C	N	O	S	0	0	0
			828	528	140	157	3			
2	F	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769
F	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called ARG-TYR-ARG-PRO-GLY-THR-VAL-ALA-LEU.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	9	Total	C	N	O	0	0	0
			73	46	15	12			
3	G	9	Total	C	N	O	0	0	0
			73	46	15	12			

- Molecule 4 is a protein called Killer cell immunoglobulin-like receptor 2DL2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	188	Total	C	N	O	S	0	1	0
			1475	934	256	277	8			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	186	1451	920	249	274	8	0	1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA class I histocompatibility antigen, Cw-7 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, Cw-7 alpha chain



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 3: ARG-TYR-ARG-PRO-GLY-THR-VAL-ALA-LEU





- Molecule 3: ARG-TYR-ARG-PRO-GLY-THR-VAL-ALA-LEU

Chain G: 89% 11%




- Molecule 4: Killer cell immunoglobulin-like receptor 2DL2

Chain D: 62% 27% 8%



- Molecule 4: Killer cell immunoglobulin-like receptor 2DL2

Chain H: 63% 26% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.56Å 82.09Å 104.89Å 90.00° 90.12° 90.00°	Depositor
Resolution (Å)	32.32 – 3.01 32.32 – 3.01	Depositor EDS
% Data completeness (in resolution range)	96.3 (32.32-3.01) 96.3 (32.32-3.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 3.00Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.263 , 0.310 0.266 , 0.306	Depositor DCC
R_{free} test set	1159 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	62.8	Xtrriage
Anisotropy	0.352	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.429 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9106	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	2/2249 (0.1%)	0.56	8/3051 (0.3%)
1	E	0.31	0/2231	0.55	5/3025 (0.2%)
2	B	0.34	1/851 (0.1%)	0.56	3/1152 (0.3%)
2	F	0.11	0/860	0.40	0/1162
3	C	0.12	0/74	0.36	0/98
3	G	0.10	0/74	0.35	0/98
4	D	0.30	0/1516	0.53	2/2054 (0.1%)
4	H	0.29	0/1489	0.45	1/2015 (0.0%)
All	All	0.32	3/9344 (0.0%)	0.52	19/12655 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	TRP	C-N	-7.90	1.22	1.33
1	A	224	GLN	C-N	-6.96	1.23	1.33
2	B	13	HIS	C-N	5.30	1.40	1.33

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	161	GLU	N-CA-C	10.32	123.58	111.71
1	E	219	ARG	N-CA-C	-10.27	93.95	109.86
1	A	219	ARG	N-CA-C	-10.26	93.96	109.86
1	E	222	GLU	N-CA-C	8.84	124.12	110.42
1	A	222	GLU	N-CA-C	8.84	124.12	110.42
1	A	224	GLN	O-C-N	7.82	132.99	122.59
2	B	15	ALA	N-CA-C	7.61	120.57	110.53
4	D	154	PRO	N-CA-C	7.58	124.31	113.47
4	D	152	ALA	N-CA-C	7.33	120.87	109.07
1	E	28	VAL	N-CA-C	-6.75	98.01	107.80
1	A	28	VAL	N-CA-C	-6.74	98.03	107.80
1	A	161	GLU	CB-CA-C	6.65	123.65	110.42
4	H	167	GLY	N-CA-C	5.29	123.14	112.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	ASP	N-CA-C	-5.13	102.45	110.10
1	E	220	ASP	N-CA-C	-5.11	102.48	110.10
2	B	13	HIS	CA-C-N	-5.11	114.31	119.83
2	B	13	HIS	C-N-CA	-5.11	114.31	119.83
1	A	224	GLN	CA-C-N	-5.04	114.34	122.81
1	A	224	GLN	C-N-CA	-5.04	114.34	122.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2193	0	2047	40	0
1	E	2176	0	2036	43	0
2	B	828	0	794	23	0
2	F	837	0	803	24	0
3	C	73	0	79	2	0
3	G	73	0	79	2	0
4	D	1475	0	1415	47	0
4	H	1451	0	1397	38	0
All	All	9106	0	8650	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:156:VAL:CG2	4:D:157:ASN:H	1.64	1.09
2:B:17:ASN:HD21	2:B:73:THR:HA	0.91	1.06
2:B:17:ASN:ND2	2:B:73:THR:HA	1.70	1.06
2:B:17:ASN:ND2	2:B:72:PRO:O	1.94	1.01
2:F:15:ALA:HB2	2:F:21:ASN:HD22	1.31	0.94
2:B:17:ASN:HD21	2:B:73:THR:CA	1.81	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:15:ALA:HB1	2:F:72:PRO:HG3	1.51	0.90
4:D:156:VAL:CG2	4:D:157:ASN:N	2.31	0.87
4:D:156:VAL:HG23	4:D:157:ASN:N	1.88	0.87
1:A:219:ARG:HG3	1:A:220:ASP:H	1.39	0.86
4:D:156:VAL:HG22	4:D:157:ASN:H	1.38	0.85
1:E:219:ARG:HG3	1:E:220:ASP:H	1.39	0.85
1:A:219:ARG:HH11	1:A:219:ARG:HG2	1.43	0.83
1:E:219:ARG:HG2	1:E:219:ARG:HH11	1.43	0.83
4:D:156:VAL:HG23	4:D:157:ASN:OD1	1.80	0.82
4:D:154:PRO:O	4:D:155:LYS:HG3	1.81	0.80
1:A:219:ARG:HG3	1:A:220:ASP:N	1.97	0.77
1:E:219:ARG:HG3	1:E:220:ASP:N	1.97	0.76
4:D:156:VAL:CG2	4:D:157:ASN:OD1	2.35	0.74
4:D:166:LEU:HB3	4:D:170:THR:HG22	1.71	0.73
1:E:13:SER:HB3	1:E:78:LEU:HD13	1.71	0.71
2:F:4:THR:HA	2:F:86:THR:HG21	1.72	0.70
2:F:36:GLU:HG3	2:F:83:ASN:HB3	1.72	0.70
4:H:8:PRO:HG2	4:H:94:SER:HB3	1.73	0.69
4:D:156:VAL:HG23	4:D:157:ASN:H	1.42	0.69
1:A:223:ASP:OD1	1:A:223:ASP:N	2.26	0.68
4:D:16:ARG:HH21	4:D:146:HIS:HB2	1.58	0.68
1:E:223:ASP:OD1	1:E:223:ASP:N	2.26	0.68
2:B:15:ALA:HB1	2:B:72:PRO:HG2	1.76	0.68
4:H:71:GLN:NE2	4:H:187:GLU:OE2	2.25	0.67
1:A:51:TRP:CD1	1:A:178:THR:HG21	2.30	0.67
1:A:219:ARG:HH11	1:A:219:ARG:CG	2.07	0.67
4:D:139:LEU:HB3	4:D:148:CYS:HB2	1.77	0.66
1:E:219:ARG:HH11	1:E:219:ARG:CG	2.07	0.66
2:B:17:ASN:CG	2:B:72:PRO:O	2.38	0.65
4:D:19:LYS:HB3	4:D:22:GLU:HG3	1.80	0.63
4:D:8:PRO:HG2	4:D:94:SER:HB3	1.79	0.63
2:B:86:THR:HG23	1:E:17:ARG:HH21	1.64	0.62
2:F:13:HIS:H	2:F:21:ASN:HD21	1.47	0.62
4:H:19:LYS:HB3	4:H:22:GLU:HG3	1.80	0.62
4:D:109:SER:O	4:D:128:CYS:HA	1.99	0.62
1:E:192:HIS:NE2	2:F:98:ASP:OD2	2.30	0.61
1:E:190:THR:OG1	1:E:202:ARG:NH1	2.32	0.61
1:A:43:PRO:O	1:A:68:LYS:NZ	2.33	0.60
4:H:172:GLY:HA2	4:H:197:VAL:O	2.01	0.60
4:D:39:LEU:HD11	4:D:77:TYR:HD2	1.66	0.60
1:A:88:SER:OG	1:A:90:ASP:OD1	2.18	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:38:LEU:HA	4:H:49:LEU:O	2.01	0.59
4:H:110:LEU:HD11	4:H:126:LEU:HB3	1.85	0.58
4:H:109:SER:O	4:H:128:CYS:HA	2.03	0.58
2:B:16:GLU:HA	2:B:16:GLU:OE1	2.02	0.58
4:D:73:LEU:O	4:D:77:TYR:OH	2.14	0.58
2:B:72:PRO:HB3	2:B:95:TRP:HH2	1.69	0.58
1:A:159:TYR:OH	3:C:1:ARG:O	2.21	0.57
4:H:101:ILE:HG23	4:H:187:GLU:HA	1.86	0.57
4:D:38:LEU:HD21	4:D:90:LEU:HD11	1.86	0.57
4:D:102:THR:HG22	4:D:188:TRP:HB2	1.85	0.57
4:D:18:VAL:HG21	4:D:69:MET:HE3	1.87	0.57
4:D:82:SER:HB2	4:D:90:LEU:HD13	1.85	0.56
1:E:5:MET:HE3	1:E:7:TYR:HE1	1.69	0.56
1:E:161:GLU:N	1:E:162:GLY:HA3	2.20	0.56
1:A:225:THR:O	1:A:226:GLN:C	2.49	0.56
4:D:39:LEU:HD23	4:D:79:CYS:HB3	1.88	0.56
2:F:49:VAL:HG22	2:F:68:THR:HB	1.88	0.55
2:F:40:LEU:HB3	2:F:45:ARG:HA	1.88	0.55
2:F:29:GLY:HA2	2:F:61:SER:HB2	1.89	0.54
4:H:82:SER:HB2	4:H:90:LEU:HD23	1.89	0.54
2:B:23:LEU:O	2:B:67:TYR:HA	2.07	0.54
1:A:233:THR:HG22	1:A:243:LYS:HB2	1.88	0.54
2:B:29:GLY:HA2	2:B:61:SER:HB2	1.89	0.54
2:F:15:ALA:CB	2:F:72:PRO:HG3	2.34	0.53
1:A:219:ARG:CG	1:A:220:ASP:N	2.72	0.52
1:E:219:ARG:CG	1:E:220:ASP:N	2.72	0.52
1:A:267:GLN:CD	1:A:267:GLN:H	2.16	0.52
1:E:99:SER:HA	1:E:113:TYR:O	2.10	0.52
4:D:138:HIS:NE2	4:D:180:SER:OG	2.35	0.52
4:H:19:LYS:NZ	4:H:191:SER:H	2.08	0.52
1:A:62:ARG:NH1	1:A:66:LYS:HG3	2.25	0.52
1:A:200:THR:HG22	1:A:248:VAL:HG22	1.92	0.52
1:E:111:ARG:CZ	1:E:112:GLY:H	2.22	0.52
4:H:102:THR:HG22	4:H:188:TRP:HB2	1.91	0.52
1:E:267:GLN:CD	1:E:267:GLN:H	2.17	0.51
1:E:219:ARG:CG	1:E:219:ARG:NH1	2.72	0.51
4:H:6:ARG:HG2	4:H:7:LYS:H	1.75	0.51
1:A:220:ASP:OD2	1:A:256:ARG:HD3	2.10	0.51
4:H:140:SER:OG	4:H:144:GLU:N	2.43	0.51
1:A:111:ARG:NH2	1:A:128:GLU:OE2	2.44	0.51
2:B:59:ASP:OD1	2:B:61:SER:OG	2.25	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:15:PRO:HD3	1:E:92:SER:HB2	1.93	0.50
1:A:214:THR:OG1	1:A:262:GLN:HB2	2.12	0.50
1:A:217:TRP:H	1:A:225:THR:HG22	1.77	0.50
1:A:62:ARG:HH12	1:A:66:LYS:HG3	1.77	0.50
4:D:38:LEU:HA	4:D:49:LEU:O	2.10	0.50
1:A:157:ARG:O	1:A:161:GLU:HB2	2.12	0.50
4:H:193:ASP:OD1	4:H:193:ASP:N	2.45	0.49
2:F:23:LEU:O	2:F:67:TYR:HA	2.12	0.49
4:H:126:LEU:HD12	4:H:139:LEU:HD21	1.94	0.49
4:H:166:LEU:HB3	4:H:170:THR:HG22	1.94	0.49
4:D:106:GLU:O	4:D:134:TYR:OH	2.22	0.49
4:D:107:LYS:HB3	4:D:190:ASN:HB2	1.95	0.49
1:E:22:PHE:HB3	1:E:38:SER:HB3	1.94	0.49
1:A:9:ASP:OD2	3:C:2:TYR:OH	2.20	0.49
4:D:6:ARG:HG2	4:D:7:LYS:H	1.77	0.49
4:H:19:LYS:HZ2	4:H:191:SER:H	1.59	0.49
4:H:150:PHE:HB2	4:H:164:PHE:CE2	2.48	0.49
4:D:101:ILE:HG23	4:D:187:GLU:HA	1.95	0.49
1:E:17:ARG:HD3	4:H:46:LYS:HE3	1.95	0.49
1:A:201:LEU:HD21	1:A:254:GLU:HG2	1.94	0.48
1:E:238:ASP:OD1	1:E:240:THR:OG1	2.30	0.48
2:B:33:SER:HB2	2:B:54:LEU:HD11	1.95	0.48
2:F:54:LEU:HD11	2:F:62:PHE:HB3	1.96	0.48
2:F:64:LEU:HD13	2:F:65:LEU:N	2.28	0.48
1:A:219:ARG:CG	1:A:219:ARG:NH1	2.72	0.48
2:F:64:LEU:HD12	2:F:66:TYR:CE1	2.48	0.48
2:B:51:HIS:HB3	2:B:66:TYR:CD2	2.49	0.48
2:F:13:HIS:O	2:F:15:ALA:N	2.47	0.48
2:B:22:PHE:CE1	2:B:69:GLU:HG2	2.49	0.48
4:D:171:HIS:O	4:D:171:HIS:ND1	2.47	0.48
1:E:232:GLU:HG2	1:E:233:THR:H	1.78	0.47
1:A:233:THR:HA	1:A:242:GLN:O	2.14	0.47
2:B:72:PRO:HB3	2:B:95:TRP:CH2	2.49	0.47
4:D:110:LEU:HD11	4:D:126:LEU:HB3	1.96	0.47
4:H:12:ALA:HB2	4:H:97:LEU:HD21	1.96	0.47
2:B:41:LYS:HD3	2:B:78:TYR:CE1	2.50	0.47
4:D:39:LEU:HD11	4:D:77:TYR:CD2	2.47	0.47
4:D:150:PHE:HB2	4:D:164:PHE:CE1	2.50	0.47
1:E:220:ASP:OD2	1:E:256:ARG:HD3	2.14	0.47
4:D:41:ARG:O	4:D:46:LYS:HA	2.15	0.47
2:F:22:PHE:HA	2:F:68:THR:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:GLU:H	1:A:89:GLU:CD	2.23	0.47
2:F:84:HIS:ND1	2:F:86:THR:HG22	2.30	0.47
4:H:44:LYS:NZ	4:H:187:GLU:OE1	2.36	0.46
1:A:238:ASP:OD1	1:A:240:THR:OG1	2.29	0.46
1:E:72:GLN:HG2	4:H:70:MET:SD	2.55	0.46
2:F:41:LYS:HD3	2:F:78:TYR:CE1	2.51	0.46
1:E:185:PRO:HD3	1:E:263:HIS:CD2	2.51	0.46
4:H:138:HIS:NE2	4:H:180:SER:OG	2.40	0.46
2:F:24:ASN:HB3	2:F:65:LEU:HD11	1.97	0.45
1:A:203:CYS:O	1:A:244:TRP:HA	2.17	0.45
4:H:149:ARG:O	4:H:150:PHE:HD1	1.99	0.45
1:A:160:LEU:O	1:A:161:GLU:C	2.59	0.45
2:F:40:LEU:HD11	2:F:79:ALA:HB3	1.98	0.45
4:H:38:LEU:HD21	4:H:90:LEU:HD21	1.97	0.45
2:B:19:LYS:HE2	2:B:19:LYS:HB3	1.71	0.45
4:D:166:LEU:CB	4:D:170:THR:HG22	2.45	0.45
4:H:118:VAL:HG11	4:H:124:VAL:HG22	1.99	0.45
4:D:138:HIS:O	4:D:177:CYS:HA	2.15	0.45
1:A:69:ARG:O	1:A:72:GLN:HG3	2.17	0.44
4:H:26:LEU:HD12	4:H:39:LEU:HD21	1.99	0.44
4:D:6:ARG:HH11	4:D:32:VAL:HG22	1.80	0.44
1:E:28:VAL:HG23	1:E:33:PHE:CD1	2.52	0.44
2:F:12:ARG:HB3	2:F:21:ASN:OD1	2.16	0.44
4:H:10:LEU:HD11	4:H:26:LEU:HB3	2.00	0.44
1:E:222:GLU:OE1	1:E:222:GLU:N	2.51	0.44
4:H:30:SER:O	4:H:60:SER:OG	2.33	0.44
1:A:222:GLU:N	1:A:222:GLU:OE1	2.51	0.44
1:E:5:MET:HE2	1:E:164:CYS:SG	2.58	0.44
1:E:61:ASP:O	1:E:65:GLN:HG2	2.18	0.43
4:D:19:LYS:NZ	4:D:191:SER:H	2.16	0.43
1:A:61:ASP:O	1:A:65:GLN:HG2	2.18	0.43
1:A:222:GLU:CD	1:A:222:GLU:H	2.27	0.43
2:B:12:ARG:HG2	2:B:13:HIS:CE1	2.54	0.43
1:E:6:ARG:HH12	1:E:113:TYR:HD2	1.67	0.43
1:E:185:PRO:HB3	1:E:208:PHE:HB3	2.00	0.43
4:H:167:GLY:HA2	4:H:168:PRO:HA	1.84	0.43
1:A:206:LEU:HD22	2:B:14:PRO:HD3	2.00	0.42
4:D:18:VAL:HG22	4:D:24:VAL:HG11	2.01	0.42
4:D:13[B]:HIS:HA	4:D:14:PRO:HA	1.88	0.42
4:D:33:ARG:HH11	4:D:55:HIS:HB3	1.85	0.42
4:H:91:SER:OG	4:H:92:ALA:N	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:103:GLY:HA2	4:D:190:ASN:OD1	2.19	0.42
1:E:156:LEU:O	1:E:159:TYR:N	2.53	0.42
1:E:222:GLU:CD	1:E:222:GLU:H	2.27	0.42
2:F:37:VAL:HG22	2:F:82:VAL:HG22	2.01	0.42
2:F:47:GLU:N	2:F:47:GLU:OE1	2.52	0.42
4:D:69:MET:HG3	4:D:101:ILE:HD13	2.02	0.42
2:B:24:ASN:HB3	2:B:65:LEU:HD11	2.01	0.42
4:D:10:LEU:HD11	4:D:26:LEU:HB3	2.01	0.42
4:H:155:LYS:HE2	4:H:155:LYS:HB2	1.64	0.42
1:E:106:ASP:OD1	1:E:106:ASP:N	2.51	0.42
4:D:149:ARG:O	4:D:150:PHE:HD1	2.02	0.42
4:D:166:LEU:HD13	4:D:166:LEU:HA	1.92	0.42
2:B:40:LEU:HD11	2:B:79:ALA:HB3	2.01	0.42
4:D:91:SER:OG	4:D:92:ALA:N	2.53	0.42
1:E:160:LEU:C	1:E:162:GLY:HA3	2.44	0.41
1:A:33:PHE:CD2	1:A:34:VAL:HG13	2.55	0.41
1:A:81:LEU:HD11	1:A:123:TYR:CZ	2.54	0.41
1:A:211:ALA:O	1:A:213:ILE:HG22	2.19	0.41
1:A:157:ARG:HG2	1:A:161:GLU:OE1	2.20	0.41
4:H:139:LEU:HD12	4:H:177:CYS:HB3	2.03	0.41
1:E:28:VAL:HG23	1:E:33:PHE:CE1	2.55	0.41
1:A:130:LEU:O	1:A:157:ARG:HD3	2.19	0.41
1:E:255:GLN:H	1:E:255:GLN:CD	2.28	0.41
4:D:170:THR:O	4:D:170:THR:OG1	2.35	0.41
4:H:41:ARG:HD3	4:H:77:TYR:OH	2.20	0.41
4:H:110:LEU:HD13	4:H:128:CYS:SG	2.61	0.41
4:H:154:PRO:HB2	4:H:155:LYS:H	1.70	0.41
2:B:96:ASP:C	2:B:98:ASP:H	2.29	0.41
1:E:97:ARG:HH21	3:G:3:ARG:HD3	1.85	0.41
1:E:114:ASP:OD2	3:G:3:ARG:NH2	2.46	0.41
1:A:65:GLN:HB3	1:A:69:ARG:NH1	2.36	0.41
2:F:14:PRO:HG3	2:F:99:MET:SD	2.61	0.41
4:H:6:ARG:HH11	4:H:32:VAL:HG22	1.86	0.41
1:E:81:LEU:HD11	1:E:123:TYR:CE1	2.56	0.41
4:H:70:MET:HG3	4:H:72:ASP:OD1	2.21	0.40
4:D:139:LEU:HD23	4:D:177:CYS:HB3	2.04	0.40
1:E:21:ARG:NH2	1:E:37:ASP:OD2	2.53	0.40
1:E:4:SER:HA	1:E:101:CYS:O	2.21	0.40
1:E:11:ALA:HA	1:E:21:ARG:O	2.21	0.40
1:E:69:ARG:O	1:E:72:GLN:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/277 (96%)	251 (94%)	16 (6%)	0	100	100
1	E	263/277 (95%)	250 (95%)	13 (5%)	0	100	100
2	B	97/100 (97%)	93 (96%)	4 (4%)	0	100	100
2	F	98/100 (98%)	92 (94%)	5 (5%)	1 (1%)	12	43
3	C	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	G	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
4	D	181/204 (89%)	173 (96%)	7 (4%)	1 (1%)	21	54
4	H	177/204 (87%)	169 (96%)	7 (4%)	1 (1%)	21	54
All	All	1097/1180 (93%)	1040 (95%)	54 (5%)	3 (0%)	36	68

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	154	PRO
4	D	167	GLY
2	F	14	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/233 (97%)	219 (96%)	8 (4%)	32	64
1	E	225/233 (97%)	218 (97%)	7 (3%)	35	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	94/95 (99%)	93 (99%)	1 (1%)	65	82
2	F	95/95 (100%)	92 (97%)	3 (3%)	34	66
3	C	7/7 (100%)	7 (100%)	0	100	100
3	G	7/7 (100%)	7 (100%)	0	100	100
4	D	165/175 (94%)	160 (97%)	5 (3%)	36	68
4	H	162/175 (93%)	159 (98%)	3 (2%)	50	75
All	All	982/1020 (96%)	955 (97%)	27 (3%)	38	70

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	THR
1	A	154	GLU
1	A	173	GLU
1	A	178	THR
1	A	202	ARG
1	A	214	THR
1	A	219	ARG
1	A	223	ASP
2	B	93	VAL
4	D	146	HIS
4	D	150	PHE
4	D	155	LYS
4	D	156	VAL
4	D	166	LEU
1	E	87	GLN
1	E	160	LEU
1	E	173	GLU
1	E	202	ARG
1	E	219	ARG
1	E	223	ASP
1	E	255	GLN
2	F	1	ILE
2	F	2	GLN
2	F	69	GLU
4	H	18	VAL
4	H	150	PHE
4	H	155	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	260	HIS
1	A	263	HIS
2	B	13	HIS
2	B	17	ASN
4	D	146	HIS
1	E	260	HIS
4	H	63	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	271/277 (97%)	-1.15	0 100 100	33, 53, 90, 154	0
1	E	269/277 (97%)	-1.13	0 100 100	31, 54, 90, 123	0
2	B	99/100 (99%)	-0.98	0 100 100	36, 69, 115, 142	0
2	F	100/100 (100%)	-1.03	0 100 100	35, 66, 125, 140	0
3	C	9/9 (100%)	-1.12	0 100 100	41, 50, 63, 87	0
3	G	9/9 (100%)	-1.12	0 100 100	42, 49, 61, 93	0
4	D	188/204 (92%)	-1.16	0 100 100	21, 51, 82, 115	1 (0%)
4	H	186/204 (91%)	-1.16	0 100 100	22, 52, 81, 121	1 (0%)
All	All	1131/1180 (95%)	-1.12	0 100 100	21, 54, 98, 154	2 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.