Full wwPDB X-ray Structure Validation Report (i)

Mar 6, 2026 – 12:30 PM UTC

PDB ID	:	6PD6 / pdb_00006pd6
Title	:	Crystal Structure of a H5N1 influenza virus hemagglutinin at pH 7.0
Authors	:	Antanasijevic, A.; Durst, M.A.; Lavie, A.; Caffrey, M.
Deposited on	:	2019-06-18
Resolution	:	2.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3557 (2.90-2.86)
Clashscore	190562	3801 (2.90-2.86)
Ramachandran outliers	187476	3699 (2.90-2.86)
Sidechain outliers	187428	3702 (2.90-2.86)
RSRZ outliers	180081	3558 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	527	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	1109	-	-	X	-

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 4127 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	491	Total	C	N	O	S	0	0	0
			3932	2467	681	761	23			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	LEU	-	expression tag	UNP Q1KHJ8
A	-3	LEU	-	expression tag	UNP Q1KHJ8
A	-2	ALA	-	expression tag	UNP Q1KHJ8
A	-1	ALA	-	expression tag	UNP Q1KHJ8
A	0	ALA	-	expression tag	UNP Q1KHJ8
A	1	ALA	-	expression tag	UNP Q1KHJ8
A	2	HIS	-	expression tag	UNP Q1KHJ8
A	3	SER	-	expression tag	UNP Q1KHJ8
A	4	ALA	-	expression tag	UNP Q1KHJ8
A	5	PHE	-	expression tag	UNP Q1KHJ8
A	6	ALA	-	expression tag	UNP Q1KHJ8
A	7	ALA	-	expression tag	UNP Q1KHJ8
A	8	ASP	-	expression tag	UNP Q1KHJ8
A	9	PRO	-	expression tag	UNP Q1KHJ8
A	10	GLY	-	expression tag	UNP Q1KHJ8
A	1043	SER	-	expression tag	UNP Q1KHJ8
A	1044	ARG	-	expression tag	UNP Q1KHJ8
A	1045	LEU	-	expression tag	UNP Q1KHJ8
A	1046	VAL	-	expression tag	UNP Q1KHJ8
A	1047	PRO	-	expression tag	UNP Q1KHJ8
A	1048	ARG	-	expression tag	UNP Q1KHJ8
A	1049	GLY	-	expression tag	UNP Q1KHJ8

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	66	Total	O	0	0
			66	66		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hemagglutinin



4 Data and refinement statistics (i)

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α, β, γ	109.57Å 109.57Å 421.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.58 – 2.87 29.58 – 2.87	Depositor EDS
% Data completeness (in resolution range)	94.8 (29.58-2.87) 94.7 (29.58-2.87)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	0.97 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.212 , 0.286 0.215 , 0.281	Depositor DCC
R_{free} test set	1040 reflections (4.57%)	wwPDB-VP
Wilson B-factor (Å^2)	77.8	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.29 , 37.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	4127	wwPDB-VP
Average B, all atoms (Å^2)	87.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.69% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.99	0/4020	1.35	2/5440 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	953	ASP	CA-C-N	5.29	125.81	119.94
1	A	953	ASP	C-N-CA	5.29	125.81	119.94

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3932	0	3772	91	0
2	A	55	0	0	3	0
3	A	18	0	24	0	0
4	A	56	0	52	3	0
5	A	66	0	0	5	0
All	All	4127	0	3848	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:ARG:HH11	1:A:155:ARG:HG3	1.40	0.85
1:A:193:ASP:OD1	1:A:195:ALA:HB3	1.81	0.80
1:A:119:ASN:C	1:A:119:ASN:HD22	1.91	0.78
1:A:101:TYR:CD1	1:A:236:MET:HE2	2.29	0.68
1:A:29:ILE:HG23	1:A:30:MET:HG2	1.76	0.67
4:A:1114:NAG:H81	5:A:1250:HOH:O	1.95	0.66
1:A:120:HIS:HB3	1:A:267:VAL:HG23	1.78	0.66
1:A:103:GLY:HA3	1:A:236:MET:O	1.95	0.65
1:A:155:ARG:HG3	1:A:155:ARG:NH1	2.10	0.65
1:A:140:GLY:HA3	1:A:159:TRP:HB3	1.78	0.64
1:A:185:LEU:HD23	1:A:240:TRP:HB3	1.81	0.62
1:A:119:ASN:C	1:A:119:ASN:ND2	2.57	0.61
1:A:1034:ARG:O	1:A:1038:GLU:HG3	2.00	0.60
1:A:126:ILE:HG22	1:A:174:TYR:CZ	2.37	0.59
1:A:63:ARG:O	1:A:92:LYS:HD3	2.04	0.58
1:A:182:LEU:HD23	1:A:264:TYR:O	2.05	0.57
1:A:67:VAL:HG21	1:A:112:LYS:HG2	1.86	0.57
1:A:59:PRO:HG2	1:A:61:ILE:HD11	1.86	0.57
1:A:133:SER:O	1:A:163:LYS:NZ	2.38	0.56
1:A:141:VAL:HG13	1:A:152:SER:CA	2.36	0.56
1:A:198:THR:HG22	1:A:202:GLN:O	2.07	0.54
1:A:141:VAL:HG13	1:A:152:SER:HA	1.89	0.54
1:A:182:LEU:HD23	1:A:264:TYR:C	2.32	0.54
1:A:290:THR:HG22	1:A:292:MET:H	1.72	0.54
1:A:295:ILE:HD11	1:A:304:ILE:HD12	1.90	0.54
1:A:192:ASN:ND2	1:A:196:GLU:OE1	2.42	0.53
1:A:59:PRO:HB3	1:A:88:TYR:CE1	2.43	0.53
1:A:1013:ASN:HB2	5:A:1211:HOH:O	2.09	0.53
1:A:272:SER:OG	1:A:273:THR:N	2.42	0.53
1:A:203:ASN:OD1	1:A:203:ASN:N	2.41	0.53
1:A:153:PHE:CE1	1:A:236:MET:HE3	2.45	0.52
1:A:121:PHE:HD1	1:A:266:ILE:HG22	1.75	0.52
1:A:897:GLN:OE1	1:A:1012:ASP:HB2	2.09	0.52
2:A:1109:SO4:S	4:A:1113:NAG:O4	2.68	0.52
1:A:89:ILE:HD11	1:A:115:LEU:O	2.11	0.51
1:A:274:ILE:N	1:A:274:ILE:HD12	2.26	0.51
1:A:299:MET:HA	1:A:299:MET:HE2	1.92	0.51
1:A:37:THR:HB	1:A:327:LEU:H	1.76	0.51
1:A:1015:CYS:O	1:A:1018:SER:OG	2.28	0.51
1:A:938:ASN:OD1	1:A:938:ASN:C	2.53	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:GLU:HB3	1:A:119:ASN:O	2.11	0.50
1:A:170:ILE:O	1:A:252:GLU:HA	2.12	0.50
1:A:100:CYS:O	1:A:230:ASN:ND2	2.41	0.50
1:A:63:ARG:O	1:A:92:LYS:CD	2.60	0.50
1:A:118:ILE:HG21	1:A:121:PHE:HB2	1.93	0.49
1:A:167:TYR:CZ	1:A:255:GLY:HA2	2.47	0.49
1:A:960:THR:O	1:A:964:GLU:HG2	2.12	0.49
1:A:28:THR:HB	1:A:972:GLU:HB2	1.94	0.49
1:A:873:ILE:CG2	1:A:873:ILE:O	2.60	0.49
1:A:84:PRO:O	1:A:120:HIS:HA	2.13	0.49
1:A:290:THR:HG23	1:A:291:PRO:HD2	1.95	0.49
1:A:141:VAL:HG13	1:A:152:SER:N	2.27	0.49
1:A:52:CYS:HB2	1:A:286:THR:HG22	1.95	0.48
1:A:310:GLY:HA2	1:A:930:PHE:CD1	2.47	0.48
1:A:317:LYS:N	1:A:960:THR:OG1	2.46	0.48
1:A:296:ASN:HB2	5:A:1235:HOH:O	2.13	0.47
1:A:1008:TYR:O	1:A:1033:ALA:HA	2.13	0.47
1:A:210:VAL:HG23	1:A:217:GLN:HE21	1.79	0.47
1:A:141:VAL:HG12	1:A:151:SER:HB3	1.97	0.47
1:A:327:LEU:HD12	1:A:327:LEU:N	2.30	0.47
1:A:1017:GLU:O	1:A:1021:ASN:HB2	2.14	0.47
1:A:315:TYR:CD2	1:A:956:LEU:HD13	2.49	0.47
1:A:876:PHE:CZ	1:A:877:ILE:HD12	2.50	0.47
1:A:120:HIS:HB3	1:A:267:VAL:CG2	2.45	0.46
1:A:15:ILE:HD11	1:A:989:VAL:HG21	1.98	0.46
1:A:1038:GLU:O	1:A:1039:GLU:CB	2.64	0.45
1:A:128:PRO:HB3	2:A:1105:SO4:O2	2.17	0.45
1:A:244:LYS:HG3	5:A:1206:HOH:O	2.15	0.45
1:A:297:SER:HB2	1:A:313:PRO:HG3	1.99	0.45
1:A:311:GLU:HB3	1:A:928:THR:CG2	2.46	0.45
1:A:58:LYS:HG3	1:A:281:TYR:OH	2.17	0.44
1:A:148:GLN:OE1	1:A:148:GLN:HA	2.17	0.44
1:A:153:PHE:HE1	1:A:236:MET:HE3	1.82	0.44
1:A:66:SER:O	1:A:67:VAL:C	2.61	0.44
1:A:206:THR:HA	1:A:254:ASN:HB3	2.00	0.43
1:A:156:ASN:HA	1:A:262:TYR:HD2	1.82	0.43
1:A:176:ASN:ND2	1:A:245:PRO:HA	2.33	0.43
1:A:147:TYR:CD2	1:A:148:GLN:HG2	2.54	0.43
1:A:74:ASN:OD1	1:A:74:ASN:C	2.62	0.42
1:A:254:ASN:HD22	1:A:254:ASN:HA	1.59	0.42
1:A:26:VAL:HG13	1:A:971:ASN:ND2	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:996:ASN:ND2	1:A:1026:TYR:CD2	2.87	0.42
1:A:286:THR:OG1	1:A:287:LYS:N	2.52	0.42
1:A:966:LEU:O	1:A:970:GLU:HB2	2.19	0.42
1:A:893:HIS:HB2	1:A:1016:MET:HE3	1.99	0.42
2:A:1109:SO4:O2	4:A:1113:NAG:O4	2.32	0.42
1:A:81:ILE:HG23	5:A:1245:HOH:O	2.19	0.42
1:A:290:THR:HG23	1:A:291:PRO:CD	2.50	0.41
1:A:958:VAL:HG12	1:A:959:TRP:N	2.35	0.41
1:A:291:PRO:HG2	1:A:305:HIS:CE1	2.56	0.41
1:A:81:ILE:HD12	1:A:82:ASN:H	1.86	0.41
1:A:215:LEU:HD12	1:A:215:LEU:HA	1.93	0.41
1:A:253:SER:OG	1:A:257:PHE:HB2	2.22	0.40
1:A:145:CYS:HB2	1:A:152:SER:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	487/527 (92%)	440 (90%)	41 (8%)	6 (1%)	10 31

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	ASN
1	A	272	SER
1	A	53	ASP
1	A	59	PRO
1	A	81	ILE
1	A	304	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	435/460 (95%)	381 (88%)	54 (12%)	4 13

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	MET
1	A	32	LYS
1	A	36	VAL
1	A	37	THR
1	A	38	HIS
1	A	46	LYS
1	A	54	LEU
1	A	64	ASP
1	A	67	VAL
1	A	81	ILE
1	A	83	VAL
1	A	92	LYS
1	A	119	ASN
1	A	139	LEU
1	A	155	ARG
1	A	157	VAL
1	A	166	THR
1	A	203	ASN
1	A	210	VAL
1	A	217	GLN
1	A	241	THR
1	A	246	ASN
1	A	254	ASN
1	A	267	VAL
1	A	273	THR
1	A	277	SER
1	A	284	CYS
1	A	290	THR
1	A	298	SER
1	A	304	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	316	VAL
1	A	873	ILE
1	A	877	ILE
1	A	885	VAL
1	A	886	ASP
1	A	889	TYR
1	A	897	GLN
1	A	905	LYS
1	A	910	LYS
1	A	912	ILE
1	A	917	ASN
1	A	928	THR
1	A	929	GLN
1	A	946	ASN
1	A	949	LYS
1	A	958	VAL
1	A	960	THR
1	A	965	LEU
1	A	967	VAL
1	A	969	MET
1	A	970	GLU
1	A	983	LYS
1	A	988	LYS
1	A	1028	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	217	GLN
1	A	246	ASN
1	A	254	ASN
1	A	893	HIS
1	A	946	ASN
1	A	962	ASN
1	A	1013	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	SO4	A	1116	-	4,4,4	0.32	0	6,6,6	0.08	0
2	SO4	A	1103	-	4,4,4	0.33	0	6,6,6	0.13	0
2	SO4	A	1115	-	4,4,4	0.33	0	6,6,6	0.06	0
2	SO4	A	1101	-	4,4,4	0.34	0	6,6,6	0.07	0
4	NAG	A	1113	1	14,14,15	0.40	0	17,19,21	1.07	1 (5%)
4	NAG	A	1118	1	14,14,15	0.76	1 (7%)	17,19,21	1.39	3 (17%)
3	GOL	A	1111	-	5,5,5	0.10	0	5,5,5	0.32	0
3	GOL	A	1117	-	5,5,5	0.10	0	5,5,5	0.26	0
2	SO4	A	1109	-	4,4,4	0.33	0	6,6,6	0.06	0
2	SO4	A	1107	-	4,4,4	0.32	0	6,6,6	0.11	0
2	SO4	A	1106	-	4,4,4	0.33	0	6,6,6	0.08	0
2	SO4	A	1108	-	4,4,4	0.34	0	6,6,6	0.09	0
2	SO4	A	1104	-	4,4,4	0.32	0	6,6,6	0.07	0
3	GOL	A	1110	-	5,5,5	0.12	0	5,5,5	0.37	0
4	NAG	A	1112	1	14,14,15	0.76	0	17,19,21	2.21	5 (29%)
2	SO4	A	1105	-	4,4,4	0.32	0	6,6,6	0.13	0
2	SO4	A	1102	-	4,4,4	0.33	0	6,6,6	0.11	0
4	NAG	A	1114	1	14,14,15	0.92	1 (7%)	17,19,21	1.78	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1113	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1118	1	-	0/6/23/26	0/1/1/1
3	GOL	A	1117	-	-	0/4/4/4	-
3	GOL	A	1111	-	-	2/4/4/4	-
4	NAG	A	1112	1	-	4/6/23/26	0/1/1/1
3	GOL	A	1110	-	-	2/4/4/4	-
4	NAG	A	1114	1	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1114	NAG	C1-C2	2.63	1.55	1.52
4	A	1118	NAG	C1-C2	2.20	1.55	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	A	1112	NAG	C1-O5-C5	5.41	119.44	112.19
4	A	1114	NAG	C1-O5-C5	5.35	119.35	112.19
4	A	1112	NAG	C2-N2-C7	4.79	129.32	122.90
4	A	1118	NAG	C1-O5-C5	3.35	116.68	112.19
4	A	1114	NAG	C1-C2-N2	3.25	115.56	110.43
4	A	1118	NAG	C4-C3-C2	3.06	115.50	111.02
4	A	1112	NAG	C1-C2-N2	2.85	114.93	110.43
4	A	1118	NAG	O5-C1-C2	2.73	115.52	111.29
4	A	1114	NAG	O5-C5-C6	2.56	112.64	107.66
4	A	1113	NAG	O3-C3-C2	2.40	114.39	109.40
4	A	1112	NAG	C4-C3-C2	-2.11	107.92	111.02
4	A	1112	NAG	O3-C3-C2	2.04	113.64	109.40

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1111	GOL	C1-C2-C3-O3
4	A	1114	NAG	C4-C5-C6-O6
4	A	1114	NAG	O5-C5-C6-O6
4	A	1112	NAG	C4-C5-C6-O6
4	A	1112	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1111	GOL	O2-C2-C3-O3
4	A	1112	NAG	C1-C2-N2-C7
3	A	1110	GOL	O1-C1-C2-C3
4	A	1112	NAG	C3-C2-N2-C7
4	A	1113	NAG	C3-C2-N2-C7
3	A	1110	GOL	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1113	NAG	2	0
2	A	1109	SO4	2	0
2	A	1105	SO4	1	0
4	A	1114	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	491/527 (93%)	-0.17	4 (0%) 82 77	50, 83, 122, 159	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	81	ILE	3.4
1	A	80	PHE	2.8
1	A	885	VAL	2.3
1	A	9	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	SO4	A	1101	5/5	0.66	0.16	178,188,196,212	0
2	SO4	A	1106	5/5	0.68	0.17	188,195,204,205	0
4	NAG	A	1112	14/15	0.69	0.12	100,134,142,147	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	SO4	A	1109	5/5	0.72	0.07	167,178,187,192	0
2	SO4	A	1105	5/5	0.73	0.08	140,150,159,162	0
2	SO4	A	1116	5/5	0.74	0.07	161,167,174,177	0
4	NAG	A	1114	14/15	0.78	0.12	97,155,167,170	0
2	SO4	A	1115	5/5	0.82	0.19	226,226,226,230	5
2	SO4	A	1102	5/5	0.83	0.07	112,120,140,143	0
4	NAG	A	1118	14/15	0.83	0.10	96,126,144,144	0
2	SO4	A	1104	5/5	0.85	0.10	143,146,157,172	0
2	SO4	A	1107	5/5	0.85	0.18	181,182,195,203	0
3	GOL	A	1111	6/6	0.88	0.17	119,125,129,130	0
3	GOL	A	1110	6/6	0.90	0.13	104,115,117,117	0
3	GOL	A	1117	6/6	0.92	0.14	138,144,146,151	0
2	SO4	A	1108	5/5	0.94	0.14	130,130,132,132	5
2	SO4	A	1103	5/5	0.95	0.08	115,120,127,131	0
4	NAG	A	1113	14/15	0.96	0.07	80,91,104,112	0

6.5 Other polymers (i)

There are no such residues in this entry.