



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 05:33 AM UTC

PDB ID : 6PUG / pdb\_00006pug  
Title : Structure of human MAIT A-F7 TCR in complex with human MR1-2'OH-Et hyl-5-OP-U  
Authors : Awad, W.; Rossjohn, J.  
Deposited on : 2019-07-18  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	 86% 10% . .
1	C	271	 87% 11% . .
2	B	100	 90% 7% . .
2	F	100	 99% .
3	D	204	 88% 7% . .

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	G	204	89% 9% .
4	E	246	87% 11% ..
4	H	246	87% 11% ..

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 15466 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major histocompatibility complex class I-related gene protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	264	Total	C	N	O	S	0	13	0
			2234	1430	384	407	13			
1	C	267	Total	C	N	O	S	0	17	0
			2297	1479	393	413	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP Q95460
A	261	SER	CYS	conflict	UNP Q95460
C	0	MET	-	initiating methionine	UNP Q95460
C	261	SER	CYS	conflict	UNP Q95460

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	98	Total	C	N	O	S	0	1	0
			799	514	134	148	3			
2	F	100	Total	C	N	O	S	0	2	0
			825	533	139	149	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769
F	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called Human TCR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	D	196	Total	C	N	O	S	0	8	0
			1523	973	237	303	10			

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	G	200	Total 1655	C 1053	N 257	O 334	S 11	0	20	0

- Molecule 4 is a protein called Human TCR beta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	E	242	Total 1930	C 1224	N 324	O 369	S 13	0	12	0
4	H	244	Total 2015	C 1281	N 340	O 381	S 13	0	21	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	A	1	Total 6	C 3	O 3	0	0
5	F	1	Total 6	C 3	O 3	0	0
5	F	1	Total 6	C 3	O 3	0	0

- Molecule 6 is 6-[(2-hydroxyethyl)amino]-5-[(E)-(2-oxopropylidene)amino]pyrimidine-2,4(1H, 3H)-dione (CCD ID: OZD) (formula: C<sub>9</sub>H<sub>12</sub>N<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			16	9	4	3		
6	C	1	Total	C	N	O	0	0
			16	9	4	3		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	E	1	Total	Cl	0	0
			1	1		

- Molecule 8 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	H	1	Total	Na	0	0
			1	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	372	Total	O	0	0
			372	372		
9	B	103	Total	O	0	0
			103	103		
9	C	387	Total	O	0	0
			387	387		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	D	192	Total 192	O 192	0	0
9	E	220	Total 220	O 220	0	0
9	F	160	Total 160	O 160	0	0
9	G	329	Total 329	O 329	0	0
9	H	373	Total 373	O 373	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Major histocompatibility complex class I-related gene protein




- Molecule 1: Major histocompatibility complex class I-related gene protein




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



- Molecule 3: Human TCR alpha chain





- Molecule 3: Human TCR alpha chain

Chain G: 89% 9%



- Molecule 4: Human TCR beta chain

Chain E: 87% 11%



- Molecule 4: Human TCR beta chain

Chain H: 87% 11%



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	212.62Å 69.27Å 142.06Å 90.00° 103.68° 90.00°	Depositor
Resolution (Å)	47.03 – 1.80 47.03 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.03-1.80) 99.9 (47.03-1.80)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.02 (at 1.79Å)	Xtrriage
Refinement program	PHENIX 1.16_3549-000, PHENIX 1.16_3549-000	Depositor
R, $R_{free}$	0.160 , 0.194 0.162 , 0.195	Depositor DCC
$R_{free}$ test set	9337 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.0	Xtrriage
Anisotropy	0.167	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 55.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	15466	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, OZD, NA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/2332	0.57	0/3165
1	C	0.40	0/2410	0.55	0/3272
2	B	0.30	0/825	0.51	0/1123
2	F	0.36	0/854	0.55	0/1157
3	D	0.35	0/1574	0.52	0/2139
3	G	0.40	0/1742	0.62	0/2364
4	E	0.34	0/2014	0.53	0/2742
4	H	0.42	0/2121	0.62	0/2886
All	All	0.38	0/13872	0.56	0/18848

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2234	0	2131	21	0
1	C	2297	0	2230	27	0
2	B	799	0	746	6	0
2	F	825	0	795	1	0
3	D	1523	0	1423	10	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	1655	0	1604	18	0
4	E	1930	0	1819	22	0
4	H	2015	0	1941	27	0
5	A	6	0	8	0	0
5	F	12	0	16	0	0
6	A	16	0	0	0	0
6	C	16	0	0	0	0
7	E	1	0	0	0	0
8	H	1	0	0	0	0
9	A	372	0	0	7	4
9	B	103	0	0	1	0
9	C	387	0	0	6	1
9	D	192	0	0	3	0
9	E	220	0	0	3	0
9	F	160	0	0	0	1
9	G	329	0	0	11	2
9	H	373	0	0	8	4
All	All	15466	0	12713	121	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160[B]:GLU:OE2	9:A:401:HOH:O	1.91	0.86
1:A:221:ILE:HG21	1:A:244:ILE:HD11	1.59	0.83
4:H:140[B]:GLN:OE1	9:H:401:HOH:O	2.01	0.77
1:A:21:GLU:OE2	9:A:402:HOH:O	2.05	0.75
1:C:125:ASP:OD2	9:C:901:HOH:O	2.04	0.74
1:C:46[B]:ARG:NH1	9:C:903:HOH:O	2.20	0.73
3:G:138[B]:ASP:OD1	9:G:302:HOH:O	2.06	0.73
3:G:3[A]:ASN:ND2	9:G:305:HOH:O	2.23	0.71
4:E:13:LEU:HD21	4:E:19[B]:MET:HG3	1.71	0.70
3:G:188[B]:ASN:OD1	9:G:301:HOH:O	2.06	0.70
3:G:41[B]:GLU:OE1	9:G:303:HOH:O	2.08	0.70
4:E:140:GLN:NE2	9:E:403:HOH:O	2.23	0.68
4:H:172[A]:CYS:HB3	4:H:194[A]:ARG:HD3	1.76	0.68
4:H:99[B]:GLU:OE1	9:H:403:HOH:O	2.13	0.67
1:A:57[B]:ASP:OD2	9:A:403:HOH:O	2.12	0.67
4:H:100:GLY:O	9:H:404:HOH:O	2.13	0.66

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:28:GLY:HA3	3:D:93:SER:HB3	1.78	0.65
2:B:53:ASP:OD2	9:B:101:HOH:O	2.14	0.65
4:E:65[A]:ASN:ND2	4:E:79:GLU:OE2	2.30	0.64
4:H:99[B]:GLU:HG2	4:H:100:GLY:H	1.64	0.62
1:C:1:ARG:HA	1:C:102:GLU:HG2	1.81	0.62
9:G:518:HOH:O	4:H:99[B]:GLU:HB3	2.00	0.61
3:G:28:GLY:HA3	3:G:93[B]:SER:OG	2.00	0.61
1:C:9:ARG:NH1	9:C:912:HOH:O	2.33	0.61
1:C:36:TYR:HB2	1:C:66[B]:LEU:HD23	1.83	0.61
1:C:66[B]:LEU:HD12	1:C:69:TRP:CE3	2.36	0.60
4:H:65[B]:ASN:ND2	4:H:79:GLU:OE2	2.35	0.60
3:G:122:ARG:NH1	9:G:310:HOH:O	2.34	0.60
1:C:215[A]:MET:HG3	1:C:257:HIS:CD2	2.36	0.59
1:A:252:ASN:HB2	1:A:254:TYR:CE1	2.37	0.59
3:G:96[A]:GLN:OE1	9:G:304:HOH:O	2.17	0.59
4:E:154[B]:ASP:OD2	9:E:401:HOH:O	2.17	0.59
1:A:72:MET:HE1	9:H:414:HOH:O	2.02	0.59
1:A:196:THR:HG23	1:A:246:LEU:HB2	1.85	0.58
4:H:11:GLN:HB3	4:H:112[A]:LEU:HD22	1.84	0.58
4:H:128[B]:VAL:HG23	4:H:238:ALA:HB3	1.85	0.58
3:G:70[B]:TYR:HH	3:G:72:TYR:HD2	1.52	0.57
1:A:113:ALA:HB2	2:B:60:TRP:CE2	2.40	0.56
1:A:152:TYR:CD1	4:H:100:GLY:HA3	2.41	0.56
3:G:150:ASP:HB2	3:G:177:LYS:HD2	1.87	0.56
1:A:151:LEU:HD22	3:G:51:LEU:HD12	1.86	0.55
3:D:149:SER:OG	9:D:301:HOH:O	2.18	0.55
4:H:128[B]:VAL:HG22	4:H:211[B]:CYS:SG	2.48	0.54
1:C:36:TYR:CB	1:C:66[B]:LEU:HD23	2.38	0.54
4:E:120:ASN:HB2	9:E:445:HOH:O	2.08	0.54
1:C:195:VAL:HG13	1:C:245[B]:GLU:HG3	1.91	0.53
2:B:72:PRO:HB2	2:B:97:ARG:NH1	2.25	0.52
4:E:11:GLN:HG2	4:E:19[B]:MET:HE2	1.91	0.52
4:H:15[B]:THR:HG21	4:H:116:GLU:OE2	2.10	0.52
1:A:215:MET:HG3	1:A:257:HIS:CD2	2.45	0.51
1:C:255[B]:SER:OG	1:C:268:GLN:HG2	2.11	0.51
3:D:121:LEU:O	3:D:130:SER:HB2	2.11	0.51
4:E:172[B]:CYS:SG	4:E:194:ARG:HD3	2.50	0.51
1:C:151:LEU:HD22	3:D:51:LEU:HD12	1.93	0.51
2:B:17:ASN:OD1	2:B:97:ARG:NH1	2.45	0.50
1:C:113:ALA:HB2	2:F:60:TRP:CE2	2.46	0.50
1:A:256[B]:CYS:HB2	1:A:267:LEU:HB2	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:15[B]:THR:HG22	4:H:83:PRO:HD3	1.93	0.49
3:G:13[B]:THR:HG23	9:G:438:HOH:O	2.14	0.48
3:D:123:ASP:HB3	3:D:126:SER:HA	1.96	0.48
4:H:95:VAL:HG12	4:H:96:TRP:CD1	2.48	0.48
4:H:8:PRO:HD2	4:H:21[B]:LEU:CD2	2.44	0.48
4:H:124:PRO:HG2	4:H:236[B]:VAL:HG11	1.95	0.48
1:C:130[B]:LEU:HD23	3:G:125:LYS:O	2.12	0.47
1:A:198:LEU:HB2	1:A:244:ILE:HG22	1.95	0.47
3:G:148:ASP:OD2	3:G:177:LYS:NZ	2.32	0.47
4:H:174:ASP:OD1	4:H:194[B]:ARG:NH2	2.33	0.46
1:C:156:TRP:CZ3	1:C:161:CYS:HB2	2.51	0.46
1:A:154:LYS:HD3	3:G:51:LEU:HD11	1.97	0.46
3:D:157:CYS:SG	4:E:172[B]:CYS:HB2	2.55	0.46
4:E:19[A]:MET:HE3	4:E:19[A]:MET:HB2	1.72	0.46
4:H:13:LEU:HD11	4:H:19[A]:MET:SD	2.56	0.46
1:C:152:TYR:CD1	4:E:100:GLY:HA3	2.51	0.46
4:E:8:PRO:HD2	4:E:21[B]:LEU:HD22	1.98	0.46
1:C:46[B]:ARG:NH2	9:C:926:HOH:O	2.49	0.45
4:H:111:ARG:NE	9:H:407:HOH:O	2.23	0.45
1:A:101[B]:LEU:HD12	1:A:105:SER:OG	2.17	0.45
1:C:186:VAL:HG11	1:C:269:VAL:HG22	1.99	0.45
4:E:21[B]:LEU:HD12	4:E:76:LEU:HD23	1.98	0.45
3:D:154:THR:HG21	4:E:192:SER:OG	2.16	0.45
9:A:524:HOH:O	2:B:0:MET:HE1	2.17	0.45
1:C:1:ARG:HA	1:C:102:GLU:CG	2.46	0.45
1:C:223:GLN:N	1:C:223:GLN:OE1	2.50	0.45
4:H:99[B]:GLU:OE1	9:H:405:HOH:O	2.21	0.44
4:E:59:GLU:HG2	4:E:60:VAL:HG13	1.98	0.44
4:E:111:ARG:HD2	4:E:111:ARG:C	2.41	0.44
4:E:154[A]:ASP:CG	4:E:177:PRO:HG3	2.42	0.44
4:H:99[A]:GLU:OE1	9:H:406:HOH:O	2.21	0.44
3:D:151:VAL:HG22	3:D:175:SER:HB2	2.00	0.44
1:A:8:PHE:CE2	1:A:95[B]:MET:HG3	2.53	0.43
4:E:117:ASP:OD2	4:E:119:LYS:HB2	2.18	0.43
2:B:64[B]:LEU:HD12	2:B:64[B]:LEU:HA	1.83	0.43
1:C:130[B]:LEU:HD12	9:C:1055:HOH:O	2.18	0.43
4:H:210:ARG:NH1	4:H:212:GLN:HB2	2.34	0.43
1:A:141:GLN:HG3	9:A:654:HOH:O	2.19	0.43
3:G:104:LYS:NZ	9:G:323:HOH:O	2.51	0.43
3:D:96:GLN:HG3	9:D:422:HOH:O	2.19	0.43
1:C:36:TYR:CG	1:C:66[B]:LEU:HD23	2.54	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:8:PRO:HD2	4:E:21[B]:LEU:CD2	2.49	0.42
4:E:131:PRO:HD2	4:E:202:TRP:CZ2	2.54	0.42
3:G:34:TRP:CG	3:G:73[B]:LEU:HG	2.54	0.42
1:A:152:TYR:CG	4:H:100:GLY:HA3	2.54	0.42
1:C:130[B]:LEU:HD11	9:C:1241:HOH:O	2.19	0.42
3:G:96[A]:GLN:NE2	9:G:308:HOH:O	2.26	0.42
4:H:86:THR:HG23	4:H:113:THR:HA	2.01	0.41
4:E:83:PRO:HA	4:E:114:VAL:HB	2.02	0.41
1:C:253:LEU:HD12	1:C:253:LEU:HA	1.88	0.41
1:C:169[B]:LEU:HD12	1:C:169[B]:LEU:HA	1.90	0.41
3:D:70:TYR:OH	9:D:302:HOH:O	2.20	0.41
1:C:77:LEU:HD13	1:C:92:TYR:HB2	2.02	0.41
4:E:30:ASN:O	4:E:51:SER:HA	2.20	0.41
1:C:215[A]:MET:HE3	1:C:221:ILE:HG12	2.01	0.41
4:H:226:GLN:NE2	9:H:402:HOH:O	2.10	0.41
1:A:141:GLN:OE1	9:A:404:HOH:O	2.22	0.41
4:E:154[A]:ASP:OD1	4:E:177:PRO:HG3	2.21	0.41
1:A:1[A]:ARG:HH11	1:A:1[A]:ARG:HD3	1.75	0.40
1:C:16[A]:ILE:H	1:C:16[A]:ILE:HG12	1.60	0.40
3:G:96[A]:GLN:NE2	9:G:314:HOH:O	2.39	0.40
4:H:19[A]:MET:HE3	4:H:19[A]:MET:HB2	1.99	0.40
1:A:137:HIS:HD2	9:A:681:HOH:O	2.03	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:G:571:HOH:O	9:H:625:HOH:O[4_548]	2.01	0.19
9:C:1133:HOH:O	9:G:307:HOH:O[4_558]	2.11	0.09
9:A:634:HOH:O	9:H:531:HOH:O[2_658]	2.12	0.08
9:A:686:HOH:O	9:F:224:HOH:O[4_558]	2.17	0.03
9:A:666:HOH:O	9:H:705:HOH:O[2_658]	2.18	0.02
9:A:636:HOH:O	9:H:563:HOH:O[2_658]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/271 (100%)	266 (98%)	5 (2%)	0	100	100
1	C	280/271 (103%)	274 (98%)	6 (2%)	0	100	100
2	B	97/100 (97%)	96 (99%)	1 (1%)	0	100	100
2	F	100/100 (100%)	99 (99%)	1 (1%)	0	100	100
3	D	200/204 (98%)	194 (97%)	6 (3%)	0	100	100
3	G	218/204 (107%)	214 (98%)	4 (2%)	0	100	100
4	E	252/246 (102%)	246 (98%)	6 (2%)	0	100	100
4	H	263/246 (107%)	257 (98%)	6 (2%)	0	100	100
All	All	1681/1642 (102%)	1646 (98%)	35 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/241 (100%)	233 (97%)	8 (3%)	33	21
1	C	251/241 (104%)	242 (96%)	9 (4%)	31	18
2	B	86/95 (90%)	84 (98%)	2 (2%)	44	33
2	F	90/95 (95%)	90 (100%)	0	100	100
3	D	165/181 (91%)	160 (97%)	5 (3%)	36	24
3	G	194/181 (107%)	194 (100%)	0	100	100
4	E	209/212 (99%)	203 (97%)	6 (3%)	37	25
4	H	222/212 (105%)	219 (99%)	3 (1%)	59	52
All	All	1458/1458 (100%)	1425 (98%)	33 (2%)	51	33

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46[A]	ARG
1	A	46[B]	ARG
1	A	57[A]	ASP
1	A	57[B]	ASP
1	A	73	PHE
1	A	78	LYS
1	A	221	ILE
1	A	224	GLU
2	B	50	GLU
2	B	97	ARG
1	C	16[A]	ILE
1	C	16[B]	ILE
1	C	17	HIS
1	C	73	PHE
1	C	245[A]	GLU
1	C	245[B]	GLU
1	C	253	LEU
1	C	261[A]	SER
1	C	261[B]	SER
3	D	27[A]	SER
3	D	27[B]	SER
3	D	126	SER
3	D	131	VAL
3	D	157	CYS
4	E	19[A]	MET
4	E	19[B]	MET
4	E	79	GLU
4	E	111	ARG
4	E	116	GLU
4	E	227	ASP
4	H	111	ARG
4	H	194[A]	ARG
4	H	194[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	93	GLN
1	A	137	HIS
1	A	148	HIS
1	A	203	HIS
2	B	13	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	177	GLN
1	C	217	ASN
2	F	17	ASN
3	G	49	ASN
3	G	94	ASN
4	H	11	GLN
4	H	120	ASN
4	H	181	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	GOL	A	301	-	5,5,5	1.31	1 (20%)	5,5,5	1.03	0
5	GOL	F	102	-	5,5,5	1.03	0	5,5,5	1.03	0
6	OZD	A	302	1	16,16,17	0.98	1 (6%)	15,20,22	0.84	0
5	GOL	F	101	-	5,5,5	0.98	0	5,5,5	0.96	0
6	OZD	C	801	1	16,16,17	1.16	1 (6%)	15,20,22	0.83	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	301	-	-	0/4/4/4	-
5	GOL	F	102	-	-	0/4/4/4	-
6	OZD	A	302	1	-	0/7/8/9	0/1/1/1
5	GOL	F	101	-	-	0/4/4/4	-
6	OZD	C	801	1	-	0/7/8/9	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	801	OZD	C1-C2	4.18	1.53	1.49
6	A	302	OZD	C4-N1	3.25	1.37	1.32
5	A	301	GOL	C3-C2	2.22	1.60	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	801	OZD	C5-N1-C4	-2.29	121.50	126.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	264/271 (97%)	-0.50	1 (0%) 88 89	8, 23, 55, 68	19 (7%)
1	C	267/271 (98%)	-0.56	3 (1%) 78 78	10, 22, 40, 66	26 (9%)
2	B	98/100 (98%)	-0.08	0 100 100	15, 39, 62, 68	7 (7%)
2	F	100/100 (100%)	-0.59	0 100 100	13, 25, 44, 53	2 (2%)
3	D	196/204 (96%)	-0.22	3 (1%) 72 72	9, 30, 65, 78	12 (6%)
3	G	200/204 (98%)	-0.63	1 (0%) 87 88	9, 20, 42, 58	25 (12%)
4	E	242/246 (98%)	-0.20	1 (0%) 88 89	14, 32, 56, 74	16 (6%)
4	H	244/246 (99%)	-0.64	1 (0%) 88 89	7, 21, 39, 61	30 (12%)
All	All	1611/1642 (98%)	-0.45	10 (0%) 85 86	7, 25, 54, 78	137 (8%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	E	244	ALA	4.0
1	A	221	ILE	3.0
3	D	148	ASP	2.6
3	G	1	GLY	2.2
3	D	178	SER	2.2
1	C	221	ILE	2.1
4	H	97	THR	2.1
1	C	17	HIS	2.1
1	C	246	LEU	2.0
3	D	188	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	OZD	A	302	16/17	0.96	0.07	19,19,27,32	0
6	OZD	C	801	16/17	0.96	0.07	21,21,27,31	0
5	GOL	A	301	6/6	0.97	0.06	24,30,32,34	0
7	CL	E	301	1/1	0.97	0.07	37,37,37,37	0
5	GOL	F	102	6/6	0.99	0.04	19,22,26,27	0
5	GOL	F	101	6/6	0.99	0.04	17,18,21,24	0
8	NA	H	301	1/1	0.99	0.02	22,22,22,22	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.