



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 02:27 PM UTC

PDB ID : 6PWK / pdb_00006pwk
Title : Vibrio cholerae LapD S helix-GGDEF-EAL (bound to c-di-GMP)
Authors : Giglio, K.M.; Cooley, R.B.; Sondermann, H.
Deposited on : 2019-07-23
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4951 (2.64-2.60)
Clashscore	190562	5303 (2.64-2.60)
Ramachandran outliers	187476	5217 (2.64-2.60)
Sidechain outliers	187428	5217 (2.64-2.60)
RSRZ outliers	180081	4950 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	418	 2% 82% 14% ..
1	B	418	 84% 12% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GGDEF and EAL domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	406	Total 3206	C 2042	N 544	O 613	S 7	0	0	0
1	B	405	Total 3219	C 2049	N 543	O 620	S 7	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	637	ALA	-	expression tag	UNP A0A0H6T0A6
A	638	ALA	-	expression tag	UNP A0A0H6T0A6
B	637	ALA	-	expression tag	UNP A0A0H6T0A6
B	638	ALA	-	expression tag	UNP A0A0H6T0A6

- Molecule 2 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidoctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (CCD ID: C2E) (formula: C₂₀H₂₄N₁₀O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	B	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	B	1	Total	C	N	O	P	0	0
			46	20	10	14	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	21	Total	O	0	0
			21	21		
4	B	19	Total	O	0	0
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GGDEF and EAL domain-containing protein



- Molecule 1: GGDEF and EAL domain-containing protein



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	77.38Å 90.22Å 82.75Å 90.00° 115.49° 90.00°	Depositor
Resolution (Å)	33.77 – 2.61 33.77 – 2.61	Depositor EDS
% Data completeness (in resolution range)	98.5 (33.77-2.61) 91.3 (33.77-2.61)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 2.61Å)	Xtrriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.197 , 0.248 0.201 , 0.251	Depositor DCC
R_{free} test set	1999 reflections (6.35%)	wwPDB-VP
Wilson B-factor (Å ²)	64.0	Xtrriage
Anisotropy	0.352	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 58.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.023 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6651	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: C2E, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.12	0/3272	0.29	0/4435
1	B	0.12	0/3285	0.29	0/4450
All	All	0.12	0/6557	0.29	0/8885

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3206	0	3100	37	0
1	B	3219	0	3112	30	0
2	A	92	0	42	5	0
2	B	92	0	40	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	21	0	0	1	0
4	B	19	0	0	0	0
All	All	6651	0	6294	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:LYS:H	1:B:395:SER:HB3	1.58	0.69
1:B:252:MET:HE1	1:B:372:LEU:HD11	1.78	0.66
2:A:702:C2E:H81	2:A:702:C2E:O5A	1.96	0.65
1:A:613:GLU:HG2	2:A:701:C2E:HN1	1.63	0.64
1:A:404:LYS:HE2	1:A:461:GLN:HG2	1.79	0.64
1:B:580:PHE:HA	1:B:584:LEU:HD13	1.80	0.63
1:A:556:TYR:HE1	1:A:566:ILE:HD11	1.63	0.62
1:B:255:LEU:HD23	1:B:368:THR:HG23	1.81	0.62
1:B:302:ILE:HD11	1:B:336:ILE:HG12	1.82	0.62
1:A:340:VAL:HG13	1:A:343:ILE:HD11	1.82	0.62
1:A:267:VAL:HG12	1:A:360:VAL:HG22	1.82	0.61
1:A:324:MET:HE2	1:A:328:GLU:HB3	1.83	0.61
1:A:374:LEU:HD23	1:A:401:ILE:HG12	1.84	0.59
1:B:533:GLU:HG3	1:B:536:TYR:HD2	1.67	0.59
1:B:613:GLU:HG2	2:B:701:C2E:HN1	1.68	0.57
1:B:316:GLU:OE1	2:B:702:C2E:N1	2.32	0.56
1:A:567:ASN:O	1:A:570:ARG:NH1	2.38	0.55
1:B:608:ILE:HG12	1:B:628:VAL:HG22	1.89	0.55
1:A:507:ILE:HG13	1:A:540:PHE:HE1	1.72	0.54
1:B:567:ASN:OD1	1:B:570:ARG:NH1	2.32	0.54
1:B:556:TYR:HE1	1:B:566:ILE:HD11	1.72	0.54
1:A:306:ASP:HB3	1:A:322:PRO:HG2	1.90	0.54
1:A:584:LEU:HB3	1:A:620:PHE:HD2	1.74	0.52
1:B:269:ILE:HB	1:B:375:LEU:HG	1.91	0.52
1:A:613:GLU:CG	2:A:701:C2E:HN1	2.22	0.51
1:A:336:ILE:O	1:A:340:VAL:HG23	2.10	0.51
1:A:502:SER:HB3	1:B:535:HIS:CD2	2.48	0.49
1:A:344:ASN:HB3	1:A:345:PRO:HD3	1.95	0.48
1:B:613:GLU:CG	2:B:701:C2E:HN1	2.27	0.48
1:A:538:ALA:HB3	1:B:505:ARG:HD2	1.95	0.48
1:A:313:SER:OG	1:A:314:THR:N	2.46	0.47
1:A:232:GLN:HA	1:A:235:GLU:HG2	1.97	0.47
1:A:246:GLY:HA3	1:A:250:TYR:CD2	2.49	0.47
1:A:326:GLU:H	1:A:326:GLU:CD	2.22	0.47
1:B:313:SER:HB3	1:B:316:GLU:CG	2.45	0.47
1:B:232:GLN:O	1:B:236:ARG:HG2	2.14	0.47
1:A:608:ILE:HG12	1:A:628:VAL:HG22	1.97	0.46
1:A:279:TYR:OH	1:A:288:ASP:OD1	2.31	0.46
1:B:245:LEU:HD13	1:B:309:ILE:HG22	1.97	0.46
1:B:369:THR:HG22	2:B:702:C2E:O1P	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:701:C2E:H8	2:A:701:C2E:H2'	1.28	0.45
1:A:581:THR:HG22	1:A:621:LEU:HD11	1.98	0.45
1:A:444:GLU:HG2	1:A:449:ARG:HA	1.98	0.45
1:A:507:ILE:HG13	1:A:540:PHE:CE1	2.51	0.45
1:A:438:GLU:HA	1:A:490:ALA:HB3	1.98	0.45
1:B:336:ILE:O	1:B:340:VAL:HG23	2.17	0.45
1:A:500:GLN:HG3	4:A:809:HOH:O	2.17	0.44
1:B:267:VAL:HG12	1:B:360:VAL:HG22	1.98	0.44
1:B:290:MET:HE3	1:B:293:GLU:HB3	1.99	0.44
1:A:304:ILE:HG22	1:A:305:LYS:N	2.33	0.44
2:B:702:C2E:C4'	2:B:702:C2E:H8	2.38	0.43
1:A:304:ILE:HG22	1:A:305:LYS:H	1.83	0.43
1:A:274:PHE:HB3	1:A:354:ASN:HB3	1.99	0.43
1:B:297:ARG:HG3	1:B:343:ILE:HD13	2.00	0.43
1:B:611:ARG:HG2	2:B:701:C2E:C4	2.49	0.43
2:B:701:C2E:H2'	2:B:701:C2E:H8	1.29	0.43
1:B:248:ARG:O	1:B:252:MET:HG2	2.19	0.42
1:A:485:LEU:HD12	1:A:489:LEU:HD11	2.00	0.42
1:A:506:TRP:CZ2	1:A:510:THR:HG21	2.55	0.42
1:B:438:GLU:HA	1:B:490:ALA:HB3	2.00	0.42
1:A:420:PHE:HE2	1:A:468:PHE:HE1	1.67	0.41
1:B:309:ILE:HD13	1:B:319:ILE:HG12	2.02	0.41
1:A:611:ARG:HG2	2:A:701:C2E:C4	2.50	0.41
1:B:274:PHE:HB3	1:B:354:ASN:HB3	2.02	0.41
1:A:387:GLU:OE1	1:A:578:TYR:OH	2.34	0.41
1:A:470:GLN:HG2	1:A:506:TRP:CD2	2.56	0.41
1:A:536:TYR:CE2	1:B:501:PRO:HG3	2.57	0.40
1:B:238:TYR:HB3	1:B:250:TYR:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/418 (96%)	392 (98%)	9 (2%)	1 (0%)	43	64
1	B	401/418 (96%)	392 (98%)	9 (2%)	0	100	100
All	All	803/836 (96%)	784 (98%)	18 (2%)	1 (0%)	48	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	344	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/360 (94%)	329 (97%)	11 (3%)	34	60
1	B	344/360 (96%)	330 (96%)	14 (4%)	27	52
All	All	684/720 (95%)	659 (96%)	25 (4%)	30	55

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	267	VAL
1	A	300	ASN
1	A	313	SER
1	A	340	VAL
1	A	360	VAL
1	A	434	THR
1	A	531	VAL
1	A	582	HIS
1	A	628	VAL
1	A	633	ILE
1	A	634	VAL
1	B	229	GLU
1	B	267	VAL
1	B	324	MET
1	B	340	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	360	VAL
1	B	371	LEU
1	B	375	LEU
1	B	433	LYS
1	B	434	THR
1	B	508	SER
1	B	531	VAL
1	B	584	LEU
1	B	628	VAL
1	B	634	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	405	GLN
1	A	492	ASN
1	A	559	ASN
1	A	624	HIS
1	B	226	GLN
1	B	405	GLN
1	B	582	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	C2E	B	702	-	52,52,52	4.03	32 (61%)	78,82,82	2.78	31 (39%)
2	C2E	A	701	3	52,52,52	3.99	31 (59%)	78,82,82	2.52	26 (33%)
2	C2E	A	702	-	52,52,52	4.01	30 (57%)	78,82,82	2.82	29 (37%)
2	C2E	B	701	3	52,52,52	3.99	31 (59%)	78,82,82	2.56	27 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C2E	B	702	-	-	4/30/62/62	0/6/7/7
2	C2E	A	701	3	-	4/30/62/62	0/6/7/7
2	C2E	A	702	-	-	5/30/62/62	0/6/7/7
2	C2E	B	701	3	-	4/30/62/62	0/6/7/7

All (124) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	702	C2E	C2A-C3A	-14.06	1.22	1.53
2	B	702	C2E	C2A-C3A	-13.90	1.22	1.53
2	A	701	C2E	C2A-C3A	-13.79	1.22	1.53
2	B	701	C2E	C2A-C3A	-13.77	1.22	1.53
2	B	702	C2E	O4'-C1'	8.81	1.62	1.42
2	A	701	C2E	O4'-C1'	8.58	1.61	1.42
2	B	701	C2E	O4'-C1'	8.56	1.61	1.42
2	A	702	C2E	O4'-C1'	8.53	1.61	1.42
2	A	701	C2E	C2'-C1'	-7.24	1.30	1.53
2	B	701	C2E	C2'-C1'	-7.22	1.30	1.53
2	A	702	C2E	C41-N31	7.09	1.50	1.34
2	A	702	C2E	C2'-C1'	-7.05	1.31	1.53
2	B	702	C2E	C41-N31	7.04	1.50	1.34
2	B	702	C2E	C2'-C1'	-6.88	1.31	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	702	C2E	C4-N3	6.79	1.49	1.34
2	A	701	C2E	C41-N31	6.79	1.49	1.34
2	B	701	C2E	C41-N31	6.68	1.49	1.34
2	B	702	C2E	C4-N3	6.54	1.49	1.34
2	B	702	C2E	O4'-C4'	-6.53	1.30	1.45
2	A	701	C2E	O4'-C4'	-6.52	1.30	1.45
2	B	701	C2E	O4'-C4'	-6.51	1.30	1.45
2	B	701	C2E	C4-N3	6.46	1.49	1.34
2	A	701	C2E	C4-N3	6.41	1.48	1.34
2	A	702	C2E	O4'-C4'	-6.40	1.30	1.45
2	B	702	C2E	C3A-C4A	6.38	1.69	1.52
2	B	701	C2E	O4A-C4A	-6.32	1.30	1.45
2	A	701	C2E	O4A-C4A	-6.26	1.31	1.45
2	B	702	C2E	O4A-C4A	-6.23	1.31	1.45
2	A	701	C2E	C3A-C4A	6.17	1.68	1.52
2	B	701	C2E	C3A-C4A	6.11	1.68	1.52
2	A	702	C2E	O4A-C4A	-6.05	1.31	1.45
2	A	702	C2E	C3A-C4A	6.01	1.68	1.52
2	A	702	C2E	C21-N31	5.71	1.47	1.33
2	B	702	C2E	C1A-N91	-5.67	1.31	1.47
2	A	701	C2E	C21-N31	5.63	1.46	1.33
2	B	702	C2E	C21-N31	5.60	1.46	1.33
2	A	701	C2E	C1A-N91	-5.58	1.31	1.47
2	B	701	C2E	C1A-N91	-5.57	1.31	1.47
2	B	701	C2E	C21-N31	5.47	1.46	1.33
2	A	702	C2E	C1A-N91	-5.44	1.32	1.47
2	A	702	C2E	C2-N3	5.30	1.46	1.33
2	B	701	C2E	C2-N2	5.26	1.46	1.34
2	B	701	C2E	C2-N3	5.26	1.45	1.33
2	A	701	C2E	C2-N2	5.24	1.46	1.34
2	A	702	C2E	C2-N2	5.23	1.46	1.34
2	A	701	C2E	C2-N3	5.18	1.45	1.33
2	B	702	C2E	C21-N21	5.16	1.46	1.34
2	A	702	C2E	C21-N21	5.14	1.46	1.34
2	B	702	C2E	C2-N2	5.11	1.46	1.34
2	B	701	C2E	C21-N21	5.08	1.46	1.34
2	B	702	C2E	C2-N3	5.07	1.45	1.33
2	A	701	C2E	C21-N21	5.04	1.46	1.34
2	A	702	C2E	O4A-C1A	4.23	1.51	1.42
2	A	701	C2E	O4A-C1A	4.15	1.51	1.42
2	B	701	C2E	O4A-C1A	4.09	1.51	1.42
2	B	702	C2E	O4A-C1A	3.96	1.51	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	C2E	O2A-C2A	3.35	1.51	1.43
2	B	702	C2E	O2A-C2A	3.31	1.51	1.43
2	A	701	C2E	O2A-C2A	3.28	1.51	1.43
2	A	702	C2E	O2A-C2A	3.27	1.51	1.43
2	B	702	C2E	C2-N1	3.17	1.45	1.37
2	A	702	C2E	C2-N1	3.04	1.45	1.37
2	B	701	C2E	C2A-C1A	3.04	1.63	1.53
2	A	701	C2E	C2A-C1A	3.02	1.63	1.53
2	B	702	C2E	C2A-C1A	2.96	1.62	1.53
2	A	702	C2E	C2A-C1A	2.95	1.62	1.53
2	A	702	C2E	C6-N1	2.95	1.44	1.38
2	A	702	C2E	C5-C6	2.90	1.55	1.44
2	A	701	C2E	C5-N7	-2.89	1.33	1.39
2	B	702	C2E	C6-N1	2.87	1.44	1.38
2	B	702	C2E	O61-C61	-2.84	1.18	1.23
2	B	701	C2E	C5-N7	-2.84	1.33	1.39
2	A	702	C2E	O61-C61	-2.83	1.18	1.23
2	A	701	C2E	C2-N1	2.82	1.44	1.37
2	B	702	C2E	O2'-C2'	2.82	1.49	1.43
2	B	701	C2E	C2-N1	2.81	1.44	1.37
2	A	701	C2E	C51-N71	-2.81	1.33	1.39
2	B	702	C2E	C21-N11	2.76	1.44	1.37
2	B	702	C2E	C61-N11	2.75	1.44	1.38
2	B	701	C2E	O61-C61	-2.75	1.18	1.23
2	A	702	C2E	C21-N11	2.74	1.44	1.37
2	B	702	C2E	C5-C6	2.73	1.54	1.44
2	A	701	C2E	O61-C61	-2.72	1.18	1.23
2	B	701	C2E	C21-N11	2.70	1.44	1.37
2	B	701	C2E	O2'-C2'	2.70	1.49	1.43
2	B	702	C2E	O3'-C3'	-2.70	1.34	1.44
2	A	701	C2E	O3'-C3'	-2.69	1.34	1.44
2	A	702	C2E	C51-N71	-2.69	1.33	1.39
2	A	702	C2E	O2'-C2'	2.68	1.49	1.43
2	B	701	C2E	C51-N71	-2.66	1.33	1.39
2	B	701	C2E	C5-C6	2.66	1.54	1.44
2	A	701	C2E	C5-C6	2.66	1.54	1.44
2	A	701	C2E	C21-N11	2.66	1.44	1.37
2	B	701	C2E	O3'-C3'	-2.64	1.35	1.44
2	A	701	C2E	O2'-C2'	2.64	1.49	1.43
2	A	702	C2E	C61-N11	2.61	1.43	1.38
2	B	702	C2E	C5-N7	-2.61	1.33	1.39
2	A	702	C2E	O3'-C3'	-2.59	1.35	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	C2E	P1-O3A	2.57	1.67	1.59
2	A	702	C2E	P11-O3'	2.56	1.67	1.59
2	A	701	C2E	C6-N1	2.52	1.43	1.38
2	B	702	C2E	P11-O3'	2.52	1.66	1.59
2	B	702	C2E	C51-N71	-2.51	1.34	1.39
2	B	701	C2E	C6-N1	2.47	1.43	1.38
2	B	701	C2E	O6-C6	-2.46	1.18	1.23
2	A	701	C2E	C61-N11	2.46	1.43	1.38
2	B	701	C2E	C61-N11	2.43	1.43	1.38
2	A	702	C2E	C5-N7	-2.42	1.34	1.39
2	A	701	C2E	O6-C6	-2.42	1.19	1.23
2	A	702	C2E	O6-C6	-2.40	1.19	1.23
2	B	701	C2E	P11-O3'	2.37	1.66	1.59
2	B	702	C2E	O6-C6	-2.34	1.19	1.23
2	A	701	C2E	P11-O3'	2.33	1.66	1.59
2	B	702	C2E	C51-C61	2.32	1.53	1.44
2	A	702	C2E	C51-C61	2.31	1.53	1.44
2	A	701	C2E	P1-O3A	2.29	1.66	1.59
2	B	701	C2E	C51-C61	2.27	1.52	1.44
2	A	701	C2E	C51-C61	2.26	1.52	1.44
2	A	701	C2E	C4-N9	-2.23	1.32	1.38
2	B	702	C2E	O3A-C3A	2.22	1.51	1.44
2	A	702	C2E	P1-O3A	2.21	1.66	1.59
2	B	701	C2E	P1-O3A	2.20	1.65	1.59
2	B	701	C2E	C4-N9	-2.10	1.32	1.38
2	B	702	C2E	C4-N9	-2.07	1.32	1.38

All (113) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	702	C2E	C1'-N9-C8	-11.43	94.26	126.73
2	B	702	C2E	C1'-N9-C8	-11.02	95.44	126.73
2	A	702	C2E	C1'-N9-C4	10.26	156.80	126.49
2	B	702	C2E	C1'-N9-C4	9.98	155.97	126.49
2	B	701	C2E	C1'-N9-C8	-9.80	98.88	126.73
2	A	701	C2E	C1'-N9-C8	-9.65	99.30	126.73
2	B	701	C2E	C1'-N9-C4	9.01	153.10	126.49
2	A	701	C2E	C1'-N9-C4	8.83	152.58	126.49
2	A	702	C2E	C2-N3-C4	5.89	122.44	112.30
2	B	701	C2E	C2-N3-C4	5.57	121.90	112.30
2	A	702	C2E	C21-N31-C41	5.52	121.81	112.30
2	A	701	C2E	C2-N3-C4	5.45	121.69	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	C2E	C21-N31-C41	5.44	121.67	112.30
2	A	702	C2E	C51-C41-N31	-5.43	119.74	128.39
2	B	702	C2E	C2-N3-C4	5.37	121.55	112.30
2	A	701	C2E	C51-C41-N31	-5.11	120.26	128.39
2	B	701	C2E	C21-N31-C41	5.06	121.02	112.30
2	A	701	C2E	C21-N31-C41	5.04	120.98	112.30
2	A	702	C2E	C5-C4-N3	-5.02	120.39	128.39
2	B	702	C2E	C5-C4-N3	-4.87	120.64	128.39
2	B	702	C2E	C51-C41-N31	-4.85	120.66	128.39
2	B	701	C2E	C51-C41-N31	-4.81	120.73	128.39
2	B	701	C2E	C5-C4-N3	-4.77	120.80	128.39
2	A	701	C2E	C5-C4-N3	-4.49	121.24	128.39
2	B	702	C2E	N91-C81-N71	-4.26	105.51	113.40
2	A	702	C2E	N91-C41-N31	4.18	134.31	125.95
2	B	701	C2E	N91-C81-N71	-4.08	105.83	113.40
2	B	702	C2E	N2-C2-N1	4.01	125.23	116.76
2	A	701	C2E	N91-C81-N71	-3.87	106.22	113.40
2	A	702	C2E	N2-C2-N1	3.85	124.88	116.76
2	A	702	C2E	N9-C8-N7	-3.84	106.28	113.40
2	A	701	C2E	N91-C41-N31	3.78	133.52	125.95
2	B	702	C2E	N91-C41-N31	3.78	133.51	125.95
2	B	702	C2E	N9-C8-N7	-3.70	106.55	113.40
2	A	702	C2E	N91-C81-N71	-3.66	106.62	113.40
2	B	702	C2E	C5'-C4'-C3'	-3.65	102.22	114.38
2	A	701	C2E	N9-C8-N7	-3.62	106.68	113.40
2	B	701	C2E	N9-C8-N7	-3.57	106.79	113.40
2	B	701	C2E	N91-C41-N31	3.44	132.84	125.95
2	B	702	C2E	C51-C61-N11	3.39	121.87	113.25
2	A	702	C2E	C51-C61-N11	3.36	121.80	113.25
2	A	701	C2E	N2-C2-N1	3.32	123.76	116.76
2	A	701	C2E	N1-C2-N3	-3.27	117.34	123.32
2	B	701	C2E	N1-C2-N3	-3.22	117.42	123.32
2	B	701	C2E	N2-C2-N1	3.17	123.45	116.76
2	B	702	C2E	O61-C61-C51	-3.13	118.27	126.53
2	A	702	C2E	O61-C61-C51	-3.10	118.34	126.53
2	A	702	C2E	C21-N11-C61	-3.08	119.53	125.11
2	B	701	C2E	C51-C61-N11	3.04	120.99	113.25
2	A	702	C2E	C5-C6-N1	3.03	120.96	113.25
2	A	701	C2E	O61-C61-C51	-3.02	118.56	126.53
2	A	701	C2E	C51-C61-N11	3.01	120.93	113.25
2	A	702	C2E	N1-C2-N3	-3.01	117.81	123.32
2	A	702	C2E	O21-P11-O3'	3.01	118.94	106.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	C2E	N11-C21-N31	-3.00	117.84	123.32
2	B	701	C2E	O61-C61-C51	-2.99	118.64	126.53
2	B	702	C2E	O5'-C5'-C4'	2.98	119.13	108.99
2	B	702	C2E	C21-N11-C61	-2.91	119.83	125.11
2	A	701	C2E	C21-N11-C61	-2.84	119.97	125.11
2	A	701	C2E	C2'-C1'-N9	2.84	121.14	113.25
2	B	701	C2E	O21-P11-O3'	2.82	118.17	106.70
2	B	702	C2E	C2-N1-C6	-2.81	120.02	125.11
2	A	702	C2E	C3'-C2'-C1'	2.80	106.05	99.89
2	B	701	C2E	C2'-C1'-N9	2.79	121.03	113.25
2	A	702	C2E	N11-C21-N31	-2.79	118.22	123.32
2	A	702	C2E	C2-N1-C6	-2.78	120.07	125.11
2	B	701	C2E	C21-N11-C61	-2.77	120.09	125.11
2	A	701	C2E	O21-P11-O3'	2.77	117.95	106.70
2	A	702	C2E	C8-N7-C5	2.76	109.17	104.26
2	B	702	C2E	C81-N91-C41	2.73	111.14	106.03
2	B	702	C2E	C5-C6-N1	2.70	120.13	113.25
2	A	702	C2E	C5'-C4'-C3'	-2.70	105.38	114.38
2	B	701	C2E	N11-C21-N31	-2.69	118.40	123.32
2	B	702	C2E	C8-N7-C5	2.67	109.03	104.26
2	A	702	C2E	N9-C4-N3	2.65	131.26	125.95
2	B	701	C2E	C5-C6-N1	2.65	120.01	113.25
2	B	701	C2E	C1A-N91-C41	-2.65	118.67	126.49
2	B	702	C2E	C3A-C2A-C1A	2.64	105.69	99.89
2	B	702	C2E	O4'-C1'-N9	2.63	114.32	108.36
2	B	702	C2E	C1A-N91-C41	-2.63	118.73	126.49
2	B	702	C2E	N1-C2-N3	-2.59	118.59	123.32
2	A	701	C2E	C5-C6-N1	2.57	119.79	113.25
2	B	701	C2E	C81-N71-C51	2.56	108.81	104.26
2	A	701	C2E	N11-C21-N31	-2.55	118.65	123.32
2	B	702	C2E	C81-N71-C51	2.54	108.79	104.26
2	B	701	C2E	C8-N7-C5	2.54	108.78	104.26
2	A	701	C2E	C8-N7-C5	2.54	108.78	104.26
2	A	701	C2E	C81-N71-C51	2.50	108.71	104.26
2	B	702	C2E	C3'-C2'-C1'	2.50	105.38	99.89
2	B	701	C2E	C81-N91-C41	2.43	110.58	106.03
2	B	702	C2E	N9-C4-N3	2.43	130.80	125.95
2	A	702	C2E	O21-P11-O5A	2.35	118.20	107.57
2	B	702	C2E	O21-P11-O3'	2.34	116.23	106.70
2	B	702	C2E	P1-O5'-C5'	-2.32	108.06	121.35
2	A	702	C2E	C81-N71-C51	2.32	108.39	104.26
2	A	701	C2E	C81-N91-C41	2.29	110.32	106.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	C2E	O21-P11-O5A	2.29	117.93	107.57
2	A	701	C2E	C3A-C2A-C1A	2.28	104.89	99.89
2	B	701	C2E	C3A-C2A-C1A	2.27	104.87	99.89
2	A	702	C2E	C6-C5-N7	2.26	134.40	130.29
2	A	702	C2E	C81-N91-C41	2.19	110.13	106.03
2	A	701	C2E	C1A-N91-C41	-2.18	120.04	126.49
2	A	701	C2E	C6-C5-N7	2.17	134.24	130.29
2	B	701	C2E	C2-N1-C6	-2.17	121.19	125.11
2	A	701	C2E	C4-C5-N7	-2.16	107.25	110.67
2	A	702	C2E	C4-C5-N7	-2.15	107.27	110.67
2	A	702	C2E	C3A-C2A-C1A	2.15	104.61	99.89
2	B	702	C2E	C4-C5-N7	-2.14	107.28	110.67
2	B	701	C2E	C4-C5-N7	-2.14	107.28	110.67
2	B	701	C2E	C6-C5-N7	2.06	134.04	130.29
2	A	702	C2E	O2P-P1-O3A	2.06	115.06	106.70
2	B	701	C2E	N9-C4-N3	2.05	130.06	125.95
2	A	701	C2E	C2-N1-C6	-2.03	121.44	125.11

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	701	C2E	C5'-O5'-P1-O2P
2	A	701	C2E	C5'-O5'-P1-O1P
2	A	702	C2E	C5A-O5A-P11-O11
2	B	701	C2E	C5'-O5'-P1-O1P
2	A	702	C2E	C2'-C3'-O3'-P11
2	B	702	C2E	C3'-C4'-C5'-O5'
2	A	702	C2E	O4A-C4A-C5A-O5A
2	A	701	C2E	C5'-O5'-P1-O3A
2	A	702	C2E	C5A-O5A-P11-O3'
2	B	701	C2E	C5'-O5'-P1-O2P
2	B	701	C2E	C5'-O5'-P1-O3A
2	B	702	C2E	C5A-O5A-P11-O21
2	A	701	C2E	C4'-C5'-O5'-P1
2	B	701	C2E	C4'-C5'-O5'-P1
2	A	702	C2E	C4'-C3'-O3'-P11
2	B	702	C2E	O4'-C4'-C5'-O5'
2	B	702	C2E	C3A-O3A-P1-O1P


There are no ring outliers.

4 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	702	C2E	3	0
2	A	701	C2E	4	0
2	A	702	C2E	1	0
2	B	701	C2E	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	406/418 (97%)	-0.15	8 (1%) 65 60	46, 78, 134, 172	0
1	B	405/418 (96%)	-0.18	2 (0%) 87 85	47, 75, 121, 154	0
All	All	811/836 (97%)	-0.16	10 (1%) 76 73	46, 77, 128, 172	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	625	PHE	3.1
1	A	484	GLU	2.8
1	A	226	GLN	2.7
1	A	225	ALA	2.4
1	A	485	LEU	2.3
1	A	586	ASP	2.2
1	B	591	PHE	2.1
1	A	302	ILE	2.1
1	A	343	ILE	2.0
1	A	625	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	C2E	A	702	46/46	0.93	0.08	53,68,85,95	0
2	C2E	B	702	46/46	0.93	0.08	55,68,84,96	0
2	C2E	A	701	46/46	0.95	0.07	38,58,73,81	0
2	C2E	B	701	46/46	0.97	0.07	45,56,67,78	0
3	MG	A	703	1/1	0.98	0.04	45,45,45,45	0
3	MG	B	703	1/1	1.00	0.05	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around C2E B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around C2E A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.