



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:25 PM UTC

PDB ID : 6UX2 / pdb_00006ux2
Title : Crystal structure of ZIKV RdRp in complex with STAT2
Authors : Wang, B.; Song, J.
Deposited on : 2019-11-06
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	713	 69% 17% 13%
2	B	631	 72% 22% 5%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9365 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Signal transducer and activator of transcription 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	619	4650	2984	800	851	15	0	0	0

- Molecule 2 is a protein called Nonstructural Protein 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	600	4610	2924	826	832	28	0	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total	Zn	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	43	Total	O	0	0
			43	43		
5	B	40	Total	O	0	0
			40	40		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Signal transducer and activator of transcription 2



- Molecule 2: Nonstructural Protein 5





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.11Å 124.70Å 84.78Å 90.00° 109.39° 90.00°	Depositor
Resolution (Å)	49.24 – 3.01 49.24 – 3.01	Depositor EDS
% Data completeness (in resolution range)	97.7 (49.24-3.01) 98.1 (49.24-3.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.242 , 0.264 0.243 , 0.267	Depositor DCC
R_{free} test set	2001 reflections (6.01%)	wwPDB-VP
Wilson B-factor (Å ²)	63.5	Xtrriage
Anisotropy	0.576	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 66.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.031 for l,-k,h	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9365	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	1/4748 (0.0%)	0.44	0/6470
2	B	0.34	2/4728 (0.0%)	0.41	1/6433 (0.0%)
All	All	0.36	3/9476 (0.0%)	0.43	1/12903 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	474	ALA	C-O	-5.66	1.17	1.23
1	A	481	ASN	C-O	-5.26	1.16	1.23
2	B	473	ARG	C-O	-5.16	1.17	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	873	ARG	N-CA-C	-5.76	105.00	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4650	0	4291	92	0
2	B	4610	0	4182	91	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	15	0	0	1	0
3	B	5	0	0	0	0
4	B	2	0	0	0	0
5	A	43	0	0	2	0
5	B	40	0	0	1	0
All	All	9365	0	8473	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:646:ARG:HD3	1:A:647:HIS:CE1	1.90	1.06
2:B:869:VAL:O	2:B:873:ARG:HG3	1.62	1.00
1:A:377:ASN:OD1	1:A:408:GLN:HG3	1.80	0.81
1:A:646:ARG:CD	1:A:647:HIS:CE1	2.64	0.81
2:B:281:ARG:NH1	2:B:448:CYS:SG	2.54	0.81
2:B:793:GLY:O	2:B:794:ARG:CB	2.30	0.80
2:B:628:GLU:CD	2:B:656:ARG:HH21	1.91	0.79
1:A:364:ASP:HB3	1:A:367:PRO:HG3	1.65	0.76
2:B:555:THR:HA	2:B:558:MET:HE2	1.69	0.74
1:A:646:ARG:HD3	1:A:647:HIS:NE2	2.01	0.74
1:A:586:GLU:HG3	1:A:599:LEU:HD12	1.72	0.71
1:A:166:LEU:HD13	1:A:209:ARG:HG2	1.73	0.71
1:A:583:ARG:HD3	1:A:583:ARG:H	1.56	0.70
2:B:605:GLN:HB2	2:B:608:THR:HB	1.74	0.69
1:A:359:VAL:HG22	1:A:435:VAL:HG22	1.74	0.69
1:A:223:ARG:NH1	3:A:802:SO4:O4	2.25	0.69
1:A:228:ILE:HD12	1:A:311:LEU:HD13	1.77	0.67
2:B:558:MET:HE1	2:B:566:ALA:HB3	1.77	0.65
1:A:320:THR:HB	1:A:343:ARG:HB3	1.78	0.65
2:B:478:MET:O	2:B:483:ARG:NH2	2.29	0.65
2:B:362:THR:O	2:B:597:ARG:NH2	2.29	0.65
1:A:327:THR:HG21	1:A:462:LEU:HD11	1.79	0.64
2:B:342:ILE:HG21	2:B:738:GLY:HA3	1.81	0.63
1:A:33:GLN:HA	1:A:36:ALA:HB2	1.80	0.63
1:A:377:ASN:OD1	1:A:408:GLN:NE2	2.30	0.63
1:A:646:ARG:HG2	1:A:647:HIS:CE1	2.34	0.63
2:B:755:CYS:SG	2:B:790:VAL:O	2.56	0.63
2:B:395:CYS:HB2	2:B:488:GLU:HA	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:625:ILE:HB	1:A:696:ILE:HG23	1.81	0.63
1:A:479:LEU:HD12	1:A:479:LEU:N	2.15	0.62
2:B:730:CYS:SG	2:B:771:ARG:NH1	2.72	0.62
1:A:279:LEU:HD23	1:A:297:VAL:CG2	2.30	0.62
2:B:551:GLU:OE1	2:B:601:ARG:NH2	2.24	0.62
1:A:598:PHE:HB3	1:A:614:TRP:HB3	1.81	0.61
2:B:501:ARG:NH1	2:B:660:MET:O	2.34	0.61
2:B:558:MET:HE3	2:B:563:ARG:HA	1.83	0.59
2:B:336:VAL:HG22	2:B:338:GLY:H	1.69	0.58
2:B:630:VAL:HG21	2:B:648:TRP:CD1	2.38	0.58
1:A:365:ARG:C	1:A:367:PRO:HD3	2.28	0.58
2:B:739:ARG:NH1	5:B:1103:HOH:O	2.36	0.57
2:B:636:LEU:HD11	2:B:681:ARG:HB3	1.86	0.57
2:B:569:VAL:O	2:B:573:THR:HB	2.04	0.57
2:B:877:GLY:HA3	2:B:880:GLU:HG2	1.85	0.57
1:A:510:ARG:HD2	1:A:572:TRP:O	2.03	0.57
1:A:81:LEU:O	1:A:84:GLN:HB3	2.06	0.56
2:B:286:ARG:HG3	2:B:293:TRP:CE2	2.41	0.56
1:A:646:ARG:CG	1:A:647:HIS:CE1	2.88	0.55
2:B:547:ASP:OD2	2:B:688:LYS:NZ	2.38	0.55
2:B:654:TRP:HE1	2:B:658:LYS:HE3	1.70	0.55
1:A:259:GLU:OE2	1:A:345:ARG:NH1	2.39	0.55
1:A:172:VAL:HG12	2:B:855:HIS:CE1	2.41	0.55
1:A:172:VAL:HG12	2:B:855:HIS:HE1	1.71	0.55
2:B:577:LYS:NZ	2:B:600:GLN:O	2.36	0.54
2:B:772:ARG:NH2	2:B:841:LEU:O	2.40	0.54
1:A:239:LYS:NZ	5:A:904:HOH:O	2.40	0.54
1:A:163:ILE:HD12	1:A:279:LEU:HD13	1.91	0.53
2:B:805:TRP:HA	2:B:811:MET:HE1	1.91	0.53
2:B:278:ILE:HG22	2:B:281:ARG:HH21	1.74	0.53
1:A:374:ARG:NH1	1:A:427:GLU:OE2	2.41	0.52
2:B:367:PRO:HG2	2:B:372:ARG:HG2	1.91	0.52
2:B:385:GLU:HA	2:B:388:LYS:HG3	1.92	0.51
1:A:467:ALA:HB2	1:A:554:TRP:CD1	2.46	0.51
2:B:538:GLY:O	2:B:542:ARG:HG2	2.10	0.51
1:A:322:PRO:HB3	1:A:342:VAL:HG22	1.93	0.51
1:A:427:GLU:OE2	1:A:429:HIS:NE2	2.42	0.51
2:B:515:ARG:HA	2:B:518:TYR:HD2	1.76	0.50
1:A:366:ASN:N	1:A:367:PRO:HD3	2.26	0.50
2:B:437:ASP:O	2:B:441:GLU:HG2	2.11	0.50
2:B:724:ARG:NH1	2:B:828:ASP:O	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:459:MET:HE3	1:A:462:LEU:HD12	1.94	0.49
2:B:455:MET:HE3	2:B:579:VAL:HG11	1.94	0.49
1:A:336:THR:HG23	1:A:406:VAL:HA	1.94	0.49
1:A:272:LEU:HD22	1:A:304:VAL:HG11	1.94	0.49
1:A:624:LEU:HG	1:A:697:VAL:HG22	1.95	0.49
2:B:772:ARG:HA	2:B:840:TYR:HE2	1.78	0.48
1:A:210:ARG:NH2	5:A:905:HOH:O	2.41	0.48
1:A:321:GLN:HB3	1:A:332:LEU:HD21	1.96	0.48
1:A:379:LEU:HB3	1:A:404:THR:OG1	2.14	0.48
1:A:651:LEU:HD23	1:A:657:PRO:HB3	1.95	0.48
2:B:412:ALA:HB2	2:B:423:ALA:HA	1.95	0.48
2:B:452:VAL:HG13	2:B:578:VAL:HG23	1.94	0.48
1:A:59:LEU:O	1:A:63:PHE:HB2	2.14	0.48
1:A:564:VAL:HA	1:A:568:LEU:HB2	1.96	0.48
1:A:224:LEU:O	1:A:228:ILE:HG12	2.14	0.47
2:B:305:ALA:HB3	2:B:596:SER:HB3	1.94	0.47
1:A:330:ARG:HG2	1:A:466:TRP:CD2	2.49	0.47
2:B:733:GLN:HG3	2:B:771:ARG:NH2	2.30	0.47
1:A:241:GLN:HG3	1:A:251:ILE:HD13	1.95	0.47
1:A:345:ARG:HG3	1:A:397:ILE:HG12	1.97	0.47
1:A:646:ARG:HB2	1:A:678:TYR:CE1	2.50	0.47
2:B:281:ARG:O	2:B:285:ILE:HG12	2.14	0.47
1:A:597:THR:HA	1:A:663:PHE:O	2.15	0.47
1:A:374:ARG:HD3	1:A:427:GLU:CD	2.40	0.46
2:B:772:ARG:HA	2:B:840:TYR:CE2	2.50	0.46
2:B:797:TRP:HA	2:B:797:TRP:CE3	2.51	0.46
1:A:179:ILE:HD13	2:B:847:LEU:HB3	1.95	0.46
2:B:669:VAL:HG21	2:B:676:PHE:CZ	2.51	0.46
2:B:551:GLU:OE2	2:B:615:THR:OG1	2.34	0.46
1:A:168:ASP:O	1:A:172:VAL:HG13	2.15	0.46
1:A:151:ASP:HB3	1:A:155:MET:HE3	1.98	0.46
2:B:561:GLY:O	2:B:564:THR:OG1	2.29	0.46
2:B:580:LYS:HB3	2:B:592:MET:SD	2.56	0.46
1:A:152:LEU:CD1	1:A:268:LEU:HD13	2.45	0.45
1:A:377:ASN:OD1	1:A:408:GLN:CG	2.57	0.45
2:B:394:VAL:HG12	2:B:562:HIS:HD2	1.81	0.45
2:B:869:VAL:O	2:B:873:ARG:CG	2.49	0.45
1:A:363:ILE:HD11	1:A:429:HIS:HB3	1.97	0.45
1:A:645:ILE:HG23	1:A:661:LEU:HD23	1.97	0.45
1:A:466:TRP:HD1	1:A:554:TRP:CZ2	2.35	0.45
2:B:349:PRO:HG2	2:B:590:THR:HG21	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:543:ILE:HG23	2:B:547:ASP:HB2	1.98	0.45
2:B:364:VAL:HG12	2:B:542:ARG:HE	1.81	0.45
1:A:104:LEU:O	1:A:108:ILE:HG13	2.17	0.45
2:B:628:GLU:OE1	2:B:656:ARG:NE	2.47	0.45
2:B:870:ASN:HA	2:B:873:ARG:HG3	1.99	0.45
1:A:641:LEU:O	1:A:645:ILE:HG12	2.17	0.45
1:A:341:THR:HA	1:A:400:PHE:O	2.17	0.44
2:B:533:ALA:HB2	2:B:668:VAL:HG22	1.98	0.44
2:B:616:ASN:O	2:B:620:GLN:HG2	2.17	0.44
1:A:438:THR:HG23	1:A:443:LYS:HG2	2.00	0.44
2:B:279:GLY:O	2:B:283:GLU:HG2	2.17	0.44
1:A:508:VAL:HG22	1:A:509:GLY:H	1.82	0.44
1:A:524:LEU:HD13	1:A:536:LEU:HD22	1.99	0.44
2:B:855:HIS:HB3	2:B:858:ARG:HB3	2.00	0.44
1:A:376:PHE:CD1	1:A:405:LEU:HD21	2.54	0.43
1:A:405:LEU:HD21	1:A:455:ILE:HD13	1.99	0.43
1:A:374:ARG:HD3	1:A:427:GLU:OE2	2.19	0.43
2:B:346:ASP:OD1	2:B:459:ARG:HB3	2.18	0.43
2:B:334:ASP:OD1	2:B:741:ARG:NH2	2.50	0.43
1:A:269:LEU:HB3	1:A:308:LEU:HG	2.00	0.43
2:B:304:TRP:CE3	2:B:597:ARG:HB2	2.54	0.43
2:B:286:ARG:HG3	2:B:293:TRP:CD2	2.53	0.43
1:A:38:TRP:CH2	1:A:62:HIS:HB3	2.54	0.43
1:A:343:ARG:NH1	1:A:397:ILE:HG21	2.34	0.42
1:A:374:ARG:HH11	1:A:427:GLU:CD	2.27	0.42
1:A:429:HIS:HB2	1:A:453:VAL:HG12	2.01	0.42
1:A:267:LYS:HG2	1:A:350:LEU:HD11	2.01	0.42
2:B:285:ILE:HG13	2:B:594:ILE:HD13	2.00	0.42
2:B:453:TYR:CE2	2:B:478:MET:HE3	2.54	0.42
2:B:551:GLU:HB3	2:B:611:LEU:HD22	2.01	0.42
2:B:628:GLU:OE1	2:B:656:ARG:NH2	2.51	0.42
1:A:94:ILE:H	1:A:94:ILE:HG13	1.74	0.42
1:A:301:ASN:HA	1:A:304:VAL:HG22	2.01	0.42
2:B:786:PRO:HG3	2:B:880:GLU:HG3	2.00	0.42
1:A:399:ASP:OD1	1:A:399:ASP:N	2.48	0.42
1:A:646:ARG:CZ	1:A:678:TYR:HB3	2.50	0.42
2:B:486:GLU:OE2	2:B:574:TYR:OH	2.22	0.42
2:B:694:GLN:HB2	2:B:697:LYS:HB2	2.00	0.42
2:B:558:MET:CE	2:B:563:ARG:HA	2.50	0.42
1:A:458:ASN:OD1	1:A:459:MET:N	2.53	0.41
2:B:765:GLN:HG3	2:B:778:ALA:HB1	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:834:LYS:HG2	2:B:835:TRP:H	1.84	0.41
2:B:748:TRP:H	2:B:748:TRP:CD1	2.39	0.41
1:A:279:LEU:HD23	1:A:297:VAL:HG22	2.00	0.41
2:B:293:TRP:HZ3	2:B:594:ILE:HD12	1.85	0.41
2:B:333:TRP:HA	2:B:336:VAL:HG12	2.02	0.41
2:B:513:LEU:HB3	2:B:729:PRO:HG3	2.02	0.41
1:A:165:GLN:OE1	1:A:209:ARG:NH1	2.54	0.41
2:B:523:MET:O	2:B:670:LYS:HD3	2.21	0.41
2:B:870:ASN:HA	2:B:873:ARG:CD	2.51	0.41
1:A:53:ASP:O	1:A:57:THR:HG23	2.21	0.41
1:A:479:LEU:N	1:A:479:LEU:CD1	2.83	0.41
2:B:625:MET:HE1	2:B:645:VAL:HG13	2.02	0.41
1:A:81:LEU:O	1:A:84:GLN:CB	2.68	0.41
2:B:374:VAL:HG11	2:B:631:LEU:HD21	2.02	0.41
1:A:155:MET:HB2	1:A:220:LEU:HD21	2.02	0.41
1:A:300:ARG:O	1:A:304:VAL:HG13	2.21	0.41
2:B:665:ASP:OD1	2:B:665:ASP:N	2.54	0.41
1:A:476:SER:HA	1:A:477:PRO:HD3	1.90	0.40
1:A:649:GLN:HE21	1:A:690:TYR:HE2	1.67	0.40
2:B:293:TRP:CZ3	2:B:594:ILE:HD12	2.56	0.40
1:A:256:GLU:O	1:A:260:THR:HG23	2.21	0.40
2:B:759:SER:OG	2:B:791:PRO:HB3	2.21	0.40
2:B:847:LEU:HD21	2:B:853:ILE:HD11	2.02	0.40
2:B:476:TRP:N	2:B:476:TRP:CD1	2.90	0.40
1:A:57:THR:HG22	1:A:101:PRO:HG2	2.03	0.40
1:A:551:LEU:HD23	1:A:556:TRP:HA	2.02	0.40
2:B:846:ASP:OD1	2:B:851:SER:HB2	2.21	0.40
2:B:847:LEU:HA	2:B:851:SER:HB3	2.02	0.40
1:A:578:MET:SD	1:A:599:LEU:HD22	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	601/713 (84%)	577 (96%)	23 (4%)	1 (0%)	43	75
2	B	592/631 (94%)	565 (95%)	25 (4%)	2 (0%)	36	68
All	All	1193/1344 (89%)	1142 (96%)	48 (4%)	3 (0%)	36	68

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	794	ARG
2	B	875	ILE
1	A	247	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/655 (68%)	440 (99%)	6 (1%)	61	80
2	B	430/545 (79%)	424 (99%)	6 (1%)	59	79
All	All	876/1200 (73%)	864 (99%)	12 (1%)	59	79

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LEU
1	A	112	LEU
1	A	272	LEU
1	A	342	VAL
1	A	406	VAL
1	A	435	VAL
2	B	335	VAL
2	B	339	VAL
2	B	554	ILE
2	B	759	SER
2	B	774	LEU
2	B	852	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	649	GLN
2	B	376	ASN
2	B	524	ASN
2	B	575	GLN
2	B	620	GLN
2	B	762	GLN
2	B	855	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	802	-	4,4,4	0.39	0	6,6,6	0.08	0
3	SO4	A	801	-	4,4,4	0.23	0	6,6,6	0.09	0
3	SO4	A	803	-	4,4,4	0.24	0	6,6,6	0.06	0
3	SO4	B	1001	-	4,4,4	0.23	0	6,6,6	0.07	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	619/713 (86%)	0.07	10 (1%) 70 47	41, 69, 136, 162	0
2	B	600/631 (95%)	0.03	8 (1%) 75 53	29, 63, 100, 134	0
All	All	1219/1344 (90%)	0.05	18 (1%) 72 49	29, 66, 124, 162	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	57	THR	3.5
1	A	52	ASP	3.1
2	B	877	GLY	3.1
1	A	281	GLY	3.0
1	A	286	VAL	2.9
2	B	324	GLY	2.9
2	B	774	LEU	2.9
2	B	326	VAL	2.7
2	B	461	LYS	2.7
2	B	411	GLY	2.6
1	A	54	SER	2.6
1	A	405	LEU	2.5
1	A	369	GLN	2.5
2	B	875	ILE	2.3
1	A	97	PHE	2.3
2	B	795	THR	2.1
1	A	43	ASN	2.1
1	A	99	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	A	802	5/5	0.66	0.18	106,106,120,126	0
3	SO4	A	801	5/5	0.77	0.13	87,88,91,97	0
3	SO4	A	803	5/5	0.84	0.11	59,68,76,90	0
3	SO4	B	1001	5/5	0.88	0.12	77,82,92,97	0
4	ZN	B	1002	1/1	0.99	0.04	61,61,61,61	0
4	ZN	B	1003	1/1	1.00	0.06	64,64,64,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.