



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:15 PM UTC

PDB ID : 6V8G / pdb_00006v8g
Title : GltPh mutant - Y204L A345V V366A
Authors : Boudker, O.; Huysmans, G.H.M.
Deposited on : 2019-12-11
Resolution : 3.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1047 (3.42-3.34)
Clashscore	190562	1067 (3.42-3.34)
Ramachandran outliers	187476	1056 (3.42-3.34)
Sidechain outliers	187428	1056 (3.42-3.34)
RSRZ outliers	180081	1047 (3.42-3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	9% 82% 11% 7%
1	B	422	7% 82% 11% 7%
1	C	422	10% 82% 12% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ASP	A	503	-	-	X	-
3	ASP	B	503	-	-	X	-
3	ASP	C	503	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8679 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate transporter homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	0	0
			2881	1895	463	506	17			
1	B	393	Total	C	N	O	S	0	0	0
			2881	1895	463	506	17			
1	C	393	Total	C	N	O	S	0	0	0
			2881	1895	463	506	17			

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	HIS	ASP	conflict	UNP O59010
A	40	HIS	LYS	conflict	UNP O59010
A	125	HIS	LYS	conflict	UNP O59010
A	132	HIS	LYS	conflict	UNP O59010
A	204	LEU	TYR	engineered mutation	UNP O59010
A	223	HIS	LYS	conflict	UNP O59010
A	264	HIS	LYS	conflict	UNP O59010
A	345	VAL	ALA	engineered mutation	UNP O59010
A	366	ALA	VAL	engineered mutation	UNP O59010
A	368	HIS	GLU	conflict	UNP O59010
A	418	THR	GLU	conflict	UNP O59010
A	420	VAL	-	expression tag	UNP O59010
A	421	PRO	-	expression tag	UNP O59010
A	422	ARG	-	expression tag	UNP O59010
B	37	HIS	ASP	conflict	UNP O59010
B	40	HIS	LYS	conflict	UNP O59010
B	125	HIS	LYS	conflict	UNP O59010
B	132	HIS	LYS	conflict	UNP O59010
B	204	LEU	TYR	engineered mutation	UNP O59010
B	223	HIS	LYS	conflict	UNP O59010
B	264	HIS	LYS	conflict	UNP O59010
B	345	VAL	ALA	engineered mutation	UNP O59010
B	366	ALA	VAL	engineered mutation	UNP O59010

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	368	HIS	GLU	conflict	UNP O59010
B	418	THR	GLU	conflict	UNP O59010
B	420	VAL	-	expression tag	UNP O59010
B	421	PRO	-	expression tag	UNP O59010
B	422	ARG	-	expression tag	UNP O59010
C	37	HIS	ASP	conflict	UNP O59010
C	40	HIS	LYS	conflict	UNP O59010
C	125	HIS	LYS	conflict	UNP O59010
C	132	HIS	LYS	conflict	UNP O59010
C	204	LEU	TYR	engineered mutation	UNP O59010
C	223	HIS	LYS	conflict	UNP O59010
C	264	HIS	LYS	conflict	UNP O59010
C	345	VAL	ALA	engineered mutation	UNP O59010
C	366	ALA	VAL	engineered mutation	UNP O59010
C	368	HIS	GLU	conflict	UNP O59010
C	418	THR	GLU	conflict	UNP O59010
C	420	VAL	-	expression tag	UNP O59010
C	421	PRO	-	expression tag	UNP O59010
C	422	ARG	-	expression tag	UNP O59010

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Na 3 3	0	0
2	B	3	Total Na 3 3	0	0
2	C	3	Total Na 3 3	0	0

- Molecule 3 is ASPARTIC ACID (CCD ID: ASP) (formula: C₄H₇NO₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			9	4	1	4		
3	B	1	Total	C	N	O	0	0
			9	4	1	4		
3	C	1	Total	C	N	O	0	0
			9	4	1	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamate transporter homolog




- Molecule 1: Glutamate transporter homolog



- Molecule 1: Glutamate transporter homolog





4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	109.42Å 109.42Å 305.23Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.38 – 3.38 47.38 – 3.38	Depositor EDS
% Data completeness (in resolution range)	99.6 (47.38-3.38) 92.5 (47.38-3.38)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 3.40Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.232 , 0.257 0.237 , 0.261	Depositor DCC
R_{free} test set	1400 reflections (4.56%)	wwPDB-VP
Wilson B-factor (Å ²)	105.8	Xtriage
Anisotropy	0.504	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 106.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	8679	wwPDB-VP
Average B, all atoms (Å ²)	132.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.11	0/2930	0.26	0/3996
1	B	0.12	0/2930	0.26	0/3996
1	C	0.12	0/2930	0.26	0/3996
All	All	0.12	0/8790	0.26	0/11988

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2881	0	3049	32	0
1	B	2881	0	3049	34	0
1	C	2881	0	3049	35	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
3	A	9	0	3	4	0
3	B	9	0	3	5	0
3	C	9	0	3	5	0
All	All	8679	0	9156	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:155:ILE:HD11	1:B:304:PRO:HB2	1.70	0.72
1:A:155:ILE:HD11	1:A:304:PRO:HB2	1.71	0.72
1:C:155:ILE:HD11	1:C:304:PRO:HB2	1.72	0.72
1:C:268:ALA:HB1	1:C:285:THR:HG22	1.79	0.64
1:B:268:ALA:HB1	1:B:285:THR:HG22	1.80	0.63
1:A:268:ALA:HB1	1:A:285:THR:HG22	1.79	0.63
1:C:209:VAL:HA	1:C:274:VAL:HG11	1.83	0.60
1:B:209:VAL:HA	1:B:274:VAL:HG11	1.84	0.59
1:C:398:THR:HG1	3:C:503:ASP:N	2.00	0.59
1:A:209:VAL:HA	1:A:274:VAL:HG11	1.83	0.59
1:C:81:VAL:HG13	1:C:412:VAL:HG11	1.86	0.58
1:B:398:THR:HG1	3:B:503:ASP:N	2.02	0.58
1:B:81:VAL:HG13	1:B:412:VAL:HG11	1.84	0.58
1:A:209:VAL:HG13	1:A:274:VAL:HG21	1.85	0.58
1:A:81:VAL:HG13	1:A:412:VAL:HG11	1.85	0.57
1:C:209:VAL:HG13	1:C:274:VAL:HG21	1.85	0.57
1:B:209:VAL:HG13	1:B:274:VAL:HG21	1.85	0.57
1:C:394:ASP:OD1	3:C:503:ASP:N	2.39	0.56
1:A:398:THR:HG1	3:A:503:ASP:N	2.03	0.56
1:A:394:ASP:OD1	3:A:503:ASP:N	2.39	0.56
1:C:97:VAL:HG11	1:C:342:VAL:HA	1.88	0.55
1:A:247:TYR:OH	1:A:312:ASP:OD2	2.24	0.55
1:B:97:VAL:HG11	1:B:342:VAL:HA	1.88	0.55
1:A:228:LEU:HD21	1:A:385:MET:HB3	1.89	0.55
1:C:359:GLY:N	3:C:503:ASP:OD2	2.37	0.55
1:A:97:VAL:HG11	1:A:342:VAL:HA	1.88	0.55
1:C:314:THR:HA	1:C:397:ARG:HD2	1.89	0.54
1:A:314:THR:HA	1:A:397:ARG:HD2	1.89	0.54
1:B:314:THR:HA	1:B:397:ARG:HD2	1.90	0.54
1:B:394:ASP:OD1	3:B:503:ASP:N	2.40	0.53
1:C:228:LEU:HD21	1:C:385:MET:HB3	1.90	0.53
1:B:276:ARG:HD2	1:B:394:ASP:HB3	1.91	0.52
1:A:359:GLY:N	3:A:503:ASP:OD2	2.37	0.52
1:B:228:LEU:HD21	1:B:385:MET:HB3	1.90	0.52
1:C:166:THR:HA	1:C:169:MET:HG2	1.91	0.52
1:A:276:ARG:HD2	1:A:394:ASP:HB3	1.91	0.51
1:B:345:VAL:O	1:B:349:SER:N	2.41	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:345:VAL:O	1:C:349:SER:N	2.41	0.51
1:B:166:THR:HA	1:B:169:MET:HG2	1.93	0.51
1:B:359:GLY:N	3:B:503:ASP:OD2	2.37	0.51
1:A:166:THR:HA	1:A:169:MET:HG2	1.92	0.51
1:C:139:PRO:HB3	1:C:153:PRO:HB3	1.93	0.51
1:C:276:ARG:HD2	1:C:394:ASP:HB3	1.92	0.51
1:A:139:PRO:HB3	1:A:153:PRO:HB3	1.93	0.50
1:A:272:ALA:HB1	1:A:398:THR:HG22	1.94	0.50
1:C:247:TYR:OH	1:C:312:ASP:OD2	2.25	0.50
1:B:247:TYR:OH	1:B:312:ASP:OD2	2.25	0.49
1:A:345:VAL:O	1:A:349:SER:N	2.41	0.49
1:B:139:PRO:HB3	1:B:153:PRO:HB3	1.94	0.49
1:C:272:ALA:HB1	1:C:398:THR:HG22	1.95	0.49
1:A:71:ALA:HB1	1:A:166:THR:HG23	1.95	0.48
1:A:146:LEU:HB3	1:B:143:PHE:CD2	2.48	0.48
1:B:272:ALA:HB1	1:B:398:THR:HG22	1.95	0.48
1:C:109:PRO:HB2	1:C:324:PHE:HD1	1.79	0.47
1:C:71:ALA:HB1	1:C:166:THR:HG23	1.97	0.47
1:A:109:PRO:HB2	1:A:324:PHE:HD1	1.80	0.45
1:B:146:LEU:HB3	1:C:143:PHE:CD2	2.50	0.45
1:C:161:LEU:O	1:C:165:ILE:HG12	2.16	0.45
1:B:71:ALA:HB1	1:B:166:THR:HG23	1.97	0.45
1:B:109:PRO:HB2	1:B:324:PHE:HD1	1.80	0.45
1:B:212:LEU:HB2	1:B:274:VAL:HG13	1.98	0.45
1:C:212:LEU:HB2	1:C:274:VAL:HG13	1.97	0.45
1:C:59:MET:HE2	1:C:146:LEU:HA	1.99	0.44
1:A:161:LEU:O	1:A:165:ILE:HG12	2.17	0.44
1:B:161:LEU:O	1:B:165:ILE:HG12	2.16	0.44
1:A:212:LEU:HB2	1:A:274:VAL:HG13	1.98	0.44
1:B:77:ARG:HH11	1:B:416:GLU:HB3	1.82	0.44
1:C:239:LEU:HD22	1:C:400:VAL:HG21	2.00	0.44
1:A:77:ARG:HH11	1:A:416:GLU:HB3	1.82	0.44
1:C:77:ARG:HH11	1:C:416:GLU:HB3	1.83	0.44
1:C:71:ALA:O	1:C:166:THR:HG21	2.18	0.44
1:B:52:ARG:NH2	1:C:136:ASP:HA	2.34	0.43
1:B:397:ARG:NE	3:B:503:ASP:OD1	2.50	0.43
1:A:59:MET:HE2	1:A:146:LEU:HA	2.00	0.43
1:C:397:ARG:NE	3:C:503:ASP:OD1	2.49	0.43
1:A:71:ALA:O	1:A:166:THR:HG21	2.19	0.43
1:A:296:GLU:HA	1:A:299:TYR:CE2	2.54	0.42
1:B:59:MET:HE2	1:B:146:LEU:HA	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:ILE:HD11	1:A:183:LEU:HD23	2.01	0.42
1:B:71:ALA:O	1:B:166:THR:HG21	2.19	0.42
1:B:60:PRO:HG2	1:B:194:MET:HE2	2.00	0.42
1:B:165:ILE:HD11	1:B:183:LEU:HD23	2.01	0.42
1:B:296:GLU:HA	1:B:299:TYR:CE2	2.55	0.42
1:C:165:ILE:HD11	1:C:183:LEU:HD23	2.01	0.42
1:C:296:GLU:HA	1:C:299:TYR:CE2	2.55	0.42
1:A:60:PRO:HG2	1:A:194:MET:HE2	2.01	0.42
1:C:60:PRO:HG2	1:C:194:MET:HE2	2.01	0.42
1:C:317:TYR:CG	1:C:397:ARG:HD3	2.55	0.42
1:B:89:TYR:CD1	1:B:310:ASN:HB2	2.55	0.41
1:B:398:THR:OG1	3:B:503:ASP:N	2.53	0.41
1:B:317:TYR:CG	1:B:397:ARG:HD3	2.56	0.41
1:A:397:ARG:NE	3:A:503:ASP:OD1	2.50	0.41
1:C:89:TYR:CD1	1:C:310:ASN:HB2	2.55	0.41
1:C:398:THR:OG1	3:C:503:ASP:N	2.53	0.41
1:A:89:TYR:CD1	1:A:310:ASN:HB2	2.56	0.41
1:A:317:TYR:CG	1:A:397:ARG:HD3	2.56	0.41
1:C:212:LEU:HD12	1:C:274:VAL:HG12	2.04	0.40
1:A:137:ILE:O	1:A:153:PRO:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/422 (92%)	383 (98%)	6 (2%)	0	100	100
1	B	389/422 (92%)	382 (98%)	7 (2%)	0	100	100
1	C	389/422 (92%)	382 (98%)	7 (2%)	0	100	100
All	All	1167/1266 (92%)	1147 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/330 (91%)	301 (100%)	0	100	100
1	B	301/330 (91%)	301 (100%)	0	100	100
1	C	301/330 (91%)	301 (100%)	0	100	100
All	All	903/990 (91%)	903 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	132	HIS
1	B	132	HIS
1	C	132	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 12 ligands modelled in this entry, 9 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ASP	C	503	-	7,8,8	1.15	1 (14%)	6,10,10	1.38	1 (16%)
3	ASP	A	503	-	7,8,8	1.15	1 (14%)	6,10,10	1.37	1 (16%)
3	ASP	B	503	-	7,8,8	1.15	1 (14%)	6,10,10	1.36	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ASP	C	503	-	-	2/8/8/8	-
3	ASP	A	503	-	-	2/8/8/8	-
3	ASP	B	503	-	-	2/8/8/8	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	503	ASP	OXT-C	-2.22	1.23	1.30
3	A	503	ASP	OXT-C	-2.22	1.23	1.30
3	B	503	ASP	OXT-C	-2.18	1.23	1.30

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	503	ASP	OXT-C-O	-2.71	117.93	124.08
3	A	503	ASP	OXT-C-O	-2.69	117.99	124.08
3	B	503	ASP	OXT-C-O	-2.67	118.01	124.08

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	503	ASP	CA-CB-CG-OD1
3	B	503	ASP	CA-CB-CG-OD1
3	C	503	ASP	CA-CB-CG-OD1
3	A	503	ASP	CA-CB-CG-OD2
3	B	503	ASP	CA-CB-CG-OD2
3	C	503	ASP	CA-CB-CG-OD2


There are no ring outliers.

3 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	503	ASP	5	0
3	A	503	ASP	4	0
3	B	503	ASP	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand ASP C 503



Ligand ASP A 503





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	393/422 (93%)	0.54	37 (9%) 14 13	77, 127, 196, 269	0
1	B	393/422 (93%)	0.42	29 (7%) 20 17	74, 127, 195, 269	0
1	C	393/422 (93%)	0.53	41 (10%) 11 12	76, 134, 197, 275	0
All	All	1179/1266 (93%)	0.50	107 (9%) 15 14	74, 129, 197, 275	0

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	355	VAL	6.5
1	B	200	GLY	6.1
1	C	279	SER	6.1
1	A	353	ALA	5.8
1	C	93	SER	5.7
1	C	219	GLU	5.5
1	B	203	GLN	5.2
1	A	34	GLY	5.0
1	C	228	LEU	4.9
1	A	264	HIS	4.8
1	C	351	GLY	4.7
1	B	204	LEU	4.6
1	A	40	HIS	4.5
1	A	72	SER	4.3
1	A	321	CYS	4.3
1	A	73	ILE	4.2
1	A	29	ILE	4.2
1	A	37	HIS	4.2
1	B	355	VAL	4.1
1	B	113	ILE	3.9
1	A	228	LEU	3.9
1	C	314	THR	3.8
1	C	309	ILE	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	13	LEU	3.7
1	C	133	ILE	3.6
1	C	312	ASP	3.5
1	C	106	LEU	3.4
1	B	228	LEU	3.4
1	C	389	ILE	3.4
1	B	369	SER	3.3
1	C	349	SER	3.3
1	A	75	PRO	3.3
1	B	347	LEU	3.3
1	C	293	GLY	3.3
1	B	321	CYS	3.3
1	A	363	LEU	3.2
1	B	199	ASN	3.2
1	A	113	ILE	3.2
1	C	92	THR	3.2
1	C	97	VAL	3.2
1	A	356	PRO	3.1
1	A	317	TYR	3.1
1	B	414	LYS	3.1
1	C	315	ALA	3.1
1	A	293	GLY	3.1
1	B	356	PRO	3.0
1	B	391	ALA	3.0
1	C	368	HIS	3.0
1	C	102	ILE	3.0
1	A	239	LEU	3.0
1	B	116	ALA	3.0
1	B	361	ILE	3.0
1	B	134	LEU	2.9
1	C	277	SER	2.9
1	A	292	MET	2.9
1	A	36	ALA	2.9
1	A	361	ILE	2.8
1	A	130	LEU	2.8
1	B	378	ASN	2.7
1	C	412	VAL	2.7
1	B	360	ALA	2.7
1	C	116	ALA	2.7
1	B	12	VAL	2.7
1	C	294	ILE	2.6
1	A	33	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	223	HIS	2.6
1	B	202	MET	2.6
1	B	285	THR	2.6
1	C	414	LYS	2.6
1	A	260	SER	2.6
1	B	115	LEU	2.6
1	A	65	SER	2.5
1	C	310	ASN	2.5
1	B	114	HIS	2.5
1	C	355	VAL	2.5
1	A	313	GLY	2.5
1	A	108	ASN	2.4
1	C	378	ASN	2.4
1	A	69	GLY	2.4
1	A	223	HIS	2.4
1	B	385	MET	2.4
1	C	90	LEU	2.4
1	A	246	VAL	2.4
1	C	319	GLY	2.3
1	A	74	SER	2.3
1	C	350	ILE	2.3
1	C	308	THR	2.3
1	A	280	GLY	2.3
1	C	316	LEU	2.3
1	B	372	LEU	2.2
1	A	383	TYR	2.2
1	C	245	LEU	2.2
1	C	289	ALA	2.2
1	C	406	LEU	2.2
1	B	273	PHE	2.2
1	C	366	ALA	2.1
1	C	280	GLY	2.1
1	A	106	LEU	2.1
1	B	353	ALA	2.1
1	A	225	VAL	2.1
1	C	68	VAL	2.1
1	B	332	HIS	2.1
1	C	413	ALA	2.1
1	C	318	GLN	2.1
1	A	174	GLU	2.0
1	C	12	VAL	2.0
1	A	22	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NA	C	504	1/1	0.85	0.21	117,117,117,117	0
3	ASP	C	503	9/9	0.86	0.11	180,182,185,202	0
3	ASP	B	503	9/9	0.87	0.12	166,171,179,198	0
2	NA	C	501	1/1	0.90	0.09	92,92,92,92	0
2	NA	A	502	1/1	0.93	0.18	82,82,82,82	0
2	NA	C	502	1/1	0.94	0.12	86,86,86,86	0
3	ASP	A	503	9/9	0.94	0.09	167,176,182,202	0
2	NA	A	501	1/1	0.95	0.14	89,89,89,89	0
2	NA	B	504	1/1	0.95	0.11	118,118,118,118	0
2	NA	A	504	1/1	0.96	0.06	99,99,99,99	0
2	NA	B	502	1/1	0.98	0.06	75,75,75,75	0
2	NA	B	501	1/1	0.98	0.08	102,102,102,102	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NA C 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ASP C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ASP B 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ASP A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA B 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 504:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NA B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.