



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2025 – 12:19 PM EDT

PDB ID : 6VJR / pdb_00006vjr
Title : Oxygen tolerant Archeal 4hydroxybutyrylCoA dehydratase (4HBD) from N. maritimus
Authors : DeMirci, H.; Mathews, I.I.; Wakatsuki, S.; Kulakman, C.
Deposited on : 2020-01-17
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1935 (1.56-1.56)
Clashscore	180529	2073 (1.56-1.56)
Ramachandran outliers	177936	2037 (1.56-1.56)
Sidechain outliers	177891	2034 (1.56-1.56)
RSRZ outliers	164620	1935 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	502	% 93% 7%
1	B	502	% 95% 5%
1	C	502	94% 5%
1	D	502	% 94% 6%

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 18010 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vinylacetyl-CoA Delta-isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	502	Total	C	N	O	S	0	17	0
			4056	2538	713	780	25			
1	B	501	Total	C	N	O	S	0	16	0
			4038	2527	710	775	26			
1	C	500	Total	C	N	O	S	0	13	0
			4006	2507	705	768	26			
1	D	500	Total	C	N	O	S	0	14	0
			4014	2511	705	771	27			

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Fe	0	0
			1	1		
5	B	1	Total	Fe	0	0
			1	1		
5	C	1	Total	Fe	0	0
			1	1		
5	D	1	Total	Fe	0	0
			1	1		

- Molecule 6 is UNKNOWN LIGAND (CCD ID: UNL) (formula:).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	C	1	Total C O 3 1 2	0	0
6	D	1	Total C O 3 1 2	0	0

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	2	Total Na 2 2	0	0
7	B	2	Total Na 2 2	0	0
7	C	2	Total Na 2 2	0	0
7	D	2	Total Na 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	403	Total O 410 410	0	7
8	B	394	Total O 401 401	0	7
8	C	393	Total O 399 399	0	6
8	D	376	Total O 388 388	0	12


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Vinylacetyl-CoA Delta-isomerase




• Molecule 1: Vinylacetyl-CoA Delta-isomerase



• Molecule 1: Vinylacetyl-CoA Delta-isomerase



• Molecule 1: Vinylacetyl-CoA Delta-isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	87.53Å 72.95Å 180.52Å 90.00° 98.38° 90.00°	Depositor
Resolution (Å)	34.88 – 1.55 34.88 – 1.55	Depositor EDS
% Data completeness (in resolution range)	97.7 (34.88-1.55) 97.8 (34.88-1.55)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 1.55Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.126 , 0.158 0.126 , 0.158	Depositor DCC
R_{free} test set	2000 reflections (0.61%)	wwPDB-VP
Wilson B-factor (Å ²)	15.9	Xtriage
Anisotropy	0.681	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18010	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 31.72 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0562e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE, FAD, NA, UNL, SO4, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	0/4126	1.02	8/5560 (0.1%)
1	B	0.69	0/4111	1.02	6/5538 (0.1%)
1	C	0.70	0/4085	1.03	7/5501 (0.1%)
1	D	0.70	1/4087 (0.0%)	1.04	9/5506 (0.2%)
All	All	0.71	1/16409 (0.0%)	1.03	30/22105 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	4
1	C	0	2
1	D	0	3
All	All	0	11

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	278	HIS	CG-CD2	-5.18	1.30	1.35

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	460	GLN	N-CA-CB	7.74	121.61	110.16
1	B	423	ASP	CA-CB-CG	7.71	120.31	112.60
1	C	423	ASP	CA-CB-CG	7.61	120.21	112.60
1	B	240	ASP	CA-CB-CG	7.29	119.89	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	240	ASP	CA-CB-CG	6.89	119.49	112.60
1	B	460	GLN	N-CA-CB	6.83	120.26	110.16
1	C	240	ASP	CA-CB-CG	6.75	119.35	112.60
1	D	423	ASP	CA-CB-CG	6.65	119.25	112.60
1	A	251	ASP	CA-CB-CG	6.62	119.22	112.60
1	A	240	ASP	CA-CB-CG	6.31	118.91	112.60
1	C	318	ASP	CA-CB-CG	6.10	118.70	112.60
1	C	460	GLN	N-CA-CB	6.09	119.18	110.16
1	B	318	ASP	CA-CB-CG	6.05	118.65	112.60
1	A	460	GLN	N-CA-CB	5.97	118.90	110.12
1	A	423	ASP	CA-CB-CG	5.86	118.46	112.60
1	B	251	ASP	CA-CB-CG	5.76	118.36	112.60
1	D	135	PHE	CA-CB-CG	-5.74	108.06	113.80
1	D	318	ASP	CA-CB-CG	5.70	118.30	112.60
1	C	135	PHE	CA-CB-CG	-5.53	108.27	113.80
1	A	13	ASP	CA-CB-CG	5.52	118.12	112.60
1	D	388	ASP	CA-CB-CG	5.47	118.07	112.60
1	D	251	ASP	CA-CB-CG	5.27	117.87	112.60
1	A	106	ARG	N-CA-CB	-5.15	102.38	110.46
1	B	214	ASP	CA-CB-CG	5.14	117.74	112.60
1	D	372	LYS	CG-CD-CE	-5.13	99.49	111.30
1	A	57	ARG	NE-CZ-NH2	5.10	123.79	119.20
1	C	246	GLU	CB-CG-CD	5.08	121.23	112.60
1	D	57	ARG	NE-CZ-NH2	5.04	123.74	119.20
1	C	388	ASP	CA-CB-CG	5.01	117.61	112.60
1	A	388	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	296	ARG	Sidechain
1	A	299	TYR	Sidechain
1	B	296	ARG	Sidechain
1	B	299	TYR	Sidechain
1	B	466	ARG	Sidechain
1	B	57	ARG	Sidechain
1	C	104	PHE	Peptide
1	C	299	TYR	Sidechain
1	D	209	ARG	Sidechain
1	D	296	ARG	Sidechain
1	D	9	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4056	0	4017	12	0
1	B	4038	0	4004	13	0
1	C	4006	0	3976	15	0
1	D	4014	0	3973	11	0
2	A	8	0	0	0	0
2	B	8	0	0	0	0
2	C	8	0	0	1	0
2	D	8	0	0	1	0
3	A	53	0	31	0	0
3	B	53	0	31	0	0
3	C	53	0	31	0	0
3	D	53	0	31	0	0
4	A	10	0	0	0	0
4	B	5	0	0	0	0
4	C	10	0	0	0	0
4	D	5	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	3	0	0	0	0
6	B	3	0	0	0	0
6	C	3	0	0	0	0
6	D	3	0	0	0	0
7	A	2	0	0	0	0
7	B	2	0	0	0	0
7	C	2	0	0	0	0
7	D	2	0	0	0	0
8	A	410	0	0	1	0
8	B	401	0	0	2	0
8	C	399	0	0	4	0
8	D	388	0	0	2	0
All	All	18010	0	16094	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:24[A]:LYS:CE	8:C:810:HOH:O	1.94	1.16
1:B:420:LYS:HD2	1:D:168:ASP:OD2	1.58	1.03
1:C:24[A]:LYS:HE3	8:C:810:HOH:O	1.54	1.02
1:C:24[A]:LYS:HE2	8:C:810:HOH:O	1.63	0.93
1:C:468:MET:HE3	1:C:470:VAL:CG2	2.27	0.65
1:B:420:LYS:CD	1:D:168:ASP:OD2	2.42	0.63
1:C:449:GLU:OE1	2:C:602:SF4:S4	2.62	0.57
1:D:449:GLU:OE1	2:D:601:SF4:S4	2.64	0.55
1:B:140:LYS:O	1:B:144:GLN:HG3	2.07	0.55
1:C:180:ASP:HB3	1:C:182:LYS:H	1.72	0.53
1:B:181:GLU:CD	1:B:181:GLU:H	2.17	0.52
1:C:168:ASP:OD2	8:C:701:HOH:O	2.19	0.52
1:D:16[A]:GLU:HG2	8:D:797:HOH:O	2.09	0.51
1:A:140:LYS:O	1:A:144:GLN:HG3	2.10	0.51
1:C:208:ILE:O	1:C:208:ILE:HD12	2.11	0.50
1:A:468:MET:HE3	1:A:470:VAL:CG2	2.42	0.50
1:A:7:THR:N	8:A:711:HOH:O	2.45	0.48
1:A:372[B]:LYS:O	1:A:375[B]:VAL:HG12	2.13	0.48
1:A:115[B]:SER:OG	1:A:287:LEU:HD12	2.15	0.47
1:A:257:GLY:HA2	1:A:442:ASN:HD21	1.80	0.47
1:C:468:MET:HE3	1:C:470:VAL:HG21	1.97	0.47
1:B:468:MET:HE3	1:B:470:VAL:CG2	2.45	0.46
8:B:942:HOH:O	1:C:468:MET:HE1	2.16	0.46
1:D:257:GLY:HA2	1:D:442:ASN:HD21	1.81	0.46
1:B:133:LYS:HG3	8:B:712:HOH:O	2.16	0.46
1:B:504:LYS:HB3	1:B:504:LYS:HE3	1.73	0.45
1:A:44:SER:HA	1:A:257:GLY:O	2.18	0.44
1:D:102:THR:HG23	1:D:103[B]:CYS:O	2.17	0.44
1:A:162:LYS:HB3	1:A:166:GLU:HB2	1.99	0.44
1:D:468:MET:HE3	1:D:470[A]:VAL:CG2	2.48	0.43
1:C:257:GLY:HA2	1:C:442:ASN:HD21	1.84	0.43
1:A:504:LYS:HB3	1:A:504:LYS:HE3	1.77	0.42
1:C:44:SER:HA	1:C:257:GLY:O	2.19	0.42
1:D:299:TYR:HB3	1:D:375:VAL:HG21	2.00	0.42
1:B:152:ALA:HA	1:B:193:GLN:OE1	2.20	0.42
1:C:273:ASP:OD2	1:C:274:LYS:NZ	2.49	0.42
1:B:44:SER:HA	1:B:257:GLY:O	2.19	0.42
1:B:181:GLU:CD	1:B:181:GLU:N	2.77	0.42
1:D:44:SER:HA	1:D:257:GLY:O	2.19	0.42
1:D:467:GLN:OE1	8:D:701[A]:HOH:O	2.22	0.42
1:B:299:TYR:HB3	1:B:375[A]:VAL:HG21	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:208:ILE:CD1	1:C:210:LEU:HD23	2.50	0.41
1:C:208:ILE:HD13	1:C:210:LEU:HD23	2.02	0.41
1:D:14:TYR:CZ	1:D:18:LEU:HD11	2.55	0.41
1:B:299:TYR:OH	1:B:453:GLY:HA3	2.20	0.41
1:A:55:ALA:HA	1:A:62:ALA:HB3	2.02	0.41
1:A:152:ALA:HA	1:A:193:GLN:OE1	2.21	0.41
1:A:375[A]:VAL:O	1:A:379:PRO:HD2	2.20	0.41
1:B:372:LYS:O	1:B:375[B]:VAL:HG12	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/502 (103%)	508 (98%)	9 (2%)	0	100	100
1	B	515/502 (103%)	506 (98%)	9 (2%)	0	100	100
1	C	511/502 (102%)	502 (98%)	9 (2%)	0	100	100
1	D	512/502 (102%)	505 (99%)	7 (1%)	0	100	100
All	All	2055/2008 (102%)	2021 (98%)	34 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	442/425 (104%)	436 (99%)	6 (1%)	62	37
1	B	440/425 (104%)	438 (100%)	2 (0%)	86	76
1	C	436/425 (103%)	431 (99%)	5 (1%)	70	49
1	D	437/425 (103%)	436 (100%)	1 (0%)	92	86
All	All	1755/1700 (103%)	1741 (99%)	14 (1%)	79	63

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	LYS
1	A	179[A]	THR
1	A	179[B]	THR
1	A	297	ARG
1	A	504	LYS
1	A	507	VAL
1	B	297	ARG
1	B	504	LYS
1	C	208	ILE
1	C	212	GLU
1	C	246	GLU
1	C	297	ARG
1	C	375	VAL
1	D	297	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	144	GLN
1	A	436	ASN
1	A	442	ASN
1	A	465	GLN
1	A	467	GLN
1	B	436	ASN
1	B	442	ASN
1	B	465	GLN
1	C	337	HIS
1	C	436	ASN
1	C	442	ASN
1	C	465	GLN
1	D	436	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	442	ASN
1	D	465	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 30 ligands modelled in this entry, 12 are monoatomic and 4 are unknown - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FAD	A	602	-	54,58,58	0.86	1 (1%)	71,89,89	0.83	2 (2%)
4	SO4	C	604	-	4,4,4	0.46	0	6,6,6	0.17	0
4	SO4	D	603	-	4,4,4	0.43	0	6,6,6	0.18	0
3	FAD	D	602	-	54,58,58	0.71	0	71,89,89	0.73	0
2	SF4	C	602	1	0,12,12	-	-	-	-	-
3	FAD	B	602	-	54,58,58	0.87	1 (1%)	71,89,89	0.98	3 (4%)
4	SO4	A	604	-	4,4,4	0.29	0	6,6,6	0.09	0
3	FAD	C	603	-	54,58,58	0.84	2 (3%)	71,89,89	0.82	0
4	SO4	B	603	-	4,4,4	0.47	0	6,6,6	0.14	0
4	SO4	A	603	-	4,4,4	0.35	0	6,6,6	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	C	601	-	4,4,4	0.28	0	6,6,6	0.10	0
2	SF4	B	601	1	0,12,12	-	-	-		
2	SF4	D	601	1	0,12,12	-	-	-		
2	SF4	A	601	1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	602	-	-	3/30/50/50	0/6/6/6
3	FAD	D	602	-	-	3/30/50/50	0/6/6/6
3	FAD	B	602	-	-	3/30/50/50	0/6/6/6
2	SF4	C	602	1	-	-	0/6/5/5
3	FAD	C	603	-	-	2/30/50/50	0/6/6/6
2	SF4	B	601	1	-	-	0/6/5/5
2	SF4	D	601	1	-	-	0/6/5/5
2	SF4	A	601	1	-	-	0/6/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	FAD	PA-O3P	2.89	1.62	1.59
3	A	602	FAD	PA-O3P	2.69	1.62	1.59
3	C	603	FAD	PA-O3P	2.35	1.62	1.59
3	C	603	FAD	O4B-C1B	2.10	1.43	1.40

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	FAD	O3'-C3'-C4'	3.30	116.44	108.93
3	B	602	FAD	C1'-N10-C9A	-2.60	115.58	120.63
3	A	602	FAD	C1'-N10-C9A	-2.30	116.17	120.63
3	B	602	FAD	O3P-P-O1P	-2.18	104.15	110.70
3	A	602	FAD	O3P-P-O1P	-2.02	104.62	110.70

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	602	FAD	C5B-O5B-PA-O2A
3	A	602	FAD	C5B-O5B-PA-O3P
3	B	602	FAD	C5B-O5B-PA-O2A
3	B	602	FAD	C5B-O5B-PA-O3P
3	C	603	FAD	C5B-O5B-PA-O2A
3	D	602	FAD	C5B-O5B-PA-O2A
3	D	602	FAD	C5B-O5B-PA-O3P
3	A	602	FAD	C5B-O5B-PA-O1A
3	B	602	FAD	C5B-O5B-PA-O1A
3	C	603	FAD	C5B-O5B-PA-O3P
3	D	602	FAD	C5B-O5B-PA-O1A


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	602	SF4	1	0
2	D	601	SF4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	502/502 (100%)	-0.35	5 (0%) 79 85	5, 17, 31, 60	17 (3%)
1	B	501/502 (99%)	-0.34	5 (0%) 79 85	6, 18, 32, 49	16 (3%)
1	C	500/502 (99%)	-0.33	2 (0%) 89 92	6, 18, 33, 51	13 (2%)
1	D	500/502 (99%)	-0.32	3 (0%) 85 90	6, 18, 34, 53	14 (2%)
All	All	2003/2008 (99%)	-0.34	15 (0%) 84 89	5, 18, 33, 60	60 (2%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	508	LEU	5.3
1	B	507	VAL	4.9
1	B	22	ASP	3.7
1	B	505	ASP	3.7
1	A	22	ASP	3.1
1	C	180	ASP	3.0
1	A	507	VAL	2.8
1	A	505	ASP	2.6
1	A	103	CYS	2.6
1	B	7	THR	2.5
1	C	22	ASP	2.3
1	D	22	ASP	2.3
1	D	9	ARG	2.3
1	D	246	GLU	2.3
1	B	489	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	C	604	5/5	0.82	0.13	34,40,50,58	0
4	SO4	D	603	5/5	0.82	0.13	39,40,51,60	0
6	UNL	A	606	3/-	0.84	0.15	26,26,26,29	0
2	SF4	A	601	8/8	0.85	0.15	32,41,58,67	1
2	SF4	C	602	8/8	0.85	0.15	32,41,56,56	1
4	SO4	A	604	5/5	0.85	0.13	78,79,88,91	0
4	SO4	B	603	5/5	0.86	0.12	31,37,47,58	0
2	SF4	D	601	8/8	0.86	0.15	34,42,58,62	1
4	SO4	C	601	5/5	0.88	0.15	86,86,93,96	0
2	SF4	B	601	8/8	0.88	0.14	35,43,58,74	1
6	UNL	B	605	3/-	0.89	0.12	25,25,26,28	0
6	UNL	D	605	3/-	0.90	0.12	29,29,32,33	0
4	SO4	A	603	5/5	0.92	0.10	34,37,46,53	0
6	UNL	C	606	3/-	0.95	0.11	28,28,29,29	0
7	NA	B	607	1/1	0.97	0.08	37,37,37,37	0
7	NA	A	608	1/1	0.98	0.10	36,36,36,36	0
7	NA	D	607	1/1	0.98	0.08	36,36,36,36	0
5	FE	D	604	1/1	0.99	0.04	19,19,19,19	1
3	FAD	C	603	53/53	0.99	0.04	12,14,16,19	0
3	FAD	D	602	53/53	0.99	0.04	12,14,17,18	0
3	FAD	A	602	53/53	0.99	0.04	11,13,16,16	0
3	FAD	B	602	53/53	0.99	0.04	11,13,15,18	0
5	FE	A	605	1/1	0.99	0.04	18,18,18,18	1
5	FE	B	604	1/1	0.99	0.03	19,19,19,19	1
7	NA	C	608	1/1	0.99	0.13	33,33,33,33	0
5	FE	C	605	1/1	0.99	0.05	19,19,19,19	1
7	NA	C	607	1/1	1.00	0.09	21,21,21,21	0
7	NA	B	606	1/1	1.00	0.04	22,22,22,22	0
7	NA	D	606	1/1	1.00	0.10	21,21,21,21	0
7	NA	A	607	1/1	1.00	0.07	20,20,20,20	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD D 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.