



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:29 AM UTC

PDB ID : 6W0S / pdb_00006w0s
Title : Crystal structure of substrate free cytochrome P450 NasF5053 from Streptomyces sp. NRRL F-5053
Authors : Luo, Z.; Jia, X.; Sun, C.; Qu, X.; Kobe, B.
Deposited on : 2020-03-02
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	 3% 90% 10%
1	B	398	 4% 77% 23% .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12933 atoms, of which 5953 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cytochrome P450-F5053.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	397	Total 6047	C 1926	H 2980	N 558	O 571	S 12	0	1	0
1	B	396	Total 6013	C 1923	H 2952	N 557	O 569	S 12	0	1	0

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	A	1	Total 14	C 3	H 8	O 3	0	0

- Molecule 3 is BROMIDE ION (CCD ID: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total 2	Br 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Br	0	0
			2	2		


- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total	Cl	0	0
			4	4		
4	B	2	Total	Cl	0	0
			2	2		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		
5	B	1	Total	Na	0	0
			1	1		

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	A	1	Total	C	Fe	H	N	O	0	0
			49	34	1	6	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Fe	H	N			O
6	B	1	50	34	1	7	4	4	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	378	Total	O	0	0
			378	378		
7	B	370	Total	O	0	0
			370	370		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cytochrome P450-F5053



- Molecule 1: cytochrome P450-F5053



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.21Å 91.33Å 98.28Å 90.00° 96.41° 90.00°	Depositor
Resolution (Å)	43.06 – 1.70 43.06 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (43.06-1.70) 94.5 (43.06-1.70)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 1.70Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.186 , 0.220 0.186 , 0.220	Depositor DCC
R_{free} test set	4133 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	17.1	Xtrriage
Anisotropy	0.410	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 41.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12933	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.93 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.2301e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL, BR, NA, HEM, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	9/3140 (0.3%)	0.72	0/4270
1	B	1.49	67/3134 (2.1%)	1.09	4/4262 (0.1%)
All	All	1.16	76/6274 (1.2%)	0.92	4/8532 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (76) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	252	THR	C-O	-10.20	1.12	1.24
1	A	252	THR	C-O	-9.51	1.13	1.24
1	B	282	PRO	C-O	-9.49	1.13	1.23
1	B	256	HIS	CE1-NE2	-8.00	1.24	1.32
1	B	391	PRO	C-O	-7.52	1.15	1.23
1	B	99	LEU	C-O	-7.43	1.15	1.24
1	B	269	ARG	C-O	-7.16	1.14	1.24
1	B	257	PRO	C-O	-6.96	1.15	1.24
1	B	142	PRO	C-O	-6.94	1.15	1.24
1	B	267	PRO	C-O	-6.87	1.15	1.24
1	B	136	ALA	C-O	-6.85	1.16	1.24
1	B	271	PRO	C-O	-6.56	1.16	1.24
1	B	281	THR	C-O	-6.56	1.16	1.24
1	A	391	PRO	C-O	-6.50	1.16	1.23
1	B	155	GLU	C-O	-6.49	1.16	1.24
1	B	105	PRO	C-O	-6.49	1.15	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	103	LEU	C-O	-6.45	1.15	1.24
1	B	173	ARG	C-O	-6.34	1.16	1.23
1	B	235	VAL	C-O	-6.33	1.17	1.24
1	B	122	LEU	C-O	-6.30	1.16	1.24
1	B	274	VAL	C-O	-6.28	1.17	1.24
1	B	183	VAL	C-O	-6.14	1.17	1.24
1	B	270	VAL	C-O	-6.07	1.17	1.24
1	B	284	SER	CA-CB	-6.05	1.44	1.53
1	B	146	ALA	C-O	-6.00	1.17	1.24
1	B	262	GLU	C-O	-5.99	1.17	1.24
1	B	111	HIS	C-O	-5.93	1.16	1.24
1	B	107	ALA	C-O	-5.92	1.17	1.24
1	A	282	PRO	C-O	-5.91	1.17	1.23
1	B	240	PRO	C-O	-5.91	1.16	1.24
1	B	184	HIS	C-O	-5.90	1.16	1.24
1	B	261	GLN	C-O	-5.88	1.17	1.24
1	B	249	ALA	C-O	-5.87	1.17	1.24
1	B	210	LYS	C-O	-5.84	1.17	1.24
1	A	388	PHE	C-O	-5.83	1.17	1.23
1	B	115	ILE	C-O	-5.79	1.17	1.24
1	B	247	CYS	C-O	-5.78	1.17	1.24
1	B	230	ALA	C-O	-5.77	1.17	1.24
1	B	88	ALA	C-O	-5.76	1.17	1.24
1	B	126	LEU	C-O	-5.74	1.17	1.24
1	A	142	PRO	C-O	-5.73	1.17	1.24
1	B	143	LEU	C-O	-5.72	1.17	1.24
1	B	76	GLU	C-O	-5.69	1.17	1.23
1	B	144	SER	C-O	-5.67	1.17	1.24
1	B	148	VAL	C-O	-5.65	1.17	1.24
1	B	102	GLY	C-O	-5.64	1.17	1.24
1	B	205	GLY	C-O	-5.64	1.17	1.24
1	B	253	LEU	C-O	-5.59	1.17	1.24
1	B	187	THR	C-O	-5.58	1.17	1.24
1	B	232	SER	C-O	-5.53	1.17	1.24
1	B	70	PRO	C-O	-5.52	1.17	1.23
1	B	106	ARG	C-O	-5.51	1.17	1.24
1	B	284	SER	C-O	-5.51	1.17	1.23
1	A	174	PHE	C-O	-5.47	1.17	1.24
1	B	108	VAL	C-O	-5.46	1.17	1.24
1	B	128	SER	C-O	-5.45	1.16	1.24
1	B	160	GLU	C-O	-5.45	1.17	1.24
1	B	241	THR	C-O	-5.40	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	233	LEU	C-O	-5.39	1.17	1.24
1	A	140	VAL	C-O	-5.34	1.18	1.24
1	B	387	PHE	C-O	-5.33	1.17	1.24
1	B	260	VAL	C-O	-5.33	1.18	1.24
1	B	159	ASP	C-O	-5.30	1.17	1.24
1	A	295	ASP	C-O	-5.25	1.17	1.23
1	A	251	LEU	C-O	-5.24	1.18	1.24
1	B	243	SER	C-O	-5.18	1.18	1.24
1	B	192	PHE	C-O	-5.17	1.18	1.24
1	B	276	GLU	C-O	-5.17	1.18	1.24
1	B	101	ASP	C-O	-5.14	1.18	1.24
1	B	111	HIS	CE1-NE2	-5.09	1.27	1.32
1	B	180	GLU	C-O	-5.08	1.18	1.24
1	B	117	ASP	C-O	-5.08	1.18	1.24
1	B	140	VAL	C-O	-5.07	1.18	1.24
1	B	167	CYS	C-O	-5.06	1.18	1.24
1	B	114	TRP	C-O	-5.05	1.17	1.24
1	B	245	PHE	C-O	-5.03	1.18	1.24

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	65	GLN	N-CA-CB	-5.94	102.41	110.67
1	B	65	GLN	CB-CG-CD	-5.75	102.83	112.60
1	B	125	GLU	CB-CG-CD	5.45	121.87	112.60
1	B	389	ARG	CB-CA-C	-5.31	101.23	109.61

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	63	ALA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3067	2980	3004	25	0
1	B	3061	2952	2999	18	0
2	A	6	8	8	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	4	0	0	2	0
4	B	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	43	6	30	12	0
6	B	43	7	30	8	0
7	A	378	0	0	10	4
7	B	370	0	0	5	2
All	All	6980	5953	6071	55	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:PRO:HB3	7:A:851:HOH:O	1.78	0.84
1:A:152:LEU:HD21	6:A:409:HEM:HBC1	1.69	0.75
1:B:242:SER:HA	6:B:406:HEM:HBB1	1.69	0.74
1:A:96:ARG:NH1	7:A:501:HOH:O	2.22	0.71
6:A:409:HEM:HBB2	6:A:409:HEM:HHC	1.73	0.70
1:B:152:LEU:HD21	6:B:406:HEM:HBC1	1.77	0.67
6:A:409:HEM:CMC	6:A:409:HEM:HBC2	2.25	0.66
1:A:242:SER:HA	6:A:409:HEM:HBB1	1.78	0.65
1:B:345:ARG:NH2	7:B:502:HOH:O	2.28	0.65
1:A:217:VAL:HG21	1:A:222:LEU:CD1	2.27	0.64
6:A:409:HEM:HBC2	6:A:409:HEM:HMC2	1.78	0.64
4:A:404:CL:CL	4:A:407:CL:CL	2.92	0.62
1:A:152:LEU:CD2	6:A:409:HEM:HBC1	2.30	0.61
1:A:21:GLN:NE2	7:A:505:HOH:O	2.28	0.58
1:B:3:THR:N	7:B:504:HOH:O	2.36	0.57
1:A:2:SER:N	7:A:508:HOH:O	2.36	0.57
1:B:4:LEU:HD23	1:B:32:VAL:HG12	1.88	0.56
1:B:345:ARG:CZ	7:B:502:HOH:O	2.54	0.55
6:B:406:HEM:CMC	6:B:406:HEM:HBC2	2.37	0.54
6:A:409:HEM:HHC	6:A:409:HEM:CBB	2.38	0.54
1:A:9:HIS:HE1	1:A:35:GLU:OE1	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:212:ILE:HA	7:B:777:HOH:O	2.09	0.52
1:A:125:GLU:HG3	7:A:653:HOH:O	2.11	0.51
1:B:23:ARG:HG3	1:B:46:ARG:HG2	1.94	0.50
1:B:377:PRO:HB3	7:B:794:HOH:O	2.13	0.49
1:A:152:LEU:HD21	6:A:409:HEM:CBC	2.41	0.49
6:A:409:HEM:HBB2	6:A:409:HEM:CHC	2.43	0.49
1:A:330:ARG:NH1	7:A:516:HOH:O	2.46	0.48
1:B:152:LEU:CD2	6:B:406:HEM:HBC1	2.44	0.48
1:A:232:SER:O	1:A:236:VAL:HG22	2.16	0.46
6:B:406:HEM:HBC2	6:B:406:HEM:HMC2	1.97	0.46
1:A:109:ARG:HD2	4:A:405:CL:CL	2.53	0.46
1:A:74:PRO:HG2	1:A:182:GLN:HE22	1.82	0.45
1:A:105:PRO:HB3	7:A:838:HOH:O	2.16	0.44
1:B:298:ILE:O	1:B:298:ILE:HG23	2.16	0.44
6:B:406:HEM:HHC	6:B:406:HEM:HBB2	2.00	0.44
1:B:242:SER:HA	6:B:406:HEM:CBB	2.43	0.44
1:B:6:TYR:CG	1:B:7:PRO:HA	2.52	0.44
1:A:106:ARG:O	1:A:110:ARG:HG3	2.18	0.44
1:A:6:TYR:CG	1:A:7:PRO:HA	2.53	0.44
1:A:242:SER:HA	6:A:409:HEM:CBB	2.45	0.43
1:A:333:ARG:O	1:A:333:ARG:HG3	2.18	0.43
6:B:406:HEM:HHC	6:B:406:HEM:CBB	2.48	0.43
1:A:392:ARG:NH1	7:A:524:HOH:O	2.51	0.43
1:A:217:VAL:HG21	1:A:222:LEU:HD11	1.98	0.43
6:A:409:HEM:HMC2	6:A:409:HEM:CBC	2.46	0.43
6:A:409:HEM:CMC	6:A:409:HEM:CBC	2.97	0.42
1:A:239:PHE:HB3	1:A:240:PRO:HD3	2.00	0.42
1:B:96:ARG:HA	1:B:96:ARG:HD2	1.83	0.42
1:B:29:VAL:HG12	1:B:42:TRP:HB3	2.03	0.41
1:A:65:GLN:HG2	7:A:730:HOH:O	2.21	0.41
1:B:54:LEU:HD12	1:B:339:PHE:HE2	1.86	0.41
1:A:9:HIS:HD2	7:A:647:HOH:O	2.04	0.40
1:B:6:TYR:CD1	1:B:7:PRO:HA	2.57	0.40
1:B:87:ILE:HD12	1:B:87:ILE:HA	1.89	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:791:HOH:O	7:B:796:HOH:O[1_455]	2.01	0.19

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:828:HOH:O	7:B:842:HOH:O[2_646]	2.04	0.16
7:A:711:HOH:O	7:A:851:HOH:O[1_655]	2.11	0.09
7:A:759:HOH:O	7:A:851:HOH:O[1_655]	2.11	0.09
7:A:834:HOH:O	7:A:845:HOH:O[2_545]	2.12	0.08
7:A:812:HOH:O	7:A:856:HOH:O[2_645]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	395/398 (99%)	388 (98%)	7 (2%)	0	100	100
1	B	394/398 (99%)	388 (98%)	6 (2%)	0	100	100
All	All	789/796 (99%)	776 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	319/318 (100%)	318 (100%)	1 (0%)	86	83
1	B	318/318 (100%)	315 (99%)	3 (1%)	70	62
All	All	637/636 (100%)	633 (99%)	4 (1%)	78	72

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	334	GLU
1	B	92	GLU
1	B	109	ARG
1	B	334	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	116	ASN
1	A	166	HIS
1	A	182	GLN
1	B	65	GLN
1	B	116	ASN
1	B	179	HIS
1	B	182	GLN
1	B	261	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 12 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	401	-	5,5,5	0.55	0	5,5,5	1.04	0
6	HEM	B	406	7,1	50,50,50	1.31	8 (16%)	67,82,82	1.18	4 (5%)
6	HEM	A	409	7,1	50,50,50	1.32	9 (18%)	67,82,82	1.18	5 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	401	-	-	2/4/4/4	-
6	HEM	B	406	7,1	-	3/14/54/54	-
6	HEM	A	409	7,1	-	0/14/54/54	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	406	HEM	FE-ND	2.86	2.03	1.94
6	B	406	HEM	C3B-C2B	-2.72	1.31	1.37
6	A	409	HEM	CAB-C3B	2.57	1.54	1.47
6	A	409	HEM	CAA-C2A	2.49	1.57	1.51
6	A	409	HEM	CMA-C3A	2.39	1.55	1.50
6	A	409	HEM	C3B-C2B	-2.31	1.32	1.37
6	A	409	HEM	CMC-C2C	2.29	1.55	1.50
6	A	409	HEM	FE-ND	2.21	2.01	1.94
6	B	406	HEM	CMC-C2C	2.21	1.55	1.50
6	A	409	HEM	CAC-C3C	2.21	1.53	1.47
6	B	406	HEM	FE-NC	2.20	2.02	1.95
6	B	406	HEM	CMD-C2D	2.15	1.55	1.50
6	B	406	HEM	CAB-C3B	2.15	1.53	1.47
6	A	409	HEM	FE-NC	2.12	2.02	1.95
6	A	409	HEM	CMD-C2D	2.09	1.55	1.50
6	B	406	HEM	CAA-C2A	2.05	1.56	1.51
6	B	406	HEM	CMA-C3A	2.04	1.55	1.50

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	409	HEM	CHD-C4C-NC	4.13	128.94	124.45
6	B	406	HEM	C4C-C3C-C2C	3.97	110.26	106.81
6	A	409	HEM	C4C-C3C-C2C	3.83	110.13	106.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	409	HEM	C3B-C2B-C1B	2.61	108.37	106.41
6	B	406	HEM	CHD-C4C-NC	2.43	127.10	124.45
6	B	406	HEM	C4C-NC-C1C	2.39	109.71	105.82
6	B	406	HEM	CHC-C1C-NC	2.31	126.97	124.45
6	A	409	HEM	C4A-C3A-C2A	2.13	109.26	106.82
6	A	409	HEM	C4C-NC-C1C	2.13	109.29	105.82

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	GOL	O1-C1-C2-O2
2	A	401	GOL	O1-C1-C2-C3
6	B	406	HEM	CAD-CBD-CGD-O2D
6	B	406	HEM	CAD-CBD-CGD-O1D
6	B	406	HEM	CAA-CBA-CGA-O2A


There are no ring outliers.

2 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	406	HEM	8	0
6	A	409	HEM	12	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	397/398 (99%)	0.08	10 (2%) 58 62	11, 22, 46, 72	1 (0%)
1	B	396/398 (99%)	0.10	14 (3%) 47 52	11, 22, 46, 71	1 (0%)
All	All	793/796 (99%)	0.09	24 (3%) 52 56	11, 22, 46, 72	2 (0%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	66	ALA	4.0
1	B	3	THR	3.8
1	B	67	SER	3.6
1	A	221	PRO	3.3
1	B	96	ARG	3.2
1	B	65	GLN	3.0
1	B	109	ARG	2.9
1	B	217	VAL	2.9
1	A	66	ALA	2.9
1	A	67	SER	2.8
1	B	84	GLY	2.7
1	A	222	LEU	2.6
1	B	85	ASP	2.6
1	A	218	ASP	2.4
1	B	98	VAL	2.4
1	B	218	ASP	2.3
1	A	334	GLU	2.3
1	A	217	VAL	2.3
1	B	334	GLU	2.2
1	A	96	ARG	2.1
1	A	220	GLY	2.1
1	B	376	ALA	2.0
1	B	4	LEU	2.0
1	A	97	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GOL	A	401	6/6	0.87	0.12	25,35,48,57	0
4	CL	A	405	1/1	0.93	0.09	48,48,48,48	0
5	NA	A	408	1/1	0.94	0.11	27,27,27,27	0
5	NA	B	405	1/1	0.95	0.17	23,23,23,23	0
4	CL	A	404	1/1	0.96	0.06	30,30,30,30	0
4	CL	A	407	1/1	0.97	0.06	41,41,41,41	0
4	CL	B	403	1/1	0.97	0.05	27,27,27,27	0
4	CL	B	404	1/1	0.98	0.04	34,34,34,34	0
3	BR	B	402	1/1	0.98	0.04	26,26,26,26	1
4	CL	A	406	1/1	0.98	0.06	20,20,20,20	0
6	HEM	A	409	43/43	0.98	0.07	9,14,22,39	0
6	HEM	B	406	43/43	0.98	0.07	6,13,23,45	0
3	BR	B	401	1/1	0.99	0.05	27,27,27,27	1
3	BR	A	402	1/1	0.99	0.03	23,23,23,23	1
3	BR	A	403	1/1	0.99	0.07	27,27,27,27	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEM A 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.