



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 25, 2024 – 10:06 PM EDT

PDB ID : 6ZT9
Title : X-ray structure of mutated arabinofuranosidase
Authors : Tandrup, T.; Lo Leggio, L.; Zhao, J.; Bissaro, B.; Barbe, S.; Andre, I.; Dumon, C.; O'Donohue, M.J.; Faure, R.
Deposited on : 2020-07-17
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	 3% 89% 10% ..
1	B	496	 2% 87% 10% ..
1	C	496	 2% 88% 10% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MPD	A	508	-	-	-	X
3	MPD	B	506	-	-	X	X
3	MPD	B	507	-	-	-	X
3	MPD	B	508	-	-	X	X
3	MPD	C	506	-	-	-	X
4	ACT	A	511	-	-	X	X
4	ACT	C	508	-	-	X	-
4	ACT	C	512	-	-	X	-
4	ACT	C	513	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13672 atoms, of which 98 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alpha-L-arabinofuranosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	493	4013	2556	695	735	27	0	18	0
1	B	491	3998	2544	693	734	27	0	17	0
1	C	492	4004	2550	693	733	28	0	17	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	69	HIS	ARG	conflict	UNP O69262
A	216	TRP	ASN	conflict	UNP O69262
A	274	GLU	ARG	conflict	UNP O69262
A	352	MET	LEU	conflict	UNP O69262
B	69	HIS	ARG	conflict	UNP O69262
B	216	TRP	ASN	conflict	UNP O69262
B	274	GLU	ARG	conflict	UNP O69262
B	352	MET	LEU	conflict	UNP O69262
C	69	HIS	ARG	conflict	UNP O69262
C	216	TRP	ASN	conflict	UNP O69262
C	274	GLU	ARG	conflict	UNP O69262
C	352	MET	LEU	conflict	UNP O69262

- Molecule 2 is alpha-L-arabinofuranose (three-letter code: AHR) (formula: C₅H₁₀O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	5	5		
2	B	1	Total	C	O	0	0
			10	5	5		
2	C	1	Total	C	O	0	0
			10	5	5		

- Molecule 3 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 8 6 2	0	0
3	A	1	Total C O 8 6 2	0	0
3	A	1	Total C O 8 6 2	0	0
3	A	1	Total C O 8 6 2	0	0
3	A	1	Total C O 8 6 2	0	0
3	A	1	Total C O 8 6 2	0	0
3	A	1	Total C H O 22 6 14 2	0	0
3	A	1	Total C H O 22 6 14 2	0	0
3	B	1	Total C O 8 6 2	0	0
3	B	1	Total C O 8 6 2	0	0
3	B	1	Total C O 8 6 2	0	0
3	B	1	Total C O 8 6 2	0	0
3	B	1	Total C H O 22 6 14 2	0	0
3	B	1	Total C H O 22 6 14 2	0	0
3	B	1	Total C H O 22 6 14 2	0	0
3	C	1	Total C O 8 6 2	0	0
3	C	1	Total C O 8 6 2	0	0
3	C	1	Total C O 8 6 2	0	0
3	C	1	Total C O 8 6 2	0	0
3	C	1	Total C H O 22 6 14 2	0	0
3	C	1	Total C H O 22 6 14 2	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	443	Total	O	0	0
			443	443		
6	B	431	Total	O	0	0
			431	431		
6	C	409	Total	O	0	1
			409	409		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-L-arabinofuranosidase

Chain A: 





- Molecule 1: Alpha-L-arabinofuranosidase

Chain B: 



- Molecule 1: Alpha-L-arabinofuranosidase

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	157.06Å 157.06Å 379.59Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	136.02 – 2.00 49.27 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (136.02-2.00) 99.9 (49.27-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.147 , 0.173 0.163 , 0.184	Depositor DCC
R_{free} test set	1999 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.4	Xtrriage
Anisotropy	0.296	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	13672	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AHR, MPD, ACT, BTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.00	6/4176 (0.1%)	1.02	22/5668 (0.4%)
1	B	0.96	8/4158 (0.2%)	1.01	26/5644 (0.5%)
1	C	0.99	7/4164 (0.2%)	0.99	16/5651 (0.3%)
All	All	0.98	21/12498 (0.2%)	1.01	64/16963 (0.4%)

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	78	GLU	CD-OE1	6.54	1.32	1.25
1	C	176[A]	GLU	CD-OE1	6.50	1.32	1.25
1	C	176[B]	GLU	CD-OE1	6.50	1.32	1.25
1	A	187	GLU	CG-CD	6.43	1.61	1.51
1	B	187	GLU	CG-CD	5.99	1.60	1.51
1	A	150	GLU	CG-CD	5.81	1.60	1.51
1	A	42	GLU	CD-OE2	5.66	1.31	1.25
1	B	176[A]	GLU	CD-OE1	5.53	1.31	1.25
1	B	176[B]	GLU	CD-OE1	5.53	1.31	1.25
1	C	387	TRP	CZ3-CH2	5.50	1.48	1.40
1	A	362	ARG	CD-NE	-5.45	1.37	1.46
1	C	150	GLU	CD-OE1	5.34	1.31	1.25
1	C	387	TRP	CB-CG	-5.30	1.40	1.50
1	C	187	GLU	CD-OE1	5.26	1.31	1.25
1	B	248	TRP	CG-CD1	5.22	1.44	1.36
1	A	89	GLU	CD-OE2	5.19	1.31	1.25
1	B	187	GLU	CD-OE1	5.15	1.31	1.25
1	B	13	ARG	CZ-NH1	5.12	1.39	1.33
1	B	104	GLU	CD-OE1	5.12	1.31	1.25
1	A	387	TRP	CB-CG	-5.11	1.41	1.50
1	B	387	TRP	CB-CG	-5.02	1.41	1.50

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	362	ARG	NE-CZ-NH1	12.74	126.67	120.30
1	A	362	ARG	NE-CZ-NH2	-12.09	114.25	120.30
1	A	434	ARG	NE-CZ-NH2	-11.42	114.59	120.30
1	C	434	ARG	NE-CZ-NH2	-10.57	115.02	120.30
1	B	362	ARG	NE-CZ-NH2	-9.97	115.31	120.30
1	B	434	ARG	NE-CZ-NH2	-8.41	116.09	120.30
1	B	88	ARG	CG-CD-NE	-8.23	94.51	111.80
1	B	408	ARG	NE-CZ-NH1	8.12	124.36	120.30
1	C	408	ARG	NE-CZ-NH1	7.93	124.26	120.30
1	A	408	ARG	NE-CZ-NH1	7.77	124.19	120.30
1	A	434	ARG	NE-CZ-NH1	7.63	124.11	120.30
1	C	20[A]	ARG	NE-CZ-NH1	-7.46	116.57	120.30
1	C	20[B]	ARG	NE-CZ-NH1	-7.46	116.57	120.30
1	B	20[A]	ARG	NE-CZ-NH1	-7.35	116.62	120.30
1	B	20[B]	ARG	NE-CZ-NH1	-7.35	116.62	120.30
1	C	148	ASP	CB-CG-OD1	7.34	124.91	118.30
1	B	434	ARG	NE-CZ-NH1	7.28	123.94	120.30
1	B	20[A]	ARG	NE-CZ-NH2	7.18	123.89	120.30
1	B	20[B]	ARG	NE-CZ-NH2	7.18	123.89	120.30
1	C	284	ASP	CB-CG-OD1	7.17	124.76	118.30
1	B	284	ASP	CB-CG-OD1	7.16	124.74	118.30
1	B	205	ASP	CB-CG-OD2	-7.01	111.99	118.30
1	A	273	ASP	CB-CG-OD1	6.95	124.56	118.30
1	B	148	ASP	CB-CG-OD1	6.74	124.37	118.30
1	A	20[A]	ARG	NE-CZ-NH1	-6.64	116.98	120.30
1	A	20[B]	ARG	NE-CZ-NH1	-6.64	116.98	120.30
1	C	362	ARG	NE-CZ-NH1	6.60	123.60	120.30
1	A	463	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	B	13	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	A	148	ASP	CB-CG-OD2	-6.51	112.44	118.30
1	C	434	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	148	ASP	CB-CG-OD1	6.42	124.08	118.30
1	A	167	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	A	284	ASP	CB-CG-OD2	-6.33	112.61	118.30
1	A	12	ASP	CB-CG-OD1	6.28	123.95	118.30
1	B	157	ARG	NE-CZ-NH2	-6.21	117.20	120.30
1	C	78	GLU	OE1-CD-OE2	6.06	130.57	123.30
1	B	273	ASP	CB-CG-OD1	6.05	123.74	118.30
1	B	12	ASP	CB-CG-OD1	5.99	123.69	118.30
1	C	284	ASP	CB-CG-OD2	-5.80	113.08	118.30
1	A	422	ASP	CB-CG-OD2	-5.79	113.09	118.30
1	B	157	ARG	NE-CZ-NH1	5.79	123.19	120.30
1	B	321	ARG	NE-CZ-NH1	5.73	123.16	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	459	ASP	CB-CG-OD1	5.72	123.45	118.30
1	A	321	ARG	NE-CZ-NH1	5.71	123.16	120.30
1	C	12	ASP	CB-CG-OD1	5.66	123.39	118.30
1	A	284	ASP	CB-CG-OD1	5.63	123.37	118.30
1	B	32	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	B	167	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	C	12	ASP	CB-CG-OD2	-5.42	113.42	118.30
1	C	13	ARG	NE-CZ-NH2	-5.41	117.59	120.30
1	A	162	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	C	321	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	B	321	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	B	205	ASP	CB-CG-OD1	5.24	123.02	118.30
1	B	32	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	B	408	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	A	422	ASP	CB-CG-OD1	5.11	122.90	118.30
1	C	408	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	B	158	ARG	NE-CZ-NH2	-5.07	117.76	120.30
1	A	57[A]	LEU	CA-CB-CG	5.03	126.88	115.30
1	A	57[B]	LEU	CA-CB-CG	5.03	126.88	115.30
1	A	408	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	C	219	ASP	CB-CG-OD2	-5.01	113.79	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4013	0	3917	36	0
1	B	3998	0	3894	61	0
1	C	4004	0	3906	46	0
2	A	10	0	0	1	0
2	B	10	0	0	2	0
2	C	10	0	0	0	0
3	A	64	28	112	10	0
3	B	56	42	96	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	48	28	84	7	0
4	A	16	0	12	3	0
4	B	20	0	15	0	0
4	C	28	0	21	6	0
5	A	14	0	19	0	0
6	A	443	0	0	15	0
6	B	431	0	0	16	0
6	C	409	0	0	19	0
All	All	13574	98	12076	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:LYS:HD2	3:B:506:MPD:O2	1.45	1.17
1:B:64:LYS:HG3	3:B:506:MPD:HM1	1.33	1.11
1:B:379:GLN:HB2	3:B:506:MPD:H53	1.38	1.05
1:B:64:LYS:HE2	3:B:506:MPD:HM2	1.40	1.04
1:B:112:GLU:CD	3:B:508:MPD:H51	1.80	1.00
1:B:64:LYS:HG3	3:B:506:MPD:CM	1.92	1.00
1:A:194:ARG:HH12	3:A:508:MPD:H4	1.27	0.99
1:B:64:LYS:CD	3:B:506:MPD:O2	2.13	0.95
1:B:112:GLU:CG	3:B:508:MPD:H51	1.99	0.91
1:B:112:GLU:HG3	3:B:508:MPD:H51	1.54	0.89
1:B:112:GLU:OE2	3:B:508:MPD:H51	1.75	0.87
1:C:408:ARG:HD3	6:C:722:HOH:O	1.74	0.85
1:B:64:LYS:CG	3:B:506:MPD:O2	2.24	0.85
3:B:502:MPD:H12	6:B:949:HOH:O	1.79	0.82
1:B:74[C]:CYS:SG	6:B:804:HOH:O	2.38	0.80
1:B:64:LYS:CE	3:B:506:MPD:HM2	2.13	0.77
1:B:210:LYS:H	1:B:235:HIS:HD2	1.31	0.77
1:A:210:LYS:H	1:A:235:HIS:HD2	1.33	0.77
1:C:30[B]:LEU:HD21	1:C:314:LEU:HD12	1.67	0.76
1:B:175:ASN:HD22	1:B:176[B]:GLU:CD	1.88	0.76
1:C:74[C]:CYS:SG	6:C:742:HOH:O	2.42	0.75
1:C:210:LYS:H	1:C:235:HIS:HD2	1.31	0.75
3:C:506:MPD:H53	6:C:889:HOH:O	1.86	0.75
1:B:111:HIS:CB	3:B:508:MPD:H53	2.18	0.73
1:C:98:HIS:C	6:C:843:HOH:O	2.26	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:15:LYS:O	3:C:507:MPD:HM2	1.89	0.73
1:A:175:ASN:HD22	1:A:176[B]:GLU:CD	1.94	0.71
1:A:30[B]:LEU:HD21	1:A:314:LEU:HD12	1.72	0.70
1:B:10:ASN:OD1	6:B:601:HOH:O	2.10	0.69
1:A:362:ARG:HD3	6:A:744:HOH:O	1.93	0.69
1:C:15:LYS:O	3:C:507:MPD:CM	2.41	0.69
1:B:347:GLN:HE21	2:B:501:AHR:C5	2.05	0.68
1:B:148:ASP:OD1	6:B:602:HOH:O	2.11	0.68
1:C:175:ASN:HD22	1:C:176[B]:GLU:CD	1.96	0.68
1:B:64:LYS:CG	3:B:506:MPD:CM	2.70	0.68
1:B:111:HIS:HB2	3:B:508:MPD:H53	1.75	0.67
1:B:62:GLN:HG3	6:B:941:HOH:O	1.95	0.65
3:A:502:MPD:H51	6:A:603:HOH:O	1.97	0.65
1:B:112:GLU:HG3	3:B:508:MPD:C5	2.25	0.65
1:B:30[B]:LEU:HD21	1:B:314:LEU:HD12	1.79	0.64
1:C:103:ILE:H	4:C:512:ACT:H2	1.62	0.64
1:A:440:VAL:HG23	1:A:474:LEU:HD21	1.80	0.63
1:B:210:LYS:H	1:B:235:HIS:CD2	2.16	0.63
1:B:94:MET:HB3	6:B:937:HOH:O	1.99	0.63
1:B:64:LYS:HB3	3:B:506:MPD:O2	1.98	0.62
1:B:440:VAL:HG23	1:B:474:LEU:HD21	1.82	0.62
1:B:88:ARG:NH2	3:B:508:MPD:H4	2.14	0.62
4:C:508:ACT:H1	6:C:883:HOH:O	1.98	0.61
1:C:440:VAL:HG23	1:C:474:LEU:HD21	1.83	0.61
1:C:210:LYS:H	1:C:235:HIS:CD2	2.16	0.61
1:C:98:HIS:CD2	6:C:930:HOH:O	2.54	0.60
3:A:507:MPD:H12	6:A:615:HOH:O	2.01	0.59
1:C:98:HIS:HD2	6:C:930:HOH:O	1.85	0.59
1:A:210:LYS:H	1:A:235:HIS:CD2	2.16	0.59
3:A:504:MPD:H51	6:A:1005:HOH:O	2.02	0.59
1:A:194:ARG:NH1	3:A:508:MPD:H4	2.09	0.59
1:B:64:LYS:CB	3:B:506:MPD:O2	2.50	0.59
1:C:175:ASN:ND2	1:C:176[B]:GLU:OE2	2.36	0.58
1:B:388:GLU:OE1	6:B:603:HOH:O	2.17	0.58
1:B:124:PRO:HD3	3:B:504:MPD:H4	1.86	0.58
1:A:58:GLU:HG3	6:A:972:HOH:O	2.03	0.58
1:C:13:ARG:HG2	1:C:385:ASP:HB2	1.83	0.58
1:A:148:ASP:OD2	1:C:98:HIS:HE1	1.86	0.57
1:B:15:LYS:HB3	3:B:503:MPD:H13	1.85	0.57
3:A:506:MPD:H13	6:A:629:HOH:O	2.02	0.57
1:B:62:GLN:CG	6:B:941:HOH:O	2.51	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:GLN:HE21	2:A:501:AHR:C5	2.19	0.56
1:C:175:ASN:ND2	6:C:614:HOH:O	2.38	0.56
1:B:64:LYS:CD	3:B:506:MPD:HM2	2.36	0.55
1:A:97:THR:HG23	6:A:962:HOH:O	2.06	0.54
4:C:508:ACT:CH3	6:C:883:HOH:O	2.54	0.54
1:B:111:HIS:HB3	3:B:508:MPD:H53	1.89	0.53
1:C:217[B]:THR:HG22	1:C:241:TYR:HD1	1.73	0.53
1:B:379:GLN:CD	3:B:506:MPD:O4	2.47	0.53
1:C:362:ARG:HD3	6:C:779:HOH:O	2.09	0.53
3:A:508:MPD:H51	1:C:185:ARG:HG2	1.91	0.52
1:B:64:LYS:CD	3:B:506:MPD:CM	2.88	0.52
1:B:48:ASN:HD22	1:B:51:GLY:H	1.56	0.52
1:B:158:ARG:HD2	6:B:878:HOH:O	2.09	0.52
1:A:48:ASN:HD22	1:A:51:GLY:H	1.57	0.52
1:A:257:PHE:CE1	1:A:452[B]:ILE:HD12	2.44	0.52
1:C:402:VAL:HG12	1:C:404[B]:VAL:HG23	1.90	0.52
1:B:347:GLN:NE2	2:B:501:AHR:C5	2.73	0.52
1:B:402:VAL:HG12	1:B:404[B]:VAL:HG23	1.91	0.52
1:C:262:TRP:CH2	1:C:324[B]:LEU:HD12	2.45	0.51
1:A:204:GLY:HA2	1:C:98:HIS:CE1	2.45	0.51
1:B:176[B]:GLU:OE1	1:B:298:GLU:OE2	2.27	0.51
1:B:64:LYS:HG3	3:B:506:MPD:C2	2.39	0.51
1:B:362:ARG:HD2	6:B:953:HOH:O	2.11	0.51
1:C:164:LYS:HB3	4:C:513:ACT:H3	1.91	0.51
1:A:473:LYS:HE3	4:A:511:ACT:H3	1.94	0.50
1:C:215:ALA:O	1:C:240[A]:HIS:HD2	1.95	0.49
1:B:112:GLU:OE2	3:B:508:MPD:C5	2.53	0.49
1:A:194:ARG:HH12	3:A:508:MPD:C4	2.12	0.49
1:A:58:GLU:CG	6:A:972:HOH:O	2.60	0.49
1:C:103:ILE:H	4:C:512:ACT:CH3	2.25	0.49
1:C:388:GLU:OE1	6:C:602:HOH:O	2.19	0.49
1:C:475:GLU:O	6:C:603:HOH:O	2.20	0.48
1:A:235:HIS:HE1	6:A:985:HOH:O	1.97	0.48
1:B:64:LYS:HD2	3:B:506:MPD:C2	2.39	0.48
3:B:507:MPD:H31	6:B:967:HOH:O	2.14	0.48
1:C:48:ASN:HD22	1:C:51:GLY:H	1.62	0.48
1:A:215:ALA:O	1:A:240[A]:HIS:HD2	1.95	0.48
1:C:13:ARG:HG2	1:C:385:ASP:CB	2.43	0.48
1:C:15:LYS:HB3	3:C:507:MPD:HM2	1.94	0.48
1:B:347:GLN:O	1:B:354:SER:HA	2.13	0.47
1:B:215:ALA:O	1:B:240[A]:HIS:HD2	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:GLN:O	1:A:354:SER:HA	2.16	0.46
1:A:98:HIS:O	1:A:100:GLY:N	2.48	0.46
1:C:176[B]:GLU:OE2	1:C:298:GLU:OE2	2.34	0.46
3:C:502:MPD:HM3	6:C:622:HOH:O	2.16	0.46
1:A:150:GLU:HG2	6:A:627:HOH:O	2.16	0.45
1:A:158:ARG:HD2	6:A:879:HOH:O	2.16	0.45
1:B:238:SER:HA	1:B:295:ILE:O	2.17	0.45
3:A:506:MPD:H53	6:A:900:HOH:O	2.16	0.45
1:C:58:GLU:CG	6:C:951:HOH:O	2.65	0.45
1:B:64:LYS:HG3	3:B:506:MPD:O2	2.08	0.45
1:C:175:ASN:CG	6:C:614:HOH:O	2.54	0.45
3:B:504:MPD:H53	6:B:865:HOH:O	2.17	0.44
1:C:58:GLU:HG3	6:C:951:HOH:O	2.16	0.44
1:A:201:ARG:NH2	1:C:78:GLU:OE2	2.49	0.44
4:C:513:ACT:H1	6:C:985:HOH:O	2.17	0.44
1:A:88:ARG:NH2	6:A:608:HOH:O	2.39	0.44
1:C:347:GLN:O	1:C:354:SER:HA	2.17	0.44
1:A:10:ASN:ND2	1:A:387:TRP:CZ3	2.86	0.44
1:A:238:SER:HA	1:A:295:ILE:O	2.18	0.44
1:C:238:SER:HA	1:C:295:ILE:O	2.17	0.44
3:C:505:MPD:H51	6:C:974:HOH:O	2.17	0.44
1:B:112:GLU:CD	3:B:508:MPD:C5	2.69	0.43
1:A:58:GLU:OE2	4:A:510:ACT:OXT	2.37	0.43
1:C:396:GLU:HB2	1:C:398:GLU:HG2	2.00	0.43
1:B:48:ASN:ND2	1:B:51:GLY:H	2.17	0.43
1:B:175:ASN:ND2	1:B:176[B]:GLU:OE1	2.52	0.43
1:B:235:HIS:HE1	6:B:967:HOH:O	2.01	0.42
1:C:240[B]:HIS:CE1	1:C:298:GLU:OE2	2.72	0.42
1:B:64:LYS:HD2	3:B:506:MPD:HO2	1.70	0.42
1:C:10:ASN:ND2	1:C:387:TRP:CZ3	2.87	0.42
1:A:48:ASN:ND2	1:A:51:GLY:H	2.17	0.42
1:B:10:ASN:ND2	1:B:387:TRP:CZ3	2.88	0.42
1:B:43:ASP:HB2	6:B:684:HOH:O	2.20	0.42
1:B:214:GLY:HA3	1:B:238:SER:O	2.20	0.42
3:B:503:MPD:O4	3:B:503:MPD:C1	2.68	0.42
1:C:232:PRO:HG2	3:C:505:MPD:HM3	2.01	0.42
1:B:93:ARG:NH1	6:B:621:HOH:O	2.53	0.41
1:A:214:GLY:HA3	1:A:238:SER:O	2.20	0.41
1:C:70:TRP:CD1	1:C:71:PRO:HA	2.55	0.41
1:B:240[A]:HIS:HE1	6:B:726:HOH:O	2.03	0.41
4:A:511:ACT:C	6:A:631:HOH:O	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:214:GLY:HA3	1:C:238:SER:O	2.20	0.41
1:A:30[B]:LEU:CD2	1:A:314:LEU:HD12	2.45	0.41
1:A:70:TRP:CD1	1:A:71:PRO:HA	2.56	0.41
1:A:229:GLN:OE1	3:A:508:MPD:H52	2.21	0.41
1:A:240[A]:HIS:HE1	6:A:682:HOH:O	2.04	0.41
1:C:48:ASN:ND2	1:C:51:GLY:H	2.19	0.40
1:C:158:ARG:HD2	6:C:928:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	507/496 (102%)	489 (96%)	18 (4%)	0	100 100
1	B	504/496 (102%)	487 (97%)	16 (3%)	1 (0%)	47 44
1	C	505/496 (102%)	485 (96%)	20 (4%)	0	100 100
All	All	1516/1488 (102%)	1461 (96%)	54 (4%)	1 (0%)	51 49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	66	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	434/419 (104%)	432 (100%)	2 (0%)	88	92
1	B	433/419 (103%)	429 (99%)	4 (1%)	78	83
1	C	433/419 (103%)	432 (100%)	1 (0%)	93	95
All	All	1300/1257 (103%)	1293 (100%)	7 (0%)	86	92

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	TYR
1	A	388	GLU
1	B	62	GLN
1	B	125	TYR
1	B	164	LYS
1	B	463	ARG
1	C	125	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	175	ASN
1	A	183	ASN
1	A	235	HIS
1	A	478	HIS
1	B	48	ASN
1	B	175	ASN
1	B	183	ASN
1	B	235	HIS
1	B	478	HIS
1	C	48	ASN
1	C	98	HIS
1	C	175	ASN
1	C	183	ASN
1	C	235	HIS
1	C	478	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

41 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MPD	B	507	-	7,7,7	0.15	0	9,10,10	0.29	0
4	ACT	B	512	-	3,3,3	1.14	0	3,3,3	1.29	0
3	MPD	C	503	-	7,7,7	0.85	0	9,10,10	1.34	1 (11%)
4	ACT	C	511	-	3,3,3	0.78	0	3,3,3	0.70	0
3	MPD	A	503	-	7,7,7	0.87	0	9,10,10	1.23	1 (11%)
3	MPD	B	504	-	7,7,7	1.10	0	9,10,10	1.19	1 (11%)
4	ACT	B	511	-	3,3,3	1.06	0	3,3,3	0.88	0
5	BTB	A	514	-	13,13,13	1.72	3 (23%)	7,16,16	1.67	2 (28%)
4	ACT	A	511	-	3,3,3	0.88	0	3,3,3	1.44	0
3	MPD	C	505	-	7,7,7	0.63	0	9,10,10	0.95	0
2	AHR	B	501	-	10,10,10	1.77	2 (20%)	13,14,14	3.00	8 (61%)
3	MPD	B	505	-	7,7,7	0.74	0	9,10,10	0.72	0
3	MPD	C	507	-	7,7,7	0.13	0	9,10,10	0.40	0
4	ACT	B	509	-	3,3,3	0.89	0	3,3,3	0.83	0
4	ACT	A	512	-	3,3,3	0.60	0	3,3,3	1.36	0
4	ACT	A	510	-	3,3,3	0.37	0	3,3,3	2.14	2 (66%)
4	ACT	C	513	-	3,3,3	0.53	0	3,3,3	1.09	0
4	ACT	C	508	-	3,3,3	0.98	0	3,3,3	1.39	0
4	ACT	B	513	-	3,3,3	1.05	0	3,3,3	1.27	0
4	ACT	C	510	-	3,3,3	0.61	0	3,3,3	1.17	0
2	AHR	C	501	-	10,10,10	1.09	0	13,14,14	1.80	5 (38%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MPD	A	504	-	7,7,7	0.57	0	9,10,10	1.31	1 (11%)
3	MPD	B	506	1	7,7,7	0.10	0	9,10,10	0.32	0
3	MPD	A	508	-	7,7,7	0.13	0	9,10,10	0.28	0
3	MPD	C	502	-	7,7,7	0.92	0	9,10,10	2.14	3 (33%)
3	MPD	A	505	-	7,7,7	0.96	0	9,10,10	1.54	3 (33%)
3	MPD	B	508	-	7,7,7	0.10	0	9,10,10	0.32	0
3	MPD	B	502	-	7,7,7	0.85	0	9,10,10	1.55	2 (22%)
3	MPD	A	507	-	7,7,7	0.61	0	9,10,10	1.13	1 (11%)
3	MPD	B	503	-	7,7,7	0.51	0	9,10,10	1.12	1 (11%)
4	ACT	C	514	-	3,3,3	0.90	0	3,3,3	0.32	0
2	AHR	A	501	-	10,10,10	0.96	0	13,14,14	2.58	2 (15%)
4	ACT	A	513	-	3,3,3	0.94	0	3,3,3	0.22	0
3	MPD	C	506	-	7,7,7	0.13	0	9,10,10	0.29	0
4	ACT	C	509	-	3,3,3	0.84	0	3,3,3	0.71	0
4	ACT	B	510	-	3,3,3	0.64	0	3,3,3	1.51	0
4	ACT	C	512	-	3,3,3	0.98	0	3,3,3	0.65	0
3	MPD	A	506	-	7,7,7	0.92	0	9,10,10	1.26	1 (11%)
3	MPD	A	502	-	7,7,7	0.55	0	9,10,10	1.23	2 (22%)
3	MPD	A	509	-	7,7,7	0.16	0	9,10,10	0.35	0
3	MPD	C	504	-	7,7,7	1.00	1 (14%)	9,10,10	1.53	4 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MPD	B	507	-	-	0/5/5/5	-
3	MPD	C	503	-	-	1/5/5/5	-
3	MPD	A	503	-	-	2/5/5/5	-
3	MPD	B	504	-	-	2/5/5/5	-
5	BTB	A	514	-	-	7/21/21/21	-
3	MPD	C	505	-	-	2/5/5/5	-
2	AHR	B	501	-	-	0/2/18/18	0/1/1/1
3	MPD	B	505	-	-	2/5/5/5	-
3	MPD	C	507	-	-	2/5/5/5	-
2	AHR	C	501	-	-	2/2/18/18	0/1/1/1
3	MPD	A	504	-	-	1/5/5/5	-
3	MPD	B	506	1	-	0/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MPD	A	508	-	-	0/5/5/5	-
3	MPD	C	502	-	-	2/5/5/5	-
3	MPD	A	505	-	-	0/5/5/5	-
3	MPD	B	508	-	-	0/5/5/5	-
3	MPD	B	502	-	-	2/5/5/5	-
3	MPD	A	507	-	-	3/5/5/5	-
3	MPD	B	503	-	-	0/5/5/5	-
2	AHR	A	501	-	-	2/2/18/18	0/1/1/1
3	MPD	C	506	-	-	0/5/5/5	-
3	MPD	A	506	-	-	5/5/5/5	-
3	MPD	A	502	-	-	1/5/5/5	-
3	MPD	A	509	-	-	0/5/5/5	-
3	MPD	C	504	-	-	3/5/5/5	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	AHR	O4-C1	-4.66	1.37	1.43
5	A	514	BTB	C2-N	3.72	1.56	1.48
5	A	514	BTB	C7-N	2.70	1.51	1.48
5	A	514	BTB	C3-C2	2.33	1.56	1.53
3	C	504	MPD	C3-C2	2.06	1.59	1.53
2	B	501	AHR	O1-C1	2.05	1.46	1.39

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	AHR	C1-C2-C3	5.86	109.64	102.30
2	A	501	AHR	O1-C1-O4	-5.83	103.66	111.13
2	B	501	AHR	O1-C1-O4	-4.88	104.88	111.13
2	B	501	AHR	C1-C2-C3	4.71	108.19	102.30
2	B	501	AHR	O4-C4-C5	-4.41	99.68	109.21
3	C	502	MPD	O2-C2-C1	-3.57	96.62	108.08
3	C	502	MPD	C1-C2-C3	3.44	125.96	109.96
2	B	501	AHR	O3-C3-C4	3.42	120.93	111.05
3	C	502	MPD	O4-C4-C3	-3.08	98.93	111.36
5	A	514	BTB	C8-C7-N	3.06	123.54	111.59
5	A	514	BTB	C6-C5-N	3.04	123.45	111.59
2	C	501	AHR	O3-C3-C2	-3.02	102.05	111.82
2	B	501	AHR	O2-C2-C3	-2.95	102.27	111.82
2	B	501	AHR	O4-C1-C2	-2.88	100.92	104.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	AHR	C2-C3-C4	-2.86	97.09	102.64
2	C	501	AHR	O1-C1-O4	-2.84	107.50	111.13
3	B	502	MPD	O4-C4-C3	-2.80	100.07	111.36
2	B	501	AHR	O4-C4-C3	2.79	110.64	105.11
4	A	510	ACT	OXT-C-CH3	2.64	126.08	115.18
3	B	502	MPD	CM-C2-C1	-2.62	105.12	110.57
4	A	510	ACT	O-C-CH3	-2.60	112.19	122.33
3	A	506	MPD	O2-C2-C3	-2.60	100.05	109.80
3	A	504	MPD	O4-C4-C3	-2.53	101.15	111.36
3	B	504	MPD	O2-C2-CM	-2.45	100.21	108.08
3	A	503	MPD	CM-C2-C1	-2.44	105.48	110.57
3	A	505	MPD	O4-C4-C3	2.44	121.22	111.36
3	A	507	MPD	O4-C4-C5	-2.44	98.82	109.38
3	C	504	MPD	O4-C4-C5	-2.35	99.21	109.38
3	A	502	MPD	O4-C4-C5	2.33	119.47	109.38
3	C	504	MPD	C1-C2-C3	2.31	120.74	109.96
3	C	504	MPD	O2-C2-C1	-2.24	100.90	108.08
3	A	505	MPD	O4-C4-C5	-2.23	99.73	109.38
2	C	501	AHR	C1-C2-C3	2.20	105.06	102.30
2	C	501	AHR	O3-C3-C4	2.20	117.42	111.05
2	C	501	AHR	O2-C2-C3	-2.17	104.82	111.82
3	C	503	MPD	O2-C2-C1	-2.11	101.30	108.08
3	B	503	MPD	CM-C2-C3	2.11	119.78	109.96
3	A	502	MPD	O2-C2-C3	-2.10	101.92	109.80
3	A	505	MPD	C1-C2-C3	2.06	119.53	109.96
3	C	504	MPD	O4-C4-C3	2.04	119.58	111.36

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	504	MPD	C2-C3-C4-O4
3	A	506	MPD	C1-C2-C3-C4
3	A	507	MPD	C1-C2-C3-C4
3	A	507	MPD	O2-C2-C3-C4
3	B	504	MPD	C2-C3-C4-O4
3	B	504	MPD	C2-C3-C4-C5
3	B	505	MPD	C2-C3-C4-O4
3	B	505	MPD	C2-C3-C4-C5
3	C	502	MPD	C1-C2-C3-C4
3	C	502	MPD	O2-C2-C3-C4
3	C	504	MPD	C2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	505	MPD	C2-C3-C4-O4
3	C	505	MPD	C2-C3-C4-C5
5	A	514	BTB	C1-C2-N-C5
5	A	514	BTB	C3-C2-N-C5
5	A	514	BTB	C4-C2-N-C7
5	A	514	BTB	C6-C5-N-C2
2	C	501	AHR	O4-C4-C5-O5
2	C	501	AHR	C3-C4-C5-O5
2	A	501	AHR	C3-C4-C5-O5
2	A	501	AHR	O4-C4-C5-O5
5	A	514	BTB	N-C7-C8-O8
3	A	503	MPD	O2-C2-C3-C4
3	A	506	MPD	O2-C2-C3-C4
3	C	507	MPD	C2-C3-C4-C5
3	A	506	MPD	C2-C3-C4-O4
3	A	503	MPD	CM-C2-C3-C4
3	A	506	MPD	CM-C2-C3-C4
3	A	507	MPD	CM-C2-C3-C4
3	B	502	MPD	CM-C2-C3-C4
3	C	504	MPD	C1-C2-C3-C4
5	A	514	BTB	C3-C2-N-C7
5	A	514	BTB	C4-C2-N-C5
3	B	502	MPD	O2-C2-C3-C4
3	C	503	MPD	O2-C2-C3-C4
3	A	502	MPD	C2-C3-C4-C5
3	A	506	MPD	C2-C3-C4-C5
3	C	504	MPD	C2-C3-C4-C5
3	C	507	MPD	C2-C3-C4-O4

There are no ring outliers.

22 monomers are involved in 64 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	507	MPD	1	0
3	B	504	MPD	2	0
4	A	511	ACT	2	0
3	C	505	MPD	2	0
2	B	501	AHR	2	0
3	C	507	MPD	3	0
4	A	510	ACT	1	0
4	C	513	ACT	2	0
4	C	508	ACT	2	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	504	MPD	1	0
3	B	506	MPD	18	0
3	A	508	MPD	5	0
3	C	502	MPD	1	0
3	B	508	MPD	11	0
3	B	502	MPD	1	0
3	A	507	MPD	1	0
3	B	503	MPD	2	0
2	A	501	AHR	1	0
3	C	506	MPD	1	0
4	C	512	ACT	2	0
3	A	506	MPD	2	0
3	A	502	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	493/496 (99%)	-0.59	13 (2%) 56 54	23, 33, 62, 125	0
1	B	491/496 (98%)	-0.44	11 (2%) 62 60	24, 36, 67, 137	0
1	C	492/496 (99%)	-0.48	9 (1%) 68 66	24, 37, 71, 135	0
All	All	1476/1488 (99%)	-0.50	33 (2%) 62 60	23, 35, 67, 137	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	496	GLY	10.0
1	A	496	GLY	7.4
1	C	496	GLY	6.9
1	A	3	VAL	6.1
1	C	476	GLY	4.6
1	B	3	VAL	4.6
1	A	476	GLY	4.5
1	A	100	GLY	4.5
1	A	437	ASN	3.8
1	C	3	VAL	3.7
1	C	437	ASN	3.5
1	B	495	ALA	3.5
1	A	101	GLY	3.4
1	B	438	GLY	3.2
1	A	495	ALA	3.2
1	B	437	ASN	3.0
1	C	248	TRP	2.8
1	B	476	GLY	2.7
1	C	495	ALA	2.4
1	A	395	PRO	2.4
1	A	97	THR	2.4
1	A	477	GLY	2.4
1	A	475	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	439	GLY	2.3
1	B	474	LEU	2.2
1	B	475	GLU	2.2
1	C	101	GLY	2.2
1	B	43	ASP	2.2
1	A	438	GLY	2.1
1	A	439	GLY	2.1
1	B	439	GLY	2.1
1	C	475	GLU	2.0
1	B	440	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MPD	B	506	8/8	0.33	0.95	20,20,20,20	0
3	MPD	B	508	8/8	0.49	0.88	20,20,20,20	0
3	MPD	B	504	8/8	0.67	0.25	73,88,99,103	0
3	MPD	B	507	8/8	0.71	0.50	20,20,20,20	0
3	MPD	C	505	8/8	0.73	0.30	83,101,112,113	0
3	MPD	C	506	8/8	0.73	0.67	20,20,20,20	0
3	MPD	A	506	8/8	0.76	0.22	83,90,99,99	0
3	MPD	A	508	8/8	0.76	0.61	20,20,20,20	0
4	ACT	A	511	4/4	0.79	0.41	89,90,93,99	0
2	AHR	C	501	10/10	0.80	0.23	60,93,102,106	0
3	MPD	C	507	8/8	0.81	0.48	20,20,20,20	0
3	MPD	C	503	8/8	0.81	0.43	82,109,133,138	0
4	ACT	A	513	4/4	0.81	0.20	80,82,86,94	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACT	B	509	4/4	0.82	0.25	79,81,91,101	0
3	MPD	B	505	8/8	0.83	0.34	85,96,100,102	0
3	MPD	A	505	8/8	0.84	0.38	73,85,89,97	0
4	ACT	B	512	4/4	0.84	0.16	69,80,83,88	0
4	ACT	C	509	4/4	0.84	0.29	78,84,90,107	0
3	MPD	A	503	8/8	0.85	0.15	64,66,76,78	0
2	AHR	A	501	10/10	0.85	0.27	52,101,124,126	0
3	MPD	A	502	8/8	0.86	0.18	64,70,78,86	0
4	ACT	C	513	4/4	0.86	0.25	76,79,83,96	0
3	MPD	A	504	8/8	0.87	0.29	72,81,89,98	0
3	MPD	A	507	8/8	0.87	0.19	63,84,88,88	0
4	ACT	C	512	4/4	0.88	0.16	59,82,91,91	0
4	ACT	A	512	4/4	0.89	0.23	75,82,86,87	0
2	AHR	B	501	10/10	0.89	0.18	50,81,88,88	0
4	ACT	C	511	4/4	0.89	0.23	91,99,101,101	0
3	MPD	C	504	8/8	0.89	0.37	90,98,111,111	0
4	ACT	B	511	4/4	0.89	0.37	86,89,92,99	0
5	BTB	A	514	14/14	0.89	0.17	49,61,67,67	0
4	ACT	A	510	4/4	0.91	0.15	75,81,84,92	0
3	MPD	A	509	8/8	0.91	0.49	20,20,20,20	0
3	MPD	B	503	8/8	0.91	0.16	62,74,90,92	0
4	ACT	B	513	4/4	0.92	0.15	80,83,86,89	0
4	ACT	B	510	4/4	0.92	0.11	74,76,80,88	0
4	ACT	C	514	4/4	0.93	0.17	87,90,91,92	0
4	ACT	C	510	4/4	0.95	0.08	74,77,79,83	0
3	MPD	C	502	8/8	0.96	0.13	58,68,76,78	0
3	MPD	B	502	8/8	0.96	0.18	55,65,79,86	0
4	ACT	C	508	4/4	0.97	0.24	42,59,65,84	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AHR C 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AHR A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.