



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 7, 2021 – 10:07 am BST

PDB ID : 6ZVG
Title : Psychrophilic aromatic amino acids aminotransferase from Psychrobacter sp. B6 cocrystalized with substrate analog - L-indole-3-lactic acid
Authors : Rum, J.; Rutkiewicz, M.; Pruska, A.; Bujacz, A.; Pietrzyk-Brzezinska, A.J.; Bujacz, G.
Deposited on : 2020-07-24
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.22
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.22


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	 10% 90% 10%
1	B	398	 2% 89% 8% .
1	C	398	 8% 88% 12%
1	D	398	 11% 87% 11% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	3IL	C	403	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12492 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	398	3101	1971	516	592	22	0	0	0
1	B	388	3013	1913	503	576	21	0	0	0
1	C	398	3101	1971	516	592	22	0	0	0
1	D	388	3013	1913	503	576	21	0	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	C	1	Total	Mg	0	0
			1	1		

- Molecule 3 is NITRATE ION (three-letter code: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			4	1	3		
3	B	1	Total	N	O	0	0
			4	1	3		

- Molecule 4 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
4	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
4	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 5 is 3-(INDOL-3-YL) LACTATE (three-letter code: 3IL) (formula: $C_{11}H_{11}NO_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			15	11	1	3		
5	C	1	Total	C	N	O	0	0
			15	11	1	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	46	Total	O	0	0
			46	46		
6	B	37	Total	O	0	0
			37	37		
6	C	39	Total	O	0	0
			39	39		
6	D	41	Total	O	0	0
			41	41		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aminotransferase




- Molecule 1: Aminotransferase




- Molecule 1: Aminotransferase



- Molecule 1: Aminotransferase

Chain D:  11% 87% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.27Å 82.29Å 98.21Å 90.00° 106.42° 90.00°	Depositor
Resolution (Å)	47.10 – 2.59 47.10 – 2.59	Depositor EDS
% Data completeness (in resolution range)	98.4 (47.10-2.59) 98.4 (47.10-2.59)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.98 (at 2.58Å)	Xtrriage
Refinement program	PHENIX 1.9-1692, REFMAC 5.8.0103	Depositor
R, R_{free}	0.191 , 0.247 0.190 , 0.243	Depositor DCC
R_{free} test set	2074 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	64.5	Xtrriage
Anisotropy	0.184	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12492	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, MG, 3IL, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/3170	0.63	0/4296
1	B	0.50	0/3079	0.62	0/4174
1	C	0.54	0/3170	0.64	0/4296
1	D	0.51	0/3079	0.63	0/4174
All	All	0.51	0/12498	0.63	0/16940

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3101	0	3033	29	0
1	B	3013	0	2952	19	0
1	C	3101	0	3033	31	0
1	D	3013	0	2952	26	0
2	A	2	0	0	0	0
2	C	1	0	0	0	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
4	A	15	0	7	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	15	0	7	1	0
4	C	15	0	7	1	0
4	D	15	0	7	4	0
5	A	15	0	10	1	0
5	C	15	0	10	7	0
6	A	46	0	0	0	0
6	B	37	0	0	0	0
6	C	39	0	0	0	0
6	D	41	0	0	0	0
All	All	12492	0	12018	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:ARG:NE	1:D:26:PRO:HG3	2.10	0.67
1:D:151:ASP:HB2	1:D:158:LYS:HG3	1.82	0.62
1:A:184:PRO:HB3	1:A:374:ARG:HD3	1.82	0.62
1:A:302:ALA:HB2	1:C:61:SER:HA	1.84	0.60
1:C:374:ARG:NH1	5:C:403:3IL:O12	2.35	0.59
1:B:151:ASP:HB2	1:B:158:LYS:HG3	1.83	0.58
1:D:193:GLN:O	1:D:197:VAL:HG23	2.04	0.57
1:A:36:TYR:C	1:A:37:TYR:HD1	2.08	0.56
1:B:193:GLN:O	1:B:197:VAL:HG23	2.05	0.56
1:C:130:TRP:HE1	5:C:403:3IL:C15	2.18	0.56
1:C:130:TRP:NE1	5:C:403:3IL:H151	2.21	0.55
1:D:390:ASN:O	1:D:393:VAL:HG22	2.05	0.55
1:A:184:PRO:CB	1:A:374:ARG:HD3	2.36	0.55
1:C:344:GLN:OE1	1:C:349:SER:HB2	2.06	0.55
1:D:244:PHE:HB2	1:D:255:VAL:HG23	1.88	0.55
1:C:130:TRP:HE1	5:C:403:3IL:H151	1.71	0.55
1:A:36:TYR:HA	1:A:378:ALA:HB1	1.89	0.54
1:B:340:TYR:HA	1:B:343:ALA:HB3	1.89	0.54
1:B:244:PHE:HB2	1:B:255:VAL:HG23	1.89	0.54
1:C:391:ALA:O	1:C:395:VAL:HG23	2.08	0.54
1:B:122:LYS:HG2	1:B:143:GLU:HB2	1.89	0.54
1:B:336:ARG:HB3	1:B:338:PHE:CE1	2.44	0.53
1:A:243:SER:OG	4:A:404:PLP:O2P	2.25	0.53
1:A:344:GLN:OE1	1:A:349:SER:HB2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:210:MET:HG3	1:C:238:LEU:HD11	1.90	0.52
1:B:211:ASP:OD2	4:B:402:PLP:N1	2.43	0.52
1:D:122:LYS:HG2	1:D:143:GLU:HB2	1.90	0.52
1:A:55:ARG:HD3	1:C:55:ARG:HD3	1.91	0.52
1:C:36:TYR:HA	1:C:378:ALA:HB1	1.91	0.51
1:B:125:VAL:HG12	1:B:176:LEU:HD12	1.92	0.51
1:B:390:ASN:O	1:B:393:VAL:HG22	2.10	0.51
1:D:13:ILE:O	1:D:17:VAL:HG23	2.10	0.51
1:D:35:ILE:HG21	1:D:43:MET:HE3	1.93	0.51
1:A:210:MET:HG3	1:A:238:LEU:HD11	1.93	0.51
1:A:34:GLY:N	5:A:405:3IL:O11	2.40	0.50
1:A:35:ILE:CG2	1:A:37:TYR:HE1	2.24	0.50
1:A:171:LYS:HG2	1:A:205:GLU:HB2	1.94	0.50
1:C:171:LYS:HG2	1:C:205:GLU:HB2	1.93	0.50
1:C:243:SER:OG	4:C:402:PLP:O2P	2.23	0.50
1:A:391:ALA:O	1:A:395:VAL:HG23	2.12	0.49
1:C:13:ILE:HD13	5:C:403:3IL:H152	1.94	0.49
1:A:61:SER:HA	1:C:302:ALA:HB2	1.94	0.49
1:C:35:ILE:CG2	1:C:37:TYR:HE1	2.25	0.48
1:A:35:ILE:HG23	1:A:251:TYR:CZ	2.49	0.48
1:D:214:TYR:HE2	4:D:401:PLP:HO3	1.59	0.48
1:C:11:ASP:OD2	5:C:403:3IL:H5	2.13	0.47
1:C:63:ARG:HG2	1:D:253:GLU:HG2	1.95	0.47
1:D:62:PRO:O	1:D:64:PRO:HD2	2.14	0.47
1:A:37:TYR:CD1	1:A:37:TYR:N	2.83	0.47
1:C:25:ASN:HB3	1:C:28:LYS:HB3	1.96	0.47
1:C:179:PRO:HG3	1:C:210:MET:HB3	1.96	0.47
1:B:324:LYS:O	1:B:328:VAL:HG23	2.14	0.46
1:C:184:PRO:HB2	1:C:374:ARG:HG3	1.97	0.46
1:A:179:PRO:HG3	1:A:210:MET:HB3	1.97	0.46
1:D:11:ASP:CB	1:D:13:ILE:HG22	2.45	0.46
1:C:244:PHE:HB2	1:C:255:VAL:HG23	1.97	0.45
1:D:11:ASP:HB2	1:D:13:ILE:HG22	1.99	0.45
1:D:324:LYS:O	1:D:328:VAL:HG23	2.16	0.45
1:C:253:GLU:HG2	1:D:63:ARG:HG2	1.99	0.45
1:C:151:ASP:HA	1:C:158:LYS:HE3	2.00	0.44
1:A:157:ILE:CD1	1:A:187:VAL:HG12	2.48	0.44
1:B:11:ASP:CB	1:B:13:ILE:HG22	2.48	0.44
1:B:13:ILE:O	1:B:17:VAL:HG23	2.17	0.43
1:B:35:ILE:HG21	1:B:43:MET:HE3	2.00	0.43
1:D:211:ASP:OD2	4:D:401:PLP:N1	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:ASN:HB3	1:A:28:LYS:HB3	1.99	0.43
1:D:73:GLY:HA3	1:D:295:ASP:OD1	2.18	0.43
1:B:127:ASP:HA	1:B:128:PRO:HA	1.79	0.43
1:C:183:ASN:HA	1:C:184:PRO:HA	1.79	0.43
1:A:37:TYR:HD1	1:A:37:TYR:N	2.15	0.43
1:B:117:TRP:C	1:B:119:PRO:HD3	2.39	0.43
1:C:114:ILE:HD13	1:C:174:VAL:HG21	2.01	0.43
1:A:63:ARG:HG2	1:B:253:GLU:HG2	2.01	0.43
1:A:127:ASP:HA	1:A:128:PRO:HA	1.87	0.43
1:A:253:GLU:HG2	1:B:63:ARG:HG2	2.01	0.42
1:C:58:ASP:HA	1:C:59:PRO:HA	1.85	0.42
1:A:35:ILE:HB	1:A:37:TYR:HE1	1.84	0.42
1:D:336:ARG:HB3	1:D:338:PHE:CE1	2.54	0.42
1:D:214:TYR:HE2	4:D:401:PLP:O3	2.02	0.42
1:B:11:ASP:HB2	1:B:13:ILE:HG22	2.01	0.42
1:D:340:TYR:HA	1:D:343:ALA:HB3	2.00	0.42
1:A:151:ASP:HA	1:A:158:LYS:HE3	2.02	0.42
1:D:103:GLY:N	4:D:401:PLP:O2P	2.49	0.42
1:A:183:ASN:HA	1:A:184:PRO:HA	1.78	0.41
1:D:185:THR:HA	1:D:350:PHE:CD1	2.55	0.41
1:C:34:GLY:N	5:C:403:3IL:O11	2.51	0.41
1:D:124:TYR:HA	1:D:145:GLY:O	2.21	0.41
1:A:124:TYR:HA	1:A:145:GLY:O	2.20	0.41
1:D:127:ASP:HA	1:D:128:PRO:HA	1.80	0.41
1:B:220:ASP:HB2	1:B:312:TYR:OH	2.20	0.41
1:D:117:TRP:C	1:D:119:PRO:HD3	2.42	0.41
1:C:76:LYS:O	1:C:80:GLU:HG3	2.20	0.40
1:C:157:ILE:CD1	1:C:187:VAL:HG12	2.51	0.40
1:D:159:PHE:HZ	1:D:196:THR:OG1	2.05	0.40
1:A:100:THR:HG21	1:A:106:ALA:HA	2.02	0.40
1:C:127:ASP:HA	1:C:128:PRO:HA	1.87	0.40
1:C:220:ASP:HB2	1:C:312:TYR:OH	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	396/398 (100%)	381 (96%)	15 (4%)	0	100	100
1	B	386/398 (97%)	370 (96%)	16 (4%)	0	100	100
1	C	396/398 (100%)	378 (96%)	18 (4%)	0	100	100
1	D	386/398 (97%)	372 (96%)	14 (4%)	0	100	100
All	All	1564/1592 (98%)	1501 (96%)	63 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/337 (100%)	335 (99%)	2 (1%)	86	95
1	B	329/337 (98%)	328 (100%)	1 (0%)	92	98
1	C	337/337 (100%)	334 (99%)	3 (1%)	78	91
1	D	329/337 (98%)	328 (100%)	1 (0%)	92	98
All	All	1332/1348 (99%)	1325 (100%)	7 (0%)	88	96

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	SER
1	A	350	PHE
1	B	209	PHE
1	C	40	SER
1	C	209	PHE
1	C	350	PHE
1	D	209	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	362	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PLP	A	404	1	15,15,16	0.85	0	20,22,23	0.66	0
5	3IL	A	405	-	12,16,16	0.81	0	15,22,22	1.01	1 (6%)
4	PLP	B	402	1	15,15,16	0.83	0	20,22,23	0.77	0
4	PLP	D	401	1	15,15,16	0.85	0	20,22,23	0.67	0
3	NO3	B	401	-	1,3,3	0.20	0	0,3,3	0.00	-
3	NO3	A	403	2	1,3,3	0.62	0	0,3,3	0.00	-
4	PLP	C	402	1	15,15,16	0.85	0	20,22,23	0.66	0
5	3IL	C	403	-	12,16,16	0.72	0	15,22,22	1.17	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PLP	A	404	1	-	2/6/6/8	0/1/1/1
5	3IL	A	405	-	-	1/3/8/8	0/2/2/2
4	PLP	B	402	1	-	2/6/6/8	0/1/1/1
4	PLP	D	401	1	-	2/6/6/8	0/1/1/1
4	PLP	C	402	1	-	1/6/6/8	0/1/1/1
5	3IL	C	403	-	-	1/3/8/8	0/2/2/2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	403	3IL	C15-C3-C2	-3.48	123.66	127.97
5	C	403	3IL	C15-C3-C9	2.46	130.07	126.25
5	A	405	3IL	C15-C3-C2	-2.37	125.03	127.97

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	404	PLP	C4-C5-C5A-O4P
4	B	402	PLP	C5A-O4P-P-O2P
4	B	402	PLP	C5A-O4P-P-O3P
4	C	402	PLP	C5A-O4P-P-O2P
4	D	401	PLP	C5A-O4P-P-O2P
4	D	401	PLP	C5A-O4P-P-O3P
5	C	403	3IL	C13-C15-C3-C2
4	A	404	PLP	C6-C5-C5A-O4P
5	A	405	3IL	C13-C15-C3-C2

There are no ring outliers.

6 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	404	PLP	1	0
5	A	405	3IL	1	0
4	B	402	PLP	1	0
4	D	401	PLP	4	0
4	C	402	PLP	1	0



Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	403	3IL	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/398 (100%)	0.45	39 (9%) 7 5	43, 75, 133, 153	0
1	B	388/398 (97%)	0.22	9 (2%) 60 54	44, 70, 113, 149	0
1	C	398/398 (100%)	0.37	30 (7%) 14 10	43, 74, 126, 165	0
1	D	388/398 (97%)	0.53	45 (11%) 4 3	46, 76, 120, 153	0
All	All	1572/1592 (98%)	0.39	123 (7%) 13 9	43, 74, 124, 165	0

All (123) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	5	ILE	7.5
1	A	14	LEU	6.2
1	A	17	VAL	5.9
1	D	333	ILE	5.9
1	A	26	PRO	5.8
1	C	2	PHE	5.8
1	A	20	PHE	5.6
1	D	336	ARG	5.3
1	D	338	PHE	4.9
1	A	13	ILE	4.8
1	D	334	SER	4.7
1	D	237	PRO	4.5
1	D	160	ASP	4.4
1	C	332	LYS	4.2
1	D	134	ILE	4.2
1	A	390	ASN	4.2
1	A	327	SER	4.1
1	C	163	ILE	4.1
1	C	328	VAL	4.1
1	D	207	ILE	4.0
1	D	166	PHE	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	207	ILE	3.7
1	A	393	VAL	3.7
1	C	393	VAL	3.6
1	D	150	TYR	3.6
1	D	175	LEU	3.6
1	B	336	ARG	3.6
1	D	148	PRO	3.6
1	D	189	LEU	3.5
1	D	239	PHE	3.5
1	C	17	VAL	3.5
1	A	367	ILE	3.4
1	B	335	GLY	3.4
1	C	1	MET	3.4
1	D	117	TRP	3.4
1	D	197	VAL	3.4
1	A	365	PHE	3.3
1	A	336	ARG	3.3
1	D	14	LEU	3.3
1	C	7	TYR	3.3
1	D	329	LEU	3.2
1	D	194	TRP	3.2
1	C	338	PHE	3.1
1	A	12	PRO	3.0
1	D	157	ILE	3.0
1	C	4	ARG	2.9
1	D	370	ILE	2.9
1	C	175	LEU	2.9
1	A	387	TYR	2.9
1	A	396	LEU	2.9
1	D	176	LEU	2.8
1	A	28	LYS	2.8
1	B	201	ILE	2.8
1	D	393	VAL	2.8
1	D	185	THR	2.8
1	C	24	ASN	2.8
1	C	166	PHE	2.7
1	A	10	GLY	2.7
1	C	331	ALA	2.6
1	D	395	VAL	2.6
1	D	337	ASN	2.6
1	A	21	ALA	2.6
1	D	332	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	341	LEU	2.5
1	D	187	VAL	2.5
1	A	8	TYR	2.5
1	A	27	ASP	2.5
1	B	244	PHE	2.5
1	C	114	ILE	2.5
1	C	118	PHE	2.5
1	C	375	MET	2.4
1	C	325	LEU	2.4
1	D	149	TYR	2.4
1	C	157	ILE	2.4
1	C	350	PHE	2.4
1	B	169	LEU	2.4
1	A	163	ILE	2.4
1	A	239	PHE	2.4
1	D	198	LEU	2.4
1	A	9	ALA	2.4
1	A	362	GLN	2.4
1	C	8	TYR	2.4
1	C	239	PHE	2.3
1	C	3	GLU	2.3
1	D	210	MET	2.3
1	C	177	LEU	2.3
1	D	369	MET	2.3
1	A	37	TYR	2.3
1	C	329	LEU	2.3
1	D	16	LEU	2.3
1	A	369	MET	2.3
1	A	7	TYR	2.3
1	D	209	PHE	2.2
1	A	167	GLU	2.2
1	D	388	VAL	2.2
1	D	282	ILE	2.2
1	D	352	GLY	2.2
1	A	18	GLU	2.2
1	B	228	ILE	2.2
1	A	332	LYS	2.2
1	A	366	GLY	2.2
1	C	336	ARG	2.2
1	A	137	PHE	2.2
1	D	230	LYS	2.1
1	D	260	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	170	ASN	2.1
1	A	392	MET	2.1
1	A	368	TYR	2.1
1	D	340	TYR	2.1
1	A	118	PHE	2.1
1	A	169	LEU	2.1
1	B	11	ASP	2.1
1	D	339	ASP	2.1
1	D	271	VAL	2.1
1	A	375	MET	2.0
1	C	385	ILE	2.0
1	D	120	GLN	2.0
1	D	236	LEU	2.0
1	B	218	GLY	2.0
1	D	397	LYS	2.0
1	A	40	SER	2.0
1	A	324	LYS	2.0
1	A	391	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NO3	B	401	4/4	0.83	0.15	79,79,82,84	0
5	3IL	A	405	15/15	0.84	0.29	70,103,119,122	0
5	3IL	C	403	15/15	0.87	0.29	72,92,105,106	0
2	MG	A	401	1/1	0.90	0.29	65,65,65,65	0
2	MG	C	401	1/1	0.94	0.11	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PLP	C	402	15/16	0.96	0.14	56,59,63,67	0
4	PLP	D	401	15/16	0.96	0.14	57,64,71,72	0
3	NO3	A	403	4/4	0.96	0.15	54,54,56,56	0
4	PLP	A	404	15/16	0.96	0.14	54,59,62,62	0
4	PLP	B	402	15/16	0.97	0.15	49,56,62,64	0
2	MG	A	402	1/1	0.99	0.16	59,59,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.