



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 29, 2021 – 03:08 pm BST

PDB ID : 7AFY
Title : Crystal structure of the metallo-beta-lactamase VIM1 with 1306
Authors : Brem, J.; Schofield, C.J.
Deposited on : 2020-09-21
Resolution : 1.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1619 (1.14-1.06)
Clashscore	141614	1671 (1.14-1.06)
Ramachandran outliers	138981	1615 (1.14-1.06)
Sidechain outliers	138945	1613 (1.14-1.06)
RSRZ outliers	127900	1588 (1.14-1.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	241	 96% 91% 6%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 4098 atoms, of which 1851 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-lactamase VIM-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	233	3678	1167	1813	329	368	1	0	22	0

- Molecule 2 is 3-[3-chloranyl-4-(methylsulfonylmethyl)phenyl]-7-propan-2-yl-1 {H}-indole-2-carboxylic acid (three-letter code: RBW) (formula: C₂₀H₂₀ClNO₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	
			Total	C	Cl	H	N	O			S
2	A	1	92	40	2	38	2	8	2	0	1

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Na	0	0
			2	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total 2	Zn 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	307	Total 324	O 324	0	24

3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-lactamase VIM-1



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.65Å 68.02Å 40.24Å 90.00° 92.94° 90.00°	Depositor
Resolution (Å)	40.18 – 1.10 40.18 – 1.11	Depositor EDS
% Data completeness (in resolution range)	98.4 (40.18-1.10) 98.4 (40.18-1.11)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 1.11Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.126 , 0.145 0.126 , 0.145	Depositor DCC
R_{free} test set	4169 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	9.7	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for l,k,-h 0.028 for h,-k,-l 0.019 for l,-k,h	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	4098	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RBW, NA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1946	0.71	0/2659

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1865	1813	1777	10	0
2	A	54	38	0	0	0
3	A	2	0	0	0	0
4	A	2	0	0	0	0
5	A	324	0	0	2	1
All	All	2247	1851	1777	10	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (10) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:VAL:HG22	1:A:59[B]:THR:HG22	1.82	0.62
1:A:98:GLU:OE2	1:A:102[B]:GLN:NE2	2.35	0.51
1:A:59[B]:THR:CG2	1:A:66:VAL:CG1	2.91	0.49
1:A:41:VAL:HG23	5:A:592[B]:HOH:O	2.13	0.47
1:A:124:ASP:OD1	1:A:127[B]:ARG:NH2	2.50	0.44
1:A:219:TRP:N	1:A:220[A]:PRO:HD2	2.34	0.41
1:A:61[B]:SER:OG	1:A:66:VAL:HG22	2.21	0.41
1:A:82:LEU:O	1:A:110:ALA:HA	2.20	0.41
1:A:257:LYS:HD2	5:A:415:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:552:HOH:O	5:A:622:HOH:O[1_556]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	253/241 (105%)	249 (98%)	4 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	201/189 (106%)	200 (100%)	1 (0%)	88 66

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	183	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	RBW	A	301[B]	4	23,29,29	1.41	4 (17%)	29,44,44	1.96	6 (20%)
2	RBW	A	301[A]	4	23,29,29	1.36	3 (13%)	29,44,44	1.41	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RBW	A	301[B]	4	-	0/13/17/17	0/3/3/3
2	RBW	A	301[A]	4	-	0/13/17/17	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301[A]	RBW	C20-C19	3.58	1.54	1.51
2	A	301[B]	RBW	C20-C19	3.24	1.54	1.51
2	A	301[B]	RBW	C07-N06	-2.52	1.32	1.37
2	A	301[B]	RBW	C11-C12	-2.36	1.41	1.47
2	A	301[B]	RBW	C11-C16	2.26	1.52	1.49
2	A	301[A]	RBW	C07-N06	-2.14	1.33	1.37
2	A	301[A]	RBW	C11-C12	-2.14	1.42	1.47

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301[B]	RBW	O24-S21-O23	-7.43	101.20	117.09
2	A	301[A]	RBW	O24-S21-O23	-3.89	108.79	117.09
2	A	301[B]	RBW	O24-S21-C20	3.20	111.27	107.93
2	A	301[A]	RBW	O24-S21-C20	3.03	111.09	107.93
2	A	301[B]	RBW	O23-S21-C20	2.97	111.03	107.93
2	A	301[A]	RBW	C07-C11-C12	-2.68	104.98	109.19
2	A	301[A]	RBW	C13-C12-C11	-2.45	132.96	135.95
2	A	301[B]	RBW	C07-C11-C12	-2.31	105.56	109.19
2	A	301[B]	RBW	C13-C12-C11	-2.19	133.28	135.95
2	A	301[B]	RBW	O24-S21-C22	2.13	111.05	108.91

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/241 (96%)	5.25	232 (99%) 0 0	7, 12, 25, 40	0

All (232) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	261	ASN	13.9
1	A	36	VAL	13.9
1	A	206[A]	THR	11.9
1	A	258	ALA	11.1
1	A	185[A]	VAL	9.5
1	A	216	LEU	9.3
1	A	255	VAL	9.2
1	A	87	TRP	9.2
1	A	39	ILE	8.5
1	A	31	GLY	8.4
1	A	257	LYS	8.4
1	A	41	VAL	8.4
1	A	259	HIS	8.3
1	A	59[A]	THR	8.1
1	A	74	VAL	8.0
1	A	81	LEU	7.7
1	A	237	ILE	7.6
1	A	235	VAL	7.6
1	A	111	VAL	7.5
1	A	155	LEU	7.5
1	A	198	CYS	7.4
1	A	37	ASN	7.4
1	A	143	ALA	7.3
1	A	50	ALA	7.3
1	A	194	LEU	7.3
1	A	260	LYS	7.3
1	A	83	ILE	7.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	150	ILE	7.1
1	A	82	LEU	7.1
1	A	203	LEU	7.1
1	A	128	ALA	7.1
1	A	186	VAL	7.1
1	A	35	THR	7.0
1	A	73	ILE	7.0
1	A	99	ILE	6.9
1	A	207[A]	SER	6.9
1	A	54	TRP	6.8
1	A	256	VAL	6.7
1	A	246	LEU	6.7
1	A	107	VAL	6.7
1	A	170	VAL	6.7
1	A	44	VAL	6.7
1	A	184	LEU	6.7
1	A	262	ARG	6.6
1	A	195	TYR	6.5
1	A	219	TRP	6.5
1	A	57	ILE	6.5
1	A	226	ILE	6.5
1	A	80	LEU	6.5
1	A	123	VAL	6.4
1	A	85	THR	6.4
1	A	120	VAL	6.4
1	A	181	THR	6.3
1	A	188	VAL	6.3
1	A	132	ALA	6.3
1	A	78	ASP	6.3
1	A	231	PRO	6.3
1	A	200	VAL	6.3
1	A	33	TYR	6.2
1	A	162	GLY	6.2
1	A	220[A]	PRO	6.2
1	A	47	TYR	6.2
1	A	211	VAL	6.1
1	A	40	PRO	6.1
1	A	172	LEU	6.1
1	A	236	VAL	6.1
1	A	169	PRO	6.1
1	A	248	LEU	6.1
1	A	46	LEU	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	134	TYR	5.9
1	A	187	TYR	5.9
1	A	58	ALA	5.9
1	A	193	VAL	5.9
1	A	173	PHE	5.9
1	A	217	ALA	5.9
1	A	66	VAL	5.9
1	A	135	ALA	5.8
1	A	177	ALA	5.8
1	A	72	LEU	5.8
1	A	95	LEU	5.8
1	A	242[A]	LEU	5.8
1	A	233	ALA	5.8
1	A	53	VAL	5.8
1	A	223	VAL	5.8
1	A	212	ALA	5.7
1	A	105	LEU	5.7
1	A	96	LEU	5.7
1	A	131	VAL	5.7
1	A	30	SER	5.6
1	A	89	ALA	5.6
1	A	230	TYR	5.6
1	A	142	LEU	5.6
1	A	249	LEU	5.6
1	A	174	TYR	5.6
1	A	126	LEU	5.6
1	A	62	PHE	5.6
1	A	94	ALA	5.5
1	A	68	PRO	5.5
1	A	97	ALA	5.5
1	A	167	PHE	5.5
1	A	253	ALA	5.4
1	A	45	ARG	5.4
1	A	115	PHE	5.4
1	A	113	THR	5.4
1	A	252	THR	5.3
1	A	197	GLY	5.3
1	A	75[A]	ARG	5.3
1	A	204	SER	5.3
1	A	125	VAL	5.3
1	A	121	GLY	5.2
1	A	93	ALA	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	152	THR	5.2
1	A	67	TYR	5.2
1	A	238	PRO	5.1
1	A	189	PRO	5.0
1	A	103	ILE	5.0
1	A	165	VAL	5.0
1	A	164	ALA	4.9
1	A	38	GLU	4.9
1	A	71	GLY	4.9
1	A	110	ALA	4.9
1	A	214	ALA	4.9
1	A	140[A]	ARG	4.9
1	A	168	GLY	4.9
1	A	151	PRO	4.9
1	A	32	GLU	4.9
1	A	129	ALA	4.9
1	A	88	GLY	4.9
1	A	175	PRO	4.8
1	A	239	GLY	4.8
1	A	243	PRO	4.8
1	A	139[A]	THR	4.8
1	A	61[A]	SER	4.8
1	A	92	THR	4.7
1	A	122	GLY	4.7
1	A	199	ALA	4.7
1	A	49	ILE	4.7
1	A	55	SER	4.7
1	A	221	THR	4.7
1	A	158	LEU	4.7
1	A	161[A]	SER	4.7
1	A	65	ALA	4.6
1	A	130	GLY	4.6
1	A	34	PRO	4.5
1	A	133	THR	4.5
1	A	183	ASN	4.4
1	A	201	HIS	4.4
1	A	86	ALA	4.4
1	A	229	HIS	4.3
1	A	224	GLU	4.3
1	A	240	HIS	4.3
1	A	70	ASN	4.3
1	A	84	ASP	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	247	ASP	4.2
1	A	241	GLY	4.2
1	A	179	HIS	4.2
1	A	51	ASP	4.2
1	A	147	GLY	4.1
1	A	245	GLY	4.1
1	A	225	ARG	4.1
1	A	114	HIS	4.1
1	A	116	HIS	4.1
1	A	79[A]	GLU	4.1
1	A	60	GLN	4.1
1	A	171	GLU	4.0
1	A	192	ASN	4.0
1	A	102[A]	GLN	4.0
1	A	244	GLY	4.0
1	A	56	HIS	4.0
1	A	112	SER	4.0
1	A	178	ALA	4.0
1	A	137	PRO	3.9
1	A	176	GLY	3.9
1	A	118	ASP	3.9
1	A	145	ALA	3.9
1	A	108	THR	3.8
1	A	117	ASP	3.8
1	A	180	SER	3.8
1	A	106	PRO	3.8
1	A	136	SER	3.8
1	A	127[A]	ARG	3.8
1	A	196	GLY	3.8
1	A	144	GLU	3.7
1	A	215	ASP	3.7
1	A	157	GLY	3.7
1	A	166	ARG	3.7
1	A	208[A]	ALA	3.6
1	A	43	GLU	3.6
1	A	153	HIS	3.6
1	A	52	GLY	3.6
1	A	48	GLN	3.6
1	A	254	ASN	3.6
1	A	69	SER	3.6
1	A	160[A]	SER	3.6
1	A	119	ARG	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	163	ASP	3.5
1	A	250	GLN	3.5
1	A	191	ALA	3.5
1	A	146	GLU	3.5
1	A	251	HIS	3.5
1	A	91	ASN	3.5
1	A	77	GLY	3.5
1	A	148	ASN	3.5
1	A	104	GLY	3.5
1	A	64	GLY	3.4
1	A	182	ASP	3.3
1	A	213	ASP	3.3
1	A	232	GLU	3.3
1	A	209	GLY	3.3
1	A	109	ARG	3.3
1	A	154	SER	3.3
1	A	76	ASP	3.3
1	A	138[A]	SER	3.2
1	A	205	SER	3.2
1	A	222	SER	3.2
1	A	159	SER	3.1
1	A	101	LYS	3.1
1	A	149[A]	GLU	3.1
1	A	63	ASP	3.1
1	A	90[A]	LYS	3.0
1	A	42	GLY	3.0
1	A	227	GLN	3.0
1	A	210	ASN	3.0
1	A	98	GLU	2.9
1	A	124	ASP	2.8
1	A	234	GLU	2.8
1	A	190	SER	2.7
1	A	202[A]	GLU	2.5
1	A	141[A]	ARG	2.5
1	A	156	GLU	2.4
1	A	218[A]	GLU	2.4
1	A	100	GLU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	RBW	A	301[A]	27/27	0.84	0.29	8,12,20,21	46
2	RBW	A	301[B]	27/27	0.84	0.29	6,12,22,24	46
3	NA	A	302	1/1	0.97	0.23	13,13,13,13	0
3	NA	A	303	1/1	0.97	0.20	17,17,17,17	0
4	ZN	A	304	1/1	1.00	0.26	8,8,8,8	0
4	ZN	A	305	1/1	1.00	0.26	8,8,8,8	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around RBW A 301 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



Electron density around RBW A 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.