



Full wwPDB EM Validation Report ⓘ

Jul 17, 2025 – 08:16 PM JST

PDB ID : 7E7B / pdb_00007e7b
EMDB ID : EMD-30998
Title : Cryo-EM structure of the SARS-CoV-2 furin site mutant S-Trimer from a subunit vaccine candidate
Authors : Zheng, S.; Ma, J.
Deposited on : 2021-02-25
Resolution : 2.60 Å(reported)
Based on initial model : 6VXX

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1520	 61% 11% • 28%
1	B	1520	 61% 10% • 28%
1	C	1520	 61% 10% • 28%
2	D	2	 50% 50%
2	E	2	 50% 50%
2	F	2	 50% 50%
2	G	2	 50% 100%
2	H	2	 50% 50%






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	2	 50% 50%
2	J	2	 50% 50%
2	K	2	 50% 50%
2	L	2	 50% 50%
2	M	2	 50% 100%
2	N	2	 100%
2	O	2	 100%
2	P	2	 100%
2	Q	2	 50% 50%
2	R	2	 50% 50%
2	S	2	 100%
2	T	2	 50% 100%
2	U	2	 50% 50%
2	V	2	 50% 50%
2	W	2	 50% 50%
2	X	2	 50% 50%
2	Y	2	 50% 50%
2	Z	2	 50% 100%
2	a	2	 50% 50%
2	b	2	 100%
2	c	2	 100%
2	d	2	 50% 50%
2	e	2	 100%
2	f	2	 100%
2	g	2	 50% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	h	2	 50%50%
2	i	2	 100%
2	j	2	 100%
2	k	2	 100%
2	l	2	 50%50%
2	m	2	 50%100%
2	n	2	 50%50%
2	o	2	 100%
2	p	2	 100%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 27363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein,Collagen alpha-1(I) chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1102	Total	C	N	O	S	0	0
			8613	5492	1440	1641	40		
1	B	1102	Total	C	N	O	S	0	0
			8613	5492	1440	1641	40		
1	C	1102	Total	C	N	O	S	0	0
			8613	5492	1440	1641	40		

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	685	ALA	ARG	engineered mutation	UNP P0DTC2
A	1212	ARG	-	linker	UNP P0DTC2
A	1213	SER	-	linker	UNP P0DTC2
A	1277	ASN	ASP	variant	UNP P02452
A	1449	LYS	GLN	variant	UNP P02452
A	1492	SER	THR	variant	UNP P02452
B	685	ALA	ARG	engineered mutation	UNP P0DTC2
B	1212	ARG	-	linker	UNP P0DTC2
B	1213	SER	-	linker	UNP P0DTC2
B	1277	ASN	ASP	variant	UNP P02452
B	1449	LYS	GLN	variant	UNP P02452
B	1492	SER	THR	variant	UNP P02452
C	685	ALA	ARG	engineered mutation	UNP P0DTC2
C	1212	ARG	-	linker	UNP P0DTC2
C	1213	SER	-	linker	UNP P0DTC2
C	1277	ASN	ASP	variant	UNP P02452
C	1449	LYS	GLN	variant	UNP P02452
C	1492	SER	THR	variant	UNP P02452

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	2	Total	C	N	O	0	0
			28	16	2	10		
2	E	2	Total	C	N	O	0	0
			28	16	2	10		
2	F	2	Total	C	N	O	0	0
			28	16	2	10		
2	G	2	Total	C	N	O	0	0
			28	16	2	10		
2	H	2	Total	C	N	O	0	0
			28	16	2	10		
2	I	2	Total	C	N	O	0	0
			28	16	2	10		
2	J	2	Total	C	N	O	0	0
			28	16	2	10		
2	K	2	Total	C	N	O	0	0
			28	16	2	10		
2	L	2	Total	C	N	O	0	0
			28	16	2	10		
2	M	2	Total	C	N	O	0	0
			28	16	2	10		
2	N	2	Total	C	N	O	0	0
			28	16	2	10		
2	O	2	Total	C	N	O	0	0
			28	16	2	10		
2	P	2	Total	C	N	O	0	0
			28	16	2	10		
2	Q	2	Total	C	N	O	0	0
			28	16	2	10		
2	R	2	Total	C	N	O	0	0
			28	16	2	10		
2	S	2	Total	C	N	O	0	0
			28	16	2	10		
2	T	2	Total	C	N	O	0	0
			28	16	2	10		
2	U	2	Total	C	N	O	0	0
			28	16	2	10		
2	V	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
2	W	2	Total	C	N	O	0	0
			28	16	2	10		
2	X	2	Total	C	N	O	0	0
			28	16	2	10		
2	Y	2	Total	C	N	O	0	0
			28	16	2	10		
2	Z	2	Total	C	N	O	0	0
			28	16	2	10		
2	a	2	Total	C	N	O	0	0
			28	16	2	10		
2	b	2	Total	C	N	O	0	0
			28	16	2	10		
2	c	2	Total	C	N	O	0	0
			28	16	2	10		
2	d	2	Total	C	N	O	0	0
			28	16	2	10		
2	e	2	Total	C	N	O	0	0
			28	16	2	10		
2	f	2	Total	C	N	O	0	0
			28	16	2	10		
2	g	2	Total	C	N	O	0	0
			28	16	2	10		
2	h	2	Total	C	N	O	0	0
			28	16	2	10		
2	i	2	Total	C	N	O	0	0
			28	16	2	10		
2	j	2	Total	C	N	O	0	0
			28	16	2	10		
2	k	2	Total	C	N	O	0	0
			28	16	2	10		
2	l	2	Total	C	N	O	0	0
			28	16	2	10		
2	m	2	Total	C	N	O	0	0
			28	16	2	10		
2	n	2	Total	C	N	O	0	0
			28	16	2	10		
2	o	2	Total	C	N	O	0	0
			28	16	2	10		
2	p	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
3	C	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 4 is Elaidic acid (CCD ID: ELA) (formula: $C_{18}H_{34}O_2$).



Mol	Chain	Residues	Atoms			AltConf
4	A	1	Total	C	O	0
			20	18	2	
4	A	1	Total	C	O	0
			20	18	2	
4	B	1	Total	C	O	0
			20	18	2	

- Molecule 5 is 2-hydroxyethyl 2-deoxy-3,5-bis-O-(2-hydroxyethyl)-6-O-(2-{[(9E)-octadec-9-enoyl]oxy}ethyl)-alpha-L-xylo-hexofuranoside (CCD ID: VCG) (formula: $C_{32}H_{60}O_{10}$).



Mol	Chain	Residues	Atoms			AltConf
5	A	1	Total	C	O	0
			42	32	10	
5	A	1	Total	C	O	0
			42	32	10	
5	B	1	Total	C	O	0
			42	32	10	


- Molecule 6 is water.


Mol	Chain	Residues	Atoms		AltConf
6	A	10	Total	O	0
			10	10	
6	B	14	Total	O	0
			14	14	
6	C	12	Total	O	0
			12	12	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein, Collagen alpha-1(I) chain





- Molecule 1: Spike glycoprotein, Collagen alpha-1(I) chain



- Molecule 1: Spike glycoprotein, Collagen alpha-1(I) chain





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  50% 100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50% 100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  50% 50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  50% 100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  100%

MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	384013	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2800	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.123	Depositor
Minimum map value	-0.065	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.013	Depositor
Map size (Å)	304.36002, 304.36002, 304.36002	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, ELA, VCG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.47	2/8812 (0.0%)	0.57	9/11990 (0.1%)
1	B	0.44	0/8812	0.51	7/11990 (0.1%)
1	C	0.44	0/8812	0.51	9/11990 (0.1%)
All	All	0.45	2/26436 (0.0%)	0.53	25/35970 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	862	PRO	CA-C	5.58	1.54	1.51
1	A	393	THR	CA-C	5.13	1.59	1.52

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	393	THR	N-CA-C	16.58	129.43	111.36
1	A	149	ASN	N-CA-C	-11.70	99.53	114.04
1	B	282	ASN	N-CA-C	-7.85	97.93	109.63
1	A	282	ASN	N-CA-C	-7.64	98.24	109.63
1	B	441	LEU	N-CA-C	7.57	119.61	111.36
1	C	282	ASN	N-CA-C	-7.52	98.42	109.63
1	C	613	GLN	N-CA-C	-7.33	100.86	110.53
1	A	441	LEU	N-CA-C	6.98	118.97	111.36
1	C	441	LEU	N-CA-C	6.73	118.70	111.36
1	C	284	THR	N-CA-C	6.57	120.58	110.20
1	B	284	THR	N-CA-C	6.55	120.55	110.20
1	A	284	THR	N-CA-C	6.52	120.50	110.20
1	C	393	THR	N-CA-C	6.04	120.41	111.04
1	B	393	THR	N-CA-C	5.82	120.06	111.04
1	A	329	PHE	N-CA-C	-5.80	101.69	110.50
1	B	149	ASN	N-CA-C	-5.65	108.18	114.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	329	PHE	N-CA-C	-5.63	100.37	109.82
1	C	149	ASN	N-CA-C	-5.60	108.23	114.62
1	C	329	PHE	N-CA-C	-5.41	100.74	109.82
1	C	581	THR	N-CA-C	-5.32	100.22	108.90
1	C	442	ASP	N-CA-C	5.27	119.40	112.92
1	B	581	THR	N-CA-C	-5.12	100.55	108.90
1	A	862	PRO	N-CA-C	5.11	115.38	110.47
1	A	581	THR	N-CA-C	-5.10	100.59	108.90
1	A	442	ASP	N-CA-C	5.00	119.08	112.92

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8613	0	8382	84	0
1	B	8613	0	8382	96	0
1	C	8613	0	8382	93	0
2	D	28	0	25	0	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	H	28	0	25	1	0
2	I	28	0	25	0	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
2	L	28	0	25	0	0
2	M	28	0	25	0	0
2	N	28	0	25	0	0
2	O	28	0	25	0	0
2	P	28	0	25	0	0
2	Q	28	0	25	0	0
2	R	28	0	25	0	0
2	S	28	0	25	0	0
2	T	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	U	28	0	25	1	0
2	V	28	0	25	0	0
2	W	28	0	25	0	0
2	X	28	0	25	0	0
2	Y	28	0	25	0	0
2	Z	28	0	25	0	0
2	a	28	0	25	0	0
2	b	28	0	25	0	0
2	c	28	0	25	0	0
2	d	28	0	25	0	0
2	e	28	0	25	0	0
2	f	28	0	25	0	0
2	g	28	0	25	0	0
2	h	28	0	25	0	0
2	i	28	0	25	0	0
2	j	28	0	25	0	0
2	k	28	0	25	0	0
2	l	28	0	25	0	0
2	m	28	0	25	0	0
2	n	28	0	25	0	0
2	o	28	0	25	0	0
2	p	28	0	25	0	0
3	A	70	0	65	0	0
3	B	70	0	65	1	0
3	C	70	0	65	1	0
4	A	40	0	68	1	0
4	B	20	0	34	1	0
5	A	84	0	0	0	0
5	B	42	0	0	0	0
6	A	10	0	0	0	0
6	B	14	0	0	0	0
6	C	12	0	0	1	0
All	All	27363	0	26418	254	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (254) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:LYS:HE2	1:B:248:TYR:CE1	1.59	1.36

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:147:LYS:HE2	1:C:248:TYR:CE1	1.59	1.35
1:C:147:LYS:CE	1:C:248:TYR:CE1	2.29	1.14
1:C:147:LYS:CE	1:C:248:TYR:CZ	2.32	1.13
1:B:147:LYS:CE	1:B:248:TYR:CE1	2.35	1.08
1:B:147:LYS:CE	1:B:248:TYR:CZ	2.36	1.08
1:B:147:LYS:HE2	1:B:248:TYR:CZ	1.93	1.00
1:C:147:LYS:HE2	1:C:248:TYR:CZ	1.96	0.97
1:C:147:LYS:HE3	1:C:248:TYR:CE2	1.98	0.97
1:B:147:LYS:HE3	1:B:248:TYR:CE2	2.03	0.93
1:C:147:LYS:HE3	1:C:248:TYR:CZ	2.05	0.92
1:C:147:LYS:HE3	1:C:248:TYR:CD2	2.08	0.89
1:B:147:LYS:HE3	1:B:248:TYR:CD2	2.11	0.84
1:A:393:THR:HG21	1:A:520:ALA:HB3	1.61	0.81
1:C:147:LYS:CE	1:C:248:TYR:CD1	2.65	0.80
1:B:147:LYS:HE3	1:B:248:TYR:CZ	2.15	0.79
1:A:719:THR:HA	1:A:926:GLN:HE22	1.50	0.76
1:B:719:THR:HA	1:B:926:GLN:HE22	1.50	0.76
1:C:719:THR:HA	1:C:926:GLN:HE22	1.51	0.76
1:C:843:ASP:OD1	1:C:847:ARG:NH1	2.20	0.74
1:B:147:LYS:CE	1:B:248:TYR:CD1	2.69	0.74
1:B:843:ASP:OD1	1:B:847:ARG:NH1	2.20	0.74
1:A:843:ASP:OD1	1:A:847:ARG:NH1	2.20	0.74
1:B:147:LYS:HE2	1:B:248:TYR:CD1	2.24	0.71
1:C:147:LYS:HE3	1:C:248:TYR:CG	2.24	0.71
1:C:147:LYS:HE3	1:C:248:TYR:CD1	2.28	0.68
1:B:147:LYS:CE	1:B:248:TYR:CE2	2.71	0.68
1:B:96:GLU:OE2	1:B:190:ARG:NH1	2.27	0.67
1:A:96:GLU:OE2	1:A:190:ARG:NH1	2.27	0.67
1:C:96:GLU:OE2	1:C:190:ARG:NH1	2.27	0.67
1:B:901:GLN:HE21	1:B:905:ARG:HE	1.42	0.67
1:A:156:GLU:OE2	1:A:246:ARG:NH1	2.29	0.66
1:A:901:GLN:HE21	1:A:905:ARG:HE	1.42	0.66
1:B:156:GLU:OE2	1:B:246:ARG:NH1	2.29	0.66
1:C:156:GLU:OE2	1:C:246:ARG:NH1	2.29	0.66
1:C:901:GLN:HE21	1:C:905:ARG:HE	1.42	0.65
1:B:147:LYS:HE3	1:B:248:TYR:CG	2.32	0.64
1:C:457:ARG:NH1	1:C:467:ASP:OD2	2.32	0.63
1:A:457:ARG:NH1	1:A:467:ASP:OD2	2.32	0.63
1:B:245:HIS:HB2	1:B:259:THR:HG23	1.81	0.63
1:B:457:ARG:NH1	1:B:467:ASP:OD2	2.32	0.62
1:C:131:CYS:HA	1:C:166:CYS:HA	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:HIS:HB2	1:A:259:THR:HG23	1.81	0.61
1:A:131:CYS:HA	1:A:166:CYS:HA	1.82	0.61
1:C:178:ASP:OD2	1:C:180:GLU:HB3	2.01	0.61
1:C:245:HIS:HB2	1:C:259:THR:HG23	1.81	0.61
1:B:178:ASP:OD2	1:B:180:GLU:HB3	2.01	0.60
1:A:178:ASP:OD2	1:A:180:GLU:HB3	2.01	0.60
1:B:1028:LYS:NZ	1:B:1042:PHE:O	2.35	0.60
1:C:726:ILE:HG13	1:C:1061:VAL:HG22	1.84	0.60
1:C:76:THR:OG1	1:C:258:TRP:O	2.20	0.60
1:A:1028:LYS:NZ	1:A:1042:PHE:O	2.35	0.59
1:B:131:CYS:HA	1:B:166:CYS:HA	1.82	0.59
1:C:1028:LYS:NZ	1:C:1042:PHE:O	2.35	0.59
1:B:76:THR:OG1	1:B:258:TRP:O	2.20	0.59
1:A:76:THR:OG1	1:A:258:TRP:O	2.20	0.59
1:C:516:GLU:N	1:C:516:GLU:OE1	2.36	0.59
1:B:516:GLU:N	1:B:516:GLU:OE1	2.36	0.58
1:A:726:ILE:HG13	1:A:1061:VAL:HG22	1.84	0.58
1:A:516:GLU:N	1:A:516:GLU:OE1	2.36	0.58
1:A:914:ASN:ND2	1:C:1123:SER:OG	2.37	0.58
1:C:22:THR:O	1:C:78:ARG:NH2	2.37	0.58
1:A:22:THR:O	1:A:78:ARG:NH2	2.37	0.58
1:B:726:ILE:HG13	1:B:1061:VAL:HG22	1.84	0.58
1:B:22:THR:O	1:B:78:ARG:NH2	2.37	0.57
1:B:1123:SER:OG	1:C:914:ASN:ND2	2.38	0.57
1:C:880:GLY:O	1:C:884:SER:OG	2.22	0.57
1:C:147:LYS:CE	1:C:248:TYR:CE2	2.70	0.56
1:A:1123:SER:OG	1:B:914:ASN:ND2	2.38	0.56
1:B:147:LYS:HE3	1:B:248:TYR:CD1	2.41	0.56
1:B:880:GLY:O	1:B:884:SER:OG	2.22	0.56
1:C:27:ALA:HB3	1:C:64:TRP:HB3	1.89	0.55
1:A:27:ALA:HB3	1:A:64:TRP:HB3	1.89	0.55
1:A:393:THR:CG2	1:A:520:ALA:HB3	2.33	0.54
1:C:1084:ASP:HB2	1:C:1086:LYS:HE2	1.90	0.54
1:B:246:ARG:NH2	1:B:254:SER:O	2.41	0.54
1:A:1084:ASP:HB2	1:A:1086:LYS:HE2	1.90	0.54
1:B:1084:ASP:HB2	1:B:1086:LYS:HE2	1.90	0.54
1:A:246:ARG:NH2	1:A:254:SER:O	2.41	0.54
1:B:27:ALA:HB3	1:B:64:TRP:HB3	1.89	0.53
1:A:69:HIS:HB3	1:A:77:LYS:HB2	1.91	0.53
1:C:246:ARG:NH2	1:C:254:SER:O	2.41	0.53
1:A:880:GLY:O	1:A:884:SER:OG	2.22	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:69:HIS:HB3	1:B:77:LYS:HB2	1.91	0.53
1:A:970:PHE:HA	1:B:756:TYR:HE1	1.74	0.52
1:A:68:ILE:HG22	1:A:78:ARG:HB2	1.92	0.52
1:B:68:ILE:HG22	1:B:78:ARG:HB2	1.91	0.52
1:A:666:ILE:HD11	1:A:672:ALA:HB2	1.92	0.52
1:B:212:LEU:HD13	1:B:217:PRO:HG3	1.92	0.52
1:B:666:ILE:HD11	1:B:672:ALA:HB2	1.92	0.52
1:C:69:HIS:HB3	1:C:77:LYS:HB2	1.90	0.52
1:A:212:LEU:HD13	1:A:217:PRO:HG3	1.92	0.52
1:C:666:ILE:HD11	1:C:672:ALA:HB2	1.92	0.52
1:B:970:PHE:HA	1:C:756:TYR:HE1	1.74	0.52
1:A:756:TYR:HE1	1:C:970:PHE:HA	1.75	0.51
1:C:212:LEU:HD13	1:C:217:PRO:HG3	1.92	0.51
1:A:726:ILE:HG12	1:A:945:LEU:HD22	1.92	0.51
1:B:726:ILE:HG12	1:B:945:LEU:HD22	1.92	0.51
1:C:726:ILE:HG12	1:C:945:LEU:HD22	1.92	0.51
1:B:722:VAL:HG22	1:B:1065:VAL:HG22	1.93	0.51
1:B:826:VAL:HB	1:B:1057:PRO:HG2	1.93	0.51
1:A:755:GLN:OE1	1:A:755:GLN:N	2.44	0.51
1:C:147:LYS:HE3	1:C:248:TYR:CE1	2.20	0.50
1:C:68:ILE:HG22	1:C:78:ARG:HB2	1.91	0.50
1:B:755:GLN:N	1:B:755:GLN:OE1	2.44	0.50
1:C:826:VAL:HB	1:C:1057:PRO:HG2	1.93	0.50
1:C:902:MET:HE1	1:C:1049:LEU:HD13	1.93	0.50
1:A:902:MET:HE1	1:A:1049:LEU:HD13	1.94	0.50
1:B:1116:THR:HG22	1:B:1118:ASP:H	1.77	0.50
1:C:1116:THR:HG22	1:C:1118:ASP:H	1.77	0.50
1:A:703:ASN:OD1	1:A:704:SER:N	2.42	0.50
1:A:826:VAL:HB	1:A:1057:PRO:HG2	1.93	0.50
1:B:703:ASN:OD1	1:B:704:SER:N	2.42	0.50
1:C:755:GLN:N	1:C:755:GLN:OE1	2.44	0.50
1:B:1097:SER:HB3	1:B:1102:TRP:CD2	2.47	0.50
1:C:722:VAL:HG22	1:C:1065:VAL:HG22	1.93	0.50
1:A:1116:THR:HG22	1:A:1118:ASP:H	1.77	0.49
1:B:902:MET:HE1	1:B:1049:LEU:HD13	1.94	0.49
1:A:1097:SER:HB3	1:A:1102:TRP:CD2	2.47	0.49
1:A:722:VAL:HG22	1:A:1065:VAL:HG22	1.93	0.49
1:C:1097:SER:HB3	1:C:1102:TRP:CD2	2.47	0.49
1:C:703:ASN:OD1	1:C:704:SER:N	2.42	0.48
1:B:740:MET:HE3	1:B:740:MET:HB2	1.73	0.48
1:A:614:ASP:OD1	1:B:854:LYS:NZ	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:ALA:HB1	1:B:260:ALA:HB1	1.96	0.48
1:A:393:THR:HG23	1:A:521:PRO:O	2.14	0.47
1:B:614:ASP:OD1	1:C:854:LYS:NZ	2.47	0.47
1:C:905:ARG:NH1	1:C:1049:LEU:O	2.46	0.47
1:C:330:PRO:HD2	1:C:525:CYS:SG	2.55	0.47
1:A:67:ALA:HB1	1:A:260:ALA:HB1	1.96	0.47
1:B:823:PHE:CD2	1:B:1057:PRO:HG3	2.50	0.47
1:A:894:LEU:HB3	1:C:713:ALA:HB3	1.97	0.47
1:B:145:TYR:HB3	1:B:247:SER:HB2	1.96	0.47
1:A:811:LYS:HD3	1:A:820:ASP:OD2	2.15	0.47
1:A:823:PHE:CD2	1:A:1057:PRO:HG3	2.50	0.47
1:B:811:LYS:HD3	1:B:820:ASP:OD2	2.15	0.47
1:C:67:ALA:HB1	1:C:260:ALA:HB1	1.96	0.47
1:B:905:ARG:NH1	1:B:1049:LEU:O	2.46	0.47
1:C:145:TYR:HB3	1:C:247:SER:HB2	1.96	0.47
1:C:823:PHE:CD2	1:C:1057:PRO:HG3	2.50	0.47
1:B:417:LYS:HB3	1:B:417:LYS:HE2	1.63	0.47
1:A:578:ASP:HB3	1:A:581:THR:O	2.14	0.46
1:A:970:PHE:HA	1:B:756:TYR:CE1	2.50	0.46
1:A:732:THR:HG23	1:A:860:VAL:HG13	1.98	0.46
1:B:713:ALA:HB3	1:C:894:LEU:HB3	1.97	0.46
1:A:358:ILE:HB	1:A:395:VAL:HB	1.98	0.46
1:A:713:ALA:HB3	1:B:894:LEU:HB3	1.97	0.46
1:B:14:GLN:N	1:B:14:GLN:CD	2.75	0.45
1:C:811:LYS:HD3	1:C:820:ASP:OD2	2.15	0.45
1:A:756:TYR:CE1	1:C:970:PHE:HA	2.50	0.45
1:C:147:LYS:NZ	1:C:248:TYR:CZ	2.81	0.45
1:C:354:ASN:O	1:C:398:ASP:HA	2.17	0.45
1:A:417:LYS:HE2	1:A:417:LYS:HB3	1.63	0.45
1:B:970:PHE:HA	1:C:756:TYR:CE1	2.50	0.45
1:A:661:GLU:H	1:A:661:GLU:HG3	1.36	0.45
1:C:1086:LYS:HE3	1:C:1086:LYS:HB2	1.79	0.45
1:A:14:GLN:CD	1:A:14:GLN:N	2.74	0.45
1:C:14:GLN:N	1:C:14:GLN:CD	2.75	0.45
1:C:1088:HIS:CE1	1:C:1122:VAL:HG22	2.52	0.45
1:A:142:GLY:HA3	1:A:156:GLU:HB2	1.99	0.44
1:A:332:ILE:H	1:A:332:ILE:HG13	1.33	0.44
1:B:330:PRO:HD2	1:B:525:CYS:SG	2.57	0.44
1:A:143:VAL:HG22	1:A:179:LEU:HD13	2.00	0.44
1:A:590:CYS:O	1:A:634:ARG:NH1	2.51	0.44
1:A:1086:LYS:HE3	1:A:1086:LYS:HB2	1.79	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1088:HIS:CE1	1:B:1122:VAL:HG22	2.52	0.44
1:A:280:ASN:HD21	2:H:1:NAG:H83	1.82	0.44
1:A:740:MET:HB2	1:A:740:MET:HE3	1.73	0.44
1:B:143:VAL:HG22	1:B:179:LEU:HD13	2.00	0.44
1:C:898:PHE:HZ	1:C:1050:MET:HE1	1.82	0.44
1:C:661:GLU:H	1:C:661:GLU:HG3	1.36	0.44
1:B:354:ASN:O	1:B:398:ASP:HA	2.17	0.44
1:B:590:CYS:O	1:B:634:ARG:NH1	2.51	0.44
1:A:1088:HIS:CE1	1:A:1122:VAL:HG22	2.52	0.44
1:C:590:CYS:O	1:C:634:ARG:NH1	2.51	0.44
1:A:898:PHE:HZ	1:A:1050:MET:HE1	1.82	0.44
1:B:30:ASN:HD21	1:B:59:PHE:HD1	1.66	0.44
1:B:280:ASN:HD21	2:U:1:NAG:H83	1.82	0.44
1:C:901:GLN:HE21	1:C:905:ARG:NE	2.14	0.44
1:A:917:TYR:CE1	1:C:1079:PRO:HB3	2.53	0.43
1:B:1079:PRO:HB3	1:C:917:TYR:CE1	2.53	0.43
3:B:1602:NAG:H83	3:B:1602:NAG:H2	1.83	0.43
1:A:1100:THR:OG1	1:A:1101:HIS:ND1	2.51	0.43
1:A:905:ARG:NH1	1:A:1049:LEU:O	2.46	0.43
1:A:1079:PRO:HB3	1:B:917:TYR:CE1	2.53	0.43
1:B:142:GLY:HA3	1:B:156:GLU:HB2	1.99	0.43
1:B:358:ILE:HB	1:B:395:VAL:HB	2.00	0.43
1:B:898:PHE:HZ	1:B:1050:MET:HE1	1.82	0.43
1:B:900:MET:HE2	1:B:900:MET:HB3	1.92	0.43
1:C:143:VAL:HG22	1:C:179:LEU:HD13	2.00	0.43
1:C:142:GLY:HA3	1:C:156:GLU:HB2	1.99	0.43
1:C:740:MET:HE3	1:C:740:MET:HB2	1.73	0.43
1:B:147:LYS:C	1:B:149:ASN:H	2.26	0.43
1:C:417:LYS:HE2	1:C:417:LYS:HB3	1.63	0.43
1:A:901:GLN:HE21	1:A:905:ARG:NE	2.14	0.43
4:B:1606:ELA:H82	4:B:1606:ELA:H111	1.78	0.43
1:A:30:ASN:HD21	1:A:59:PHE:HD1	1.66	0.43
1:B:112:SER:O	1:B:112:SER:OG	2.36	0.43
1:A:332:ILE:HD11	1:A:525:CYS:HB2	2.01	0.43
1:A:1092:GLU:O	1:A:1092:GLU:HG2	2.19	0.43
1:B:1100:THR:OG1	1:B:1101:HIS:ND1	2.50	0.43
1:B:206:LYS:HG2	1:B:221:SER:OG	2.19	0.42
1:C:30:ASN:HD21	1:C:59:PHE:HD1	1.66	0.42
1:A:355:ARG:HD3	1:B:230:PRO:HB2	2.01	0.42
1:B:147:LYS:NZ	1:B:248:TYR:CZ	2.87	0.42
1:C:206:LYS:HG2	1:C:221:SER:OG	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:LYS:HG2	1:A:221:SER:OG	2.19	0.42
1:B:1092:GLU:O	1:B:1092:GLU:HG2	2.19	0.42
1:C:358:ILE:HB	1:C:395:VAL:HB	2.00	0.42
1:B:147:LYS:C	1:B:149:ASN:N	2.77	0.42
1:B:320:VAL:HB	1:B:590:CYS:HB3	2.02	0.42
1:B:403:ARG:HG2	1:B:504:GLY:O	2.20	0.42
1:C:922:LEU:O	1:C:926:GLN:HG3	2.20	0.42
4:A:1607:ELA:H10	1:B:387:LEU:HD22	2.02	0.42
1:C:578:ASP:HB3	1:C:581:THR:O	2.20	0.42
1:A:1091:ARG:NH2	1:A:1120:THR:O	2.53	0.42
1:C:320:VAL:HB	1:C:590:CYS:HB3	2.02	0.42
1:B:355:ARG:HD3	1:C:230:PRO:HB2	2.01	0.41
1:B:922:LEU:O	1:B:926:GLN:HG3	2.20	0.41
1:C:403:ARG:HG2	1:C:504:GLY:O	2.20	0.41
1:C:478:THR:HA	1:C:479:PRO:HD3	1.92	0.41
1:A:922:LEU:O	1:A:926:GLN:HG3	2.20	0.41
1:C:1092:GLU:O	1:C:1092:GLU:HG2	2.19	0.41
1:A:403:ARG:HG2	1:A:504:GLY:O	2.20	0.41
1:A:720:ILE:H	1:A:926:GLN:NE2	2.18	0.41
1:B:720:ILE:H	1:B:926:GLN:NE2	2.18	0.41
1:B:901:GLN:HE21	1:B:905:ARG:NE	2.14	0.41
1:C:1091:ARG:NH2	1:C:1120:THR:O	2.53	0.41
1:B:443:SER:HB2	1:B:497:PHE:O	2.21	0.41
1:C:844:ILE:H	1:C:844:ILE:HG13	1.67	0.41
1:A:112:SER:O	1:A:112:SER:OG	2.36	0.41
1:B:147:LYS:HE3	1:B:248:TYR:CE1	2.34	0.41
1:C:431:GLY:HA2	1:C:515:PHE:CZ	2.56	0.41
1:A:210:ILE:HG21	1:A:217:PRO:HG2	2.03	0.41
1:C:273:ARG:NH1	1:C:290:ASP:OD1	2.54	0.41
1:A:230:PRO:HB2	1:C:355:ARG:HD3	2.02	0.41
1:A:431:GLY:HA2	1:A:515:PHE:CZ	2.56	0.41
1:B:319:ARG:HH22	1:C:739:THR:HB	1.86	0.41
1:B:431:GLY:HA2	1:B:515:PHE:CZ	2.56	0.41
1:C:720:ILE:H	1:C:926:GLN:NE2	2.18	0.41
1:A:320:VAL:HB	1:A:590:CYS:HB3	2.02	0.41
1:A:996:LEU:HD23	1:A:996:LEU:HA	1.87	0.41
1:A:1141:LEU:HG	1:A:1145:LEU:HD22	2.03	0.41
1:B:1086:LYS:HB2	1:B:1086:LYS:HE3	1.79	0.41
3:C:1602:NAG:H83	3:C:1602:NAG:H2	1.82	0.41
1:B:330:PRO:HD3	1:B:544:ASN:OD1	2.22	0.40
1:B:273:ARG:NH1	1:B:290:ASP:OD1	2.54	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:634:ARG:NH2	6:C:1701:HOH:O	2.33	0.40
1:A:354:ASN:O	1:A:398:ASP:HA	2.21	0.40
1:A:739:THR:HB	1:C:319:ARG:HH22	1.86	0.40
1:A:938:LEU:HD23	1:A:938:LEU:HA	1.91	0.40
1:B:903:ALA:HB1	1:B:913:GLN:HB2	2.03	0.40
1:C:210:ILE:HG21	1:C:217:PRO:HG2	2.03	0.40
1:C:377:PHE:HD1	1:C:434:ILE:HG12	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1094/1520 (72%)	1056 (96%)	38 (4%)	0	100	100
1	B	1094/1520 (72%)	1053 (96%)	41 (4%)	0	100	100
1	C	1094/1520 (72%)	1056 (96%)	38 (4%)	0	100	100
All	All	3282/4560 (72%)	3165 (96%)	117 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	959/1315 (73%)	901 (94%)	58 (6%)	16	35
1	B	959/1315 (73%)	908 (95%)	51 (5%)	19	40
1	C	959/1315 (73%)	910 (95%)	49 (5%)	20	42
All	All	2877/3945 (73%)	2719 (94%)	158 (6%)	20	38

All (158) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	22	THR
1	A	29	THR
1	A	40	ASP
1	A	45	SER
1	A	51	THR
1	A	63	THR
1	A	112	SER
1	A	118	LEU
1	A	119	ILE
1	A	150	LYS
1	A	155	SER
1	A	161	SER
1	A	164	ASN
1	A	176	LEU
1	A	180	GLU
1	A	254	SER
1	A	281	GLU
1	A	284	THR
1	A	286	THR
1	A	299	THR
1	A	316	SER
1	A	332	ILE
1	A	333	THR
1	A	359	SER
1	A	375	SER
1	A	389	ASP
1	A	393	THR
1	A	444	LYS
1	A	494	SER
1	A	498	GLN
1	A	516	GLU
1	A	528	LYS
1	A	556	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	571	ASP
1	A	582	LEU
1	A	583	GLU
1	A	588	THR
1	A	604	THR
1	A	661	GLU
1	A	691	SER
1	A	698	SER
1	A	719	THR
1	A	724	THR
1	A	735	SER
1	A	808	ASP
1	A	813	SER
1	A	827	THR
1	A	828	LEU
1	A	859	THR
1	A	866	THR
1	A	881	THR
1	A	929	SER
1	A	940	SER
1	A	967	SER
1	A	1030	SER
1	A	1123	SER
1	A	1142	GLN
1	B	14	GLN
1	B	22	THR
1	B	29	THR
1	B	40	ASP
1	B	45	SER
1	B	51	THR
1	B	63	THR
1	B	112	SER
1	B	124	THR
1	B	155	SER
1	B	161	SER
1	B	164	ASN
1	B	176	LEU
1	B	180	GLU
1	B	254	SER
1	B	281	GLU
1	B	284	THR
1	B	286	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	299	THR
1	B	316	SER
1	B	359	SER
1	B	375	SER
1	B	444	LYS
1	B	494	SER
1	B	498	GLN
1	B	516	GLU
1	B	528	LYS
1	B	556	ASN
1	B	571	ASP
1	B	582	LEU
1	B	583	GLU
1	B	588	THR
1	B	604	THR
1	B	661	GLU
1	B	691	SER
1	B	698	SER
1	B	719	THR
1	B	724	THR
1	B	808	ASP
1	B	813	SER
1	B	827	THR
1	B	828	LEU
1	B	859	THR
1	B	866	THR
1	B	881	THR
1	B	929	SER
1	B	940	SER
1	B	967	SER
1	B	1030	SER
1	B	1123	SER
1	B	1142	GLN
1	C	14	GLN
1	C	22	THR
1	C	29	THR
1	C	40	ASP
1	C	45	SER
1	C	51	THR
1	C	63	THR
1	C	112	SER
1	C	124	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	155	SER
1	C	161	SER
1	C	164	ASN
1	C	176	LEU
1	C	180	GLU
1	C	254	SER
1	C	281	GLU
1	C	284	THR
1	C	299	THR
1	C	316	SER
1	C	359	SER
1	C	375	SER
1	C	494	SER
1	C	498	GLN
1	C	516	GLU
1	C	528	LYS
1	C	556	ASN
1	C	571	ASP
1	C	582	LEU
1	C	583	GLU
1	C	588	THR
1	C	604	THR
1	C	661	GLU
1	C	691	SER
1	C	698	SER
1	C	719	THR
1	C	724	THR
1	C	808	ASP
1	C	813	SER
1	C	827	THR
1	C	828	LEU
1	C	859	THR
1	C	866	THR
1	C	881	THR
1	C	929	SER
1	C	940	SER
1	C	967	SER
1	C	1030	SER
1	C	1123	SER
1	C	1142	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (50) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	115	GLN
1	A	134	GLN
1	A	173	GLN
1	A	314	GLN
1	A	317	ASN
1	A	437	ASN
1	A	448	ASN
1	A	474	GLN
1	A	487	ASN
1	A	498	GLN
1	A	607	GLN
1	A	613	GLN
1	A	779	GLN
1	A	901	GLN
1	A	926	GLN
1	A	954	GLN
1	A	1054	GLN
1	B	69	HIS
1	B	115	GLN
1	B	134	GLN
1	B	173	GLN
1	B	314	GLN
1	B	317	ASN
1	B	439	ASN
1	B	474	GLN
1	B	487	ASN
1	B	498	GLN
1	B	607	GLN
1	B	613	GLN
1	B	779	GLN
1	B	901	GLN
1	B	926	GLN
1	B	954	GLN
1	C	69	HIS
1	C	115	GLN
1	C	134	GLN
1	C	173	GLN
1	C	314	GLN
1	C	317	ASN
1	C	437	ASN
1	C	474	GLN
1	C	487	ASN
1	C	498	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	607	GLN
1	C	779	GLN
1	C	856	ASN
1	C	901	GLN
1	C	926	GLN
1	C	954	GLN
1	C	1054	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

78 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	2,1	14,14,15	0.38	0	17,19,21	0.98	1 (5%)
2	NAG	D	2	2	14,14,15	0.32	0	17,19,21	0.62	0
2	NAG	E	1	2,1	14,14,15	0.36	0	17,19,21	0.95	2 (11%)
2	NAG	E	2	2	14,14,15	0.31	0	17,19,21	0.66	0
2	NAG	F	1	2,1	14,14,15	0.32	0	17,19,21	0.69	0
2	NAG	F	2	2	14,14,15	0.28	0	17,19,21	0.84	1 (5%)
2	NAG	G	1	2,1	14,14,15	0.34	0	17,19,21	0.72	0
2	NAG	G	2	2	14,14,15	0.27	0	17,19,21	0.68	0
2	NAG	H	1	2,1	14,14,15	0.28	0	17,19,21	1.22	2 (11%)
2	NAG	H	2	2	14,14,15	0.29	0	17,19,21	0.80	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	I	1	2,1	14,14,15	0.38	0	17,19,21	0.90	1 (5%)
2	NAG	I	2	2	14,14,15	0.30	0	17,19,21	0.85	0
2	NAG	J	1	2,1	14,14,15	0.29	0	17,19,21	0.73	1 (5%)
2	NAG	J	2	2	14,14,15	0.30	0	17,19,21	0.67	0
2	NAG	K	1	2,1	14,14,15	0.41	0	17,19,21	0.83	1 (5%)
2	NAG	K	2	2	14,14,15	0.34	0	17,19,21	0.50	0
2	NAG	L	1	2,1	14,14,15	0.34	0	17,19,21	0.77	1 (5%)
2	NAG	L	2	2	14,14,15	0.28	0	17,19,21	0.63	0
2	NAG	M	1	2,1	14,14,15	0.32	0	17,19,21	0.64	0
2	NAG	M	2	2	14,14,15	0.30	0	17,19,21	0.72	0
2	NAG	N	1	2,1	14,14,15	0.31	0	17,19,21	1.22	2 (11%)
2	NAG	N	2	2	14,14,15	0.24	0	17,19,21	0.96	1 (5%)
2	NAG	O	1	2,1	14,14,15	0.37	0	17,19,21	1.05	2 (11%)
2	NAG	O	2	2	14,14,15	0.23	0	17,19,21	1.16	2 (11%)
2	NAG	P	1	2,1	14,14,15	0.30	0	17,19,21	0.62	0
2	NAG	P	2	2	14,14,15	0.29	0	17,19,21	0.66	0
2	NAG	Q	1	2,1	14,14,15	0.35	0	17,19,21	0.89	1 (5%)
2	NAG	Q	2	2	14,14,15	0.32	0	17,19,21	0.61	0
2	NAG	R	1	2,1	14,14,15	0.36	0	17,19,21	0.93	2 (11%)
2	NAG	R	2	2	14,14,15	0.31	0	17,19,21	0.67	0
2	NAG	S	1	2,1	14,14,15	0.32	0	17,19,21	0.60	0
2	NAG	S	2	2	14,14,15	0.29	0	17,19,21	0.73	0
2	NAG	T	1	2,1	14,14,15	0.34	0	17,19,21	0.67	0
2	NAG	T	2	2	14,14,15	0.27	0	17,19,21	0.66	0
2	NAG	U	1	2,1	14,14,15	0.30	0	17,19,21	1.21	2 (11%)
2	NAG	U	2	2	14,14,15	0.27	0	17,19,21	0.87	1 (5%)
2	NAG	V	1	2,1	14,14,15	0.36	0	17,19,21	0.82	1 (5%)
2	NAG	V	2	2	14,14,15	0.31	0	17,19,21	0.75	0
2	NAG	W	1	2,1	14,14,15	0.29	0	17,19,21	0.72	1 (5%)
2	NAG	W	2	2	14,14,15	0.30	0	17,19,21	0.64	0
2	NAG	X	1	2,1	14,14,15	0.32	0	17,19,21	0.78	0
2	NAG	X	2	2	14,14,15	0.26	0	17,19,21	0.77	1 (5%)
2	NAG	Y	1	2,1	14,14,15	0.34	0	17,19,21	0.76	1 (5%)
2	NAG	Y	2	2	14,14,15	0.28	0	17,19,21	0.64	0
2	NAG	Z	1	2,1	14,14,15	0.33	0	17,19,21	0.65	0
2	NAG	Z	2	2	14,14,15	0.29	0	17,19,21	0.68	0
2	NAG	a	1	2,1	14,14,15	0.31	0	17,19,21	1.18	2 (11%)
2	NAG	a	2	2	14,14,15	0.26	0	17,19,21	0.98	0
2	NAG	b	1	2,1	14,14,15	0.37	0	17,19,21	1.03	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	b	2	2	14,14,15	0.22	0	17,19,21	1.18	2 (11%)
2	NAG	c	1	2,1	14,14,15	0.31	0	17,19,21	0.64	0
2	NAG	c	2	2	14,14,15	0.30	0	17,19,21	0.66	0
2	NAG	d	1	2,1	14,14,15	0.37	0	17,19,21	0.93	1 (5%)
2	NAG	d	2	2	14,14,15	0.33	0	17,19,21	0.63	0
2	NAG	e	1	2,1	14,14,15	0.35	0	17,19,21	0.92	0
2	NAG	e	2	2	14,14,15	0.29	0	17,19,21	0.66	0
2	NAG	f	1	2,1	14,14,15	0.33	0	17,19,21	0.63	0
2	NAG	f	2	2	14,14,15	0.28	0	17,19,21	0.74	0
2	NAG	g	1	2,1	14,14,15	0.33	0	17,19,21	0.66	0
2	NAG	g	2	2	14,14,15	0.26	0	17,19,21	0.65	0
2	NAG	h	1	2,1	14,14,15	0.30	0	17,19,21	1.25	2 (11%)
2	NAG	h	2	2	14,14,15	0.28	0	17,19,21	0.84	0
2	NAG	i	1	2,1	14,14,15	0.36	0	17,19,21	0.86	1 (5%)
2	NAG	i	2	2	14,14,15	0.31	0	17,19,21	0.83	1 (5%)
2	NAG	j	1	2,1	14,14,15	0.27	0	17,19,21	0.69	0
2	NAG	j	2	2	14,14,15	0.29	0	17,19,21	0.64	0
2	NAG	k	1	2,1	14,14,15	0.33	0	17,19,21	0.80	0
2	NAG	k	2	2	14,14,15	0.27	0	17,19,21	0.83	0
2	NAG	l	1	2,1	14,14,15	0.34	0	17,19,21	0.79	1 (5%)
2	NAG	l	2	2	14,14,15	0.27	0	17,19,21	0.67	0
2	NAG	m	1	2,1	14,14,15	0.31	0	17,19,21	0.68	0
2	NAG	m	2	2	14,14,15	0.28	0	17,19,21	0.69	0
2	NAG	n	1	2,1	14,14,15	0.30	0	17,19,21	1.16	2 (11%)
2	NAG	n	2	2	14,14,15	0.24	0	17,19,21	1.00	0
2	NAG	o	1	2,1	14,14,15	0.36	0	17,19,21	1.06	2 (11%)
2	NAG	o	2	2	14,14,15	0.23	0	17,19,21	1.22	2 (11%)
2	NAG	p	1	2,1	14,14,15	0.29	0	17,19,21	0.67	0
2	NAG	p	2	2	14,14,15	0.31	0	17,19,21	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	F	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	H	2	2	-	4/6/23/26	0/1/1/1
2	NAG	I	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	1/6/23/26	0/1/1/1
2	NAG	J	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	K	2	2	-	4/6/23/26	0/1/1/1
2	NAG	L	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	L	2	2	-	2/6/23/26	0/1/1/1
2	NAG	M	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	M	2	2	-	4/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	N	2	2	-	3/6/23/26	0/1/1/1
2	NAG	O	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	O	2	2	-	5/6/23/26	0/1/1/1
2	NAG	P	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	P	2	2	-	2/6/23/26	0/1/1/1
2	NAG	Q	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	2/6/23/26	0/1/1/1
2	NAG	R	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	R	2	2	-	1/6/23/26	0/1/1/1
2	NAG	S	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	S	2	2	-	4/6/23/26	0/1/1/1
2	NAG	T	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	T	2	2	-	4/6/23/26	0/1/1/1
2	NAG	U	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	U	2	2	-	2/6/23/26	0/1/1/1
2	NAG	V	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
2	NAG	W	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	W	2	2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	X	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	X	2	2	-	4/6/23/26	0/1/1/1
2	NAG	Y	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	4/6/23/26	0/1/1/1
2	NAG	Z	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	4/6/23/26	0/1/1/1
2	NAG	a	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	a	2	2	-	3/6/23/26	0/1/1/1
2	NAG	b	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	b	2	2	-	5/6/23/26	0/1/1/1
2	NAG	c	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	c	2	2	-	2/6/23/26	0/1/1/1
2	NAG	d	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	d	2	2	-	2/6/23/26	0/1/1/1
2	NAG	e	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	e	2	2	-	1/6/23/26	0/1/1/1
2	NAG	f	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	f	2	2	-	2/6/23/26	0/1/1/1
2	NAG	g	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	g	2	2	-	4/6/23/26	0/1/1/1
2	NAG	h	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	h	2	2	-	2/6/23/26	0/1/1/1
2	NAG	i	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	i	2	2	-	1/6/23/26	0/1/1/1
2	NAG	j	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	j	2	2	-	2/6/23/26	0/1/1/1
2	NAG	k	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	k	2	2	-	3/6/23/26	0/1/1/1
2	NAG	l	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	l	2	2	-	2/6/23/26	0/1/1/1
2	NAG	m	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	m	2	2	-	2/6/23/26	0/1/1/1
2	NAG	n	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	n	2	2	-	3/6/23/26	0/1/1/1
2	NAG	o	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	o	2	2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	p	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	p	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	o	1	NAG	C1-O5-C5	3.42	116.83	112.19
2	O	1	NAG	C1-O5-C5	3.36	116.74	112.19
2	o	2	NAG	C2-N2-C7	3.35	127.68	122.90
2	b	1	NAG	C1-O5-C5	3.32	116.69	112.19
2	b	2	NAG	C2-N2-C7	3.22	127.49	122.90
2	D	1	NAG	C1-O5-C5	3.20	116.53	112.19
2	O	2	NAG	C2-N2-C7	3.20	127.46	122.90
2	h	1	NAG	C1-O5-C5	3.08	116.36	112.19
2	N	1	NAG	C2-N2-C7	3.00	127.17	122.90
2	d	1	NAG	C1-O5-C5	2.96	116.21	112.19
2	H	1	NAG	C1-O5-C5	2.94	116.17	112.19
2	a	1	NAG	C2-N2-C7	2.92	127.07	122.90
2	U	1	NAG	C1-O5-C5	2.89	116.11	112.19
2	Q	1	NAG	C1-O5-C5	2.87	116.08	112.19
2	n	1	NAG	C2-N2-C7	2.80	126.88	122.90
2	N	1	NAG	C1-C2-N2	2.78	115.24	110.49
2	h	1	NAG	C2-N2-C7	2.68	126.72	122.90
2	a	1	NAG	C1-C2-N2	2.68	115.07	110.49
2	n	1	NAG	C1-C2-N2	2.63	114.98	110.49
2	H	1	NAG	C2-N2-C7	2.62	126.63	122.90
2	i	1	NAG	C1-O5-C5	2.61	115.72	112.19
2	U	1	NAG	C2-N2-C7	2.59	126.59	122.90
2	I	1	NAG	C1-O5-C5	2.58	115.69	112.19
2	l	1	NAG	C1-O5-C5	2.54	115.63	112.19
2	V	1	NAG	C1-O5-C5	2.53	115.62	112.19
2	X	2	NAG	C1-O5-C5	2.39	115.43	112.19
2	L	1	NAG	C1-O5-C5	2.34	115.36	112.19
2	E	1	NAG	C1-O5-C5	2.32	115.33	112.19
2	O	2	NAG	C4-C3-C2	-2.30	107.64	111.02
2	U	2	NAG	C1-O5-C5	2.30	115.31	112.19
2	b	2	NAG	C4-C3-C2	-2.25	107.71	111.02
2	Y	1	NAG	C1-O5-C5	2.23	115.22	112.19
2	o	2	NAG	C4-C3-C2	-2.23	107.75	111.02
2	F	2	NAG	C4-C3-C2	-2.20	107.80	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1	NAG	C2-N2-C7	-2.19	119.78	122.90
2	R	1	NAG	C1-O5-C5	2.14	115.08	112.19
2	i	2	NAG	C2-N2-C7	-2.13	119.87	122.90
2	R	1	NAG	C2-N2-C7	-2.09	119.93	122.90
2	J	1	NAG	C1-O5-C5	2.09	115.02	112.19
2	o	1	NAG	O4-C4-C3	-2.09	105.53	110.35
2	N	2	NAG	C1-O5-C5	2.08	115.01	112.19
2	W	1	NAG	C1-O5-C5	2.07	114.99	112.19
2	K	1	NAG	C4-C3-C2	2.06	114.04	111.02
2	O	1	NAG	O4-C4-C3	-2.05	105.61	110.35

There are no chirality outliers.

All (187) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	2	NAG	C8-C7-N2-C2
2	H	2	NAG	O7-C7-N2-C2
2	J	2	NAG	C8-C7-N2-C2
2	J	2	NAG	O7-C7-N2-C2
2	O	2	NAG	C3-C2-N2-C7
2	U	2	NAG	C8-C7-N2-C2
2	U	2	NAG	O7-C7-N2-C2
2	W	2	NAG	C8-C7-N2-C2
2	W	2	NAG	O7-C7-N2-C2
2	b	2	NAG	C3-C2-N2-C7
2	h	2	NAG	C8-C7-N2-C2
2	h	2	NAG	O7-C7-N2-C2
2	j	2	NAG	C8-C7-N2-C2
2	j	2	NAG	O7-C7-N2-C2
2	m	1	NAG	O5-C5-C6-O6
2	N	2	NAG	C8-C7-N2-C2
2	N	2	NAG	O7-C7-N2-C2
2	Z	1	NAG	C8-C7-N2-C2
2	Z	1	NAG	O7-C7-N2-C2
2	a	2	NAG	O7-C7-N2-C2
2	G	1	NAG	O5-C5-C6-O6
2	c	2	NAG	O5-C5-C6-O6
2	f	2	NAG	O5-C5-C6-O6
2	K	2	NAG	O5-C5-C6-O6
2	d	1	NAG	O5-C5-C6-O6
2	p	2	NAG	O5-C5-C6-O6
2	K	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	P	2	NAG	O5-C5-C6-O6
2	l	2	NAG	O5-C5-C6-O6
2	K	1	NAG	C4-C5-C6-O6
2	M	1	NAG	C8-C7-N2-C2
2	N	1	NAG	C8-C7-N2-C2
2	N	1	NAG	O7-C7-N2-C2
2	P	1	NAG	C8-C7-N2-C2
2	a	1	NAG	C8-C7-N2-C2
2	a	1	NAG	O7-C7-N2-C2
2	a	2	NAG	C8-C7-N2-C2
2	m	1	NAG	C8-C7-N2-C2
2	m	1	NAG	O7-C7-N2-C2
2	n	1	NAG	C8-C7-N2-C2
2	n	1	NAG	O7-C7-N2-C2
2	n	2	NAG	C8-C7-N2-C2
2	n	2	NAG	O7-C7-N2-C2
2	Y	2	NAG	O5-C5-C6-O6
2	G	1	NAG	C4-C5-C6-O6
2	K	2	NAG	C4-C5-C6-O6
2	P	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
2	M	2	NAG	O5-C5-C6-O6
2	Q	2	NAG	O5-C5-C6-O6
2	Z	1	NAG	O5-C5-C6-O6
2	Z	2	NAG	O5-C5-C6-O6
2	f	2	NAG	C4-C5-C6-O6
2	d	2	NAG	O5-C5-C6-O6
2	d	1	NAG	C4-C5-C6-O6
2	m	1	NAG	C4-C5-C6-O6
2	D	1	NAG	O5-C5-C6-O6
2	M	1	NAG	O5-C5-C6-O6
2	Q	1	NAG	O5-C5-C6-O6
2	S	2	NAG	O5-C5-C6-O6
2	p	2	NAG	C4-C5-C6-O6
2	m	2	NAG	O5-C5-C6-O6
2	c	2	NAG	C4-C5-C6-O6
2	M	1	NAG	O7-C7-N2-C2
2	g	1	NAG	C8-C7-N2-C2
2	L	2	NAG	O5-C5-C6-O6
2	N	1	NAG	C1-C2-N2-C7
2	a	1	NAG	C1-C2-N2-C7
2	n	1	NAG	C1-C2-N2-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	Z	1	NAG	C4-C5-C6-O6
2	g	1	NAG	O5-C5-C6-O6
2	S	2	NAG	C4-C5-C6-O6
2	l	1	NAG	O5-C5-C6-O6
2	P	1	NAG	O7-C7-N2-C2
2	X	2	NAG	C8-C7-N2-C2
2	c	1	NAG	C8-C7-N2-C2
2	e	1	NAG	C8-C7-N2-C2
2	f	1	NAG	C8-C7-N2-C2
2	g	1	NAG	O7-C7-N2-C2
2	g	2	NAG	C8-C7-N2-C2
2	k	2	NAG	C8-C7-N2-C2
2	k	2	NAG	O7-C7-N2-C2
2	p	1	NAG	C8-C7-N2-C2
2	p	1	NAG	O7-C7-N2-C2
2	k	1	NAG	O5-C5-C6-O6
2	L	2	NAG	C4-C5-C6-O6
2	Y	2	NAG	C4-C5-C6-O6
2	l	2	NAG	C4-C5-C6-O6
2	m	2	NAG	C4-C5-C6-O6
2	g	2	NAG	O5-C5-C6-O6
2	p	1	NAG	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6
2	T	1	NAG	O5-C5-C6-O6
2	c	1	NAG	O5-C5-C6-O6
2	M	1	NAG	C4-C5-C6-O6
2	Q	1	NAG	C4-C5-C6-O6
2	X	2	NAG	O5-C5-C6-O6
2	e	1	NAG	O5-C5-C6-O6
2	N	2	NAG	C1-C2-N2-C7
2	a	2	NAG	C1-C2-N2-C7
2	n	2	NAG	C1-C2-N2-C7
2	g	2	NAG	C4-C5-C6-O6
2	b	2	NAG	C4-C5-C6-O6
2	X	2	NAG	C4-C5-C6-O6
2	X	1	NAG	O5-C5-C6-O6
2	T	2	NAG	O5-C5-C6-O6
2	l	1	NAG	C4-C5-C6-O6
2	L	1	NAG	O5-C5-C6-O6
2	g	1	NAG	C4-C5-C6-O6
2	O	2	NAG	C8-C7-N2-C2
2	c	1	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	e	1	NAG	O7-C7-N2-C2
2	f	1	NAG	O7-C7-N2-C2
2	g	2	NAG	O7-C7-N2-C2
2	S	1	NAG	O5-C5-C6-O6
2	S	1	NAG	C4-C5-C6-O6
2	T	2	NAG	C4-C5-C6-O6
2	S	2	NAG	C8-C7-N2-C2
2	E	2	NAG	O5-C5-C6-O6
2	Z	2	NAG	C4-C5-C6-O6
2	X	2	NAG	O7-C7-N2-C2
2	M	2	NAG	C8-C7-N2-C2
2	D	2	NAG	C4-C5-C6-O6
2	M	2	NAG	C4-C5-C6-O6
2	Q	2	NAG	C4-C5-C6-O6
2	e	1	NAG	C4-C5-C6-O6
2	k	1	NAG	C4-C5-C6-O6
2	E	1	NAG	C8-C7-N2-C2
2	O	2	NAG	O7-C7-N2-C2
2	Q	1	NAG	C8-C7-N2-C2
2	S	1	NAG	C8-C7-N2-C2
2	d	1	NAG	C8-C7-N2-C2
2	T	1	NAG	C4-C5-C6-O6
2	b	2	NAG	O5-C5-C6-O6
2	d	2	NAG	C4-C5-C6-O6
2	c	1	NAG	C4-C5-C6-O6
2	p	1	NAG	C4-C5-C6-O6
2	D	1	NAG	C8-C7-N2-C2
2	S	2	NAG	O7-C7-N2-C2
2	e	2	NAG	O5-C5-C6-O6
2	R	1	NAG	C8-C7-N2-C2
2	O	2	NAG	C4-C5-C6-O6
2	o	2	NAG	C3-C2-N2-C7
2	F	2	NAG	C8-C7-N2-C2
2	M	2	NAG	O7-C7-N2-C2
2	b	2	NAG	C8-C7-N2-C2
2	R	2	NAG	O5-C5-C6-O6
2	S	1	NAG	O7-C7-N2-C2
2	H	2	NAG	C4-C5-C6-O6
2	Q	1	NAG	O7-C7-N2-C2
2	H	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O7-C7-N2-C2
2	b	2	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	d	1	NAG	O7-C7-N2-C2
2	G	2	NAG	C4-C5-C6-O6
2	I	2	NAG	O5-C5-C6-O6
2	D	1	NAG	O7-C7-N2-C2
2	G	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O7-C7-N2-C2
2	L	1	NAG	C4-C5-C6-O6
2	R	1	NAG	O7-C7-N2-C2
2	X	1	NAG	C4-C5-C6-O6
2	R	1	NAG	C4-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	H	1	NAG	C3-C2-N2-C7
2	Y	1	NAG	O5-C5-C6-O6
2	G	1	NAG	C8-C7-N2-C2
2	k	2	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
2	K	2	NAG	C8-C7-N2-C2
2	F	1	NAG	C8-C7-N2-C2
2	T	2	NAG	C8-C7-N2-C2
2	Y	2	NAG	C8-C7-N2-C2
2	Z	2	NAG	C8-C7-N2-C2
2	E	1	NAG	C4-C5-C6-O6
2	O	2	NAG	O5-C5-C6-O6
2	F	1	NAG	O7-C7-N2-C2
2	K	2	NAG	O7-C7-N2-C2
2	P	1	NAG	O5-C5-C6-O6
2	G	1	NAG	O7-C7-N2-C2
2	Y	2	NAG	O7-C7-N2-C2
2	U	1	NAG	C3-C2-N2-C7
2	h	1	NAG	C3-C2-N2-C7
2	i	2	NAG	O5-C5-C6-O6
2	T	2	NAG	O7-C7-N2-C2
2	Z	2	NAG	O7-C7-N2-C2
2	U	1	NAG	C1-C2-N2-C7


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	U	1	NAG	1	0
2	H	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















































































































5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	B	1602	1	14,14,15	0.28	0	17,19,21	0.86	1 (5%)
3	NAG	C	1603	1	14,14,15	0.30	0	17,19,21	0.71	0
3	NAG	C	1604	1	14,14,15	0.30	0	17,19,21	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ELA	A	1607	-	19,19,19	0.79	1 (5%)	19,19,19	0.79	0
3	NAG	C	1605	1	14,14,15	0.38	0	17,19,21	1.14	1 (5%)
5	VCG	B	1607	-	42,42,42	3.01	8 (19%)	46,47,47	0.95	5 (10%)
4	ELA	A	1606	-	19,19,19	0.79	1 (5%)	19,19,19	0.75	0
3	NAG	B	1603	1	14,14,15	0.29	0	17,19,21	0.68	0
3	NAG	A	1602	1	14,14,15	0.27	0	17,19,21	0.84	1 (5%)
3	NAG	C	1601	1	14,14,15	0.27	0	17,19,21	0.86	1 (5%)
5	VCG	A	1609	-	42,42,42	3.00	8 (19%)	46,47,47	0.94	3 (6%)
3	NAG	B	1604	1	14,14,15	0.18	0	17,19,21	0.40	0
3	NAG	C	1602	1	14,14,15	0.29	0	17,19,21	0.84	1 (5%)
5	VCG	A	1608	-	42,42,42	3.00	8 (19%)	46,47,47	0.95	4 (8%)
4	ELA	B	1606	-	19,19,19	0.78	1 (5%)	19,19,19	0.72	0
3	NAG	A	1601	1	14,14,15	0.27	0	17,19,21	0.78	0
3	NAG	A	1603	1	14,14,15	0.29	0	17,19,21	0.68	0
3	NAG	B	1601	1	14,14,15	0.29	0	17,19,21	0.90	1 (5%)
3	NAG	B	1605	1	14,14,15	0.39	0	17,19,21	1.09	1 (5%)
3	NAG	A	1604	1	14,14,15	0.31	0	17,19,21	0.69	0
3	NAG	A	1605	1	14,14,15	0.38	0	17,19,21	1.22	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	1602	1	-	3/6/23/26	0/1/1/1
3	NAG	C	1603	1	-	2/6/23/26	0/1/1/1
3	NAG	C	1604	1	-	4/6/23/26	0/1/1/1
4	ELA	A	1607	-	-	8/17/17/17	-
3	NAG	C	1605	1	-	4/6/23/26	0/1/1/1
5	VCG	B	1607	-	-	27/41/53/53	0/1/1/1
4	ELA	A	1606	-	-	9/17/17/17	-
3	NAG	B	1603	1	-	2/6/23/26	0/1/1/1
3	NAG	A	1602	1	-	3/6/23/26	0/1/1/1
3	NAG	C	1601	1	-	2/6/23/26	0/1/1/1
5	VCG	A	1609	-	-	29/41/53/53	0/1/1/1
3	NAG	B	1604	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1602	1	-	3/6/23/26	0/1/1/1
5	VCG	A	1608	-	-	27/41/53/53	0/1/1/1
4	ELA	B	1606	-	-	10/17/17/17	-
3	NAG	A	1601	1	-	4/6/23/26	0/1/1/1
3	NAG	A	1603	1	-	2/6/23/26	0/1/1/1
3	NAG	B	1601	1	-	2/6/23/26	0/1/1/1
3	NAG	B	1605	1	-	4/6/23/26	0/1/1/1
3	NAG	A	1604	1	-	2/6/23/26	0/1/1/1
3	NAG	A	1605	1	-	2/6/23/26	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1607	VCG	C28-C27	-13.89	1.22	1.52
5	A	1608	VCG	C28-C27	-13.86	1.22	1.52
5	A	1609	VCG	C28-C27	-13.83	1.22	1.52
5	A	1608	VCG	C28-C29	8.02	1.64	1.52
5	B	1607	VCG	C28-C29	8.01	1.64	1.52
5	A	1609	VCG	C28-C29	7.98	1.64	1.52
5	A	1609	VCG	O30-C29	-6.42	1.28	1.42
5	A	1608	VCG	O30-C29	-6.42	1.28	1.42
5	B	1607	VCG	O30-C29	-6.41	1.28	1.42
5	A	1609	VCG	C26-C25	-4.85	1.43	1.52
5	A	1608	VCG	C26-C25	-4.83	1.43	1.52
5	B	1607	VCG	C26-C25	-4.82	1.43	1.52
5	B	1607	VCG	O35-C27	4.34	1.52	1.43
5	A	1609	VCG	O35-C27	4.33	1.52	1.43
5	A	1608	VCG	O35-C27	4.33	1.52	1.43
5	A	1608	VCG	O20-C18	3.31	1.43	1.33
5	A	1609	VCG	O20-C18	3.31	1.43	1.33
5	B	1607	VCG	O20-C18	3.28	1.42	1.33
4	A	1607	ELA	OXT-C	2.96	1.40	1.30
4	A	1606	ELA	OXT-C	2.96	1.40	1.30
4	B	1606	ELA	OXT-C	2.91	1.40	1.30
5	B	1607	VCG	C24-C25	2.41	1.59	1.51
5	A	1608	VCG	C24-C25	2.37	1.59	1.51
5	A	1609	VCG	C24-C25	2.36	1.58	1.51
5	A	1609	VCG	C26-C27	2.16	1.58	1.52
5	B	1607	VCG	C26-C27	2.15	1.58	1.52
5	A	1608	VCG	C26-C27	2.09	1.58	1.52

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1605	NAG	C1-O5-C5	3.84	117.40	112.19
3	B	1605	NAG	C1-O5-C5	3.67	117.16	112.19
3	C	1605	NAG	C1-O5-C5	3.59	117.06	112.19
5	B	1607	VCG	O20-C18-C17	2.62	120.12	111.91
5	A	1608	VCG	O20-C18-C17	2.59	120.03	111.91
5	A	1609	VCG	O20-C18-C17	2.56	119.93	111.91
3	C	1602	NAG	C4-C3-C2	-2.42	107.47	111.02
3	B	1602	NAG	C4-C3-C2	-2.42	107.47	111.02
3	A	1602	NAG	C4-C3-C2	-2.41	107.48	111.02
5	A	1608	VCG	C24-C25-C26	-2.29	109.45	113.48
5	B	1607	VCG	C24-C25-C26	-2.29	109.46	113.48
5	A	1609	VCG	C24-C25-C26	-2.27	109.50	113.48
3	B	1601	NAG	C4-C3-C2	-2.25	107.72	111.02
5	A	1608	VCG	C29-O30-C26	-2.24	103.58	107.67
5	A	1609	VCG	C29-O30-C26	-2.21	103.64	107.67
3	C	1601	NAG	C4-C3-C2	-2.19	107.81	111.02
5	B	1607	VCG	C29-O30-C26	-2.14	103.76	107.67
5	B	1607	VCG	C25-C26-C27	-2.04	111.97	115.73
5	A	1608	VCG	C25-C26-C27	-2.02	111.99	115.73
5	B	1607	VCG	O30-C29-O31	-2.01	109.98	111.69

There are no chirality outliers.

All (151) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1601	NAG	C8-C7-N2-C2
3	A	1601	NAG	O7-C7-N2-C2
3	A	1602	NAG	C8-C7-N2-C2
3	A	1602	NAG	O7-C7-N2-C2
3	B	1601	NAG	C8-C7-N2-C2
3	B	1601	NAG	O7-C7-N2-C2
3	B	1602	NAG	C8-C7-N2-C2
3	B	1602	NAG	O7-C7-N2-C2
3	C	1601	NAG	C8-C7-N2-C2
3	C	1601	NAG	O7-C7-N2-C2
3	C	1602	NAG	C8-C7-N2-C2
3	C	1602	NAG	O7-C7-N2-C2
5	A	1608	VCG	O23-C24-C25-C26
5	A	1608	VCG	C24-C25-C26-C27
5	A	1608	VCG	C24-C25-C26-O30
5	A	1608	VCG	O39-C25-C26-C27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	1608	VCG	O39-C25-C26-O30
5	A	1608	VCG	C24-C25-O39-C40
5	A	1608	VCG	C28-C27-O35-C36
5	A	1609	VCG	O19-C18-O20-C21
5	A	1609	VCG	O23-C24-C25-C26
5	A	1609	VCG	C24-C25-C26-C27
5	A	1609	VCG	C24-C25-C26-O30
5	A	1609	VCG	O39-C25-C26-C27
5	A	1609	VCG	O39-C25-C26-O30
5	A	1609	VCG	C24-C25-O39-C40
5	A	1609	VCG	C28-C27-O35-C36
5	B	1607	VCG	O23-C24-C25-C26
5	B	1607	VCG	C24-C25-C26-C27
5	B	1607	VCG	C24-C25-C26-O30
5	B	1607	VCG	O39-C25-C26-C27
5	B	1607	VCG	O39-C25-C26-O30
5	B	1607	VCG	C24-C25-O39-C40
5	B	1607	VCG	C28-C27-O35-C36
5	B	1607	VCG	O19-C18-O20-C21
5	B	1607	VCG	C17-C18-O20-C21
5	A	1608	VCG	O19-C18-O20-C21
5	A	1608	VCG	C17-C18-O20-C21
5	A	1609	VCG	C17-C18-O20-C21
3	C	1604	NAG	O5-C5-C6-O6
3	A	1604	NAG	O5-C5-C6-O6
3	B	1605	NAG	C4-C5-C6-O6
3	C	1605	NAG	C4-C5-C6-O6
3	C	1605	NAG	O5-C5-C6-O6
3	A	1604	NAG	C4-C5-C6-O6
3	C	1604	NAG	C4-C5-C6-O6
5	B	1607	VCG	C03-C04-C05-C06
5	A	1608	VCG	C05-C06-C07-C08
3	B	1605	NAG	O5-C5-C6-O6
5	A	1608	VCG	O23-C24-C25-O39
5	A	1609	VCG	O23-C24-C25-O39
5	B	1607	VCG	O23-C24-C25-O39
5	A	1608	VCG	C13-C14-C15-C16
3	A	1605	NAG	C8-C7-N2-C2
3	C	1605	NAG	C8-C7-N2-C2
5	A	1609	VCG	O35-C36-C37-O38
3	A	1605	NAG	O7-C7-N2-C2
3	B	1605	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	1605	NAG	O7-C7-N2-C2
5	B	1607	VCG	C13-C14-C15-C16
5	A	1609	VCG	C13-C14-C15-C16
3	C	1603	NAG	O5-C5-C6-O6
3	A	1601	NAG	O5-C5-C6-O6
3	A	1603	NAG	O5-C5-C6-O6
5	B	1607	VCG	C05-C06-C07-C08
5	B	1607	VCG	C15-C16-C17-C18
3	A	1601	NAG	C4-C5-C6-O6
3	C	1603	NAG	C4-C5-C6-O6
5	A	1608	VCG	C15-C16-C17-C18
5	A	1608	VCG	O35-C36-C37-O38
5	B	1607	VCG	O35-C36-C37-O38
3	A	1603	NAG	C4-C5-C6-O6
3	B	1603	NAG	O5-C5-C6-O6
3	B	1603	NAG	C4-C5-C6-O6
3	B	1605	NAG	O7-C7-N2-C2
5	A	1608	VCG	O31-C32-C33-O34
5	A	1609	VCG	O31-C32-C33-O34
5	B	1607	VCG	O31-C32-C33-O34
3	B	1604	NAG	O5-C5-C6-O6
4	A	1607	ELA	C11-C12-C13-C14
4	B	1606	ELA	C3-C4-C5-C6
4	B	1606	ELA	C11-C12-C13-C14
5	B	1607	VCG	C14-C15-C16-C17
4	B	1606	ELA	C4-C3-CA-C
4	A	1607	ELA	C5-C6-C7-C8
5	B	1607	VCG	C12-C13-C14-C15
4	A	1606	ELA	C5-C6-C7-C8
4	A	1606	ELA	C12-C13-C14-C15
4	B	1606	ELA	C5-C6-C7-C8
5	A	1609	VCG	C05-C06-C07-C08
5	A	1609	VCG	C06-C07-C08-C09
4	B	1606	ELA	C4-C5-C6-C7
4	A	1607	ELA	C4-C3-CA-C
4	A	1606	ELA	C6-C7-C8-C9
4	A	1606	ELA	C10-C11-C12-C13
4	A	1606	ELA	C14-C15-C16-C17
4	B	1606	ELA	C12-C13-C14-C15
5	A	1609	VCG	C12-C13-C14-C15
5	A	1608	VCG	C07-C08-C09-C10
5	B	1607	VCG	C01-C02-C03-C04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	1607	ELA	C12-C13-C14-C15
4	A	1607	ELA	C6-C7-C8-C9
5	B	1607	VCG	C11-C12-C13-C14
5	A	1609	VCG	C14-C15-C16-C17
5	A	1609	VCG	C04-C05-C06-C07
5	A	1608	VCG	C12-C13-C14-C15
4	A	1606	ELA	C4-C3-CA-C
3	B	1602	NAG	C4-C5-C6-O6
4	B	1606	ELA	C10-C11-C12-C13
5	A	1608	VCG	C01-C02-C03-C04
4	A	1606	ELA	C11-C12-C13-C14
5	A	1609	VCG	O20-C21-C22-O23
3	C	1602	NAG	C4-C5-C6-O6
5	A	1609	VCG	C01-C02-C03-C04
5	A	1609	VCG	O39-C40-C41-O42
5	A	1609	VCG	C26-C27-O35-C36
3	C	1604	NAG	C8-C7-N2-C2
4	A	1607	ELA	C4-C5-C6-C7
4	A	1606	ELA	C4-C5-C6-C7
3	A	1602	NAG	C4-C5-C6-O6
5	A	1608	VCG	C09-C10-C11-C12
5	B	1607	VCG	C37-C36-O35-C27
4	A	1607	ELA	C10-C11-C12-C13
4	B	1606	ELA	C6-C7-C8-C9
5	A	1608	VCG	C37-C36-O35-C27
5	A	1609	VCG	C37-C36-O35-C27
5	A	1608	VCG	C41-C40-O39-C25
5	B	1607	VCG	O39-C40-C41-O42
5	A	1609	VCG	C41-C40-O39-C25
5	B	1607	VCG	C41-C40-O39-C25
5	A	1608	VCG	C11-C12-C13-C14
3	B	1604	NAG	C4-C5-C6-O6
3	C	1604	NAG	O7-C7-N2-C2
5	B	1607	VCG	C04-C05-C06-C07
5	A	1609	VCG	C21-C22-O23-C24
5	A	1608	VCG	O39-C40-C41-O42
4	B	1606	ELA	O-C-CA-C3
5	A	1609	VCG	C09-C10-C11-C12
4	A	1606	ELA	CA-C3-C4-C5
5	B	1607	VCG	C21-C22-O23-C24
4	B	1606	ELA	OXT-C-CA-C3
5	A	1608	VCG	C21-C22-O23-C24

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	1608	VCG	O20-C21-C22-O23
4	A	1607	ELA	C3-C4-C5-C6
5	A	1608	VCG	O30-C29-O31-C32
5	A	1608	VCG	C33-C32-O31-C29
5	A	1609	VCG	O30-C29-O31-C32
5	A	1609	VCG	C33-C32-O31-C29
5	B	1607	VCG	O30-C29-O31-C32
5	B	1607	VCG	C33-C32-O31-C29
5	A	1609	VCG	C03-C04-C05-C06


There are no ring outliers.

4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1602	NAG	1	0
4	A	1607	ELA	1	0
3	C	1602	NAG	1	0
4	B	1606	ELA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand VCG A 1609



Ligand VCG A 1608





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30998. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 136



Y Index: 135




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.013. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 199 nm^3 ; this corresponds to an approximate mass of 180 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.64	3.00	2.71
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30998 and PDB model 7E7B. Per-residue inclusion information can be found in section [3](#) on page [11](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.013 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.013).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.013) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9380	 0.6140
A	 0.9470	 0.6200
B	 0.9470	 0.6190
C	 0.9500	 0.6200
D	 0.7140	 0.5420
E	 0.8930	 0.5300
F	 0.7140	 0.4740
G	 0.6070	 0.4410
H	 0.5000	 0.3480
I	 0.8930	 0.5710
J	 0.8930	 0.5780
K	 0.6430	 0.3330
L	 0.7500	 0.4680
M	 0.5360	 0.3970
N	 0.8930	 0.5160
O	 0.7860	 0.5380
P	 0.8210	 0.5110
Q	 0.7140	 0.5490
R	 0.8570	 0.5320
S	 0.7500	 0.4830
T	 0.6430	 0.4140
U	 0.4290	 0.3450
V	 0.8210	 0.5640
W	 0.8930	 0.5640
X	 0.6070	 0.3460
Y	 0.7500	 0.5000
Z	 0.5000	 0.3610
a	 0.8930	 0.5250
b	 0.7500	 0.5200
c	 0.7860	 0.5090
d	 0.7140	 0.5410
e	 0.8930	 0.5390
f	 0.7140	 0.4700
g	 0.5710	 0.4250
h	 0.4640	 0.3300



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.8930	 0.5670
j	 0.8930	 0.5710
k	 0.6430	 0.3460
l	 0.7500	 0.4730
m	 0.4640	 0.3880
n	 0.8930	 0.5240
o	 0.7500	 0.5380
p	 0.8210	 0.5150