



## Full wwPDB EM Validation Report ⓘ

Jul 3, 2024 – 07:45 am BST

PDB ID : 7OF6  
EMDB ID : EMD-12871  
Title : Structure of mature human mitochondrial ribosome large subunit in complex with GTPBP6 (PTC conformation 2).  
Authors : Hillen, H.S.; Lavdovskaia, E.; Nadler, F.; Hanitsch, E.; Linden, A.; Bohnsack, K.E.; Urlaub, H.; Richter-Dennerlein, R.  
Deposited on : 2021-05-04  
Resolution : 2.60 Å (reported)  
Based on initial model : 5OOL

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	188	57% 43%
2	1	65	80% 20%
3	2	92	49% 51%
4	3	188	51% 49%
5	4	103	36% 64%
6	5	423	92% 7%
7	6	380	85% 15%
8	7	338	84% 15%





















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	8	206	 5% 37% 63%
10	9	137	 85% 15%
11	A	1559	 73% 21% 6%
12	B	69	 58% 23% 19%
13	C	516	 82% 18%
14	D	305	 77% 23%
15	E	348	 88% 12%
16	F	311	 80% 20%
17	H	267	 36% 64%
18	I	261	 61% 39%
19	J	192	 73% 27%
20	K	178	 99%
21	L	145	 79% 21%
22	M	296	 97%
23	N	251	 81% 18%
24	O	175	 87% 13%
25	P	180	 78% 22%
26	Q	292	 74% 26%
27	R	149	 94% 6%
28	S	205	 76% 24%
29	T	206	 81% 19%
30	U	153	 91% 9%
31	V	216	 88% 12%
32	W	148	 74% 26%
33	X	256	 95% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Y	250	 70% 30%
35	Z	161	 74% 25%
36	a	142	 58% 42%
37	b	215	 69% 31%
38	c	332	 83% 17%
39	d	306	 68% 32%
40	e	279	 20% 71% 29%
41	f	212	 50% 50%
42	g	166	 78% 22%
43	h	158	 66% 34%
44	i	128	 76% 24%
45	j	123	 67% 32%
46	k	112	 71% 29%
47	l	138	 17% 83%
48	m	128	 34% 65%
49	o	102	 92% 8%
50	p	206	 62% 38%
51	q	222	 54% 46%
52	r	196	 80% 20%
53	s	439	 84% 16%

## 2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 100321 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	108	880	545	172	157	6	0	0

- Molecule 2 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	52	433	278	83	70	2	0	0

- Molecule 3 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	45	367	227	81	58	1	0	0

- Molecule 4 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	95	831	539	162	127	3	0	0

- Molecule 5 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	37	333	212	71	47	3	0	0

- Molecule 6 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	5	392	3199	2067	558	563	11	0	0

- Molecule 7 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	6	324	2723	1743	488	484	8	0	0

- Molecule 8 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	7	287	2334	1495	397	425	17	0	0

- Molecule 9 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	8	77	651	413	113	123	2	0	0

- Molecule 10 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	9	117	947	614	163	168	2	0	0

- Molecule 11 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
11	A	1463	31075	13943	5609	10060	1463	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3107	U	N	conflict	GB 1025814679

- Molecule 12 is a RNA chain called Mitochondrial tRNAVal.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
12	B	56	1191	534	214	387	56	0	0

- Molecule 13 is a protein called Putative GTP-binding protein 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	C	422	3313	2097	607	596	13	0	0

- Molecule 14 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	D	236	1842	1145	373	315	9	0	0

- Molecule 15 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	E	305	2405	1545	418	431	11	0	0

- Molecule 16 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	F	250	2013	1294	365	348	6	0	0

- Molecule 17 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
17	H	95	784	498	152	134	0	0

- Molecule 18 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	I	158	1283	828	235	210	10	0	0

- Molecule 19 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	J	140	1061	680	192	187	2	0	0

- Molecule 20 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	K	177	1451	934	259	251	7	0	0

- Molecule 21 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	L	115	889	559	171	154	5	0	0

- Molecule 22 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	M	287	2305	1472	425	402	6	0	0

- Molecule 23 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	N	205	1654	1056	308	280	10	0	0

- Molecule 24 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	O	152	1245	784	239	215	7	0	0

- Molecule 25 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	P	141	1148	719	221	203	5	0	0

- Molecule 26 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	Q	217	1805	1159	317	320	9	0	0

- Molecule 27 is a protein called 39S ribosomal protein L20, mitochondrial.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	R	140	1153	732	231	186	4	0	0

- Molecule 28 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	S	156	1251	806	222	219	4	0	0

- Molecule 29 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	T	166	1368	875	254	232	7	0	0

- Molecule 30 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	U	139	1154	734	220	197	3	0	0

- Molecule 31 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	V	191	1568	999	280	281	8	0	0

- Molecule 32 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	W	109	859	552	162	142	3	0	0

- Molecule 33 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	X	243	2035	1317	351	362	5	0	0

- Molecule 34 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Y	176	Total	C	N	O	S	0	0
			1517	970	291	252	4		

- Molecule 35 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Z	120	Total	C	N	O	S	0	0
			978	626	183	166	3		

- Molecule 36 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	a	82	Total	C	N	O	S	0	0
			686	434	124	123	5		

- Molecule 37 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	b	148	Total	C	N	O	S	0	0
			1178	733	229	213	3		

- Molecule 38 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	c	275	Total	C	N	O	S	0	0
			2217	1415	383	410	9		

- Molecule 39 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	d	208	Total	C	N	O	S	0	0
			1731	1121	295	306	9		

- Molecule 40 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	e	197	Total	C	N	O	S	0	0
			1599	1027	277	290	5		

- Molecule 41 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	f	105	834	535	136	160	3	0	0

- Molecule 42 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	g	129	1067	690	185	190	2	0	0

- Molecule 43 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	h	105	862	548	151	160	3	0	0

- Molecule 44 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	i	97	827	532	165	126	4	0	0

- Molecule 45 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	j	84	679	420	132	125	2	0	0

- Molecule 46 is a protein called 39S ribosomal protein L53, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	k	80	627	392	116	114	5	0	0

- Molecule 47 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
47	l	23	221	137	52	32	0	0

- Molecule 48 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	m	45	372	232	76	62	2	0	0

- Molecule 49 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	o	94	797	501	165	128	3	0	0

- Molecule 50 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	p	127	1058	661	201	192	4	0	0

- Molecule 51 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	q	120	1011	633	194	179	5	0	0

- Molecule 52 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	r	157	1287	817	247	215	8	0	0

- Molecule 53 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	s	370	3036	1946	542	534	14	0	0

- Molecule 54 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
54	0	1	Total	Zn	0
			1	1	
54	4	1	Total	Zn	0
			1	1	

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
54	r	1	Total	Zn	0
			1	1	

- Molecule 55 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
55	A	85	Total	Mg	0
			85	85	
55	E	1	Total	Mg	0
			1	1	
55	T	1	Total	Mg	0
			1	1	
55	g	1	Total	Mg	0
			1	1	

- Molecule 56 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
56	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
56	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
56	C	1	Total	C	N	O	P	0
			32	10	5	14	3	









- Molecule 6: 39S ribosomal protein L37, mitochondrial





- Molecule 7: 39S ribosomal protein L38, mitochondrial





- Molecule 8: 39S ribosomal protein L39, mitochondrial



- Molecule 9: 39S ribosomal protein L40, mitochondrial




- Molecule 10: 39S ribosomal protein L41, mitochondrial




● Molecule 11: 16S ribosomal RNA

Chain A:



● Molecule 12: Mitochondrial tRNA<sup>Val</sup>


Chain B:




● Molecule 13: Putative GTP-binding protein 6









• Molecule 19: 39S ribosomal protein L11, mitochondrial




• Molecule 20: 39S ribosomal protein L13, mitochondrial





• Molecule 21: 39S ribosomal protein L14, mitochondrial




• Molecule 22: 39S ribosomal protein L15, mitochondrial




• Molecule 23: 39S ribosomal protein L16, mitochondrial





• Molecule 24: 39S ribosomal protein L17, mitochondrial







- Molecule 25: 39S ribosomal protein L18, mitochondrial

Chain P:  78% 22%




- Molecule 26: 39S ribosomal protein L19, mitochondrial

Chain Q:  74% 26%




- Molecule 27: 39S ribosomal protein L20, mitochondrial

Chain R:  94% 6%





- Molecule 28: 39S ribosomal protein L21, mitochondrial

Chain S:  76% 24%




- Molecule 29: 39S ribosomal protein L22, mitochondrial

Chain T:  81% 19%



- Molecule 30: 39S ribosomal protein L23, mitochondrial

Chain U:  91% 9%




- Molecule 31: 39S ribosomal protein L24, mitochondrial





LEU  
LYS

- Molecule 42: 39S ribosomal protein L49, mitochondrial

Chain g:  78% 22%

MET	ALA	ALA	THR	ARG	MET	PHE	ARG	ALA	THR	ARG	GLY	TRP	ARG	THR	GLY	VAL	GLN	ARG	GLY	CYS	GLY	LEU	LEU	LEU	LEU	LEU	LEU	PRO	GLN	THR	GLN	GLY	PRO	PRO	ASP	TYR	PRO	PRO	ARG	F38	F166
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

- Molecule 43: 39S ribosomal protein L50, mitochondrial

Chain h:  66% 34%

MET	ALA	ALA	ASN	LEU	VAL	GLY	ILE	THR	ARG	ARG	VAL	PHE	MET	TRP	THR	VAL	PRO	GLY	THR	CYS	ARG	GLU	PHE	TRP	TRP	THR	PHE	ARG	LYS	GLU	LYS	GLU	GLU	VAL	VAL	THR	VAL	GLU	GLU	LYS	LYS	GLU	PRO	PRO	ILE	LEU	V51	H	F78	GLY	SER	SER	L92	Y158
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	-----	-----	-----	-----	-----	------

- Molecule 44: 39S ribosomal protein L51, mitochondrial

Chain i:  76% 24%

MET	ALA	GLY	ASN	LEU	THR	VAL	GLY	ALA	GLY	ARG	ARG	LEU	TRP	ASP	VAL	PRO	LEU	ALA	CYS	ARG	TRP	SER	PHE	LEU	LEU	GLY	VAL	PRO	ARG	ARG	LEU	L92	H	R128
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	------

- Molecule 45: 39S ribosomal protein L52, mitochondrial

Chain j:  67% 32%

MET	ALA	ALA	LEU	THR	VAL	LEU	PHE	GLY	THR	GLY	VAL	ARG	ARG	LEU	HIS	CYS	SER	VAL	VAL	ALA	ALA	ALA	ALA	ALA	G24	R70	N107	ALA	LEU	LYS	PRO	LYS	GLY	ALA	ALA	SER	LEU	LYS	SER	PRO	PRO	LEU	PRO	SER	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 46: 39S ribosomal protein L53, mitochondrial

Chain k:  71% 29%

MET	ALA	ALA	LYS	ARG	ALA	LEU	GLY	THR	ARG	ARG	PRO	V13	H	R56	HIS	ASP	GLY	SER	R61	H	R96	ASP	ALA	ALA	GLY	SER	GLY	ARG	LEU	LEU	LEU	PRO	GLY	ALA	ALA	ASP	THR	GLY	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	-----	-----	-----	-----	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 47: 39S ribosomal protein L54, mitochondrial

Chain l:  17% 83%

MET	ALA	LYS	ARG	PHE	GLY	ALA	THR	ARG	ARG	THR	TRP	ALA	GLY	VAL	ASN	TRP	ILE	GLY	TRP	LYS	GLY	GLU	GLN	ASP	PRO	VAL	PRO	THR	SER	GLY	ARG	LEU	LEU	ALA	ALA	TYR	PRO	GLU	TRP	TRP	LEU	LEU	PHE	GLU	GLY	MET	ASN	VAL	LEU	GLY	LYS	PRO	PRO	ALA	LYS	THR	SER	LEU	GLY	GLY	GLY	GLY	VAL	THR	SER	GLU	GLU	ALA	ALA	LEU	LYS	ASP	PRO	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

VAL	CYS	THR	ASP	PRO	VAL	GLN	LEU	THR	THR	TYR	ALA	MET	GLY	VAL	ASN	TRP	ILE	GLY	TRP	LYS	GLY	GLU	GLN	ASP	PRO	VAL	PRO	THR	SER	GLY	ARG	LEU	LEU	ALA	ALA	TYR	PRO	GLU	TRP	TRP	LEU	LEU	PHE	GLU	GLY	MET	ASN	VAL	LEU	GLY	LYS	PRO	PRO	ALA	LYS	THR	SER	LEU	GLY	GLY	GLY	VAL	THR	SER	GLU	GLU	ALA	ALA	LEU	LYS	ASP	PRO	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 48: 39S ribosomal protein L55, mitochondrial



LEU	GLU
ASP	GLU
LEU	LYS
A140	SER
K430	GLN
	LEU
	LEU
	GLU
	ASN



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	250244	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.102	Depositor
Minimum map value	-0.026	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0062	Depositor
Map size (Å)	367.49997, 367.49997, 367.49997	wwPDB
Map dimensions	350, 350, 350	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.05, 1.05, 1.05	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, OMG, OMU, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.25	0/895	0.53	0/1201
2	1	0.25	0/438	0.56	0/583
3	2	0.23	0/373	0.56	0/496
4	3	0.25	0/852	0.52	0/1136
5	4	0.26	0/341	0.57	0/451
6	5	0.25	0/3294	0.48	0/4488
7	6	0.26	0/2809	0.52	0/3818
8	7	0.25	0/2391	0.47	0/3234
9	8	0.25	0/665	0.51	0/894
10	9	0.26	0/972	0.47	0/1306
11	A	0.27	0/34684	0.76	0/53971
12	B	0.19	0/1328	0.75	0/2056
13	C	0.25	0/3375	0.53	0/4571
14	D	0.25	0/1879	0.56	0/2527
15	E	0.26	0/2474	0.46	0/3355
16	F	0.25	0/2071	0.51	0/2817
17	H	0.24	0/798	0.53	0/1073
18	I	0.25	0/1308	0.51	0/1761
19	J	0.25	0/1077	0.51	0/1452
20	K	0.25	0/1495	0.47	0/2029
21	L	0.25	0/904	0.52	0/1218
22	M	0.26	0/2359	0.52	0/3185
23	N	0.26	0/1697	0.53	0/2281
24	O	0.25	0/1269	0.55	0/1708
25	P	0.24	0/1173	0.54	0/1588
26	Q	0.26	0/1846	0.49	0/2487
27	R	0.25	0/1174	0.54	0/1572
28	S	0.25	0/1276	0.51	0/1729
29	T	0.26	0/1402	0.50	0/1886
30	U	0.25	0/1183	0.54	0/1600
31	V	0.24	0/1609	0.51	0/2179
32	W	0.27	0/881	0.48	0/1188

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	X	0.25	0/2090	0.46	0/2825
34	Y	0.24	0/1552	0.50	0/2079
35	Z	0.24	0/1003	0.47	0/1354
36	a	0.25	0/709	0.49	0/963
37	b	0.25	0/1202	0.55	0/1626
38	c	0.25	0/2264	0.46	0/3059
39	d	0.25	0/1781	0.48	0/2410
40	e	0.24	0/1633	0.49	0/2204
41	f	0.25	0/850	0.46	0/1150
42	g	0.26	0/1102	0.50	0/1503
43	h	0.24	0/884	0.47	0/1203
44	i	0.25	0/849	0.53	0/1135
45	j	0.24	0/693	0.51	0/933
46	k	0.23	0/635	0.50	0/855
47	l	0.22	0/226	0.58	0/299
48	m	0.23	0/379	0.64	0/510
49	o	0.25	0/818	0.57	0/1097
50	p	0.23	0/1071	0.53	0/1433
51	q	0.24	0/1042	0.52	0/1413
52	r	0.25	0/1325	0.52	0/1793
53	s	0.25	0/3114	0.50	0/4225
All	All	0.25	0/105514	0.61	0/149909

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	106/188 (56%)	106 (100%)	0	0	100	100
2	1	50/65 (77%)	49 (98%)	1 (2%)	0	100	100
3	2	43/92 (47%)	42 (98%)	1 (2%)	0	100	100
4	3	93/188 (50%)	89 (96%)	4 (4%)	0	100	100
5	4	35/103 (34%)	34 (97%)	1 (3%)	0	100	100
6	5	390/423 (92%)	381 (98%)	9 (2%)	0	100	100
7	6	316/380 (83%)	305 (96%)	11 (4%)	0	100	100
8	7	285/338 (84%)	271 (95%)	14 (5%)	0	100	100
9	8	75/206 (36%)	73 (97%)	2 (3%)	0	100	100
10	9	113/137 (82%)	112 (99%)	1 (1%)	0	100	100
13	C	420/516 (81%)	404 (96%)	16 (4%)	0	100	100
14	D	234/305 (77%)	227 (97%)	7 (3%)	0	100	100
15	E	303/348 (87%)	290 (96%)	13 (4%)	0	100	100
16	F	248/311 (80%)	240 (97%)	8 (3%)	0	100	100
17	H	93/267 (35%)	89 (96%)	4 (4%)	0	100	100
18	I	154/261 (59%)	143 (93%)	11 (7%)	0	100	100
19	J	138/192 (72%)	129 (94%)	9 (6%)	0	100	100
20	K	175/178 (98%)	170 (97%)	5 (3%)	0	100	100
21	L	113/145 (78%)	110 (97%)	3 (3%)	0	100	100
22	M	285/296 (96%)	278 (98%)	7 (2%)	0	100	100
23	N	203/251 (81%)	199 (98%)	4 (2%)	0	100	100
24	O	150/175 (86%)	149 (99%)	1 (1%)	0	100	100
25	P	139/180 (77%)	134 (96%)	5 (4%)	0	100	100
26	Q	215/292 (74%)	209 (97%)	6 (3%)	0	100	100
27	R	138/149 (93%)	136 (99%)	2 (1%)	0	100	100
28	S	154/205 (75%)	150 (97%)	4 (3%)	0	100	100
29	T	164/206 (80%)	160 (98%)	4 (2%)	0	100	100
30	U	135/153 (88%)	132 (98%)	3 (2%)	0	100	100
31	V	187/216 (87%)	181 (97%)	6 (3%)	0	100	100
32	W	107/148 (72%)	107 (100%)	0	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
33	X	241/256 (94%)	239 (99%)	2 (1%)	0	100	100
34	Y	174/250 (70%)	172 (99%)	2 (1%)	0	100	100
35	Z	118/161 (73%)	116 (98%)	2 (2%)	0	100	100
36	a	78/142 (55%)	77 (99%)	1 (1%)	0	100	100
37	b	146/215 (68%)	143 (98%)	3 (2%)	0	100	100
38	c	271/332 (82%)	265 (98%)	6 (2%)	0	100	100
39	d	198/306 (65%)	191 (96%)	7 (4%)	0	100	100
40	e	191/279 (68%)	179 (94%)	12 (6%)	0	100	100
41	f	99/212 (47%)	90 (91%)	9 (9%)	0	100	100
42	g	127/166 (76%)	126 (99%)	1 (1%)	0	100	100
43	h	101/158 (64%)	95 (94%)	6 (6%)	0	100	100
44	i	95/128 (74%)	94 (99%)	1 (1%)	0	100	100
45	j	82/123 (67%)	79 (96%)	3 (4%)	0	100	100
46	k	76/112 (68%)	73 (96%)	3 (4%)	0	100	100
47	l	21/138 (15%)	21 (100%)	0	0	100	100
48	m	43/128 (34%)	32 (74%)	11 (26%)	0	100	100
49	o	92/102 (90%)	89 (97%)	3 (3%)	0	100	100
50	p	119/206 (58%)	117 (98%)	2 (2%)	0	100	100
51	q	118/222 (53%)	117 (99%)	1 (1%)	0	100	100
52	r	153/196 (78%)	150 (98%)	3 (2%)	0	100	100
53	s	366/439 (83%)	360 (98%)	6 (2%)	0	100	100
All	All	8170/11185 (73%)	7924 (97%)	246 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	97/164 (59%)	97 (100%)	0	100	100
2	1	49/60 (82%)	49 (100%)	0	100	100
3	2	39/72 (54%)	39 (100%)	0	100	100
4	3	88/166 (53%)	88 (100%)	0	100	100
5	4	36/89 (40%)	36 (100%)	0	100	100
6	5	353/368 (96%)	352 (100%)	1 (0%)	92	98
7	6	286/332 (86%)	285 (100%)	1 (0%)	92	98
8	7	263/303 (87%)	261 (99%)	2 (1%)	81	92
9	8	70/190 (37%)	69 (99%)	1 (1%)	67	85
10	9	99/112 (88%)	99 (100%)	0	100	100
13	C	360/424 (85%)	360 (100%)	0	100	100
14	D	190/245 (78%)	190 (100%)	0	100	100
15	E	260/290 (90%)	260 (100%)	0	100	100
16	F	217/262 (83%)	217 (100%)	0	100	100
17	H	86/228 (38%)	86 (100%)	0	100	100
18	I	145/232 (62%)	145 (100%)	0	100	100
19	J	113/150 (75%)	113 (100%)	0	100	100
20	K	155/156 (99%)	155 (100%)	0	100	100
21	L	98/124 (79%)	98 (100%)	0	100	100
22	M	245/249 (98%)	244 (100%)	1 (0%)	91	97
23	N	172/211 (82%)	171 (99%)	1 (1%)	86	95
24	O	133/150 (89%)	133 (100%)	0	100	100
25	P	123/155 (79%)	123 (100%)	0	100	100
26	Q	199/256 (78%)	199 (100%)	0	100	100
27	R	118/126 (94%)	118 (100%)	0	100	100
28	S	141/180 (78%)	140 (99%)	1 (1%)	84	94
29	T	146/176 (83%)	146 (100%)	0	100	100
30	U	124/135 (92%)	124 (100%)	0	100	100
31	V	171/191 (90%)	170 (99%)	1 (1%)	86	95
32	W	89/119 (75%)	89 (100%)	0	100	100
33	X	219/229 (96%)	218 (100%)	1 (0%)	88	96
34	Y	159/223 (71%)	159 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	Z	111/147 (76%)	110 (99%)	1 (1%)	78	91
36	a	78/133 (59%)	78 (100%)	0	100	100
37	b	130/186 (70%)	130 (100%)	0	100	100
38	c	241/288 (84%)	241 (100%)	0	100	100
39	d	193/274 (70%)	193 (100%)	0	100	100
40	e	171/236 (72%)	171 (100%)	0	100	100
41	f	93/188 (50%)	93 (100%)	0	100	100
42	g	119/148 (80%)	119 (100%)	0	100	100
43	h	100/148 (68%)	100 (100%)	0	100	100
44	i	86/110 (78%)	86 (100%)	0	100	100
45	j	68/97 (70%)	67 (98%)	1 (2%)	65	83
46	k	71/90 (79%)	71 (100%)	0	100	100
47	l	23/116 (20%)	23 (100%)	0	100	100
48	m	40/113 (35%)	39 (98%)	1 (2%)	47	73
49	o	80/87 (92%)	80 (100%)	0	100	100
50	p	117/181 (65%)	117 (100%)	0	100	100
51	q	104/178 (58%)	104 (100%)	0	100	100
52	r	143/169 (85%)	143 (100%)	0	100	100
53	s	326/381 (86%)	326 (100%)	0	100	100
All	All	7337/9637 (76%)	7324 (100%)	13 (0%)	93	98

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	5	412	ARG
7	6	52	ARG
8	7	54	ARG
8	7	319	ARG
9	8	120	LYS
22	M	44	ARG
23	N	249	LYS
28	S	118	ASN
31	V	145	ARG
33	X	23	ARG
35	Z	44	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
45	j	70	ARG
48	m	37	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
16	F	223	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	A	1450/1559 (93%)	314 (21%)	19 (1%)
12	B	51/69 (73%)	16 (31%)	1 (1%)
All	All	1501/1628 (92%)	330 (21%)	20 (1%)

All (330) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
11	A	1672	C
11	A	1673	U
11	A	1674	A
11	A	1675	A
11	A	1676	A
11	A	1679	U
11	A	1680	A
11	A	1681	G
11	A	1689	C
11	A	1690	C
11	A	1699	C
11	A	1700	U
11	A	1704	U
11	A	1707	C
11	A	1708	A
11	A	1711	C
11	A	1712	A
11	A	1715	C
11	A	1724	A
11	A	1727	A
11	A	1728	U
11	A	1748	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	1750	G
11	A	1751	A
11	A	1761	A
11	A	1770	G
11	A	1777	A
11	A	1780	U
11	A	1794	A
11	A	1797	G
11	A	1801	A
11	A	1802	A
11	A	1805	A
11	A	1817	C
11	A	1819	U
11	A	1821	A
11	A	1823	A
11	A	1824	U
11	A	1827	C
11	A	1828	A
11	A	1829	A
11	A	1832	A
11	A	1836	A
11	A	1844	A
11	A	1854	U
11	A	1855	A
11	A	1856	A
11	A	1869	A
11	A	1870	A
11	A	1871	A
11	A	1878	U
11	A	1882	A
11	A	1883	G
11	A	1887	A
11	A	1892	A
11	A	1893	A
11	A	1901	C
11	A	1902	C
11	A	1903	C
11	A	1909	A
11	A	1918	G
11	A	1937	A
11	A	1938	A
11	A	1940	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	1944	C
11	A	1958	G
11	A	1974	A
11	A	1985	G
11	A	1993	A
11	A	1994	A
11	A	2000	C
11	A	2003	A
11	A	2015	G
11	A	2021	U
11	A	2022	G
11	A	2029	A
11	A	2030	U
11	A	2031	A
11	A	2036	C
11	A	2037	U
11	A	2039	A
11	A	2044	A
11	A	2060	A
11	A	2065	A
11	A	2068	C
11	A	2069	U
11	A	2074	A
11	A	2079	C
11	A	2083	U
11	A	2085	A
11	A	2092	C
11	A	2093	U
11	A	2097	A
11	A	2098	G
11	A	2105	G
11	A	2113	G
11	A	2124	A
11	A	2126	U
11	A	2132	A
11	A	2141	U
11	A	2147	G
11	A	2154	A
11	A	2155	A
11	A	2158	U
11	A	2163	A
11	A	2165	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	2168	U
11	A	2171	U
11	A	2172	A
11	A	2173	G
11	A	2174	G
11	A	2177	U
11	A	2178	A
11	A	2179	A
11	A	2180	A
11	A	2181	A
11	A	2183	C
11	A	2187	C
11	A	2194	U
11	A	2196	A
11	A	2198	A
11	A	2200	A
11	A	2204	U
11	A	2207	A
11	A	2210	C
11	A	2215	C
11	A	2229	A
11	A	2233	U
11	A	2237	A
11	A	2239	A
11	A	2241	A
11	A	2245	A
11	A	2246	A
11	A	2250	A
11	A	2260	A
11	A	2262	C
11	A	2263	C
11	A	2284	C
11	A	2285	U
11	A	2297	A
11	A	2300	G
11	A	2313	A
11	A	2322	C
11	A	2331	C
11	A	2332	C
11	A	2345	G
11	A	2350	A
11	A	2364	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	2372	U
11	A	2374	A
11	A	2381	A
11	A	2384	A
11	A	2390	A
11	A	2393	C
11	A	2399	A
11	A	2404	U
11	A	2406	A
11	A	2407	U
11	A	2408	U
11	A	2414	C
11	A	2415	C
11	A	2416	U
11	A	2417	C
11	A	2418	A
11	A	2426	C
11	A	2432	A
11	A	2434	A
11	A	2444	A
11	A	2445	U
11	A	2446	A
11	A	2451	A
11	A	2478	G
11	A	2493	C
11	A	2500	A
11	A	2502	C
11	A	2506	A
11	A	2507	A
11	A	2508	C
11	A	2511	C
11	A	2520	C
11	A	2521	A
11	A	2522	U
11	A	2527	A
11	A	2531	U
11	A	2536	G
11	A	2540	C
11	A	2563	U
11	A	2570	C
11	A	2583	C
11	A	2584	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	2592	G
11	A	2593	G
11	A	2594	U
11	A	2599	U
11	A	2600	A
11	A	2603	C
11	A	2608	G
11	A	2625	C
11	A	2630	U
11	A	2632	A
11	A	2633	A
11	A	2634	U
11	A	2635	G
11	A	2637	C
11	A	2641	A
11	A	2645	G
11	A	2647	G
11	A	2654	U
11	A	2656	U
11	A	2660	U
11	A	2683	C
11	A	2686	G
11	A	2693	A
11	A	2694	A
11	A	2695	G
11	A	2696	A
11	A	2706	A
11	A	2708	C
11	A	2709	A
11	A	2718	C
11	A	2719	G
11	A	2722	A
11	A	2723	A
11	A	2724	G
11	A	2725	A
11	A	2732	G
11	A	2739	U
11	A	2740	A
11	A	2750	U
11	A	2755	A
11	A	2756	C
11	A	2804	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	2810	G
11	A	2814	G
11	A	2815	OMG
11	A	2832	A
11	A	2833	A
11	A	2837	A
11	A	2842	C
11	A	2847	C
11	A	2852	C
11	A	2854	U
11	A	2855	G
11	A	2859	A
11	A	2864	U
11	A	2865	C
11	A	2871	U
11	A	2879	A
11	A	2895	U
11	A	2896	G
11	A	2906	C
11	A	2912	C
11	A	2913	A
11	A	2917	G
11	A	2918	A
11	A	2919	A
11	A	2922	A
11	A	2926	A
11	A	2928	C
11	A	2932	G
11	A	2934	G
11	A	2935	A
11	A	2955	U
11	A	2958	A
11	A	2963	A
11	A	2971	A
11	A	2989	G
11	A	2990	A
11	A	2992	G
11	A	3000	A
11	A	3005	A
11	A	3016	G
11	A	3022	G
11	A	3041	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	A	3042	U
11	A	3053	A
11	A	3054	G
11	A	3056	C
11	A	3060	C
11	A	3063	G
11	A	3069	A
11	A	3073	C
11	A	3086	U
11	A	3089	A
11	A	3090	G
11	A	3092	U
11	A	3093	C
11	A	3096	U
11	A	3097	U
11	A	3098	U
11	A	3100	U
11	A	3102	U
11	A	3108	U
11	A	3113	A
11	A	3129	A
11	A	3131	G
11	A	3134	C
11	A	3141	A
11	A	3150	U
11	A	3157	C
11	A	3158	A
11	A	3162	C
11	A	3168	C
11	A	3169	C
11	A	3172	C
11	A	3176	A
11	A	3180	A
11	A	3189	C
11	A	3190	A
11	A	3197	U
11	A	3199	U
11	A	3207	A
11	A	3217	A
11	A	3218	A
12	B	1607	U
12	B	1608	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
12	B	1609	U
12	B	1611	G
12	B	1614	U
12	B	1615	A
12	B	1625	A
12	B	1631	C
12	B	1632	U
12	B	1633	U
12	B	1640	A
12	B	1641	G
12	B	1644	G
12	B	1645	A
12	B	1650	A
12	B	1669	G

All (20) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
11	A	1823	A
11	A	2030	U
11	A	2186	C
11	A	2209	G
11	A	2245	A
11	A	2284	C
11	A	2507	A
11	A	2530	A
11	A	2693	A
11	A	2814	G
11	A	2836	C
11	A	2895	U
11	A	2905	A
11	A	2925	U
11	A	3041	U
11	A	3089	A
11	A	3092	U
11	A	3097	U
11	A	3198	A
12	B	1607	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
11	OMG	A	2815	11	18,26,27	0.93	1 (5%)	19,38,41	1.10	2 (10%)
11	OMU	A	3039	11	19,22,23	1.26	3 (15%)	26,31,34	1.98	8 (30%)
11	OMG	A	3040	11	18,26,27	0.97	1 (5%)	19,38,41	1.05	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	OMG	A	2815	11	-	0/5/27/28	0/3/3/3
11	OMU	A	3039	11	-	0/9/27/28	0/2/2/2
11	OMG	A	3040	11	-	0/5/27/28	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	A	3039	OMU	C4-N3	-2.85	1.33	1.38
11	A	3039	OMU	C2-N3	-2.59	1.33	1.38
11	A	3040	OMG	C6-N1	-2.57	1.34	1.37
11	A	2815	OMG	C6-N1	-2.50	1.34	1.37
11	A	3039	OMU	C5-C4	-2.24	1.38	1.43

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	3039	OMU	C4-N3-C2	-4.54	120.59	126.58
11	A	3039	OMU	N3-C2-N1	4.28	120.57	114.89
11	A	3039	OMU	C5-C4-N3	4.11	120.98	114.84
11	A	3039	OMU	C2'-C1'-N1	-3.28	107.86	114.22
11	A	3039	OMU	O4-C4-C5	-3.14	119.64	125.16
11	A	2815	OMG	C8-N7-C5	2.37	107.50	102.99
11	A	3039	OMU	O4'-C1'-N1	2.36	113.76	108.36
11	A	2815	OMG	C5-C6-N1	2.33	118.08	113.95

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	3040	OMG	C5-C6-N1	2.25	117.93	113.95
11	A	3040	OMG	C8-N7-C5	2.17	107.13	102.99
11	A	3039	OMU	O2-C2-N3	-2.07	117.65	121.50
11	A	3039	OMU	C6-N1-C2	-2.00	118.43	120.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 94 ligands modelled in this entry, 91 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
56	GTP	A	3386	-	26,34,34	0.96	2 (7%)	32,54,54	0.81	1 (3%)
56	GTP	A	3387	-	26,34,34	0.96	2 (7%)	32,54,54	0.80	0
56	GTP	C	601	-	26,34,34	0.95	1 (3%)	32,54,54	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	GTP	A	3386	-	-	0/18/38/38	0/3/3/3

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	GTP	A	3387	-	-	0/18/38/38	0/3/3/3
56	GTP	C	601	-	-	1/18/38/38	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	A	3386	GTP	C5-C6	-2.64	1.42	1.47
56	A	3387	GTP	C5-C6	-2.64	1.42	1.47
56	C	601	GTP	C5-C6	-2.62	1.42	1.47
56	A	3387	GTP	C8-N7	-2.10	1.31	1.35
56	A	3386	GTP	C8-N7	-2.06	1.31	1.35

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	A	3386	GTP	O4'-C1'-C2'	-2.37	103.46	106.93

There are no chirality outliers.



All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
56	C	601	GTP	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12871. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 175




Y Index: 175




Z Index: 175


### 6.2.2 Raw map



X Index: 175



Y Index: 175




Z Index: 175


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 187




Y Index: 176




Z Index: 179


### 6.3.2 Raw map



X Index: 187



Y Index: 176




Z Index: 179

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0062. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_12871\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1414 nm<sup>3</sup>; this corresponds to an approximate mass of 1277 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.58	2.81	2.60
Unmasked-calculated*	2.85	3.19	2.89


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12871 and PDB model 7OF6. Per-residue inclusion information can be found in section 3 on page 14.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0062 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0062).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary







































The table lists the average atom inclusion at the recommended contour level (0.0062) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9750	 0.5430
0	 0.9810	 0.5650
1	 0.9910	 0.5450
2	 1.0000	 0.6140
3	 0.9950	 0.6100
4	 0.9940	 0.5960
5	 0.9830	 0.5540
6	 0.9790	 0.4990
7	 0.9700	 0.5080
8	 0.6890	 0.2070
9	 0.9820	 0.5560
A	 0.9990	 0.5810
B	 0.9920	 0.3570
C	 0.9710	 0.5170
D	 0.9850	 0.5790
E	 0.9850	 0.5730
F	 0.9910	 0.5890
H	 0.9530	 0.5140
I	 0.9470	 0.3810
J	 0.8600	 0.2170
K	 0.9920	 0.5870
L	 0.9890	 0.5750
M	 0.9870	 0.5820
N	 0.9740	 0.5730
O	 0.9930	 0.5790
P	 0.9800	 0.5310
Q	 0.9780	 0.5600
R	 0.9850	 0.5830
S	 0.9830	 0.5760
T	 0.9860	 0.5920
U	 0.9790	 0.5670
V	 0.9660	 0.5160
W	 0.9910	 0.5950
X	 0.9790	 0.5520
Y	 0.9820	 0.5750



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
Z	 0.9830	 0.5890
a	 0.9840	 0.5780
b	 0.9930	 0.5890
c	 0.9800	 0.5470
d	 0.9690	 0.5090
e	 0.5880	 0.1720
f	 0.8080	 0.3430
g	 0.9890	 0.5720
h	 0.9790	 0.5190
i	 0.9980	 0.6060
j	 0.9700	 0.5430
k	 0.9740	 0.3940
l	 0.9760	 0.4490
m	 0.6880	 0.2110
o	 0.9870	 0.5900
p	 0.9660	 0.5020
q	 0.9700	 0.4980
r	 0.9900	 0.5580
s	 0.9860	 0.5690