



Full wwPDB X-ray Structure Validation Report ⓘ

May 19, 2022 – 01:11 pm BST

PDB ID : 7P9O
Title : Structure of E.coli RlmJ in complex with a SAM analogue (CA)
Authors : Meynier, V.; Catala, M.; Oerum, S.; Barraud, P.; Tisne, C.
Deposited on : 2021-07-27
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.28.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4574 atoms, of which 2243 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ribosomal RNA large subunit methyltransferase J.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	274	4427	1411	2223	392	396	5	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	LYS	GLU	conflict	UNP P37634
A	106	GLN	LEU	conflict	UNP P37634
A	191	THR	ILE	conflict	UNP P37634

- Molecule 2 is 5'-{[(3S)-3-amino-3-carboxypropyl]amino}-5'-deoxyadenosine (three-letter code: 0Y0) (formula: C₁₄H₂₁N₇O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
2	A	1	46	14	20	7	5	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	101	Total 101	O 101	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	79.99Å 38.89Å 90.65Å 90.00° 105.62° 90.00°	Depositor
Resolution (Å)	43.65 – 2.10 43.65 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (43.65-2.10) 99.2 (43.65-2.10)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.240 , 0.306 0.246 , 0.310	Depositor DCC
R_{free} test set	799 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	18.5	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4574	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 0Y0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2258	0.62	0/3061

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2204	2223	2223	61	0
2	A	26	20	20	0	0
3	A	101	0	0	4	0
All	All	2331	2243	2243	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:SER:HA	1:A:132:GLN:HG3	1.50	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:THR:HG22	1:A:216:ILE:HG13	1.58	0.84
1:A:204:ILE:O	1:A:208:ILE:HG12	1.82	0.78
1:A:5:ARG:HG2	1:A:126:LEU:HD12	1.64	0.78
1:A:214:THR:CG2	1:A:216:ILE:HG13	2.14	0.77
1:A:222:ILE:HD13	1:A:253:MET:HG3	1.71	0.72
1:A:186:ARG:HG3	1:A:186:ARG:HH11	1.56	0.70
1:A:203:GLN:HA	1:A:206:ARG:HD2	1.74	0.68
1:A:78:LEU:HD21	1:A:256:VAL:HG21	1.79	0.65
1:A:5:ARG:HG2	1:A:126:LEU:CD1	2.27	0.64
1:A:232:ARG:HB2	3:A:419:HOH:O	1.96	0.64
1:A:100:SER:OG	1:A:101:PRO:HD3	1.98	0.64
1:A:227:LEU:HB3	1:A:228:PRO:HD2	1.80	0.64
1:A:232:ARG:NE	1:A:232:ARG:HA	2.13	0.63
1:A:129:SER:HA	1:A:132:GLN:CG	2.26	0.62
1:A:201:ARG:HG3	1:A:205:LYS:HE3	1.81	0.62
1:A:138:ARG:HH11	1:A:138:ARG:HG3	1.68	0.59
1:A:167:TYR:CD1	1:A:197:PRO:HD3	2.41	0.56
1:A:253:MET:O	1:A:257:LEU:HB2	2.06	0.56
1:A:138:ARG:HG3	1:A:138:ARG:NH1	2.21	0.56
1:A:214:THR:HG21	1:A:216:ILE:CD1	2.37	0.55
1:A:76:ALA:HA	1:A:79:GLU:HG3	1.89	0.55
1:A:117:THR:HG21	1:A:147:GLN:HG3	1.90	0.53
1:A:25:ILE:HG21	1:A:160:LEU:HD13	1.89	0.52
1:A:31:GLU:OE2	1:A:248:LYS:NZ	2.32	0.51
1:A:225:ALA:CB	1:A:237:ALA:HB2	2.40	0.51
1:A:84:VAL:O	1:A:88:PHE:HD1	1.92	0.51
1:A:95:ARG:HB2	3:A:467:HOH:O	2.11	0.50
1:A:217:ARG:NH2	1:A:280:GLU:O	2.45	0.50
1:A:37:LEU:HD22	1:A:154:PRO:HB3	1.93	0.50
1:A:167:TYR:CE1	1:A:197:PRO:HD3	2.48	0.48
1:A:214:THR:HG21	1:A:216:ILE:HD11	1.96	0.48
1:A:171:THR:HA	1:A:174:GLN:OE1	2.13	0.47
1:A:279:PRO:O	1:A:280:GLU:CB	2.61	0.47
1:A:90:ARG:HA	1:A:90:ARG:HD2	1.77	0.47
1:A:129:SER:CA	1:A:132:GLN:HG3	2.32	0.46
1:A:126:LEU:HD13	3:A:443:HOH:O	2.17	0.45
1:A:221:GLN:HB2	1:A:277:ILE:CD1	2.47	0.45
1:A:149:LYS:O	1:A:186:ARG:NE	2.51	0.44
1:A:118:GLU:O	1:A:141:LYS:HA	2.17	0.44
1:A:154:PRO:O	1:A:157:ARG:HD2	2.19	0.43
1:A:108:LEU:HD23	1:A:112:ASP:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:LEU:HG	1:A:272:ALA:HB1	2.00	0.43
1:A:34:LYS:O	1:A:158:ARG:NH1	2.50	0.43
1:A:115:GLN:OE1	1:A:151:LYS:HB3	2.18	0.43
1:A:44:GLY:O	1:A:127:LEU:HD22	2.18	0.43
1:A:120:HIS:HA	1:A:121:PRO:HD3	1.90	0.43
1:A:201:ARG:CG	1:A:205:LYS:HE3	2.49	0.42
1:A:78:LEU:CD2	1:A:256:VAL:HG21	2.47	0.42
1:A:214:THR:CG2	1:A:216:ILE:CG1	2.93	0.41
1:A:38:TYR:CE2	1:A:40:ASP:HB2	2.55	0.41
1:A:161:ILE:HD12	1:A:161:ILE:N	2.35	0.41
1:A:149:LYS:O	1:A:186:ARG:CD	2.68	0.41
1:A:263:LYS:HA	1:A:263:LYS:HD3	1.85	0.41
1:A:43:ALA:HB3	1:A:127:LEU:HD21	2.02	0.41
1:A:217:ARG:CZ	1:A:280:GLU:C	2.89	0.41
1:A:202:GLN:HB2	3:A:425:HOH:O	2.20	0.41
1:A:220:LEU:HB2	1:A:245:PRO:HG3	2.03	0.40
1:A:225:ALA:HA	1:A:237:ALA:CB	2.51	0.40
1:A:277:ILE:HG22	1:A:278:VAL:HG23	2.02	0.40
1:A:117:THR:HG22	1:A:140:GLU:HG3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	270/280 (96%)	256 (95%)	14 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	236/241 (98%)	230 (98%)	6 (2%)	47 52

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	SER
1	A	34	LYS
1	A	69	TRP
1	A	209	HIS
1	A	232	ARG
1	A	233	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	0Y0	A	301	-	21,28,28	4.30	7 (33%)	16,40,40	2.14	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0Y0	A	301	-	-	2/7/31/31	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	0Y0	CAC-CAD	-13.17	1.33	1.53
2	A	301	0Y0	OAE-CAD	10.11	1.55	1.41
2	A	301	0Y0	CAB-CAA	-7.79	1.33	1.53
2	A	301	0Y0	OAE-CAA	4.15	1.54	1.45
2	A	301	0Y0	C6-N6	2.96	1.44	1.34
2	A	301	0Y0	CAC-CAB	2.89	1.61	1.53
2	A	301	0Y0	C2-N1	-2.21	1.29	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	0Y0	N3-C2-N1	-4.58	121.52	128.68
2	A	301	0Y0	CAD-N9-C4	-4.51	118.71	126.64
2	A	301	0Y0	CAB-CAC-CAD	3.08	105.62	100.98
2	A	301	0Y0	CAF-NAR-CAS	-2.65	107.48	113.42
2	A	301	0Y0	C4-C5-N7	-2.46	106.84	109.40

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	0Y0	OAE-CAA-CAF-NAR

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	0Y0	CAB-CAA-CAF-NAR

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/280 (97%)	3.33	233 (85%) 0 0	5, 21, 41, 51	0

All (233) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	228	PRO	7.7
1	A	213	ALA	7.1
1	A	169	MET	6.7
1	A	200	LEU	6.7
1	A	216	ILE	6.6
1	A	276	TRP	6.5
1	A	173	TYR	6.5
1	A	171	THR	6.3
1	A	247	TRP	6.2
1	A	277	ILE	6.2
1	A	214	THR	6.2
1	A	208	ILE	6.1
1	A	272	ALA	6.0
1	A	245	PRO	6.0
1	A	227	LEU	5.9
1	A	146	GLN	5.9
1	A	279	PRO	5.9
1	A	16	VAL	5.9
1	A	124	TYR	5.9
1	A	3	SER	5.7
1	A	2	LEU	5.7
1	A	233	ARG	5.6
1	A	52	SER	5.5
1	A	187	PHE	5.4
1	A	273	THR	5.3
1	A	58	THR	5.2
1	A	17	LEU	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	167	TYR	5.1
1	A	232	ARG	5.1
1	A	234	GLY	5.0
1	A	170	LYS	5.0
1	A	236	THR	4.9
1	A	153	PRO	4.9
1	A	117	THR	4.9
1	A	181	ALA	4.9
1	A	69	TRP	4.8
1	A	88	PHE	4.8
1	A	72	ASP	4.8
1	A	207	MET	4.8
1	A	179	GLY	4.8
1	A	165	PRO	4.7
1	A	199	VAL	4.7
1	A	209	HIS	4.7
1	A	51	GLY	4.7
1	A	137	ALA	4.6
1	A	230	SER	4.6
1	A	68	ILE	4.6
1	A	196	TYR	4.6
1	A	222	ILE	4.5
1	A	145	PHE	4.5
1	A	119	LEU	4.5
1	A	96	TYR	4.5
1	A	259	TRP	4.4
1	A	211	LEU	4.4
1	A	231	ASP	4.4
1	A	126	LEU	4.4
1	A	155	VAL	4.4
1	A	224	LEU	4.3
1	A	75	PRO	4.3
1	A	217	ARG	4.3
1	A	185	LYS	4.3
1	A	94	LEU	4.2
1	A	48	TYR	4.2
1	A	131	PHE	4.2
1	A	269	THR	4.2
1	A	127	LEU	4.1
1	A	202	GLN	4.1
1	A	4	TYR	4.1
1	A	149	LYS	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	210	ASP	4.0
1	A	188	ALA	4.0
1	A	33	ASP	4.0
1	A	198	VAL	4.0
1	A	5	ARG	4.0
1	A	148	LEU	4.0
1	A	249	LEU	3.9
1	A	182	GLU	3.9
1	A	218	LYS	3.9
1	A	36	PHE	3.9
1	A	44	GLY	3.9
1	A	240	MET	3.8
1	A	226	VAL	3.8
1	A	246	PRO	3.8
1	A	125	PRO	3.8
1	A	274	VAL	3.8
1	A	99	GLY	3.8
1	A	257	LEU	3.8
1	A	61	TYR	3.7
1	A	140	GLU	3.7
1	A	206	ARG	3.7
1	A	135	SER	3.7
1	A	143	ASP	3.7
1	A	204	ILE	3.6
1	A	93	GLN	3.6
1	A	65	ILE	3.6
1	A	74	LEU	3.6
1	A	8	PHE	3.6
1	A	175	ALA	3.6
1	A	82	ILE	3.6
1	A	237	ALA	3.6
1	A	203	GLN	3.5
1	A	130	GLU	3.5
1	A	201	ARG	3.5
1	A	229	ASP	3.5
1	A	97	TYR	3.5
1	A	275	SER	3.5
1	A	123	ASP	3.5
1	A	38	TYR	3.5
1	A	184	TYR	3.5
1	A	241	ILE	3.4
1	A	225	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	195	TRP	3.4
1	A	10	ALA	3.4
1	A	104	ALA	3.4
1	A	174	GLN	3.4
1	A	271	HIS	3.4
1	A	39	LEU	3.4
1	A	215	GLY	3.4
1	A	157	ARG	3.4
1	A	121	PRO	3.4
1	A	256	VAL	3.4
1	A	100	SER	3.3
1	A	120	HIS	3.3
1	A	161	ILE	3.3
1	A	267	ALA	3.3
1	A	42	HIS	3.3
1	A	238	SER	3.3
1	A	168	GLU	3.3
1	A	235	MET	3.3
1	A	98	PRO	3.3
1	A	280	GLU	3.3
1	A	32	LYS	3.3
1	A	37	LEU	3.3
1	A	152	LEU	3.3
1	A	243	ILE	3.3
1	A	220	LEU	3.2
1	A	150	ALA	3.2
1	A	176	VAL	3.2
1	A	178	SER	3.2
1	A	258	PRO	3.2
1	A	78	LEU	3.2
1	A	189	THR	3.2
1	A	186	ARG	3.1
1	A	177	VAL	3.1
1	A	197	PRO	3.1
1	A	103	ILE	3.1
1	A	95	ARG	3.1
1	A	101	PRO	3.1
1	A	14	ALA	3.0
1	A	268	GLY	3.0
1	A	114	LEU	3.0
1	A	172	ASP	3.0
1	A	191	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	194	LEU	3.0
1	A	260	LEU	3.0
1	A	25	ILE	2.9
1	A	219	ILE	2.9
1	A	110	GLU	2.9
1	A	122	SER	2.9
1	A	242	VAL	2.9
1	A	26	ILE	2.9
1	A	270	GLY	2.9
1	A	7	SER	2.9
1	A	85	VAL	2.9
1	A	80	ALA	2.9
1	A	108	LEU	2.9
1	A	81	TYR	2.9
1	A	265	VAL	2.8
1	A	132	GLN	2.8
1	A	128	ARG	2.8
1	A	163	ILE	2.8
1	A	47	ARG	2.8
1	A	244	ASN	2.8
1	A	253	MET	2.8
1	A	255	ASN	2.7
1	A	144	GLY	2.7
1	A	248	LYS	2.7
1	A	90	ARG	2.7
1	A	261	HIS	2.7
1	A	29	LEU	2.7
1	A	89	ASN	2.6
1	A	129	SER	2.6
1	A	92	GLY	2.6
1	A	84	VAL	2.6
1	A	154	PRO	2.6
1	A	139	VAL	2.6
1	A	160	LEU	2.6
1	A	264	LEU	2.6
1	A	111	GLN	2.5
1	A	166	PRO	2.5
1	A	156	SER	2.5
1	A	190	GLY	2.5
1	A	41	THR	2.5
1	A	141	LYS	2.5
1	A	12	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	20	THR	2.4
1	A	9	HIS	2.4
1	A	13	HIS	2.4
1	A	21	VAL	2.4
1	A	278	VAL	2.4
1	A	35	PRO	2.4
1	A	19	HIS	2.4
1	A	183	GLY	2.4
1	A	147	GLN	2.4
1	A	43	ALA	2.4
1	A	159	GLY	2.4
1	A	250	GLU	2.3
1	A	66	ALA	2.3
1	A	102	LEU	2.3
1	A	76	ALA	2.3
1	A	142	ALA	2.3
1	A	192	TYR	2.3
1	A	24	LEU	2.3
1	A	62	LEU	2.3
1	A	28	SER	2.3
1	A	180	ILE	2.3
1	A	223	GLU	2.2
1	A	158	ARG	2.2
1	A	239	GLY	2.2
1	A	262	SER	2.2
1	A	79	GLU	2.2
1	A	116	LEU	2.2
1	A	134	ASP	2.2
1	A	251	GLN	2.1
1	A	6	HIS	2.1
1	A	87	HIS	2.1
1	A	107	LEU	2.1
1	A	109	ARG	2.1
1	A	49	GLN	2.1
1	A	60	LYS	2.1
1	A	205	LYS	2.0
1	A	64	GLY	2.0
1	A	221	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	0Y0	A	301	26/26	0.50	0.39	10,33,44,47	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.