



Full wwPDB EM Validation Report ⓘ

Nov 6, 2023 – 12:53 am GMT

PDB ID : 7PO4
EMDB ID : EMD-13562
Title : Assembly intermediate of human mitochondrial ribosome large subunit (largely unfolded rRNA with MALSU1, LOR8F8 and ACP)
Authors : Itoh, Y.; Khawaja, A.; Rorbach, J.; Amunts, A.
Deposited on : 2021-09-08
Resolution : 2.56 Å(reported)
Based on initial model : 6ZM6

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1561	
2	B	72	
3	D	305	
4	E	348	
5	F	311	
6	H	267	
7	I	261	
8	J	192	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	K	177	100%
10	L	145	79% 21%
11	M	296	91% 9%
12	N	251	31% 76% 24%
13	O	175	88% 12%
14	P	180	80% 20%
15	Q	292	75% 25%
16	R	149	94% 6%
17	S	205	79% 21%
18	T	206	81% 19%
19	U	152	15% 100%
20	V	216	6% 95% 5%
21	W	148	69% 31%
22	X	256	95% 5%
23	Y	250	72% 28%
24	Z	161	76% 24%
25	0	188	58% 41%
26	1	65	40% 85% 15%
27	2	92	50% 50%
28	3	188	51% 49%
29	5	423	93% 7%
30	6	380	93% 7%
31	7	338	5% 87% 13%
32	8	206	18% 67% 33%
33	9	137	91% 9%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	a	142	
35	b	214	
36	c	332	
37	d	306	
38	e	279	
39	f	212	
40	g	166	
41	h	158	
42	i	128	
43	j	123	
44	k	111	
45	l	138	
46	m	128	
47	o	102	
48	p	206	
49	q	222	
50	r	196	
51	s	439	
52	t	198	
52	u	198	
52	v	198	
52	w	198	
52	x	198	
52	y	198	
53	za	234	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	zb	70	 <p>9% 99%</p>
55	zc	156	 <p>48% 56% 44%</p>

2 Entry composition [i](#)

There are 61 unique types of molecules in this entry. The entry contains 186318 atoms, of which 85917 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16SrRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
1	A	1145	36467	10915	12165	4406	7836	1145	0	0

- Molecule 2 is a RNA chain called tRNAVal.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
2	B	72	2293	685	769	269	498	72	0	0

- Molecule 3 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	D	214	3360	1023	1703	335	291	8	0	0

- Molecule 4 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
4	E	284	4526	1457	2269	384	405	11	0	0

- Molecule 5 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	F	249	4053	1293	2042	366	346	6	0	0

- Molecule 6 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
6	H	97	1649	508	847	155	139	0	0

- Molecule 7 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
7	I	206	3397	1065	1740	297	284	11	0	0

- Molecule 8 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
8	J	175	2738	847	1408	237	244	2	0	0

- Molecule 9 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
9	K	177	2907	936	1452	259	253	7	0	0

- Molecule 10 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
10	L	115	1832	559	942	171	155	5	0	0

- Molecule 11 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
11	M	269	4357	1383	2208	379	382	5	0	0

- Molecule 12 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	N	191	3114	995	1560	279	271	9	0	0

- Molecule 13 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	O	154	2554	792	1295	241	219	7	0	0

- Molecule 14 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	P	144	2339	733	1166	224	211	5	0	0

- Molecule 15 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
15	Q	220	3707	1174	1873	326	325	9	0	0

- Molecule 16 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
16	R	140	2369	732	1215	231	187	4	0	0

- Molecule 17 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
17	S	161	2659	835	1366	227	227	4	0	0

- Molecule 18 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	T	166	2780	875	1411	254	233	7	0	0

- Molecule 19 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
19	U	152	2483	788	1232	234	226	3	0	0

- Molecule 20 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
20	V	205	3364	1068	1688	298	302	8	0	0

- Molecule 21 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
21	W	102	1647	523	835	152	134	3	0	0

- Molecule 22 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
22	X	244	4104	1322	2060	352	365	5	0	0

- Molecule 23 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
23	Y	181	3154	995	1598	298	259	4	0	0

- Molecule 24 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
24	Z	122	2041	636	1045	186	171	3	0	0

- Molecule 25 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
25	0	110	1799	554	901	176	162	6	0	0

- Molecule 26 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	1	55	954	290	499	87	76	2	0	0

- Molecule 27 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	2	46	784	233	407	83	60	1	0	0

- Molecule 28 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	3	95	1716	539	884	162	128	3	0	0

- Molecule 29 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	5	394	6417	2073	3207	560	566	11	0	0

- Molecule 30 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	6	354	5790	1881	2842	525	533	9	0	0

- Molecule 31 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	7	294	4788	1529	2398	405	438	18	0	0

- Molecule 32 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	8	138	2363	746	1193	205	217	2	0	0

- Molecule 33 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
33	9	124	1985	644	988	170	181	2	0	0

- Molecule 34 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
34	a	100	1652	529	812	152	154	5	0	0

- Molecule 35 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
35	b	150	2392	744	1196	231	218	3	0	0

- Molecule 36 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
36	c	286	4621	1470	2322	397	423	9	0	0

- Molecule 37 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
37	d	236	3851	1233	1918	335	351	14	0	0

- Molecule 38 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
38	e	228	3699	1174	1851	326	342	6	0	0

- Molecule 39 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
39	f	153	2449	778	1229	201	237	4	0	0

- Molecule 40 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
40	g	134	2210	719	1097	193	199	2	0	0

- Molecule 41 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
41	h	110	1777	568	882	156	168	3	0	0

- Molecule 42 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
42	i	93	1612	509	820	157	122	4	0	0

- Molecule 43 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
43	j	94	1492	463	747	144	136	2	0	0

- Molecule 44 is a protein called 39S ribosomal protein L53, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
44	k	101	1558	479	784	148	142	5	0	0

- Molecule 45 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
45	l	82	1363	437	675	120	128	3	0	0

- Molecule 46 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
46	m	64	1096	330	560	111	93	2	0	0

- Molecule 47 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
47	o	82	1395	438	697	141	116	3	0	0

- Molecule 48 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
48	p	147	2431	748	1226	228	225	4	0	0

- Molecule 49 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
49	q	161	2678	841	1328	260	244	5	0	0

- Molecule 50 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
50	r	162	2659	839	1337	252	223	8	0	0

- Molecule 51 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
51	s	386	6296	2023	3141	559	559	14	0	0

- Molecule 52 is a protein called 39S ribosomal protein L12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
52	t	46	732	228	378	56	70	0	0
52	u	32	541	168	284	40	49	0	0
52	v	29	486	152	253	36	45	0	0
52	w	31	520	159	275	39	47	0	0
52	x	31	520	159	275	39	47	0	0
52	y	31	520	159	275	39	47	0	0

- Molecule 53 is a protein called Mitochondrial assembly of ribosomal large subunit protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
53	za	123	2019	648	1007	169	185	10	0	0

- Molecule 54 is a protein called MIEF1 upstream open reading frame protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
54	zb	69	1194	372	605	116	101	0	0

- Molecule 55 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
55	zc	87	1397	452	692	103	144	6	0	0

- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
56	A	33	Total	Mg	0
			33	33	
56	B	1	Total	Mg	0
			1	1	
56	g	1	Total	Mg	0
			1	1	


- Molecule 57 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
57	A	7	Total	K	0
			7	7	
57	6	1	Total	K	0
			1	1	

- Molecule 58 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
58	0	1	Total	Zn	0
			1	1	

- Molecule 59 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			AltConf
59	r	1	Total	Fe	S	0
			4	2	2	

- Molecule 60 is S-[2-({N-[(2R)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alanyl}amino)ethyl] dodecanethioate (three-letter code: 8Q1) (formula: C₂₃H₄₅N₂O₈PS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf		
60	zc	1	Total	C	H	N	O	P	S	0
			77	23	43	2	7	1	1	

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		AltConf
61	A	1157	Total 1157	O 1157	0
61	B	26	Total 26	O 26	0
61	D	14	Total 14	O 14	0
61	E	77	Total 77	O 77	0
61	F	81	Total 81	O 81	0
61	H	7	Total 7	O 7	0
61	K	29	Total 29	O 29	0
61	L	38	Total 38	O 38	0
61	M	53	Total 53	O 53	0
61	N	1	Total 1	O 1	0
61	O	33	Total 33	O 33	0
61	P	52	Total 52	O 52	0
61	Q	79	Total 79	O 79	0
61	R	56	Total 56	O 56	0
61	S	35	Total 35	O 35	0
61	T	43	Total 43	O 43	0
61	U	44	Total 44	O 44	0
61	V	29	Total 29	O 29	0
61	W	16	Total 16	O 16	0
61	X	16	Total 16	O 16	0
61	Y	46	Total 46	O 46	0
61	Z	23	Total 23	O 23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
61	0	26	26	26	0
61	2	32	32	32	0
61	3	36	36	36	0
61	5	32	32	32	0
61	6	49	49	49	0
61	7	11	11	11	0
61	8	5	5	5	0
61	9	29	29	29	0
61	a	18	18	18	0
61	b	54	54	54	0
61	c	42	42	42	0
61	d	7	7	7	0
61	e	1	1	1	0
61	f	6	6	6	0
61	g	28	28	28	0
61	h	7	7	7	0
61	i	43	43	43	0
61	j	27	27	27	0
61	m	1	1	1	0
61	o	16	16	16	0
61	p	12	12	12	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
61	q	8	Total 8	O 8	0
61	r	7	Total 7	O 7	0
61	s	86	Total 86	O 86	0
61	za	5	Total 5	O 5	0

3 Residue-property plots i



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

● Molecule 1: 16SrRNA








• Molecule 2: tRNAVal




• Molecule 3: 39S ribosomal protein L2, mitochondrial






• Molecule 4: 39S ribosomal protein L3, mitochondrial













- Molecule 5: 39S ribosomal protein L4, mitochondrial



- Molecule 6: 39S ribosomal protein L9, mitochondrial




- Molecule 7: 39S ribosomal protein L10, mitochondrial




- Molecule 8: 39S ribosomal protein L11, mitochondrial


- Molecule 13: 39S ribosomal protein L17, mitochondrial




- Molecule 14: 39S ribosomal protein L18, mitochondrial




- Molecule 15: 39S ribosomal protein L19, mitochondrial




- Molecule 16: 39S ribosomal protein L20, mitochondrial




- Molecule 17: 39S ribosomal protein L21, mitochondrial



- Molecule 18: 39S ribosomal protein L22, mitochondrial




- Molecule 19: 39S ribosomal protein L23, mitochondrial




• Molecule 20: 39S ribosomal protein L24, mitochondrial




• Molecule 21: 39S ribosomal protein L27, mitochondrial





• Molecule 22: 39S ribosomal protein L28, mitochondrial



• Molecule 23: 39S ribosomal protein L47, mitochondrial





• Molecule 24: 39S ribosomal protein L30, mitochondrial





• Molecule 25: 39S ribosomal protein L32, mitochondrial






• Molecule 26: 39S ribosomal protein L33, mitochondrial




• Molecule 27: 39S ribosomal protein L34, mitochondrial





• Molecule 28: 39S ribosomal protein L35, mitochondrial




• Molecule 29: 39S ribosomal protein L37, mitochondrial




• Molecule 30: 39S ribosomal protein L38, mitochondrial




• Molecule 31: 39S ribosomal protein L39, mitochondrial








• Molecule 32: 39S ribosomal protein L40, mitochondrial



• Molecule 33: 39S ribosomal protein L41, mitochondrial





• Molecule 34: 39S ribosomal protein L42, mitochondrial





• Molecule 35: 39S ribosomal protein L43, mitochondrial





• Molecule 36: 39S ribosomal protein L44, mitochondrial




• Molecule 37: 39S ribosomal protein L45, mitochondrial





• Molecule 38: 39S ribosomal protein L46, mitochondrial



• Molecule 39: 39S ribosomal protein L48, mitochondrial




• Molecule 40: 39S ribosomal protein L49, mitochondrial




• Molecule 41: 39S ribosomal protein L50, mitochondrial









- Molecule 42: 39S ribosomal protein L51, mitochondrial






- Molecule 43: 39S ribosomal protein L52, mitochondrial



- Molecule 44: 39S ribosomal protein L53, mitochondrial




- Molecule 45: 39S ribosomal protein L54, mitochondrial





- Molecule 46: 39S ribosomal protein L55, mitochondrial







• Molecule 52: 39S ribosomal protein L12, mitochondrial



• Molecule 52: 39S ribosomal protein L12, mitochondrial



• Molecule 52: 39S ribosomal protein L12, mitochondrial



ALA
GLU
LYS
ILE
LYS
ALA
ALA
LEU
GLU
VAL
ALA
VAL
GLY
GLY
THR
VAL
VAL
LEU
GLU

- Molecule 53: Mitochondrial assembly of ribosomal large subunit protein 1



MET
GLY
PRO
GLY
GLY
ARG
VAL
ALA
ARG
LEU
LEU
ALA
ALA
PRO
LEU
MET
TRP
ARG
ARG
ALA
VAL
SER
SER
VAL
VAL
ALA
GLY
SER
ALA
VAL
GLY
GLY
PRO
GLY
ARG
VAL
GLY
ASP
ASP
GLY
GLY
LEU
PRO
VAL
GLY
ALA
PHE
ALA
PHE
ILE
LEU
GLY
ILE
ASP
ASP
GLN
THR
PRO
ASN
PHE
VAL
THR
ARG
GLY

LEU
HIS
SER
GLY
PRO
LEU
GLY
GLU
ARG
ALA
ALA
GLY
THR
VAL
ASN
GLY
GLY
ARG
ARG
PRO
GLU
SER
SER
ASP
ASP
ALA
ALA
ASP
HIS
T88
R89
K152
A204
Q205
I206
A207
P208
E209
T210
VAL
PRO
GLU
ASP
PHE
ILE
LEU
ILE
ASP
ASP
GLN
THR
SER
SER
VAL
THR
VAL
GLY
LEU

LYS
CYS
GLU

- Molecule 54: MIEF1 upstream open reading frame protein



MET
A2
P3
W4
E7
K41
D47
A48
R53
I70

- Molecule 55: Acyl carrier protein, mitochondrial



MET
ALA
SER
ARG
VAL
LEU
SER
ALA
TYR
VAL
SER
ARG
LEU
PRO
ALA
PHE
ALA
PRO
LEU
PRO
ARG
VAL
ARG
MET
LEU
ALA
VAL
ALA
ARG
PRO
LEU
SER
THR
ALA
LEU
CYS
SER
ALA
GLY
THR
THR
THR
LEU
GLY
THR
LEU
GLN
PRO
ALA
LEU
VAL
VAL
ALA
GLN
VAL
PRO
GLY
ARG

VAL
THR
GLN
LEU
ARG
CYS
GLN
TYR
SER
D70
M71
P72
P73
L74
T76
L76
E77
G78
I79
Q80
D81
R82
V83
L84
Y85
V86
L87
K88
L89
Y90
D91
K92
I93
D94
P95
E96
K97
L98
S99
V100
N101
S102
H103
F104
M105
K106
D107
L108
G109
L110
D111
M122
E123
D124
E125
F126
G127
F128
E129

I130
P131
D132
I133
D134
A135
E136
K137
L138
M139
C140
P141
E143
I144
V145
D146
Y147
I148
A149
D150
K151
K152
D153
V154
Y155
E156

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	180400	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	31	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	165000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.930	Depositor
Minimum map value	-0.865	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.028	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	405.0, 405.0, 405.0	wwPDB
Map dimensions	720, 720, 720	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.5625, 0.5625, 0.5625	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAC, ZN, THC, FES, K, AYA, PSU, MG, 2MG, 1MA, 8Q1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	1/27190 (0.0%)	0.68	0/42294
2	B	0.33	1/1627 (0.1%)	0.67	0/2527
3	D	0.24	0/1685	0.44	0/2265
4	E	0.26	0/2321	0.43	0/3144
5	F	0.24	0/2069	0.43	0/2813
6	H	0.23	0/816	0.41	0/1097
7	I	0.24	0/1693	0.39	0/2294
8	J	0.25	0/1348	0.39	0/1813
9	K	0.24	0/1490	0.41	0/2021
10	L	0.24	0/905	0.46	0/1218
11	M	0.25	0/2200	0.41	0/2976
12	N	0.24	0/1593	0.39	0/2144
13	O	0.24	0/1283	0.41	0/1727
14	P	0.25	0/1199	0.43	0/1623
15	Q	0.26	0/1875	0.42	0/2523
16	R	0.24	0/1175	0.42	0/1572
17	S	0.24	0/1320	0.45	0/1789
18	T	0.25	0/1403	0.42	0/1886
19	U	0.25	0/1274	0.43	0/1723
20	V	0.25	0/1721	0.42	0/2333
21	W	0.27	0/834	0.44	0/1126
22	X	0.24	0/2099	0.38	0/2837
23	Y	0.25	0/1593	0.38	0/2136
24	Z	0.25	0/1021	0.42	0/1378
25	0	0.24	0/913	0.42	0/1224
26	1	0.24	0/460	0.44	0/610
27	2	0.24	0/383	0.44	0/507
28	3	0.24	0/853	0.43	0/1136
29	5	0.25	0/3305	0.42	0/4502
30	6	0.26	0/3043	0.41	0/4140
31	7	0.24	0/2447	0.39	0/3310
32	8	0.24	0/1195	0.38	0/1610

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	g	0.27	0/1025	0.41	0/1379
34	a	0.25	0/866	0.42	0/1174
35	b	0.25	0/1211	0.43	0/1639
36	c	0.24	0/2347	0.39	0/3171
37	d	0.25	0/1984	0.40	0/2683
38	e	0.24	0/1885	0.38	0/2542
39	f	0.25	0/1241	0.40	0/1676
40	g	0.26	0/1151	0.42	0/1569
41	h	0.24	0/918	0.36	0/1249
42	i	0.25	0/813	0.40	0/1089
43	j	0.25	0/760	0.39	0/1023
44	k	0.23	0/777	0.39	0/1048
45	l	0.24	0/707	0.38	0/960
46	m	0.24	0/544	0.40	0/730
47	o	0.23	0/716	0.38	0/960
48	p	0.24	0/1223	0.41	0/1641
49	q	0.24	0/1384	0.37	0/1869
50	r	0.25	0/1362	0.42	0/1846
51	s	0.25	0/3239	0.43	0/4400
52	t	0.23	0/358	0.34	0/486
52	u	0.22	0/259	0.35	0/350
52	v	0.23	0/235	0.34	0/318
52	w	0.22	0/246	0.39	0/331
52	x	0.22	0/246	0.34	0/331
52	y	0.22	0/246	0.33	0/331
53	za	0.25	0/1036	0.41	0/1402
54	zb	0.24	0/598	0.37	0/796
55	zc	0.23	0/717	0.35	0/967
All	All	0.25	2/102427 (0.0%)	0.51	0/144258

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1671	G	OP3-P	-10.77	1.48	1.61
2	B	1	C	OP3-P	-10.57	1.48	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	D	212/305 (70%)	210 (99%)	2 (1%)	0	100	100
4	E	280/348 (80%)	278 (99%)	2 (1%)	0	100	100
5	F	245/311 (79%)	240 (98%)	5 (2%)	0	100	100
6	H	95/267 (36%)	91 (96%)	4 (4%)	0	100	100
7	I	204/261 (78%)	202 (99%)	2 (1%)	0	100	100
8	J	173/192 (90%)	166 (96%)	7 (4%)	0	100	100
9	K	175/177 (99%)	173 (99%)	2 (1%)	0	100	100
10	L	113/145 (78%)	112 (99%)	1 (1%)	0	100	100
11	M	265/296 (90%)	263 (99%)	2 (1%)	0	100	100
12	N	185/251 (74%)	182 (98%)	3 (2%)	0	100	100
13	O	152/175 (87%)	149 (98%)	3 (2%)	0	100	100
14	P	142/180 (79%)	141 (99%)	1 (1%)	0	100	100
15	Q	218/292 (75%)	218 (100%)	0	0	100	100
16	R	138/149 (93%)	137 (99%)	1 (1%)	0	100	100
17	S	159/205 (78%)	158 (99%)	1 (1%)	0	100	100
18	T	164/206 (80%)	162 (99%)	2 (1%)	0	100	100
19	U	150/152 (99%)	148 (99%)	2 (1%)	0	100	100
20	V	203/216 (94%)	199 (98%)	4 (2%)	0	100	100
21	W	100/148 (68%)	99 (99%)	1 (1%)	0	100	100
22	X	242/256 (94%)	241 (100%)	1 (0%)	0	100	100
23	Y	179/250 (72%)	178 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
24	Z	120/161 (74%)	119 (99%)	1 (1%)	0	100	100
25	0	108/188 (57%)	108 (100%)	0	0	100	100
26	1	53/65 (82%)	51 (96%)	2 (4%)	0	100	100
27	2	44/92 (48%)	43 (98%)	1 (2%)	0	100	100
28	3	93/188 (50%)	92 (99%)	1 (1%)	0	100	100
29	5	392/423 (93%)	387 (99%)	5 (1%)	0	100	100
30	6	352/380 (93%)	342 (97%)	10 (3%)	0	100	100
31	7	292/338 (86%)	286 (98%)	6 (2%)	0	100	100
32	8	136/206 (66%)	132 (97%)	4 (3%)	0	100	100
33	9	122/137 (89%)	120 (98%)	2 (2%)	0	100	100
34	a	96/142 (68%)	92 (96%)	4 (4%)	0	100	100
35	b	148/214 (69%)	144 (97%)	4 (3%)	0	100	100
36	c	282/332 (85%)	281 (100%)	1 (0%)	0	100	100
37	d	232/306 (76%)	230 (99%)	2 (1%)	0	100	100
38	e	224/279 (80%)	222 (99%)	2 (1%)	0	100	100
39	f	149/212 (70%)	149 (100%)	0	0	100	100
40	g	132/166 (80%)	131 (99%)	1 (1%)	0	100	100
41	h	108/158 (68%)	107 (99%)	1 (1%)	0	100	100
42	i	91/128 (71%)	91 (100%)	0	0	100	100
43	j	92/123 (75%)	89 (97%)	3 (3%)	0	100	100
44	k	99/111 (89%)	92 (93%)	7 (7%)	0	100	100
45	l	80/138 (58%)	80 (100%)	0	0	100	100
46	m	62/128 (48%)	62 (100%)	0	0	100	100
47	o	80/102 (78%)	80 (100%)	0	0	100	100
48	p	141/206 (68%)	140 (99%)	1 (1%)	0	100	100
49	q	159/222 (72%)	157 (99%)	2 (1%)	0	100	100
50	r	160/196 (82%)	157 (98%)	3 (2%)	0	100	100
51	s	382/439 (87%)	371 (97%)	11 (3%)	0	100	100
52	t	44/198 (22%)	44 (100%)	0	0	100	100
52	u	30/198 (15%)	29 (97%)	1 (3%)	0	100	100
52	v	27/198 (14%)	27 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
52	w	29/198 (15%)	28 (97%)	1 (3%)	0	100	100
52	x	29/198 (15%)	29 (100%)	0	0	100	100
52	y	29/198 (15%)	29 (100%)	0	0	100	100
53	za	121/234 (52%)	112 (93%)	9 (7%)	0	100	100
54	zb	67/70 (96%)	66 (98%)	1 (2%)	0	100	100
55	zc	85/156 (54%)	79 (93%)	6 (7%)	0	100	100
All	All	8684/12210 (71%)	8545 (98%)	139 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	D	172/245 (70%)	172 (100%)	0	100	100
4	E	246/290 (85%)	245 (100%)	1 (0%)	91	95
5	F	217/262 (83%)	217 (100%)	0	100	100
6	H	88/228 (39%)	88 (100%)	0	100	100
7	I	190/232 (82%)	190 (100%)	0	100	100
8	J	138/150 (92%)	138 (100%)	0	100	100
9	K	154/154 (100%)	154 (100%)	0	100	100
10	L	98/124 (79%)	98 (100%)	0	100	100
11	M	230/249 (92%)	229 (100%)	1 (0%)	91	95
12	N	164/211 (78%)	164 (100%)	0	100	100
13	O	134/150 (89%)	134 (100%)	0	100	100
14	P	126/155 (81%)	126 (100%)	0	100	100
15	Q	202/256 (79%)	202 (100%)	0	100	100
16	R	118/126 (94%)	118 (100%)	0	100	100
17	S	146/180 (81%)	146 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	T	146/176 (83%)	146 (100%)	0	100	100
19	U	134/134 (100%)	134 (100%)	0	100	100
20	V	183/191 (96%)	183 (100%)	0	100	100
21	W	84/119 (71%)	84 (100%)	0	100	100
22	X	220/229 (96%)	220 (100%)	0	100	100
23	Y	163/223 (73%)	163 (100%)	0	100	100
24	Z	113/147 (77%)	113 (100%)	0	100	100
25	0	99/164 (60%)	98 (99%)	1 (1%)	76	84
26	1	52/60 (87%)	52 (100%)	0	100	100
27	2	40/72 (56%)	40 (100%)	0	100	100
28	3	88/166 (53%)	88 (100%)	0	100	100
29	5	353/368 (96%)	353 (100%)	0	100	100
30	6	313/332 (94%)	313 (100%)	0	100	100
31	7	270/303 (89%)	269 (100%)	1 (0%)	91	95
32	8	128/190 (67%)	128 (100%)	0	100	100
33	9	104/112 (93%)	104 (100%)	0	100	100
34	a	96/133 (72%)	95 (99%)	1 (1%)	76	84
35	b	131/184 (71%)	131 (100%)	0	100	100
36	c	251/288 (87%)	251 (100%)	0	100	100
37	d	215/274 (78%)	215 (100%)	0	100	100
38	e	198/236 (84%)	198 (100%)	0	100	100
39	f	136/188 (72%)	136 (100%)	0	100	100
40	g	124/148 (84%)	124 (100%)	0	100	100
41	h	104/148 (70%)	104 (100%)	0	100	100
42	i	83/110 (76%)	83 (100%)	0	100	100
43	j	74/97 (76%)	74 (100%)	0	100	100
44	k	83/89 (93%)	83 (100%)	0	100	100
45	l	76/116 (66%)	76 (100%)	0	100	100
46	m	58/113 (51%)	57 (98%)	1 (2%)	60	74
47	o	71/87 (82%)	70 (99%)	1 (1%)	67	78
48	p	135/181 (75%)	135 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
49	q	138/178 (78%)	138 (100%)	0	100	100
50	r	147/169 (87%)	146 (99%)	1 (1%)	84	90
51	s	340/381 (89%)	339 (100%)	1 (0%)	92	96
52	t	40/158 (25%)	40 (100%)	0	100	100
52	u	31/158 (20%)	31 (100%)	0	100	100
52	v	28/158 (18%)	28 (100%)	0	100	100
52	w	30/158 (19%)	30 (100%)	0	100	100
52	x	30/158 (19%)	30 (100%)	0	100	100
52	y	30/158 (19%)	30 (100%)	0	100	100
53	za	114/200 (57%)	114 (100%)	0	100	100
54	zb	59/60 (98%)	59 (100%)	0	100	100
55	zc	81/136 (60%)	81 (100%)	0	100	100
All	All	7816/10462 (75%)	7807 (100%)	9 (0%)	93	97

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	E	303	LYS
11	M	134	ARG
25	0	185	PHE
31	7	143	TRP
34	a	122	ARG
46	m	94	ARG
47	o	82	PHE
50	r	184	ASN
51	s	327	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
18	T	75	HIS
21	W	65	ASN
39	f	111	HIS
51	s	420	GLN
52	v	65	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1133/1561 (72%)	223 (19%)	0
2	B	71/72 (98%)	11 (15%)	0
All	All	1204/1633 (73%)	234 (19%)	0

All (234) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	1674	A
1	A	1678	C
1	A	1679	U
1	A	1681	G
1	A	1688	A
1	A	1689	C
1	A	1690	C
1	A	1694	U
1	A	1699	C
1	A	1700	U
1	A	1704	U
1	A	1707	C
1	A	1708	A
1	A	1711	C
1	A	1713	A
1	A	1721	C
1	A	1722	A
1	A	1724	A
1	A	1727	A
1	A	1728	U
1	A	1731	A
1	A	1733	C
1	A	1735	A
1	A	1737	A
1	A	1748	G
1	A	1749	C
1	A	1764	C
1	A	1765	C
1	A	1777	A
1	A	1805	A
1	A	1807	U
1	A	1810	A
1	A	1817	C
1	A	1821	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1827	C
1	A	1828	A
1	A	1829	A
1	A	1832	A
1	A	1836	A
1	A	1844	A
1	A	1857	U
1	A	1858	G
1	A	1868	G
1	A	1869	A
1	A	1882	A
1	A	1883	G
1	A	1886	G
1	A	1887	A
1	A	1893	A
1	A	1901	C
1	A	1902	C
1	A	1903	C
1	A	1918	G
1	A	1919	C
1	A	1934	U
1	A	1935	A
1	A	1936	A
1	A	1937	A
1	A	1939	G
1	A	1940	A
1	A	1941	G
1	A	1985	G
1	A	1992	C
1	A	1994	A
1	A	1999	A
1	A	2000	C
1	A	2013	U
1	A	2022	G
1	A	2033	A
1	A	2036	C
1	A	2037	U
1	A	2039	A
1	A	2055	U
1	A	2060	A
1	A	2066	C
1	A	2068	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2069	U
1	A	2070	C
1	A	2079	C
1	A	2083	U
1	A	2085	A
1	A	2098	G
1	A	2099	U
1	A	2105	G
1	A	2109	A
1	A	2111	C
1	A	2113	G
1	A	2132	A
1	A	2141	U
1	A	2142	A
1	A	2147	G
1	A	2155	A
1	A	2156	A
1	A	2159	U
1	A	2160	A
1	A	2163	A
1	A	2164	C
1	A	2165	C
1	A	2167	A
1	A	2168	U
1	A	2171	U
1	A	2172	A
1	A	2181	A
1	A	2182	G
1	A	2183	C
1	A	2188	A
1	A	2190	C
1	A	2192	A
1	A	2194	U
1	A	2197	G
1	A	2198	A
1	A	2199	A
1	A	2200	A
1	A	2201	G
1	A	2202	C
1	A	2204	U
1	A	2207	A
1	A	2237	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2239	A
1	A	2241	A
1	A	2245	A
1	A	2246	A
1	A	2262	C
1	A	2263	C
1	A	2284	C
1	A	2285	U
1	A	2294	A
1	A	2297	A
1	A	2331	C
1	A	2332	C
1	A	2345	G
1	A	2350	A
1	A	2351	U
1	A	2363	A
1	A	2374	A
1	A	2381	A
1	A	2390	A
1	A	2399	A
1	A	2401	A
1	A	2404	U
1	A	2407	U
1	A	2415	C
1	A	2427	C
1	A	2431	C
1	A	2432	A
1	A	2433	C
1	A	2434	A
1	A	2435	G
1	A	2446	A
1	A	2451	A
1	A	2473	A
1	A	2475	U
1	A	2476	C
1	A	2478	G
1	A	2497	U
1	A	2502	C
1	A	2503	A
1	A	2520	C
1	A	2521	A
1	A	2523	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2527	A
1	A	2539	A
1	A	2648	U
1	A	2656	U
1	A	2660	U
1	A	2686	G
1	A	2694	A
1	A	2706	A
1	A	2721	G
1	A	2726	C
1	A	2727	C
1	A	2731	U
1	A	2732	G
1	A	2735	G
1	A	2738	U
1	A	2740	A
1	A	2798	A
1	A	2847	C
1	A	2848	A
1	A	2851	A
1	A	2854	U
1	A	2864	U
1	A	2865	C
1	A	2882	U
1	A	2907	U
1	A	2910	A
1	A	2911	C
1	A	2916	G
1	A	2917	G
1	A	2918	A
1	A	2928	C
1	A	2932	G
1	A	3108	U
1	A	3110	C
1	A	3112	A
1	A	3113	A
1	A	3114	U
1	A	3122	U
1	A	3135	A
1	A	3137	G
1	A	3141	A
1	A	3147	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	3150	U
1	A	3157	C
1	A	3160	A
1	A	3162	C
1	A	3175	A
1	A	3180	A
1	A	3188	U
1	A	3193	U
1	A	3194	U
1	A	3197	U
1	A	3199	U
1	A	3200	U
1	A	3201	A
1	A	3208	C
1	A	3211	C
1	A	3212	C
1	A	3217	A
1	A	3218	A
1	A	3228	U
1	A	3229	U
1	A	3231	U
2	B	11	C
2	B	14	A
2	B	16	C
2	B	20	A
2	B	21	A
2	B	48	U
2	B	54	C
2	B	55	U
2	B	59	A
2	B	63	G
2	B	64	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1MA	B	9	2	16,25,26	1.20	2 (12%)	18,37,40	0.95	1 (5%)
44	AYA	k	2	44	6,7,8	0.81	0	5,8,10	0.53	0
2	PSU	B	39	2	18,21,22	0.51	0	22,30,33	0.55	0
19	AYA	U	2	19	6,7,8	0.78	0	5,8,10	0.52	0
2	2MG	B	10	2	18,26,27	0.95	2 (11%)	16,38,41	0.68	0
35	THC	b	2	35	8,9,10	0.30	0	9,11,13	0.64	0
9	SAC	K	2	9	7,8,9	0.21	0	8,9,11	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1MA	B	9	2	-	0/3/25/26	0/3/3/3
44	AYA	k	2	44	-	0/4/6/8	-
2	PSU	B	39	2	-	0/7/25/26	0/2/2/2
19	AYA	U	2	19	-	1/4/6/8	-
2	2MG	B	10	2	-	0/5/27/28	0/3/3/3
35	THC	b	2	35	-	0/8/10/12	-
9	SAC	K	2	9	-	0/7/8/10	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	9	1MA	C6-N6	3.29	1.35	1.27
2	B	10	2MG	C5-C6	-2.37	1.42	1.47
2	B	9	1MA	C5-C4	-2.19	1.37	1.43
2	B	10	2MG	C8-N7	-2.07	1.31	1.35

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	9	1MA	N1-C6-N6	2.93	127.23	119.77

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	U	2	AYA	C-CA-N-CT

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 46 ligands modelled in this entry, 44 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
59	FES	r	201	50,7	0,4,4	-	-	-		
60	8Q1	zc	201	55	27,33,34	0.13	0	32,40,43	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	8Q1	zc	201	55	-	3/38/40/41	-
59	FES	r	201	50,7	-	-	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	zc	201	8Q1	C42-C43-S44-C1
60	zc	201	8Q1	N41-C42-C43-S44
60	zc	201	8Q1	N36-C37-C38-C39

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13562. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 360




Y Index: 360




Z Index: 360


6.2.2 Raw map



X Index: 250



Y Index: 250



Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 420




Y Index: 405




Z Index: 335


6.3.2 Raw map



X Index: 225



Y Index: 281




Z Index: 238


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_13562_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 509 nm³; this corresponds to an approximate mass of 459 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.391 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.391 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.56	-	-
Author-provided FSC curve	2.55	3.00	2.65
Unmasked-calculated*	2.98	3.70	3.03

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.98 differs from the reported value 2.56 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13562 and PDB model 7PO4. Per-residue inclusion information can be found in section 3 on page 19.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7800	 0.5950
0	 0.9070	 0.6800
1	 0.4370	 0.4890
2	 0.9860	 0.7510
3	 0.9730	 0.7030
5	 0.9020	 0.6370
6	 0.9210	 0.6560
7	 0.8010	 0.5980
8	 0.5670	 0.4900
9	 0.8800	 0.6560
A	 0.7910	 0.5840
B	 0.7750	 0.5580
D	 0.8250	 0.6170
E	 0.9410	 0.6660
F	 0.9540	 0.7080
H	 0.6440	 0.5460
I	 0.1510	 0.3200
J	 0.0000	 0.1440
K	 0.9520	 0.6820
L	 0.9660	 0.6690
M	 0.9370	 0.6720
N	 0.4920	 0.4840
O	 0.9420	 0.6820
P	 0.9660	 0.6870
Q	 0.9330	 0.6600
R	 0.9680	 0.7270
S	 0.9350	 0.6820
T	 0.9510	 0.6980
U	 0.8440	 0.6480
V	 0.8450	 0.6200
W	 0.9550	 0.6760
X	 0.8650	 0.6240
Y	 0.9530	 0.6930
Z	 0.9290	 0.6780
a	 0.8450	 0.6450



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9640	 0.7190
c	 0.9050	 0.6630
d	 0.7530	 0.5690
e	 0.5890	 0.5300
f	 0.6520	 0.5480
g	 0.9330	 0.6840
h	 0.8420	 0.6190
i	 0.9780	 0.7380
j	 0.8490	 0.6460
k	 0.1910	 0.3970
l	 0.0570	 0.2700
m	 0.5760	 0.4850
o	 0.9420	 0.6800
p	 0.7600	 0.5770
q	 0.5440	 0.5040
r	 0.7960	 0.5830
s	 0.9270	 0.6790
t	 0.0000	 0.1930
u	 0.0000	 0.1390
v	 0.0000	 0.1330
w	 0.0000	 0.0320
x	 0.0000	 0.0900
y	 0.0000	 0.0730
za	 0.8000	 0.5840
zb	 0.6770	 0.5270
zc	 0.1580	 0.3610