



Full wwPDB EM Validation Report ⓘ

Nov 3, 2024 – 10:13 pm GMT

PDB ID : 7QH7
EMDB ID : EMD-13967
Title : Cryo-EM structure of the human mtLSU assembly intermediate upon MRM2 depletion - class 4
Authors : Rebelo-Guiomar, P.; Pellegrino, S.; Dent, K.C.; Warren, A.J.; Minczuk, M.
Deposited on : 2021-12-10
Resolution : 2.89 Å(reported)
Based on initial model : 5OOL

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	215	
2	E	304	
3	F	250	
4	H	95	
5	I	30	
6	K	177	
7	L	115	
8	M	287	

















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	N	201	 99%
10	O	152	 97%
11	P	141	 97%
12	Q	217	 99%
13	R	139	 99%
14	S	156	 95% 5%
15	T	166	 92% 7%
16	U	125	 98%
17	V	48	 94% 6%
18	W	100	 99%
19	X	243	 98%
20	Y	175	 95% 5%
21	Z	115	 96%
22	0	108	 96%
23	1	49	 94% 6%
24	2	45	 98%
25	3	95	 98%
26	5	392	 96%
27	6	292	 96%
28	7	287	 97%
29	9	123	 91% 5%
30	a	80	 95% 5%
31	b	148	 97%
32	c	287	 92%
33	d	169	 90% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	17	 94% 6%
35	g	129	 96%
36	h	105	 90% 7%
37	i	97	 99%
38	j	86	 98%
39	o	81	 96%
40	p	125	 99% 9%
41	q	101	 99%
42	r	140	 89% 8%
43	s	390	 91% 5%
44	u	111	 95% 5%
45	v	69	 99% 9%
46	w	79	 100% 70%
47	A	1256	 74% 26%
48	B	61	 62% 30% 8% 18%
49	4	37	 95% 5%

2 Entry composition [i](#)

There are 52 unique types of molecules in this entry. The entry contains 85397 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	D	215	1671	1034	337	292	8	0	0

- Molecule 2 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	E	304	2396	1539	416	430	11	0	0

- Molecule 3 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	F	250	2013	1294	365	348	6	0	0

- Molecule 4 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	H	95	784	498	152	134	0	0

- Molecule 5 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	I	30	247	160	47	37	3	0	0

- Molecule 6 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	K	177	1451	934	259	251	7	0	0

- Molecule 7 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	L	115	889	559	171	154	5	0	0

- Molecule 8 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	M	287	2305	1472	425	402	6	0	0

- Molecule 9 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	N	201	1621	1033	302	276	10	0	0

- Molecule 10 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	O	152	1245	784	239	215	7	0	0

- Molecule 11 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	P	141	1148	719	221	203	5	0	0

- Molecule 12 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	Q	217	1805	1159	317	320	9	0	0

- Molecule 13 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	R	139	1143	726	228	185	4	0	0

- Molecule 14 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	S	156	1251	806	222	219	4	0	0

- Molecule 15 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	T	155	1274	815	232	220	7	0	0

- Molecule 16 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	U	125	1030	660	197	171	2	0	0

- Molecule 17 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	V	48	402	259	63	77	3	0	0

- Molecule 18 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	W	100	801	518	150	130	3	0	0

- Molecule 19 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	X	243	2035	1317	351	362	5	0	0

- Molecule 20 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	Y	175	1506	961	290	251	4	0	0

- Molecule 21 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	Z	115	937	598	175	161	3	0	0

- Molecule 22 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	0	108	880	545	172	157	6	0	0

- Molecule 23 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	1	49	408	263	77	66	2	0	0

- Molecule 24 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	2	45	367	227	81	58	1	0	0

- Molecule 25 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	3	95	831	539	162	127	3	0	0

- Molecule 26 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	5	392	3199	2067	558	563	11	0	0

- Molecule 27 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	6	292	2460	1586	432	434	8	0	0

- Molecule 28 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	7	287	2334	1495	397	425	17	0	0

- Molecule 29 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	9	117	947	614	163	168	2	0	0

- Molecule 30 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	a	80	672	425	124	118	5	0	0

- Molecule 31 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	b	148	1178	733	229	213	3	0	0

- Molecule 32 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	c	275	2214	1413	382	410	9	0	0

- Molecule 33 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	d	157	1308	843	228	229	8	0	0

- Molecule 34 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
34	f	17	142	95	26	21	0	0

- Molecule 35 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	g	129	1067	690	185	190	2	0	0

- Molecule 36 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	h	101	829	525	147	155	2	0	0

- Molecule 37 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	i	97	827	532	165	126	4	0	0

- Molecule 38 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	j	86	689	426	134	127	2	0	0

- Molecule 39 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	o	81	687	432	138	114	3	0	0

- Molecule 40 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	p	125	1045	653	199	189	4	0	0

- Molecule 41 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	q	101	841	527	162	149	3	0	0

- Molecule 42 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	129	Total	C	N	O	S	0	0
			1068	679	209	172	8		

- Molecule 43 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	370	Total	C	N	O	S	0	0
			3036	1946	542	534	14		

- Molecule 44 is a protein called Mitochondrial assembly of ribosomal large subunit protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	u	111	Total	C	N	O	S	0	0
			927	595	155	167	10		

- Molecule 45 is a protein called MIEF1 upstream open reading frame protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	v	69	Total	C	N	O	0	0
			588	372	116	100		

- Molecule 46 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	w	79	Total	C	N	O	S	0	0
			638	410	95	128	5		

- Molecule 47 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	A	1256	Total	C	N	O	P	0	0
			26670	11966	4809	8639	1256		

- Molecule 48 is a RNA chain called mitochondrial tRNA^{Val}.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	B	56	Total	C	N	O	P	0	0
			1191	534	214	387	56		

- Molecule 49 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	4	37	Total	C	N	O	S	0	0
			333	212	71	47	3		

- Molecule 50 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
50	E	1	Total	Mg	0
			1	1	
50	A	49	Total	Mg	0
			49	49	

- Molecule 51 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
51	0	1	Total	Zn	0
			1	1	
51	r	1	Total	Zn	0
			1	1	
51	4	1	Total	Zn	0
			1	1	


- Molecule 52 is water.

Mol	Chain	Residues	Atoms		AltConf
52	O	1	Total	O	0
			1	1	
52	T	1	Total	O	0
			1	1	
52	b	1	Total	O	0
			1	1	
52	i	1	Total	O	0
			1	1	
52	A	10	Total	O	0
			10	10	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 39S ribosomal protein L2, mitochondrial




- Molecule 2: 39S ribosomal protein L3, mitochondrial




- Molecule 3: 39S ribosomal protein L4, mitochondrial



- Molecule 4: 39S ribosomal protein L9, mitochondrial



- Molecule 5: 39S ribosomal protein L10, mitochondrial



- Molecule 6: 39S ribosomal protein L13, mitochondrial

Chain K:  95% 5%



- Molecule 7: 39S ribosomal protein L14, mitochondrial

Chain L:  97% ..




- Molecule 8: 39S ribosomal protein L15, mitochondrial

Chain M:  97% .



- Molecule 9: 39S ribosomal protein L16, mitochondrial

Chain N:  99% .



- Molecule 10: 39S ribosomal protein L17, mitochondrial

Chain O:  97% .



- Molecule 11: 39S ribosomal protein L18, mitochondrial

Chain P:  97% .



- Molecule 12: 39S ribosomal protein L19, mitochondrial

Chain Q:  99% .



- Molecule 13: 39S ribosomal protein L20, mitochondrial

Chain R:  99%




- Molecule 14: 39S ribosomal protein L21, mitochondrial

Chain S:  95%



- Molecule 15: 39S ribosomal protein L22, mitochondrial

Chain T:  92%



- Molecule 16: 39S ribosomal protein L23, mitochondrial

Chain U:  98%



- Molecule 17: 39S ribosomal protein L24, mitochondrial

Chain V:  94%



- Molecule 18: 39S ribosomal protein L27, mitochondrial

Chain W:  99%




- Molecule 19: 39S ribosomal protein L28, mitochondrial

Chain X:  98%



- Molecule 20: 39S ribosomal protein L47, mitochondrial

Chain Y:  95% 5%



- Molecule 21: 39S ribosomal protein L30, mitochondrial

Chain Z:  96% .




- Molecule 22: 39S ribosomal protein L32, mitochondrial

Chain 0:  96% .



- Molecule 23: 39S ribosomal protein L33, mitochondrial

Chain 1:  94% 6%



- Molecule 24: 39S ribosomal protein L34, mitochondrial

Chain 2:  98% .



- Molecule 25: 39S ribosomal protein L35, mitochondrial

Chain 3:  98% .



- Molecule 26: 39S ribosomal protein L37, mitochondrial

Chain 5:  96% .



- Molecule 27: 39S ribosomal protein L38, mitochondrial

Chain 6:  96%





- Molecule 28: 39S ribosomal protein L39, mitochondrial

Chain 7:  97%



- Molecule 29: 39S ribosomal protein L41, mitochondrial

Chain 9:  91% 5%



- Molecule 30: 39S ribosomal protein L42, mitochondrial

Chain a:  95% 5%



- Molecule 31: 39S ribosomal protein L43, mitochondrial

Chain b:  97%




- Molecule 32: 39S ribosomal protein L44, mitochondrial

Chain c:  92%




- Molecule 33: 39S ribosomal protein L45, mitochondrial

Chain d:  90% 7%



- Molecule 34: 39S ribosomal protein L48, mitochondrial

Chain f:  94% 6%




- Molecule 35: 39S ribosomal protein L49, mitochondrial

Chain g:  96% .



- Molecule 36: 39S ribosomal protein L50, mitochondrial

Chain h:  90% 7% .



- Molecule 37: 39S ribosomal protein L51, mitochondrial

Chain i:  99% .



- Molecule 38: 39S ribosomal protein L52, mitochondrial

Chain j:  98% .



- Molecule 39: Ribosomal protein 63, mitochondrial

Chain o:  96% .



- Molecule 40: Peptidyl-tRNA hydrolase ICT1, mitochondrial

Chain p:  9% 99% .





- Molecule 41: Growth arrest and DNA damage-inducible proteins-interacting protein 1

Chain q:  99%





- Molecule 42: 39S ribosomal protein S18a, mitochondrial

Chain r:  89% 8%



- Molecule 43: 39S ribosomal protein S30, mitochondrial

Chain s:  91% 5%




- Molecule 44: Mitochondrial assembly of ribosomal large subunit protein 1

Chain u:  95% 5%




- Molecule 45: MIEF1 upstream open reading frame protein

Chain v:  99% 9%




- Molecule 46: Acyl carrier protein, mitochondrial

Chain w:  70% 100%




- Molecule 47: 16S ribosomal RNA


Chain A:  74% 26%



• Molecule 48: mitochondrial tRNAVal



• Molecule 49: 39S ribosomal protein L36, mitochondrial



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	224933	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	52.5	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.066	Depositor
Minimum map value	-0.017	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	381.59998, 381.59998, 381.59998	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	D	0.37	0/1701	0.51	0/2288
2	E	0.44	0/2465	0.50	0/3344
3	F	0.49	0/2071	0.51	0/2817
4	H	0.38	0/798	0.51	0/1073
5	I	0.32	0/255	0.44	0/345
6	K	0.48	0/1495	0.46	0/2029
7	L	0.36	0/904	0.49	0/1218
8	M	0.46	0/2359	0.54	0/3185
9	N	0.29	0/1663	0.45	0/2236
10	O	0.46	0/1269	0.50	0/1708
11	P	0.30	0/1173	0.47	0/1588
12	Q	0.40	0/1846	0.47	0/2487
13	R	0.50	0/1163	0.49	0/1557
14	S	0.44	0/1276	0.52	0/1729
15	T	0.49	0/1304	0.48	0/1755
16	U	0.49	0/1058	0.51	0/1434
17	V	0.40	0/411	0.45	0/555
18	W	0.39	0/823	0.49	0/1113
19	X	0.40	0/2090	0.46	0/2825
20	Y	0.43	0/1540	0.47	0/2063
21	Z	0.37	0/960	0.49	0/1295
22	0	0.39	0/895	0.47	0/1201
23	1	0.25	0/413	0.46	0/550
24	2	0.57	0/373	0.55	0/496
25	3	0.53	0/852	0.49	0/1136
26	5	0.34	0/3294	0.48	0/4488
27	6	0.34	0/2546	0.46	0/3465
28	7	0.35	0/2391	0.48	0/3234
29	9	0.42	0/972	0.48	0/1306
30	a	0.44	0/694	0.51	0/941
31	b	0.45	0/1202	0.51	0/1626
32	c	0.39	0/2261	0.45	0/3055

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	d	0.28	0/1344	0.47	0/1817
34	f	0.35	0/146	0.43	0/193
35	g	0.48	0/1102	0.51	0/1503
36	h	0.32	0/850	0.46	0/1154
37	i	0.54	0/849	0.49	0/1135
38	j	0.39	0/703	0.44	0/947
39	o	0.39	0/704	0.49	0/945
40	p	0.29	0/1058	0.47	0/1415
41	q	0.35	0/867	0.43	0/1176
42	r	0.41	0/1103	0.47	0/1493
43	s	0.44	0/3114	0.51	0/4225
44	u	0.30	0/949	0.46	0/1281
45	v	0.26	0/597	0.44	0/796
46	w	0.25	0/647	0.41	0/871
47	A	0.85	0/29818	0.86	11/46362 (0.0%)
48	B	0.19	0/1328	0.72	0/2056
49	4	0.39	0/341	0.51	0/451
All	All	0.59	0/90037	0.65	11/127962 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
2	E	0	1
7	L	0	1
15	T	0	1
21	Z	0	1
All	All	0	5

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	A	3149	C	C6-N1-C2	-7.98	117.11	120.30
47	A	3148	C	N1-C2-O2	6.80	122.98	118.90
47	A	3163	G	N1-C2-N2	-5.81	110.97	116.20
47	A	2403	G	N3-C4-N9	5.74	129.44	126.00
47	A	3023	C	N3-C2-O2	-5.63	117.96	121.90
47	A	1879	G	C6-C5-N7	-5.62	127.03	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	A	3164	C	N3-C2-O2	-5.53	118.03	121.90
47	A	3149	C	N3-C2-O2	-5.45	118.09	121.90
47	A	2403	G	C6-C5-N7	-5.40	127.16	130.40
47	A	3148	C	N3-C2-O2	-5.36	118.15	121.90
47	A	1770	G	N3-C4-N9	-5.07	122.96	126.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	206	TYR	Peptide
2	E	230	THR	Peptide
7	L	43	ASN	Peptide
15	T	151	GLN	Peptide
21	Z	94	ALA	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	213/215 (99%)	191 (90%)	21 (10%)	1 (0%)	25	56
2	E	302/304 (99%)	273 (90%)	27 (9%)	2 (1%)	19	49
3	F	248/250 (99%)	228 (92%)	20 (8%)	0	100	100
4	H	93/95 (98%)	83 (89%)	10 (11%)	0	100	100
5	I	28/30 (93%)	27 (96%)	1 (4%)	0	100	100
6	K	175/177 (99%)	162 (93%)	13 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	L	113/115 (98%)	95 (84%)	17 (15%)	1 (1%)	14	43
8	M	285/287 (99%)	269 (94%)	16 (6%)	0	100	100
9	N	199/201 (99%)	187 (94%)	12 (6%)	0	100	100
10	O	150/152 (99%)	142 (95%)	8 (5%)	0	100	100
11	P	139/141 (99%)	129 (93%)	10 (7%)	0	100	100
12	Q	215/217 (99%)	192 (89%)	22 (10%)	1 (0%)	25	56
13	R	137/139 (99%)	133 (97%)	4 (3%)	0	100	100
14	S	154/156 (99%)	141 (92%)	13 (8%)	0	100	100
15	T	151/166 (91%)	140 (93%)	11 (7%)	0	100	100
16	U	121/125 (97%)	115 (95%)	6 (5%)	0	100	100
17	V	46/48 (96%)	44 (96%)	2 (4%)	0	100	100
18	W	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
19	X	241/243 (99%)	230 (95%)	11 (5%)	0	100	100
20	Y	173/175 (99%)	164 (95%)	9 (5%)	0	100	100
21	Z	113/115 (98%)	101 (89%)	12 (11%)	0	100	100
22	0	106/108 (98%)	102 (96%)	4 (4%)	0	100	100
23	1	47/49 (96%)	45 (96%)	2 (4%)	0	100	100
24	2	43/45 (96%)	39 (91%)	4 (9%)	0	100	100
25	3	93/95 (98%)	87 (94%)	6 (6%)	0	100	100
26	5	390/392 (100%)	363 (93%)	27 (7%)	0	100	100
27	6	284/292 (97%)	253 (89%)	30 (11%)	1 (0%)	30	60
28	7	285/287 (99%)	262 (92%)	23 (8%)	0	100	100
29	9	113/123 (92%)	106 (94%)	7 (6%)	0	100	100
30	a	76/80 (95%)	64 (84%)	12 (16%)	0	100	100
31	b	146/148 (99%)	131 (90%)	15 (10%)	0	100	100
32	c	271/287 (94%)	255 (94%)	16 (6%)	0	100	100
33	d	149/169 (88%)	133 (89%)	16 (11%)	0	100	100
34	f	15/17 (88%)	13 (87%)	2 (13%)	0	100	100
35	g	127/129 (98%)	115 (91%)	12 (9%)	0	100	100
36	h	97/105 (92%)	89 (92%)	8 (8%)	0	100	100
37	i	95/97 (98%)	92 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	j	84/86 (98%)	81 (96%)	3 (4%)	0	100	100
39	o	79/81 (98%)	76 (96%)	3 (4%)	0	100	100
40	p	117/125 (94%)	110 (94%)	7 (6%)	0	100	100
41	q	99/101 (98%)	95 (96%)	4 (4%)	0	100	100
42	r	125/140 (89%)	111 (89%)	14 (11%)	0	100	100
43	s	366/390 (94%)	331 (90%)	35 (10%)	0	100	100
44	u	109/111 (98%)	100 (92%)	9 (8%)	0	100	100
45	v	67/69 (97%)	60 (90%)	7 (10%)	0	100	100
46	w	77/79 (98%)	71 (92%)	6 (8%)	0	100	100
49	4	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
All	All	6889/7093 (97%)	6358 (92%)	525 (8%)	6 (0%)	50	77

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	230	THR
12	Q	226	PRO
27	6	325	ASP
2	E	231	HIS
7	L	130	ARG
1	D	207	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	173/173 (100%)	163 (94%)	10 (6%)	17	46
2	E	259/259 (100%)	252 (97%)	7 (3%)	40	73
3	F	217/217 (100%)	209 (96%)	8 (4%)	29	64
4	H	86/86 (100%)	82 (95%)	4 (5%)	22	55
5	I	28/28 (100%)	27 (96%)	1 (4%)	30	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	K	155/155 (100%)	147 (95%)	8 (5%)	19	50
7	L	98/98 (100%)	95 (97%)	3 (3%)	35	70
8	M	245/245 (100%)	236 (96%)	9 (4%)	29	64
9	N	168/168 (100%)	165 (98%)	3 (2%)	54	82
10	O	133/133 (100%)	129 (97%)	4 (3%)	36	71
11	P	123/123 (100%)	119 (97%)	4 (3%)	33	68
12	Q	199/199 (100%)	197 (99%)	2 (1%)	73	91
13	R	117/117 (100%)	116 (99%)	1 (1%)	75	92
14	S	141/141 (100%)	133 (94%)	8 (6%)	17	47
15	T	138/146 (94%)	136 (99%)	2 (1%)	62	86
16	U	110/110 (100%)	108 (98%)	2 (2%)	54	82
17	V	44/44 (100%)	41 (93%)	3 (7%)	13	38
18	W	83/83 (100%)	82 (99%)	1 (1%)	67	89
19	X	219/219 (100%)	215 (98%)	4 (2%)	54	82
20	Y	158/158 (100%)	149 (94%)	9 (6%)	17	47
21	Z	106/106 (100%)	102 (96%)	4 (4%)	28	63
22	0	97/97 (100%)	93 (96%)	4 (4%)	26	60
23	1	46/46 (100%)	43 (94%)	3 (6%)	14	40
24	2	39/39 (100%)	38 (97%)	1 (3%)	41	74
25	3	88/88 (100%)	86 (98%)	2 (2%)	45	77
26	5	353/353 (100%)	339 (96%)	14 (4%)	27	61
27	6	259/259 (100%)	249 (96%)	10 (4%)	27	62
28	7	263/263 (100%)	255 (97%)	8 (3%)	36	71
29	9	99/104 (95%)	94 (95%)	5 (5%)	20	51
30	a	76/76 (100%)	72 (95%)	4 (5%)	19	49
31	b	130/130 (100%)	126 (97%)	4 (3%)	35	70
32	c	241/251 (96%)	231 (96%)	10 (4%)	26	60
33	d	146/157 (93%)	141 (97%)	5 (3%)	32	67
34	f	15/15 (100%)	14 (93%)	1 (7%)	13	39
35	g	119/119 (100%)	114 (96%)	5 (4%)	25	59
36	h	96/99 (97%)	89 (93%)	7 (7%)	11	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	i	86/86 (100%)	85 (99%)	1 (1%)	67	89
38	j	68/68 (100%)	66 (97%)	2 (3%)	37	72
39	o	70/70 (100%)	67 (96%)	3 (4%)	25	57
40	p	115/115 (100%)	114 (99%)	1 (1%)	75	92
41	q	86/86 (100%)	85 (99%)	1 (1%)	67	89
42	r	118/128 (92%)	113 (96%)	5 (4%)	25	59
43	s	326/344 (95%)	312 (96%)	14 (4%)	25	57
44	u	105/105 (100%)	99 (94%)	6 (6%)	17	47
45	v	59/59 (100%)	58 (98%)	1 (2%)	56	83
46	w	73/73 (100%)	73 (100%)	0	100	100
49	4	36/36 (100%)	34 (94%)	2 (6%)	17	47
All	All	6209/6274 (99%)	5993 (96%)	216 (4%)	33	66

All (216) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	68	SER
1	D	108	ASP
1	D	115	GLU
1	D	151	ILE
1	D	171	ARG
1	D	178	GLU
1	D	199	GLU
1	D	208	ARG
1	D	232	ARG
1	D	271	ASN
2	E	109	LEU
2	E	126	ASP
2	E	248	ILE
2	E	268	GLU
2	E	295	CYS
2	E	297	VAL
2	E	303	LYS
3	F	76	ARG
3	F	110	SER
3	F	117	ARG
3	F	194	GLU
3	F	225	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	234	THR
3	F	239	THR
3	F	279	ARG
4	H	57	GLU
4	H	81	LYS
4	H	94	LEU
4	H	141	GLU
5	I	57	LYS
6	K	51	SER
6	K	67	PHE
6	K	94	GLN
6	K	112	LEU
6	K	115	ASN
6	K	143	GLU
6	K	144	GLU
6	K	162	GLU
7	L	43	ASN
7	L	44	SER
7	L	72	GLN
8	M	44	ARG
8	M	134	ARG
8	M	146	ASP
8	M	161	GLU
8	M	175	THR
8	M	187	VAL
8	M	188	CYS
8	M	274	VAL
8	M	279	ASP
9	N	51	ARG
9	N	203	GLU
9	N	237	HIS
10	O	10	SER
10	O	42	ILE
10	O	61	ASP
10	O	154	GLN
11	P	72	PHE
11	P	134	GLN
11	P	142	ASN
11	P	147	GLN
12	Q	75	PHE
12	Q	189	TYR
13	R	66	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	S	71	GLU
14	S	78	GLU
14	S	104	ARG
14	S	112	ASP
14	S	124	CYS
14	S	134	LEU
14	S	151	LYS
14	S	196	ASN
15	T	149	ARG
15	T	152	CYS
16	U	47	GLU
16	U	153	LEU
17	V	194	LEU
17	V	199	MET
17	V	211	LYS
18	W	147	MET
19	X	154	CYS
19	X	189	ASP
19	X	220	GLU
19	X	221	LYS
20	Y	64	LEU
20	Y	101	LEU
20	Y	116	GLU
20	Y	121	ARG
20	Y	142	LEU
20	Y	143	ASP
20	Y	153	LEU
20	Y	198	ARG
20	Y	237	LYS
21	Z	80	TYR
21	Z	99	VAL
21	Z	105	SER
21	Z	132	GLU
22	0	86	THR
22	0	131	CYS
22	0	153	THR
22	0	185	PHE
23	1	28	PHE
23	1	31	ASN
23	1	32	THR
24	2	92	HIS
25	3	106	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	3	181	HIS
26	5	39	ARG
26	5	56	GLU
26	5	84	ASP
26	5	108	HIS
26	5	134	GLU
26	5	144	ARG
26	5	148	GLU
26	5	160	HIS
26	5	176	TYR
26	5	183	ASN
26	5	315	LEU
26	5	350	ARG
26	5	361	THR
26	5	415	LEU
27	6	27	ARG
27	6	75	ARG
27	6	161	LEU
27	6	194	THR
27	6	203	GLU
27	6	222	ASP
27	6	233	LEU
27	6	255	LEU
27	6	298	PHE
27	6	374	GLU
28	7	89	TYR
28	7	96	SER
28	7	108	VAL
28	7	129	THR
28	7	143	TRP
28	7	161	GLU
28	7	171	GLU
28	7	279	GLU
29	9	19	SER
29	9	29	SER
29	9	39	LYS
29	9	45	THR
29	9	113	ASN
30	a	46	ASN
30	a	51	LEU
30	a	70	GLU
30	a	105	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	b	88	SER
31	b	93	SER
31	b	138	THR
31	b	144	ARG
32	c	68	TYR
32	c	69	HIS
32	c	164	GLU
32	c	167	CYS
32	c	181	SER
32	c	193	GLN
32	c	271	PHE
32	c	281	ILE
32	c	294	GLU
32	c	307	PHE
33	d	127	ASP
33	d	145	PHE
33	d	151	CYS
33	d	153	ASN
33	d	240	LYS
34	f	60	LYS
35	g	44	GLU
35	g	63	HIS
35	g	68	THR
35	g	90	ARG
35	g	152	TYR
36	h	55	LEU
36	h	58	ARG
36	h	77	VAL
36	h	103	HIS
36	h	139	LYS
36	h	142	GLU
36	h	143	LEU
37	i	75	ARG
38	j	78	VAL
38	j	93	LEU
39	o	29	LEU
39	o	49	LEU
39	o	82	PHE
40	p	73	LEU
41	q	49	ARG
42	r	70	CYS
42	r	73	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
42	r	110	GLU
42	r	146	GLN
42	r	173	ARG
43	s	147	CYS
43	s	152	GLN
43	s	156	TYR
43	s	174	LEU
43	s	180	LEU
43	s	203	ARG
43	s	221	HIS
43	s	249	GLU
43	s	271	LEU
43	s	296	HIS
43	s	331	SER
43	s	342	TYR
43	s	404	THR
43	s	427	ASN
44	u	100	LEU
44	u	119	ARG
44	u	140	PHE
44	u	141	TYR
44	u	148	HIS
44	u	185	ARG
45	v	57	LYS
49	4	79	CYS
49	4	85	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	E	128	HIS
13	R	36	ASN
32	c	69	HIS
42	r	79	HIS
43	s	382	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
47	A	1230/1256 (97%)	323 (26%)	10 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
48	B	51/61 (83%)	17 (33%)	1 (1%)
All	All	1281/1317 (97%)	340 (26%)	11 (0%)

All (340) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
47	A	1678	C
47	A	1679	U
47	A	1680	A
47	A	1681	G
47	A	1689	C
47	A	1690	C
47	A	1691	C
47	A	1699	C
47	A	1700	U
47	A	1703	C
47	A	1704	U
47	A	1707	C
47	A	1708	A
47	A	1717	U
47	A	1718	A
47	A	1724	A
47	A	1727	A
47	A	1728	U
47	A	1731	A
47	A	1732	C
47	A	1748	G
47	A	1769	C
47	A	1770	G
47	A	1777	A
47	A	1779	A
47	A	1788	C
47	A	1789	A
47	A	1794	A
47	A	1814	A
47	A	1817	C
47	A	1821	A
47	A	1824	U
47	A	1827	C
47	A	1828	A
47	A	1829	A
47	A	1832	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	1836	A
47	A	1844	A
47	A	1851	G
47	A	1852	C
47	A	1853	A
47	A	1854	U
47	A	1855	A
47	A	1867	A
47	A	1869	A
47	A	1870	A
47	A	1871	A
47	A	1881	A
47	A	1882	A
47	A	1883	G
47	A	1886	G
47	A	1888	G
47	A	1890	C
47	A	1893	A
47	A	1895	C
47	A	1902	C
47	A	1903	C
47	A	1918	G
47	A	1937	A
47	A	1938	A
47	A	1939	G
47	A	1940	A
47	A	1957	A
47	A	1958	G
47	A	1974	A
47	A	1975	U
47	A	1985	G
47	A	1986	A
47	A	1987	G
47	A	1992	C
47	A	1993	A
47	A	1994	A
47	A	1995	A
47	A	1997	C
47	A	1998	U
47	A	2000	C
47	A	2001	C
47	A	2015	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	2019	G
47	A	2022	G
47	A	2027	A
47	A	2031	A
47	A	2035	U
47	A	2036	C
47	A	2037	U
47	A	2038	U
47	A	2039	A
47	A	2041	U
47	A	2044	A
47	A	2055	U
47	A	2060	A
47	A	2065	A
47	A	2067	C
47	A	2073	A
47	A	2074	A
47	A	2078	C
47	A	2079	C
47	A	2083	U
47	A	2085	A
47	A	2093	U
47	A	2097	A
47	A	2098	G
47	A	2108	G
47	A	2109	A
47	A	2110	A
47	A	2111	C
47	A	2112	A
47	A	2113	G
47	A	2115	U
47	A	2126	U
47	A	2129	G
47	A	2133	A
47	A	2141	U
47	A	2142	A
47	A	2147	G
47	A	2154	A
47	A	2155	A
47	A	2232	A
47	A	2233	U
47	A	2237	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	2241	A
47	A	2242	U
47	A	2245	A
47	A	2247	C
47	A	2250	A
47	A	2257	C
47	A	2262	C
47	A	2263	C
47	A	2280	C
47	A	2297	A
47	A	2300	G
47	A	2309	A
47	A	2312	A
47	A	2317	G
47	A	2322	C
47	A	2324	U
47	A	2331	C
47	A	2332	C
47	A	2345	G
47	A	2370	A
47	A	2372	U
47	A	2373	A
47	A	2374	A
47	A	2375	C
47	A	2377	G
47	A	2381	A
47	A	2384	A
47	A	2386	C
47	A	2390	A
47	A	2392	U
47	A	2393	C
47	A	2397	C
47	A	2401	A
47	A	2414	C
47	A	2416	U
47	A	2418	A
47	A	2420	U
47	A	2426	C
47	A	2427	C
47	A	2429	A
47	A	2434	A
47	A	2443	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	2444	A
47	A	2446	A
47	A	2449	G
47	A	2451	A
47	A	2457	A
47	A	2458	A
47	A	2478	G
47	A	2479	C
47	A	2483	U
47	A	2484	C
47	A	2488	C
47	A	2493	C
47	A	2501	C
47	A	2506	A
47	A	2511	C
47	A	2520	C
47	A	2521	A
47	A	2522	U
47	A	2523	C
47	A	2526	C
47	A	2527	A
47	A	2528	G
47	A	2531	U
47	A	2541	C
47	A	2543	C
47	A	2618	U
47	A	2638	U
47	A	2639	C
47	A	2640	C
47	A	2645	G
47	A	2654	U
47	A	2656	U
47	A	2660	U
47	A	2678	A
47	A	2683	C
47	A	2686	G
47	A	2689	C
47	A	2706	A
47	A	2709	A
47	A	2717	A
47	A	2718	C
47	A	2719	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	2720	A
47	A	2732	G
47	A	2735	G
47	A	2740	A
47	A	2743	U
47	A	2745	A
47	A	2750	U
47	A	2793	C
47	A	2801	A
47	A	2802	A
47	A	2803	A
47	A	2804	A
47	A	2810	G
47	A	2814	G
47	A	2815	G
47	A	2816	G
47	A	2817	G
47	A	2828	G
47	A	2831	G
47	A	2832	A
47	A	2833	A
47	A	2839	C
47	A	2844	G
47	A	2857	U
47	A	2864	U
47	A	2865	C
47	A	2875	A
47	A	2901	A
47	A	2903	U
47	A	2904	A
47	A	2905	A
47	A	2906	C
47	A	2907	U
47	A	2913	A
47	A	2917	G
47	A	2918	A
47	A	2922	A
47	A	2926	A
47	A	2927	C
47	A	2928	C
47	A	2932	G
47	A	2945	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	2948	C
47	A	2952	U
47	A	2953	U
47	A	2955	U
47	A	2956	A
47	A	2957	G
47	A	2962	C
47	A	2963	A
47	A	2965	A
47	A	2966	U
47	A	2969	A
47	A	2970	C
47	A	2979	U
47	A	2981	A
47	A	3000	A
47	A	3005	A
47	A	3007	C
47	A	3016	G
47	A	3017	C
47	A	3018	A
47	A	3019	G
47	A	3021	C
47	A	3024	U
47	A	3041	U
47	A	3043	C
47	A	3049	U
47	A	3052	A
47	A	3053	A
47	A	3054	G
47	A	3062	U
47	A	3064	A
47	A	3065	U
47	A	3067	U
47	A	3071	U
47	A	3072	U
47	A	3075	G
47	A	3082	G
47	A	3086	U
47	A	3089	A
47	A	3090	G
47	A	3097	U
47	A	3098	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	A	3100	U
47	A	3108	U
47	A	3120	C
47	A	3122	U
47	A	3123	G
47	A	3124	U
47	A	3128	A
47	A	3129	A
47	A	3132	G
47	A	3133	A
47	A	3134	C
47	A	3135	A
47	A	3137	G
47	A	3140	A
47	A	3151	A
47	A	3157	C
47	A	3158	A
47	A	3162	C
47	A	3175	A
47	A	3180	A
47	A	3181	U
47	A	3184	C
47	A	3188	U
47	A	3189	C
47	A	3190	A
47	A	3194	U
47	A	3195	A
47	A	3202	U
47	A	3207	A
47	A	3212	C
47	A	3217	A
47	A	3218	A
47	A	3222	C
47	A	3223	A
47	A	3228	U
48	B	1607	U
48	B	1608	G
48	B	1609	U
48	B	1611	G
48	B	1613	U
48	B	1615	A
48	B	1623	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	B	1625	A
48	B	1630	A
48	B	1632	U
48	B	1634	A
48	B	1637	C
48	B	1639	U
48	B	1640	A
48	B	1641	G
48	B	1645	A
48	B	1661	A

All (11) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
47	A	1986	A
47	A	1993	A
47	A	2097	A
47	A	2109	A
47	A	2417	C
47	A	2521	A
47	A	2530	A
47	A	2638	U
47	A	2718	C
47	A	2905	A
48	B	1614	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 53 ligands modelled in this entry, 53 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
47	A	25
27	6	3
40	p	3
48	B	2
16	U	1
30	a	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	2545:U	O3'	2611:C	P	40.96
1	6	79:GLY	C	131:PRO	N	39.19
1	U	112:PRO	C	140:SER	N	37.93
1	A	2880:A	O3'	2896:G	P	32.37
1	A	2982:C	O3'	2994:U	P	30.68
1	a	77:ARG	C	102:HIS	N	30.35
1	A	3168:C	O3'	3174:U	P	28.23
1	A	2157:U	O3'	2231:G	P	26.31
1	p	163:GLN	C	174:LYS	N	25.22
1	A	1761:A	O3'	1766:U	P	24.20
1	A	2934:G	O3'	2944:C	P	23.19
1	A	2846:G	O3'	2855:G	P	22.74
1	A	3195:A	O3'	3201:A	P	19.77
1	A	1798:A	O3'	1813:C	P	19.54
1	6	282:SER	C	291:TYR	N	17.88
1	A	2403:G	O3'	2407:U	P	17.69
1	B	1651:A	O3'	1658:U	P	17.30
1	p	61:VAL	C	70:ASP	N	16.94

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	2621:G	O3'	2637:C	P	16.83
1	A	2067:C	O3'	2072:A	P	16.38
1	A	2281:A	O3'	2285:U	P	15.67
1	A	1691:C	O3'	1695:C	P	15.35
1	A	2755:A	O3'	2792:A	P	14.60
1	A	1732:C	O3'	1737:A	P	13.81
1	A	2692:G	O3'	2696:A	P	12.66
1	A	3109:U	O3'	3113:A	P	12.48
1	A	2720:A	O3'	2723:A	P	12.29
1	A	2351:U	O3'	2364:C	P	12.09
1	A	1708:A	O3'	1711:C	P	9.70
1	p	82:ARG	C	96:ASN	N	9.14
1	A	1714:C	O3'	1716:U	P	7.24
1	A	2431:C	O3'	2433:C	P	6.71
1	A	3058:U	O3'	3060:C	P	6.23
1	B	1661:A	O3'	1663:C	P	6.13
1	6	209:GLU	C	213:LEU	N	5.11


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13967. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 164



Y Index: 164




Z Index: 221


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1452 nm^3 ; this corresponds to an approximate mass of 1312 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.346 Å⁻¹

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.346 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.89	-	-
Author-provided FSC curve	2.88	3.26	2.93
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13967 and PDB model 7QH7. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary































The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9420	 0.4410
0	 0.9410	 0.4630
1	 0.9020	 0.1990
2	 0.9720	 0.5350
3	 0.9660	 0.5030
4	 0.8710	 0.4360
5	 0.9220	 0.4080
6	 0.9420	 0.3680
7	 0.9410	 0.3960
9	 0.9470	 0.4510
A	 0.9910	 0.4620
B	 0.7760	 0.2050
D	 0.9490	 0.4560
E	 0.9500	 0.4730
F	 0.9420	 0.4960
H	 0.9210	 0.4220
I	 0.9460	 0.3800
K	 0.9600	 0.4840
L	 0.9260	 0.4540
M	 0.9400	 0.4800
N	 0.8940	 0.3230
O	 0.9590	 0.4800
P	 0.9570	 0.3590
Q	 0.9220	 0.4550
R	 0.9340	 0.4890
S	 0.9440	 0.4830
T	 0.9330	 0.4900
U	 0.9720	 0.4880
V	 0.9520	 0.4270
W	 0.9490	 0.4400
X	 0.9300	 0.4420
Y	 0.9550	 0.4580
Z	 0.9270	 0.4720
a	 0.9340	 0.4790
b	 0.9590	 0.4940



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.9530	 0.4440
d	 0.9790	 0.3490
f	 0.9290	 0.3930
g	 0.9610	 0.4780
h	 0.9580	 0.4170
i	 0.9550	 0.5160
j	 0.8990	 0.4510
o	 0.9200	 0.4500
p	 0.7690	 0.3750
q	 0.9180	 0.3970
r	 0.9630	 0.4520
s	 0.9370	 0.4570
u	 0.9010	 0.3510
v	 0.7070	 0.3000
w	 0.2320	 0.2320