



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 05:42 pm BST

PDB ID : 7QQG / pdb_00007qqg
Title : Crystal structure of MYORG bound to 1-deoxygalactonojirimycin
Authors : Meek, R.W.; Davies, G.J.
Deposited on : 2022-01-07
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2124 (2.46-2.42)
Clashscore	180529	2259 (2.46-2.42)
Ramachandran outliers	177936	2244 (2.46-2.42)
Sidechain outliers	177891	2244 (2.46-2.42)
RSRZ outliers	164620	2124 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	636	
1	B	636	
1	C	636	
1	D	636	
2	E	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	2	 50% 50%
2	H	2	 100%
2	I	2	 50% 50%
2	J	2	 50% 50%
2	K	2	 100%
3	F	3	 67% 33%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 19500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myogenesis-regulating glycosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	618	Total	C	N	O	S	0	0	0
			4973	3207	866	884	16			
1	B	623	Total	C	N	O	S	0	0	0
			5013	3234	874	889	16			
1	C	614	Total	C	N	O	S	0	0	0
			4913	3175	848	874	16			
1	D	496	Total	C	N	O	S	0	0	0
			3964	2575	672	707	10			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	79	GLY	-	expression tag	UNP Q6NSJ0
B	79	GLY	-	expression tag	UNP Q6NSJ0
C	79	GLY	-	expression tag	UNP Q6NSJ0
D	79	GLY	-	expression tag	UNP Q6NSJ0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	H	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is (2R,3S,4R,5S)-2-(hydroxymethyl)piperidine-3,4,5-triol (CCD ID: DGJ) (formula: C₆H₁₃NO₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			11	6	1	4		
5	B	1	Total	C	N	O	0	0
			11	6	1	4		
5	C	1	Total	C	N	O	0	0
			11	6	1	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	N	O	0	0
			11	6	1	4		

- Molecule 6 is MALONATE ION (CCD ID: MLI) (formula: $C_3H_2O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	3	4		
6	B	1	Total	C	O	0	0
			7	3	4		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	86	Total	O	0	0
			86	86		
7	B	91	Total	O	0	0
			91	91		
7	C	33	Total	O	0	0
			33	33		
7	D	23	Total	O	0	0
			23	23		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Myogenesis-regulating glycosidase




• Molecule 1: Myogenesis-regulating glycosidase




• Molecule 1: Myogenesis-regulating glycosidase





• Molecule 1: Myogenesis-regulating glycosidase



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  67% 33%

MAG1
MAG2
FUC3

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	73.11Å 78.88Å 176.22Å 80.78° 80.21° 62.64°	Depositor
Resolution (Å)	69.75 – 2.43 69.75 – 2.43	Depositor EDS
% Data completeness (in resolution range)	98.1 (69.75-2.43) 96.9 (69.75-2.43)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.224 , 0.250 0.227 , 0.253	Depositor DCC
R_{free} test set	6102 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	47.2	Xtriage
Anisotropy	0.145	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for h,h-k,h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	19500	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, DGJ, MLI, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	0/5129	1.29	0/6988
1	B	0.99	0/5169	1.30	4/7040 (0.1%)
1	C	0.98	0/5067	1.30	5/6907 (0.1%)
1	D	0.97	0/4097	1.32	2/5602 (0.0%)
All	All	0.98	0/19462	1.30	11/26537 (0.0%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	264	ASP	CA-CB-CG	7.07	119.67	112.60
1	C	566	GLY	CA-C-N	5.52	127.61	120.44
1	C	566	GLY	C-N-CA	5.52	127.61	120.44
1	B	570	GLU	CA-C-N	5.50	127.58	120.44
1	B	570	GLU	C-N-CA	5.50	127.58	120.44
1	C	567	ASP	CA-CB-CG	5.45	118.05	112.60
1	B	364	ASP	CA-CB-CG	5.21	117.81	112.60
1	D	570	GLU	CA-C-N	5.10	127.07	120.44
1	D	570	GLU	C-N-CA	5.10	127.07	120.44
1	C	570	GLU	CA-C-N	5.04	127.00	120.44
1	C	570	GLU	C-N-CA	5.04	127.00	120.44

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4973	0	4802	32	0
1	B	5013	0	4851	47	0
1	C	4913	0	4715	35	0
1	D	3964	0	3713	38	0
2	E	28	0	25	0	0
2	G	28	0	25	0	0
2	H	28	0	25	0	0
2	I	28	0	25	0	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
3	F	38	0	34	1	0
4	A	42	0	39	1	0
4	B	28	0	26	0	0
4	C	42	0	39	0	0
4	D	28	0	26	0	0
5	A	11	0	13	0	0
5	B	11	0	13	1	0
5	C	11	0	13	0	0
5	D	11	0	13	0	0
6	A	7	0	2	0	0
6	B	7	0	2	0	0
7	A	86	0	0	2	0
7	B	91	0	0	0	0
7	C	33	0	0	0	0
7	D	23	0	0	0	0
All	All	19500	0	18451	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:GLU:OE2	1:A:233:ARG:HD3	1.71	0.90
1:C:547:PRO:HG3	1:C:626:VAL:HG11	1.72	0.72
1:A:584:MET:O	1:A:611:ARG:NH2	2.22	0.72
1:D:584:MET:O	1:D:611:ARG:NH2	2.24	0.71
1:C:584:MET:O	1:C:611:ARG:NH2	2.23	0.70
1:B:584:MET:O	1:B:611:ARG:NH2	2.24	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:230:LEU:HD11	1:D:289:VAL:CG2	2.22	0.69
1:C:93:LEU:HD11	1:C:100:PHE:HB2	1.73	0.68
1:C:187:GLY:N	1:C:543:MET:HE1	2.08	0.68
1:C:293:HIS:CE1	1:C:543:MET:HG2	2.32	0.65
1:D:330:GLN:HA	1:D:376:MET:HE1	1.78	0.65
1:A:303:LYS:HD2	1:A:630:GLY:HA2	1.78	0.65
1:A:314:ARG:HH22	3:F:3:FUC:H3	1.63	0.64
1:B:488:ARG:NH2	1:B:511:ASN:OD1	2.31	0.63
1:B:318:TRP:CD1	1:B:347:SER:HG	2.17	0.62
1:D:225:LEU:HD12	1:D:225:LEU:O	2.02	0.58
1:A:547:PRO:HG3	1:A:626:VAL:HG11	1.85	0.57
1:D:547:PRO:HG3	1:D:626:VAL:HG11	1.87	0.56
1:D:348:SER:O	1:D:386:ARG:NH1	2.39	0.56
1:C:353:ASP:HA	1:C:390:TRP:HB2	1.88	0.55
1:A:348:SER:O	1:A:386:ARG:NH1	2.39	0.55
1:B:127:ARG:HD2	1:B:129:GLY:O	2.06	0.55
1:C:93:LEU:HD12	1:C:94:ASP:N	2.22	0.55
1:B:348:SER:O	1:B:386:ARG:NH1	2.40	0.54
1:C:348:SER:O	1:C:386:ARG:NH1	2.41	0.54
1:D:353:ASP:HA	1:D:390:TRP:HB2	1.90	0.54
1:C:95:LEU:C	1:C:95:LEU:HD13	2.33	0.54
1:B:353:ASP:HA	1:B:390:TRP:HB2	1.91	0.53
1:B:622:LEU:O	1:B:626:VAL:HG13	2.07	0.53
1:D:330:GLN:HG3	1:D:376:MET:HE3	1.91	0.53
1:D:230:LEU:CD2	1:D:292:ILE:HD11	2.39	0.53
1:A:314:ARG:O	1:A:611:ARG:HD3	2.09	0.53
1:C:522:ASP:OD2	1:C:562:ARG:HD3	2.09	0.53
1:D:225:LEU:HD12	1:D:225:LEU:C	2.34	0.53
1:A:353:ASP:HA	1:A:390:TRP:HB2	1.91	0.52
1:D:227:ARG:HB3	1:D:239:VAL:HB	1.90	0.52
1:D:314:ARG:O	1:D:611:ARG:HD3	2.11	0.51
1:C:314:ARG:O	1:C:611:ARG:HD3	2.11	0.51
1:B:227:ARG:HB3	1:B:239:VAL:HB	1.93	0.51
1:B:546:TYR:O	1:B:549:ILE:HD11	2.11	0.51
1:B:108:GLU:OE1	1:B:233:ARG:NE	2.41	0.50
1:D:571:ARG:NH2	1:D:599:GLU:OE1	2.40	0.50
1:B:314:ARG:O	1:B:611:ARG:HD3	2.12	0.49
1:B:404:GLU:OE1	1:B:408:ARG:NH1	2.46	0.49
1:B:541:VAL:HG11	1:B:549:ILE:HD12	1.95	0.48
1:A:632:PRO:HG2	1:A:635:ARG:HG3	1.95	0.48
1:B:683:ARG:HG3	1:B:713:ALA:HB2	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:303:LYS:HD2	1:A:630:GLY:CA	2.44	0.47
1:B:623:ALA:O	1:B:626:VAL:HG22	2.14	0.47
1:C:632:PRO:HG2	1:C:635:ARG:HG3	1.95	0.47
1:D:508:GLN:HA	1:D:510:GLN:OE1	2.15	0.47
1:C:508:GLN:HA	1:C:510:GLN:OE1	2.14	0.47
1:B:520:ASP:OD1	5:B:803:DGJ:O2	2.22	0.47
1:C:616:ALA:HB3	1:C:617:PRO:HD3	1.97	0.47
1:C:227:ARG:HB3	1:C:239:VAL:HB	1.97	0.46
1:B:207:GLN:OE1	1:B:208:PRO:HD3	2.15	0.46
1:C:354:ASP:OD1	1:C:355:MET:HB2	2.15	0.46
1:B:508:GLN:HA	1:B:510:GLN:OE1	2.15	0.46
1:B:645:GLU:OE2	1:B:649:ARG:NH2	2.49	0.46
1:D:226:GLU:HG2	1:D:301:PHE:CE1	2.51	0.46
1:D:616:ALA:HB3	1:D:617:PRO:HD3	1.98	0.46
1:A:508:GLN:HA	1:A:510:GLN:OE1	2.15	0.46
1:B:89:ARG:O	1:B:127:ARG:NH2	2.48	0.46
1:D:467:VAL:HG23	1:D:470:LEU:HD22	1.98	0.46
1:A:303:LYS:CE	1:A:630:GLY:HA3	2.46	0.46
1:B:207:GLN:OE1	1:B:207:GLN:HA	2.16	0.46
1:B:354:ASP:OD1	1:B:355:MET:HB2	2.16	0.46
1:C:693:THR:HA	1:C:694:PRO:C	2.41	0.46
1:D:354:ASP:OD1	1:D:355:MET:HB2	2.16	0.46
1:C:93:LEU:HD12	1:C:101:SER:O	2.15	0.45
1:C:226:GLU:HG2	1:C:301:PHE:CE1	2.51	0.45
1:D:635:ARG:HH11	1:D:639:TRP:NE1	2.13	0.45
1:B:616:ALA:HB3	1:B:617:PRO:HD3	1.99	0.45
1:A:354:ASP:OD1	1:A:355:MET:HB2	2.16	0.45
1:A:693:THR:HA	1:A:694:PRO:C	2.41	0.45
1:D:266:PRO:HB2	1:D:483:PRO:HG3	1.97	0.45
1:B:685:TYR:HB3	1:B:709:TYR:CZ	2.52	0.45
1:D:330:GLN:HB2	1:D:370:PHE:HA	1.98	0.45
1:A:227:ARG:HB3	1:A:239:VAL:HB	1.99	0.45
1:A:616:ALA:HB3	1:A:617:PRO:HD3	1.97	0.45
1:C:331:ASP:OD2	1:C:335:ARG:HD2	2.17	0.45
1:B:311:GLU:OE1	1:B:386:ARG:NH2	2.49	0.44
1:B:693:THR:HA	1:B:694:PRO:C	2.42	0.44
1:C:311:GLU:OE1	1:C:386:ARG:NH2	2.50	0.44
1:C:396:ASN:HA	1:C:430:GLY:HA3	1.99	0.44
1:A:311:GLU:OE1	1:A:386:ARG:NH2	2.50	0.44
1:A:330:GLN:HB2	1:A:370:PHE:HA	2.00	0.44
1:A:414:GLU:HB2	1:A:415:PRO:CD	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:693:THR:HA	1:D:694:PRO:C	2.42	0.44
1:D:333:VAL:HB	1:D:376:MET:CE	2.48	0.44
1:D:452:ARG:HD2	1:D:497:PHE:CD1	2.53	0.44
1:B:93:LEU:HD12	1:B:102:ILE:HG12	2.00	0.44
1:C:579:GLU:HG2	1:C:607:PHE:CZ	2.53	0.44
1:C:330:GLN:HB2	1:C:370:PHE:HA	2.00	0.44
1:D:467:VAL:HG21	1:D:483:PRO:HB2	1.99	0.44
1:D:579:GLU:HG2	1:D:607:PHE:CZ	2.52	0.44
1:D:396:ASN:HA	1:D:430:GLY:HA3	2.00	0.43
1:D:414:GLU:HB2	1:D:415:PRO:CD	2.47	0.43
1:B:172:VAL:O	1:B:259:GLN:HA	2.18	0.43
1:B:579:GLU:HG2	1:B:607:PHE:CZ	2.53	0.43
1:C:147:ILE:HA	1:C:160:ARG:O	2.18	0.43
1:A:579:GLU:HG2	1:A:607:PHE:CZ	2.54	0.43
1:B:151:ARG:HH11	1:B:151:ARG:CG	2.31	0.43
1:B:330:GLN:HB2	1:B:370:PHE:HA	2.01	0.43
1:B:396:ASN:HA	1:B:430:GLY:HA3	2.01	0.43
1:D:311:GLU:OE1	1:D:386:ARG:NH2	2.51	0.43
1:C:452:ARG:HD2	1:C:497:PHE:CD1	2.54	0.43
1:A:172:VAL:O	1:A:259:GLN:HA	2.19	0.43
1:B:318:TRP:HD1	1:B:347:SER:HG	1.60	0.43
1:C:414:GLU:HB2	1:C:415:PRO:CD	2.49	0.43
1:A:226:GLU:HB2	1:A:544:LEU:HD22	2.01	0.43
1:A:578:LEU:HD11	1:A:604:ALA:HB2	2.00	0.43
1:A:396:ASN:HA	1:A:430:GLY:HA3	2.00	0.42
1:B:147:ILE:HA	1:B:160:ARG:O	2.18	0.42
1:B:184:HIS:HB3	1:B:197:PRO:CG	2.49	0.42
1:B:318:TRP:HD1	1:B:347:SER:OG	2.03	0.42
1:C:622:LEU:O	1:C:626:VAL:HG23	2.19	0.42
1:B:414:GLU:HB2	1:B:415:PRO:CD	2.49	0.42
1:B:541:VAL:HG12	1:B:549:ILE:CD1	2.50	0.42
1:B:401:ARG:NE	1:B:404:GLU:OE2	2.53	0.42
1:B:541:VAL:HG12	1:B:549:ILE:HD11	2.01	0.42
1:B:90:ALA:HB3	1:B:93:LEU:HD22	2.01	0.42
1:B:90:ALA:O	1:B:93:LEU:HB3	2.20	0.42
1:C:172:VAL:O	1:C:259:GLN:HA	2.20	0.42
1:C:93:LEU:CD1	1:C:101:SER:O	2.66	0.42
1:A:147:ILE:HA	1:A:160:ARG:O	2.18	0.42
1:A:93:LEU:HD12	1:A:102:ILE:HG12	2.01	0.42
1:A:150:VAL:O	1:A:157:MET:HE3	2.19	0.42
1:C:93:LEU:HD23	1:C:147:ILE:HG21	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:642:PRO:O	1:C:648:HIS:NE2	2.53	0.42
1:B:91:GLU:HG2	1:B:157:MET:HE3	2.01	0.41
1:D:452:ARG:HD2	1:D:497:PHE:CE1	2.55	0.41
1:A:162:ARG:HH21	4:A:801:NAG:H2	1.85	0.41
1:B:543:MET:HB2	1:B:543:MET:HE2	1.72	0.41
1:D:333:VAL:HB	1:D:376:MET:HE1	2.02	0.41
1:B:264:ASP:HA	1:B:472:ARG:NH1	2.35	0.41
1:C:628:ASP:OD1	1:D:307:VAL:HG12	2.20	0.41
1:D:354:ASP:HA	1:D:355:MET:HA	1.88	0.41
1:A:210:VAL:HG12	7:A:931:HOH:O	2.21	0.41
1:D:186:TYR:CD2	1:D:230:LEU:HD12	2.56	0.41
1:D:622:LEU:O	1:D:626:VAL:HG23	2.21	0.41
1:A:184:HIS:HB3	1:A:197:PRO:CG	2.51	0.40
1:B:541:VAL:CG1	1:B:549:ILE:CD1	2.99	0.40
1:A:414:GLU:HB2	1:A:415:PRO:HD2	2.04	0.40
1:A:632:PRO:HD3	7:A:943:HOH:O	2.21	0.40
1:C:414:GLU:HB2	1:C:415:PRO:HD2	2.04	0.40
1:D:225:LEU:C	1:D:225:LEU:CD1	2.94	0.40
1:D:414:GLU:HB2	1:D:415:PRO:HD2	2.04	0.40
1:B:578:LEU:HD11	1:B:604:ALA:HB2	2.04	0.40
1:C:196:TRP:CZ3	1:C:543:MET:HE2	2.57	0.40
1:D:578:LEU:HD23	1:D:578:LEU:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	614/636 (96%)	586 (95%)	27 (4%)	1 (0%)	44 53
1	B	619/636 (97%)	592 (96%)	26 (4%)	1 (0%)	44 53
1	C	608/636 (96%)	579 (95%)	28 (5%)	1 (0%)	44 53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	484/636 (76%)	455 (94%)	28 (6%)	1 (0%)	44	53
All	All	2325/2544 (91%)	2212 (95%)	109 (5%)	4 (0%)	44	53

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	520	ASP
1	B	520	ASP
1	C	520	ASP
1	D	520	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/533 (97%)	502 (97%)	15 (3%)	37	49
1	B	519/533 (97%)	509 (98%)	10 (2%)	52	65
1	C	507/533 (95%)	487 (96%)	20 (4%)	27	37
1	D	402/533 (75%)	392 (98%)	10 (2%)	42	55
All	All	1945/2132 (91%)	1890 (97%)	55 (3%)	38	51

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92	LEU
1	A	105	GLN
1	A	207	GLN
1	A	225	LEU
1	A	278	GLU
1	A	298	ARG
1	A	338	GLN
1	A	353	ASP
1	A	386	ARG
1	A	456	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	502	GLU
1	A	635	ARG
1	A	645	GLU
1	A	650	ILE
1	A	686	LYS
1	B	89	ARG
1	B	105	GLN
1	B	151	ARG
1	B	225	LEU
1	B	264	ASP
1	B	278	GLU
1	B	353	ASP
1	B	386	ARG
1	B	488	ARG
1	B	502	GLU
1	C	92	LEU
1	C	112	ARG
1	C	121	ASP
1	C	200	LEU
1	C	207	GLN
1	C	225	LEU
1	C	264	ASP
1	C	278	GLU
1	C	335	ARG
1	C	338	GLN
1	C	353	ASP
1	C	381	ARG
1	C	386	ARG
1	C	456	SER
1	C	472	ARG
1	C	473	ASP
1	C	502	GLU
1	C	627	THR
1	C	635	ARG
1	C	685	TYR
1	D	296	MET
1	D	338	GLN
1	D	341	ARG
1	D	353	ASP
1	D	386	ARG
1	D	473	ASP
1	D	502	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	511	ASN
1	D	618	LEU
1	D	686	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	GLN
1	A	195	HIS
1	A	207	GLN
1	A	344	HIS
1	B	344	HIS
1	B	447	HIS
1	C	207	GLN
1	C	338	GLN
1	C	344	HIS
1	D	344	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.50	0	17,19,21	1.39	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	2	2	14,14,15	0.47	0	17,19,21	1.92	6 (35%)
3	NAG	F	1	1,3	14,14,15	0.42	0	17,19,21	1.27	2 (11%)
3	NAG	F	2	3	14,14,15	0.53	0	17,19,21	1.50	2 (11%)
3	FUC	F	3	3	10,10,11	0.89	1 (10%)	14,14,16	1.60	4 (28%)
2	NAG	G	1	1,2	14,14,15	0.50	0	17,19,21	1.03	0
2	NAG	G	2	2	14,14,15	0.80	0	17,19,21	1.16	2 (11%)
2	NAG	H	1	1,2	14,14,15	0.44	0	17,19,21	1.33	3 (17%)
2	NAG	H	2	2	14,14,15	0.67	0	17,19,21	1.10	1 (5%)
2	NAG	I	1	1,2	14,14,15	0.37	0	17,19,21	1.27	1 (5%)
2	NAG	I	2	2	14,14,15	0.42	0	17,19,21	1.08	0
2	NAG	J	1	1,2	14,14,15	0.49	0	17,19,21	0.90	0
2	NAG	J	2	2	14,14,15	0.25	0	17,19,21	0.96	1 (5%)
2	NAG	K	1	1,2	14,14,15	0.55	0	17,19,21	1.36	2 (11%)
2	NAG	K	2	2	14,14,15	0.40	0	17,19,21	0.96	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	1/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	FUC	F	3	3	-	-	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	3	FUC	C2-C3	2.11	1.55	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	NAG	O5-C5-C6	4.23	113.84	107.20
2	E	2	NAG	C1-C2-N2	3.65	116.73	110.49
2	K	1	NAG	C1-C2-N2	-3.57	104.39	110.49
2	E	2	NAG	C4-C3-C2	-3.33	106.14	111.02
2	I	1	NAG	O5-C5-C6	3.29	112.37	107.20
3	F	3	FUC	O2-C2-C3	2.91	115.97	110.14
3	F	1	NAG	C2-N2-C7	-2.86	118.83	122.90
2	E	1	NAG	C2-N2-C7	2.80	126.90	122.90
2	E	2	NAG	O4-C4-C5	2.73	116.06	109.30
3	F	1	NAG	O3-C3-C2	-2.65	103.98	109.47
2	K	1	NAG	C4-C3-C2	2.65	114.90	111.02
2	E	2	NAG	C3-C4-C5	-2.64	105.53	110.24
2	H	1	NAG	O5-C5-C6	2.59	111.27	107.20
3	F	3	FUC	O3-C3-C2	2.57	114.91	109.99
2	G	2	NAG	C1-O5-C5	2.54	115.63	112.19
3	F	2	NAG	O5-C5-C4	-2.52	104.69	110.83
2	G	2	NAG	C3-C4-C5	-2.45	105.87	110.24
2	E	2	NAG	C1-O5-C5	2.37	115.40	112.19
3	F	3	FUC	O3-C3-C4	-2.32	104.98	110.35
2	H	1	NAG	O5-C1-C2	-2.29	107.67	111.29
2	H	2	NAG	C1-O5-C5	2.28	115.28	112.19
3	F	3	FUC	O5-C5-C6	2.26	112.19	107.33
2	E	1	NAG	O3-C3-C2	-2.23	104.86	109.47
2	E	2	NAG	O5-C5-C6	-2.19	103.77	107.20
2	K	2	NAG	C1-O5-C5	2.14	115.10	112.19
2	J	2	NAG	C1-O5-C5	2.07	115.00	112.19
2	H	1	NAG	C6-C5-C4	-2.06	108.19	113.00

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	J	2	NAG	O5-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	3	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.












Oligosaccharide Chain J







5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	MLI	B	804	-	6,6,6	1.25	0	7,7,7	1.56	1 (14%)
4	NAG	B	802	1	14,14,15	0.47	0	17,19,21	1.11	1 (5%)
5	DGJ	A	803	-	11,11,11	1.42	3 (27%)	13,15,15	1.92	3 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	C	802	1	14,14,15	0.32	0	17,19,21	1.35	3 (17%)
6	MLI	A	804	-	6,6,6	1.82	2 (33%)	7,7,7	1.37	0
4	NAG	A	801	1	14,14,15	0.55	0	17,19,21	2.11	4 (23%)
4	NAG	B	801	1	14,14,15	0.60	0	17,19,21	1.21	4 (23%)
4	NAG	D	1002	1	14,14,15	0.60	0	17,19,21	1.61	2 (11%)
4	NAG	C	801	1	14,14,15	0.71	0	17,19,21	1.44	2 (11%)
4	NAG	C	803	1	14,14,15	0.90	0	17,19,21	2.13	2 (11%)
5	DGJ	D	1000	-	11,11,11	1.45	1 (9%)	13,15,15	0.93	0
5	DGJ	C	804	-	11,11,11	1.87	3 (27%)	13,15,15	1.72	4 (30%)
4	NAG	A	805	1	14,14,15	0.56	0	17,19,21	1.04	0
4	NAG	A	802	1	14,14,15	0.56	0	17,19,21	1.66	2 (11%)
4	NAG	D	1001	1	14,14,15	0.59	0	17,19,21	1.47	3 (17%)
5	DGJ	B	803	-	11,11,11	1.47	3 (27%)	13,15,15	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MLI	B	804	-	-	0/4/4/4	-
4	NAG	B	802	1	-	0/6/23/26	0/1/1/1
5	DGJ	A	803	-	-	0/2/19/19	0/1/1/1
4	NAG	C	802	1	-	0/6/23/26	0/1/1/1
6	MLI	A	804	-	-	0/4/4/4	-
4	NAG	A	801	1	-	0/6/23/26	0/1/1/1
4	NAG	B	801	1	-	1/6/23/26	0/1/1/1
4	NAG	D	1002	1	-	1/6/23/26	0/1/1/1
4	NAG	C	801	1	-	2/6/23/26	0/1/1/1
4	NAG	C	803	1	-	0/6/23/26	0/1/1/1
5	DGJ	D	1000	-	-	0/2/19/19	0/1/1/1
5	DGJ	C	804	-	-	0/2/19/19	0/1/1/1
4	NAG	A	805	1	-	0/6/23/26	0/1/1/1
4	NAG	A	802	1	-	1/6/23/26	0/1/1/1
4	NAG	D	1001	1	-	0/6/23/26	0/1/1/1
5	DGJ	B	803	-	-	0/2/19/19	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	1000	DGJ	C1-C2	3.85	1.56	1.52
5	C	804	DGJ	C1-C2	3.82	1.56	1.52
5	C	804	DGJ	C5-N5	3.11	1.52	1.47
5	B	803	DGJ	C1-N5	2.90	1.51	1.47
5	A	803	DGJ	C1-N5	2.75	1.51	1.47
5	B	803	DGJ	C5-N5	2.74	1.51	1.47
6	A	804	MLI	C1-C2	2.61	1.55	1.51
5	C	804	DGJ	C1-N5	2.49	1.50	1.47
6	A	804	MLI	C1-C3	2.32	1.54	1.51
5	B	803	DGJ	C1-C2	2.27	1.54	1.52
5	A	803	DGJ	C1-C2	2.24	1.54	1.52
5	A	803	DGJ	C5-N5	2.05	1.50	1.47

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	803	NAG	C1-O5-C5	7.30	122.09	112.19
4	A	801	NAG	C3-C4-C5	-5.19	100.98	110.24
4	D	1002	NAG	C1-O5-C5	4.86	118.78	112.19
4	A	802	NAG	C1-O5-C5	4.46	118.24	112.19
4	C	801	NAG	C1-O5-C5	4.35	118.09	112.19
5	A	803	DGJ	C1-N5-C5	3.76	117.74	109.61
5	A	803	DGJ	O2-C2-C3	3.62	117.40	110.14
4	A	801	NAG	O4-C4-C5	3.55	118.11	109.30
5	C	804	DGJ	C1-N5-C5	3.25	116.64	109.61
4	A	801	NAG	O3-C3-C2	3.25	116.18	109.47
4	C	803	NAG	C8-C7-N2	-3.15	110.76	116.10
4	D	1002	NAG	C1-C2-N2	-3.10	105.19	110.49
4	D	1001	NAG	O3-C3-C2	-2.97	103.32	109.47
4	B	802	NAG	C1-O5-C5	2.74	115.91	112.19
4	C	802	NAG	C1-O5-C5	2.62	115.74	112.19
5	C	804	DGJ	C4-C5-N5	2.55	114.24	109.14
4	B	801	NAG	C3-C4-C5	-2.46	105.85	110.24
4	B	801	NAG	O4-C4-C5	2.44	115.35	109.30
5	A	803	DGJ	O3-C3-C2	2.43	114.64	109.99
4	D	1001	NAG	C4-C3-C2	2.41	114.55	111.02
5	C	804	DGJ	C3-C4-C5	2.39	114.52	111.02
4	C	802	NAG	O5-C1-C2	-2.37	107.55	111.29
6	B	804	MLI	O9-C3-C1	2.24	121.70	114.54
4	A	802	NAG	C4-C3-C2	-2.24	107.73	111.02
4	C	801	NAG	O5-C5-C6	2.21	110.68	107.20
4	B	801	NAG	C1-O5-C5	2.18	115.15	112.19
5	C	804	DGJ	O4-C4-C3	-2.17	105.34	110.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1001	NAG	C6-C5-C4	2.12	117.98	113.00
4	B	801	NAG	O3-C3-C2	-2.03	105.26	109.47
4	A	801	NAG	O5-C5-C4	-2.03	105.89	110.83
4	C	802	NAG	C2-N2-C7	-2.03	120.02	122.90

There are no chirality outliers.

All (5) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	C	801	NAG	O5-C5-C6-O6
4	C	801	NAG	C4-C5-C6-O6
4	D	1002	NAG	O5-C5-C6-O6
4	A	802	NAG	C8-C7-N2-C2
4	B	801	NAG	C4-C5-C6-O6



There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	801	NAG	1	0
5	B	803	DGJ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	618/636 (97%)	-0.02	11 (1%) 67 69	29, 45, 66, 95	0
1	B	623/636 (97%)	0.08	9 (1%) 73 75	32, 50, 72, 100	0
1	C	614/636 (96%)	0.63	27 (4%) 39 39	50, 70, 94, 110	0
1	D	496/636 (77%)	1.01	69 (13%) 7 7	52, 75, 101, 116	0
All	All	2351/2544 (92%)	0.39	116 (4%) 36 35	29, 60, 92, 116	0

All (116) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	242	SER	6.2
1	D	713	ALA	5.5
1	B	166	ALA	4.9
1	C	92	LEU	4.6
1	C	169	GLY	4.5
1	D	456	SER	4.5
1	D	205	GLU	4.5
1	D	342	LEU	4.3
1	D	270	PRO	4.1
1	D	627	THR	4.0
1	D	237	ILE	3.9
1	D	254	ARG	3.9
1	B	274	ALA	3.9
1	D	295	TYR	3.7
1	C	170	ARG	3.6
1	D	227	ARG	3.6
1	A	271	ALA	3.5
1	C	146	PHE	3.3
1	A	630	GLY	3.3
1	D	234	ALA	3.3
1	D	185	TRP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	167	ALA	3.3
1	C	276	ALA	3.2
1	B	219	ALA	3.2
1	D	640	ILE	3.2
1	B	88	LEU	3.1
1	D	233	ARG	3.1
1	A	627	THR	3.0
1	D	623	ALA	2.9
1	D	467	VAL	2.9
1	C	626	VAL	2.8
1	D	384	GLY	2.8
1	D	385	PHE	2.8
1	D	249	TRP	2.8
1	A	170	ARG	2.8
1	C	371	PRO	2.8
1	D	228	TYR	2.8
1	D	219	ALA	2.8
1	C	122	LEU	2.8
1	D	543	MET	2.8
1	D	491	THR	2.7
1	D	197	PRO	2.7
1	A	276	ALA	2.7
1	D	327	ALA	2.7
1	C	712	TRP	2.7
1	C	132	LEU	2.6
1	A	219	ALA	2.6
1	D	246	HIS	2.6
1	C	701	PRO	2.6
1	D	292	ILE	2.6
1	D	245	PHE	2.6
1	D	239	VAL	2.6
1	D	240	ASN	2.6
1	B	713	ALA	2.5
1	D	479	PRO	2.5
1	C	703	ASP	2.5
1	D	186	TYR	2.5
1	D	643	GLY	2.5
1	D	680	GLY	2.5
1	D	493	MET	2.5
1	A	166	ALA	2.5
1	C	543	MET	2.5
1	D	365	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	151	ARG	2.4
1	D	262	TYR	2.4
1	D	621	GLU	2.4
1	C	140	GLY	2.4
1	C	713	ALA	2.4
1	D	602	ALA	2.4
1	D	472	ARG	2.3
1	C	142	PRO	2.3
1	A	567	ASP	2.3
1	C	364	ASP	2.3
1	D	387	VAL	2.3
1	A	565	GLY	2.3
1	C	669	GLY	2.3
1	D	291	SER	2.3
1	D	637	LEU	2.3
1	D	363	PHE	2.3
1	D	497	PHE	2.3
1	D	650	ILE	2.3
1	D	345	PHE	2.2
1	D	299	ARG	2.2
1	D	206	PRO	2.2
1	D	679	ALA	2.2
1	C	106	LYS	2.2
1	B	90	ALA	2.2
1	D	609	ALA	2.2
1	C	157	MET	2.2
1	C	361	GLY	2.2
1	D	373	ALA	2.2
1	D	659	THR	2.1
1	B	370	PHE	2.1
1	C	287	SER	2.1
1	D	204	GLN	2.1
1	B	167	ALA	2.1
1	D	383	ALA	2.1
1	D	564	ALA	2.1
1	D	229	TRP	2.1
1	D	247	LEU	2.1
1	D	231	SER	2.1
1	D	232	SER	2.1
1	C	686	LYS	2.1
1	A	473	ASP	2.1
1	D	198	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	156	VAL	2.1
1	C	544	LEU	2.1
1	D	455	TYR	2.1
1	B	367	GLU	2.1
1	D	331	ASP	2.1
1	D	631	ASP	2.0
1	D	368	VAL	2.0
1	D	649	ARG	2.0
1	C	566	GLY	2.0
1	D	313	PHE	2.0
1	D	511	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	F	2	14/15	0.64	0.19	66,73,78,79	0
2	NAG	I	2	14/15	0.74	0.15	79,85,88,88	0
2	NAG	K	2	14/15	0.82	0.10	68,72,77,78	0
2	NAG	E	2	14/15	0.83	0.13	76,80,84,86	0
2	NAG	J	2	14/15	0.83	0.13	67,75,81,81	0
2	NAG	K	1	14/15	0.84	0.10	62,68,72,72	0
2	NAG	G	2	14/15	0.86	0.10	46,52,58,60	0
2	NAG	H	2	14/15	0.89	0.09	46,55,61,64	0
3	FUC	F	3	10/11	0.89	0.12	64,67,69,70	0
2	NAG	J	1	14/15	0.90	0.09	56,59,64,67	0
2	NAG	I	1	14/15	0.90	0.10	60,62,68,75	0
2	NAG	E	1	14/15	0.90	0.11	58,61,68,70	0
3	NAG	F	1	14/15	0.92	0.10	56,59,64,69	0
2	NAG	H	1	14/15	0.94	0.08	51,53,55,56	0
2	NAG	G	1	14/15	0.95	0.07	44,48,52,55	0




The following is a graphical depiction of the model fit to experimental electron density for oligosac-

charide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	805	14/15	0.55	0.23	87,95,100,101	0
4	NAG	D	1001	14/15	0.69	0.17	86,91,94,95	0
4	NAG	B	802	14/15	0.73	0.17	96,101,103,103	0
4	NAG	A	802	14/15	0.73	0.15	73,76,81,81	0
4	NAG	D	1002	14/15	0.73	0.15	77,87,92,92	0
4	NAG	C	803	14/15	0.80	0.14	73,77,79,79	0
4	NAG	C	801	14/15	0.82	0.14	81,84,88,88	0
4	NAG	C	802	14/15	0.85	0.12	74,76,78,78	0
6	MLI	B	804	7/7	0.88	0.11	52,53,54,55	0
4	NAG	A	801	14/15	0.90	0.09	50,54,56,58	0
5	DGJ	C	804	11/11	0.91	0.09	48,49,51,52	0
4	NAG	B	801	14/15	0.91	0.09	52,54,58,58	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MLI	A	804	7/7	0.92	0.13	51,53,55,56	0
5	DGJ	D	1000	11/11	0.92	0.09	50,52,53,54	0
5	DGJ	B	803	11/11	0.95	0.06	39,40,43,44	0
5	DGJ	A	803	11/11	0.96	0.07	35,36,39,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DGJ C 804:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGJ D 1000:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DGJ B 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.