



Full wwPDB EM Validation Report ⓘ

Nov 3, 2024 – 10:10 pm GMT

PDB ID : 7Z20
EMDB ID : EMD-14454
Title : 70S E. coli ribosome with an extended uL23 loop from *Candidatus marinimicrobia* and a stalled filamin domain 5 nascent chain
Authors : Mitropoulou, A.; Plessa, E.; Wlodarski, T.; Ahn, M.; Sidhu, H.; Becker, T.A.; Beckmann, R.; Cabrita, L.D.; Christodoulou, J.
Deposited on : 2022-02-25
Resolution : 2.29 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	78	
2	1	63	
3	2	59	
4	3	57	
5	4	55	
6	6	46	
7	7	65	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	8	50	60% 14% 24%
9	a	120	75% 23%
10	b	2904	80% 20%
11	c	273	97%
12	d	209	98%
13	e	201	96%
14	f	179	91% 8%
15	g	177	90% 10%
16	h	149	23% 74%
17	j	142	96%
18	k	123	97%
19	l	144	97%
20	m	136	96%
21	n	127	88% 6% 6%
22	o	117	90% 9%
23	p	115	95%
24	q	118	98%
25	r	103	88% 11%
26	s	110	95%
27	t	108	87% 6% 6%
28	u	104	88% 11%
29	w	94	93% 7%
30	y	85	92%
31	v	77	71% 29%
32	z	148	18% 78%

2 Entry composition

There are 32 unique types of molecules in this entry. The entry contains 91024 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	77	625	388	129	106	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	61	495	305	97	92	1	0	0

- Molecule 3 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	57	439	276	86	75	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	55	434	263	92	78	1	0	0

- Molecule 5 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	4	50	409	263	75	71	0	0

- Molecule 6 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	6	46	377	228	90	57	2	0	0

- Molecule 7 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	7	64	504	323	105	74	2	0	0

- Molecule 8 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	8	38	301	185	65	47	4	0	0

- Molecule 9 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
9	a	118	2529	1126	464	821	118	0	0

- Molecule 10 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
10	b	2901	62279	27783	11462	20133	2901	0	0

- Molecule 11 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	c	271	2082	1288	423	364	7	0	0

- Molecule 12 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	d	209	1565	979	288	294	4	0	0

- Molecule 13 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	e	201	1552	974	283	290	5	0	0

- Molecule 14 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	f	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 15 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	g	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 16 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	h	39	Total	C	N	O	S	0	0
			287	184	51	51	1		

- Molecule 17 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	j	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 18 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	k	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 19 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	l	143	Total	C	N	O	S	0	0
			1043	649	206	186	2		

- Molecule 20 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	m	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 21 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	n	120	960	593	196	166	5	0	0

- Molecule 22 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	o	116	892	552	178	162		0	0

- Molecule 23 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	p	113	908	570	177	160	1	0	0

- Molecule 24 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	q	117	947	604	192	151		0	0

- Molecule 25 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	r	102	810	513	152	143	2	0	0

- Molecule 26 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	s	109	845	526	162	154	3	0	0

- Molecule 27 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	t	101	793	497	150	143	3	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
t	68	ARG	-	insertion	UNP P0ADZ0
t	69	GLN	-	insertion	UNP P0ADZ0
t	70	MET	-	insertion	UNP P0ADZ0
t	71	THR	-	insertion	UNP P0ADZ0
t	72	VAL	LYS	conflict	UNP P0ADZ0
t	74	SER	HIS	conflict	UNP P0ADZ0
t	76	GLY	GLN	conflict	UNP P0ADZ0
t	78	VAL	-	insertion	UNP P0ADZ0
t	80	ARG	-	insertion	UNP P0ADZ0
t	81	THR	-	insertion	UNP P0ADZ0
t	82	SER	-	insertion	UNP P0ADZ0

- Molecule 28 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	u	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 29 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	w	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 30 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	y	82	Total	C	N	O	S	0	0
			619	383	127	108	1		

- Molecule 31 is a RNA chain called Pro-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	v	77	Total	C	N	O	P	0	0
			1646	733	295	541	77		

- Molecule 32 is a protein called Gelation factor.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	z	33	Total	C	N	O	0	0
			277	186	44	47		


There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
z	20	MET	-	initiating methionine	UNP P13466
z	21	HIS	-	expression tag	UNP P13466
z	22	HIS	-	expression tag	UNP P13466
z	23	HIS	-	expression tag	UNP P13466
z	24	HIS	-	expression tag	UNP P13466
z	25	HIS	-	expression tag	UNP P13466
z	26	HIS	-	expression tag	UNP P13466
z	27	ALA	-	expression tag	UNP P13466
z	28	SER	-	expression tag	UNP P13466
z	149	GLU	-	expression tag	UNP P13466
z	150	LEU	-	expression tag	UNP P13466
z	151	PHE	-	expression tag	UNP P13466
z	152	SER	-	expression tag	UNP P13466
z	153	THR	-	expression tag	UNP P13466
z	154	PRO	-	expression tag	UNP P13466
z	155	VAL	-	expression tag	UNP P13466
z	156	TRP	-	expression tag	UNP P13466
z	157	ILE	-	expression tag	UNP P13466
z	158	TRP	-	expression tag	UNP P13466
z	159	TRP	-	expression tag	UNP P13466
z	160	TRP	-	expression tag	UNP P13466
z	161	PRO	-	expression tag	UNP P13466
z	162	ARG	-	expression tag	UNP P13466
z	163	ILE	-	expression tag	UNP P13466
z	164	ARG	-	expression tag	UNP P13466
z	165	GLY	-	expression tag	UNP P13466
z	166	PRO	-	expression tag	UNP P13466
z	167	PRO	-	expression tag	UNP P13466


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L28




- Molecule 2: 50S ribosomal protein L29




- Molecule 3: 50S ribosomal protein L30




- Molecule 4: 50S ribosomal protein L32




- Molecule 5: 50S ribosomal protein L33




- Molecule 6: 50S ribosomal protein L34




- Molecule 7: 50S ribosomal protein L35




- Molecule 8: 50S ribosomal protein L36




- Molecule 9: 5S rRNA



- Molecule 10: 23S rRNA





• Molecule 11: 50S ribosomal protein L2







• Molecule 12: 50S ribosomal protein L3





• Molecule 13: 50S ribosomal protein L4






• Molecule 14: 50S ribosomal protein L5



• Molecule 15: 50S ribosomal protein L6



• Molecule 16: 50S ribosomal protein L9



- Molecule 17: 50S ribosomal protein L13

Chain j:  96%



- Molecule 18: 50S ribosomal protein L14

Chain k:  97%




- Molecule 19: 50S ribosomal protein L15

Chain l:  97%




- Molecule 20: 50S ribosomal protein L16

Chain m:  96%





- Molecule 21: 50S ribosomal protein L17

Chain n:  88% 6% 6%




- Molecule 22: 50S ribosomal protein L18

Chain o:  5% 90% 9%




- Molecule 23: 50S ribosomal protein L19


Chain p:  95%




- Molecule 24: 50S ribosomal protein L20





- Molecule 25: 50S ribosomal protein L21




- Molecule 26: 50S ribosomal protein L22




- Molecule 27: 50S ribosomal protein L23





- Molecule 28: 50S ribosomal protein L24




- Molecule 29: 50S ribosomal protein L25





- Molecule 30: 50S ribosomal protein L27



• Molecule 31: Pro-tRNA



• Molecule 32: Gelation factor



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	547000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.8	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.575	Depositor
Minimum map value	-0.163	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.0606	Depositor
Map size (\AA)	409.72803, 409.72803, 409.72803	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.067, 1.067, 1.067	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.44	0/635	0.47	0/848
2	1	0.41	0/496	0.54	0/660
3	2	0.40	0/443	0.54	0/593
4	3	0.46	0/440	0.53	0/588
5	4	0.47	0/416	0.58	0/554
6	6	0.45	0/380	0.55	0/498
7	7	0.46	0/513	0.52	0/676
8	8	0.56	0/302	0.60	0/397
9	a	0.84	0/2828	0.83	0/4410
10	b	1.01	0/69753	0.85	3/108818 (0.0%)
11	c	0.48	0/2121	0.51	0/2852
12	d	0.47	0/1586	0.53	0/2134
13	e	0.44	0/1571	0.52	0/2113
14	f	0.38	0/1434	0.62	0/1926
15	g	0.38	0/1343	0.60	0/1816
16	h	0.40	0/290	0.70	0/392
17	j	0.49	0/1152	0.50	0/1551
18	k	0.47	0/947	0.56	0/1268
19	l	0.46	0/1052	0.61	0/1401
20	m	0.45	0/1093	0.56	0/1460
21	n	0.47	0/973	0.53	0/1301
22	o	0.43	0/902	0.55	0/1209
23	p	0.48	0/920	0.51	0/1231
24	q	0.55	0/960	0.46	0/1278
25	r	0.52	0/823	0.61	0/1100
26	s	0.43	0/852	0.48	0/1142
27	t	0.42	0/798	0.55	0/1067
28	u	0.45	0/787	0.59	0/1051
29	w	0.43	0/766	0.53	0/1025
30	y	0.48	0/627	0.58	0/829
31	v	0.64	0/1839	0.88	1/2866 (0.0%)
32	z	0.39	0/291	0.69	0/400
All	All	0.89	0/99333	0.79	4/149454 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	b	1868	G	C3'-C2'-C1'	-7.67	95.36	101.50
10	b	1625	A	C2'-C3'-O3'	7.00	124.89	113.70
10	b	1868	G	O4'-C1'-N9	6.11	113.08	108.20
31	v	5	G	C2'-C3'-O3'	5.86	123.08	113.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	625	0	652	1	0
2	1	495	0	526	9	0
3	2	439	0	482	7	0
4	3	434	0	445	8	0
5	4	409	0	440	11	0
6	6	377	0	418	3	0
7	7	504	0	572	6	0
8	8	301	0	341	2	0
9	a	2529	0	1281	0	0
10	b	62279	0	31324	0	0
11	c	2082	0	2154	0	0
12	d	1565	0	1616	0	0
13	e	1552	0	1619	0	0
14	f	1410	0	1444	0	0
15	g	1323	0	1371	0	0
16	h	287	0	307	0	0
17	j	1129	0	1162	0	0
18	k	938	0	1012	0	0
19	l	1043	0	1123	0	0
20	m	1074	0	1157	0	0
21	n	960	0	1000	0	0
22	o	892	0	923	0	0
23	p	908	0	956	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
24	q	947	0	1019	0	0
25	r	810	0	834	0	0
26	s	845	0	909	0	0
27	t	793	0	867	0	0
28	u	779	0	831	0	0
29	w	753	0	780	0	0
30	y	619	0	642	0	0
31	v	1646	0	832	0	0
32	z	277	0	250	0	0
All	All	91024	0	59289	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:1:5:GLU:HA	2:1:8:GLU:HG2	1.72	0.72
6:6:12:ARG:HH21	6:6:12:ARG:HG3	1.57	0.69
5:4:29:THR:HG22	5:4:30:LYS:HD3	1.78	0.66
4:3:38:HIS:HB3	4:3:44:THR:HG22	1.83	0.60
5:4:28:ARG:H	5:4:28:ARG:HD3	1.71	0.55
4:3:43:ILE:HG22	4:3:44:THR:O	2.07	0.55
6:6:12:ARG:HG3	6:6:12:ARG:NH2	2.23	0.54
5:4:32:GLU:OE1	5:4:32:GLU:N	2.27	0.53
5:4:9:ILE:HD13	5:4:25:LYS:HB2	1.91	0.52
2:1:4:LYS:H	2:1:4:LYS:HD2	1.73	0.52
5:4:34:LEU:H	5:4:52:ALA:HB2	1.75	0.51
3:2:12:SER:OG	3:2:14:ILE:HG12	2.12	0.50
4:3:52:ARG:CZ	4:3:54:VAL:HG12	2.41	0.50
2:1:50:VAL:O	2:1:54:LYS:HG2	2.11	0.49
2:1:36:GLN:HA	2:1:36:GLN:HE21	1.76	0.49
3:2:41:THR:HG22	3:2:43:ALA:H	1.76	0.49
2:1:36:GLN:HE21	2:1:36:GLN:CA	2.26	0.49
4:3:25:VAL:O	4:3:26:THR:HG22	2.13	0.48
2:1:17:GLU:OE1	2:1:17:GLU:HA	2.13	0.48
5:4:5:ILE:HG21	5:4:28:ARG:NH2	2.29	0.47
5:4:10:LYS:HG2	5:4:12:VAL:HG23	1.97	0.47
5:4:13:SER:HB2	5:4:49:TYR:CZ	2.49	0.47
5:4:7:GLU:N	5:4:7:GLU:OE1	2.48	0.47
8:8:16:ILE:HD13	8:8:25:VAL:HG22	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:7:8:ARG:HD2	7:7:8:ARG:HA	1.75	0.46
7:7:25:LYS:HE2	7:7:30:ARG:NH2	2.31	0.46
3:2:12:SER:OG	3:2:13:ALA:N	2.50	0.44
2:1:36:GLN:CA	2:1:36:GLN:NE2	2.80	0.44
3:2:3:LYS:HE3	3:2:3:LYS:HB3	1.87	0.44
7:7:14:PHE:O	7:7:15:LYS:HD2	2.18	0.44
1:0:77:LYS:HD3	1:0:77:LYS:HA	1.89	0.43
3:2:24:LEU:HD11	3:2:54:MET:CE	2.48	0.43
2:1:5:GLU:H	2:1:5:GLU:CD	2.21	0.42
7:7:55:LEU:HA	7:7:55:LEU:HD23	1.75	0.42
4:3:43:ILE:CD1	4:3:49:TYR:HB2	2.50	0.42
6:6:35:ARG:HG2	6:6:42:LEU:HD11	2.02	0.42
5:4:23:THR:OG1	5:4:24:THR:N	2.53	0.41
7:7:30:ARG:HD2	7:7:30:ARG:HA	1.83	0.41
3:2:27:LEU:HD23	3:2:27:LEU:HA	1.86	0.41
3:2:12:SER:HB2	3:2:32:ILE:HD11	2.03	0.41
4:3:36:GLU:OE1	4:3:46:ASP:HB2	2.20	0.41
4:3:31:ASP:OD1	4:3:32:LYS:N	2.54	0.41
7:7:52:LYS:HD2	7:7:52:LYS:HA	1.71	0.41
2:1:2:LYS:HA	2:1:5:GLU:OE1	2.21	0.41
8:8:26:ILE:H	8:8:26:ILE:HG13	1.61	0.40
4:3:33:THR:HB	4:3:51:GLY:HA2	2.03	0.40
5:4:53:LYS:HA	5:4:53:LYS:HD3	1.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	0	75/78 (96%)	75 (100%)	0	0	100 100
2	1	59/63 (94%)	56 (95%)	3 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	2	55/59 (93%)	53 (96%)	2 (4%)	0	100	100
4	3	53/57 (93%)	50 (94%)	3 (6%)	0	100	100
5	4	48/55 (87%)	45 (94%)	3 (6%)	0	100	100
6	6	44/46 (96%)	44 (100%)	0	0	100	100
7	7	62/65 (95%)	57 (92%)	4 (6%)	1 (2%)	8	7
8	8	36/50 (72%)	35 (97%)	1 (3%)	0	100	100
11	c	269/273 (98%)	259 (96%)	10 (4%)	0	100	100
12	d	207/209 (99%)	199 (96%)	8 (4%)	0	100	100
13	e	199/201 (99%)	194 (98%)	5 (2%)	0	100	100
14	f	175/179 (98%)	161 (92%)	14 (8%)	0	100	100
15	g	174/177 (98%)	158 (91%)	16 (9%)	0	100	100
16	h	37/149 (25%)	30 (81%)	7 (19%)	0	100	100
17	j	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
18	k	120/123 (98%)	114 (95%)	6 (5%)	0	100	100
19	l	141/144 (98%)	131 (93%)	10 (7%)	0	100	100
20	m	134/136 (98%)	131 (98%)	3 (2%)	0	100	100
21	n	118/127 (93%)	111 (94%)	7 (6%)	0	100	100
22	o	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
23	p	111/115 (96%)	108 (97%)	3 (3%)	0	100	100
24	q	115/118 (98%)	115 (100%)	0	0	100	100
25	r	100/103 (97%)	95 (95%)	3 (3%)	2 (2%)	6	5
26	s	107/110 (97%)	100 (94%)	7 (6%)	0	100	100
27	t	99/108 (92%)	96 (97%)	3 (3%)	0	100	100
28	u	100/104 (96%)	87 (87%)	12 (12%)	1 (1%)	13	15
29	w	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
30	y	80/85 (94%)	72 (90%)	7 (9%)	1 (1%)	10	11
32	z	31/148 (21%)	25 (81%)	6 (19%)	0	100	100
All	All	3095/3435 (90%)	2939 (95%)	151 (5%)	5 (0%)	45	55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
25	r	51	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	r	52	PRO
30	y	44	LYS
7	7	32	ILE
28	u	55	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	67/68 (98%)	64 (96%)	3 (4%)	23	34
2	1	54/55 (98%)	49 (91%)	5 (9%)	7	9
3	2	47/49 (96%)	45 (96%)	2 (4%)	25	36
4	3	46/48 (96%)	41 (89%)	5 (11%)	5	6
5	4	45/49 (92%)	42 (93%)	3 (7%)	13	19
6	6	38/38 (100%)	35 (92%)	3 (8%)	10	13
7	7	51/52 (98%)	48 (94%)	3 (6%)	16	23
8	8	34/44 (77%)	28 (82%)	6 (18%)	1	1
11	c	216/218 (99%)	211 (98%)	5 (2%)	45	63
12	d	164/164 (100%)	159 (97%)	5 (3%)	36	52
13	e	165/165 (100%)	157 (95%)	8 (5%)	21	32
14	f	148/150 (99%)	134 (90%)	14 (10%)	7	8
15	g	137/138 (99%)	120 (88%)	17 (12%)	4	4
16	h	30/114 (26%)	26 (87%)	4 (13%)	3	3
17	j	116/116 (100%)	110 (95%)	6 (5%)	19	28
18	k	103/104 (99%)	100 (97%)	3 (3%)	37	54
19	l	102/103 (99%)	98 (96%)	4 (4%)	27	41
20	m	109/109 (100%)	103 (94%)	6 (6%)	18	26
21	n	100/103 (97%)	92 (92%)	8 (8%)	10	13
22	o	86/87 (99%)	75 (87%)	11 (13%)	3	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	p	98/100 (98%)	94 (96%)	4 (4%)	26	39
24	q	89/90 (99%)	88 (99%)	1 (1%)	70	83
25	r	84/84 (100%)	75 (89%)	9 (11%)	5	6
26	s	92/93 (99%)	88 (96%)	4 (4%)	25	36
27	t	87/91 (96%)	80 (92%)	7 (8%)	10	13
28	u	83/85 (98%)	73 (88%)	10 (12%)	4	4
29	w	78/78 (100%)	71 (91%)	7 (9%)	8	10
30	y	61/63 (97%)	57 (93%)	4 (7%)	14	19
32	z	29/121 (24%)	23 (79%)	6 (21%)	1	1
All	All	2559/2779 (92%)	2386 (93%)	173 (7%)	16	18

All (173) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	35	SER
1	0	50	ARG
1	0	56	MET
2	1	2	LYS
2	1	4	LYS
2	1	34	SER
2	1	36	GLN
2	1	60	LYS
3	2	12	SER
3	2	37	GLU
4	3	10	ARG
4	3	12	LYS
4	3	18	SER
4	3	46	ASP
4	3	50	ARG
5	4	13	SER
5	4	27	LYS
5	4	33	LYS
6	6	8	SER
6	6	25	LYS
6	6	41	ARG
7	7	19	LYS
7	7	30	ARG
7	7	31	HIS
8	8	9	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	8	12	ARG
8	8	15	LYS
8	8	26	ILE
8	8	27	CYS
8	8	36	ARG
11	c	5	LYS
11	c	36	LYS
11	c	115	GLN
11	c	163	GLN
11	c	259	SER
12	d	45	TYR
12	d	58	ASN
12	d	137	SER
12	d	145	SER
12	d	179	ARG
13	e	10	SER
13	e	15	SER
13	e	72	SER
13	e	123	LYS
13	e	170	ARG
13	e	184	ASP
13	e	185	LYS
13	e	191	ASP
14	f	14	LYS
14	f	64	LYS
14	f	77	PHE
14	f	81	GLN
14	f	88	LYS
14	f	121	SER
14	f	125	ARG
14	f	133	ARG
14	f	134	GLU
14	f	152	LEU
14	f	161	LYS
14	f	163	ASP
14	f	175	PHE
14	f	178	ARG
15	g	2	SER
15	g	3	ARG
15	g	18	LYS
15	g	27	LYS
15	g	29	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	g	32	GLU
15	g	45	HIS
15	g	85	LYS
15	g	99	LYS
15	g	124	GLU
15	g	137	ASP
15	g	155	GLU
15	g	172	LYS
15	g	173	GLU
15	g	175	LYS
15	g	176	LYS
15	g	177	LYS
16	h	11	ASN
16	h	12	LEU
16	h	25	TYR
16	h	27	ARG
17	j	1	MET
17	j	2	LYS
17	j	90	GLU
17	j	95	ARG
17	j	96	ARG
17	j	141	ASP
18	k	21	CYS
18	k	25	LEU
18	k	105	ARG
19	l	77	ILE
19	l	91	ASP
19	l	121	THR
19	l	129	LYS
20	m	6	ARG
20	m	22	GLN
20	m	58	LYS
20	m	60	GLN
20	m	78	LEU
20	m	115	GLU
21	n	2	ARG
21	n	6	SER
21	n	14	SER
21	n	16	HIS
21	n	27	SER
21	n	35	LYS
21	n	57	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	n	119	SER
22	o	2	ASP
22	o	3	LYS
22	o	12	THR
22	o	13	ARG
22	o	15	ARG
22	o	24	THR
22	o	25	ARG
22	o	56	LYS
22	o	69	ASP
22	o	88	LYS
22	o	89	ASP
23	p	2	SER
23	p	7	GLN
23	p	68	GLU
23	p	87	LYS
24	q	51	ARG
25	r	39	LEU
25	r	40	MET
25	r	43	ASN
25	r	45	GLU
25	r	46	GLU
25	r	47	VAL
25	r	48	LYS
25	r	49	ILE
25	r	79	ARG
26	s	7	HIS
26	s	49	LYS
26	s	53	SER
26	s	108	SER
27	t	12	ARG
27	t	17	SER
27	t	26	LYS
27	t	48	GLN
27	t	56	GLU
27	t	73	ARG
27	t	82	SER
28	u	10	GLU
28	u	17	LYS
28	u	21	LYS
28	u	37	GLU
28	u	49	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	u	52	LEU
28	u	54	GLN
28	u	68	SER
28	u	81	ASP
28	u	100	SER
29	w	1	MET
29	w	12	GLN
29	w	34	LYS
29	w	43	ASP
29	w	71	LYS
29	w	76	ASP
29	w	85	LYS
30	y	9	SER
30	y	43	THR
30	y	44	LYS
30	y	64	ASP
32	z	135	ASN
32	z	143	SER
32	z	144	PHE
32	z	151	PHE
32	z	162	ARG
32	z	166	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	0	34	HIS
2	1	36	GLN
11	c	21	ASN
11	c	153	GLN
17	j	77	HIS
23	p	7	GLN
29	w	88	HIS
30	y	3	HIS
30	y	46	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	b	2899/2904 (99%)	573 (19%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
31	v	76/77 (98%)	21 (27%)	0
9	a	117/120 (97%)	28 (23%)	0
All	All	3092/3101 (99%)	622 (20%)	0

All (622) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
9	a	13	G
9	a	15	A
9	a	25	U
9	a	26	C
9	a	30	C
9	a	32	U
9	a	35	C
9	a	41	G
9	a	42	C
9	a	43	C
9	a	44	G
9	a	50	A
9	a	56	G
9	a	59	A
9	a	67	G
9	a	87	U
9	a	88	C
9	a	89	U
9	a	90	C
9	a	99	A
9	a	105	G
9	a	108	A
9	a	109	A
9	a	112	G
9	a	113	C
9	a	115	A
9	a	117	G
9	a	118	C
10	b	3	U
10	b	10	A
10	b	23	G
10	b	28	A
10	b	35	G
10	b	46	G
10	b	51	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	60	G
10	b	62	U
10	b	63	A
10	b	64	A
10	b	71	A
10	b	74	A
10	b	75	G
10	b	83	A
10	b	84	A
10	b	100	U
10	b	101	A
10	b	102	U
10	b	110	G
10	b	118	A
10	b	119	A
10	b	120	U
10	b	125	A
10	b	126	A
10	b	140	C
10	b	142	A
10	b	159	G
10	b	160	A
10	b	163	C
10	b	164	C
10	b	181	A
10	b	196	A
10	b	199	A
10	b	215	G
10	b	216	A
10	b	222	A
10	b	223	A
10	b	229	C
10	b	233	A
10	b	245	G
10	b	248	G
10	b	252	G
10	b	255	A
10	b	256	A
10	b	265	A
10	b	266	G
10	b	271	G
10	b	272	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	273	G
10	b	277	G
10	b	278	A
10	b	279	A
10	b	280	U
10	b	281	C
10	b	282	A
10	b	286	U
10	b	291	G
10	b	298	G
10	b	300	A
10	b	311	A
10	b	329	G
10	b	330	A
10	b	345	A
10	b	353	C
10	b	359	G
10	b	362	A
10	b	367	G
10	b	371	A
10	b	372	G
10	b	386	G
10	b	387	U
10	b	391	A
10	b	396	G
10	b	403	U
10	b	405	U
10	b	406	G
10	b	412	A
10	b	416	U
10	b	417	C
10	b	418	C
10	b	455	C
10	b	457	A
10	b	472	A
10	b	481	G
10	b	491	G
10	b	493	G
10	b	505	A
10	b	509	C
10	b	512	G
10	b	527	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	528	A
10	b	529	A
10	b	530	G
10	b	532	A
10	b	538	A
10	b	545	U
10	b	562	A
10	b	567	U
10	b	572	U
10	b	574	A
10	b	602	A
10	b	603	G
10	b	613	A
10	b	614	U
10	b	621	G
10	b	626	A
10	b	636	A
10	b	645	U
10	b	646	G
10	b	652	U
10	b	653	A
10	b	654	A
10	b	667	A
10	b	685	U
10	b	701	U
10	b	703	G
10	b	716	C
10	b	729	A
10	b	746	U
10	b	756	G
10	b	763	A
10	b	774	G
10	b	775	G
10	b	781	A
10	b	782	A
10	b	783	G
10	b	784	G
10	b	788	A
10	b	790	C
10	b	804	G
10	b	811	C
10	b	818	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	826	U
10	b	827	U
10	b	845	U
10	b	846	U
10	b	857	G
10	b	858	G
10	b	868	G
10	b	871	U
10	b	875	C
10	b	876	A
10	b	877	A
10	b	878	G
10	b	879	G
10	b	880	G
10	b	881	G
10	b	882	G
10	b	883	U
10	b	884	C
10	b	886	U
10	b	888	C
10	b	891	A
10	b	894	U
10	b	895	A
10	b	898	A
10	b	909	A
10	b	910	A
10	b	913	G
10	b	930	U
10	b	940	A
10	b	945	C
10	b	960	C
10	b	973	G
10	b	982	A
10	b	984	C
10	b	995	A
10	b	1001	G
10	b	1004	C
10	b	1011	U
10	b	1012	C
10	b	1016	G
10	b	1020	A
10	b	1021	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	1026	A
10	b	1032	U
10	b	1033	G
10	b	1038	A
10	b	1040	G
10	b	1041	G
10	b	1043	C
10	b	1046	G
10	b	1052	C
10	b	1053	A
10	b	1054	G
10	b	1055	G
10	b	1057	U
10	b	1058	G
10	b	1059	U
10	b	1060	U
10	b	1061	G
10	b	1062	G
10	b	1063	C
10	b	1064	U
10	b	1065	U
10	b	1066	A
10	b	1067	G
10	b	1068	A
10	b	1069	A
10	b	1072	A
10	b	1073	G
10	b	1077	U
10	b	1078	C
10	b	1079	A
10	b	1080	U
10	b	1081	U
10	b	1082	U
10	b	1083	A
10	b	1086	G
10	b	1087	A
10	b	1088	A
10	b	1091	C
10	b	1092	G
10	b	1094	A
10	b	1097	A
10	b	1098	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	1100	U
10	b	1101	C
10	b	1102	A
10	b	1103	C
10	b	1104	U
10	b	1105	G
10	b	1108	C
10	b	1110	A
10	b	1111	G
10	b	1127	G
10	b	1129	U
10	b	1131	U
10	b	1132	A
10	b	1133	A
10	b	1134	C
10	b	1141	A
10	b	1171	C
10	b	1174	A
10	b	1175	U
10	b	1177	C
10	b	1185	G
10	b	1194	G
10	b	1203	A
10	b	1204	A
10	b	1209	G
10	b	1210	C
10	b	1211	G
10	b	1226	G
10	b	1231	G
10	b	1237	G
10	b	1240	A
10	b	1249	G
10	b	1252	A
10	b	1255	G
10	b	1265	G
10	b	1270	G
10	b	1271	A
10	b	1272	U
10	b	1275	A
10	b	1299	G
10	b	1300	A
10	b	1317	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	1320	A
10	b	1328	U
10	b	1337	G
10	b	1351	U
10	b	1364	A
10	b	1367	G
10	b	1373	G
10	b	1378	U
10	b	1382	A
10	b	1383	A
10	b	1387	G
10	b	1392	A
10	b	1394	A
10	b	1395	U
10	b	1415	G
10	b	1418	A
10	b	1419	A
10	b	1427	C
10	b	1436	C
10	b	1451	G
10	b	1452	A
10	b	1458	G
10	b	1459	U
10	b	1460	C
10	b	1466	U
10	b	1469	A
10	b	1475	U
10	b	1476	A
10	b	1481	G
10	b	1489	A
10	b	1490	G
10	b	1492	C
10	b	1493	A
10	b	1494	A
10	b	1495	A
10	b	1508	A
10	b	1511	C
10	b	1514	A
10	b	1522	U
10	b	1523	G
10	b	1535	C
10	b	1536	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	1537	G
10	b	1538	U
10	b	1551	A
10	b	1553	U
10	b	1565	A
10	b	1567	G
10	b	1568	A
10	b	1577	U
10	b	1582	A
10	b	1583	U
10	b	1595	A
10	b	1607	A
10	b	1609	A
10	b	1617	A
10	b	1626	G
10	b	1646	U
10	b	1647	U
10	b	1648	G
10	b	1663	A
10	b	1673	G
10	b	1674	C
10	b	1698	G
10	b	1699	A
10	b	1704	A
10	b	1714	G
10	b	1721	A
10	b	1722	A
10	b	1729	U
10	b	1730	G
10	b	1731	C
10	b	1732	U
10	b	1736	G
10	b	1762	G
10	b	1763	C
10	b	1772	A
10	b	1775	G
10	b	1778	U
10	b	1781	U
10	b	1783	A
10	b	1799	C
10	b	1800	A
10	b	1807	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	1810	G
10	b	1815	C
10	b	1828	A
10	b	1847	A
10	b	1856	G
10	b	1866	G
10	b	1868	G
10	b	1869	C
10	b	1870	A
10	b	1871	A
10	b	1883	G
10	b	1905	G
10	b	1912	A
10	b	1913	C
10	b	1914	U
10	b	1916	U
10	b	1928	G
10	b	1929	G
10	b	1930	U
10	b	1936	A
10	b	1937	A
10	b	1954	U
10	b	1966	C
10	b	1969	A
10	b	1970	U
10	b	1971	G
10	b	1986	A
10	b	1990	U
10	b	1992	U
10	b	1996	C
10	b	2020	C
10	b	2022	C
10	b	2030	A
10	b	2031	G
10	b	2032	A
10	b	2034	G
10	b	2035	C
10	b	2042	C
10	b	2054	C
10	b	2055	G
10	b	2059	A
10	b	2060	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	2061	A
10	b	2068	G
10	b	2075	U
10	b	2076	A
10	b	2092	G
10	b	2100	A
10	b	2101	G
10	b	2103	C
10	b	2104	U
10	b	2106	G
10	b	2108	U
10	b	2109	G
10	b	2110	U
10	b	2111	G
10	b	2112	U
10	b	2114	G
10	b	2115	G
10	b	2116	A
10	b	2117	U
10	b	2118	A
10	b	2119	G
10	b	2120	G
10	b	2123	G
10	b	2125	A
10	b	2126	G
10	b	2127	G
10	b	2128	C
10	b	2129	U
10	b	2130	U
10	b	2131	A
10	b	2132	G
10	b	2134	A
10	b	2135	G
10	b	2139	G
10	b	2142	C
10	b	2143	G
10	b	2144	C
10	b	2145	C
10	b	2146	A
10	b	2147	G
10	b	2148	U
10	b	2149	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	2150	U
10	b	2151	G
10	b	2153	A
10	b	2157	A
10	b	2158	G
10	b	2159	C
10	b	2160	C
10	b	2161	G
10	b	2162	A
10	b	2163	C
10	b	2164	C
10	b	2168	A
10	b	2169	A
10	b	2170	A
10	b	2171	U
10	b	2173	C
10	b	2174	C
10	b	2176	C
10	b	2177	C
10	b	2182	A
10	b	2184	U
10	b	2190	A
10	b	2197	A
10	b	2203	G
10	b	2210	A
10	b	2211	A
10	b	2212	U
10	b	2213	C
10	b	2224	A
10	b	2237	G
10	b	2238	G
10	b	2242	U
10	b	2267	A
10	b	2277	A
10	b	2282	C
10	b	2285	G
10	b	2286	A
10	b	2287	A
10	b	2296	A
10	b	2304	U
10	b	2306	G
10	b	2307	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	2313	A
10	b	2321	A
10	b	2324	G
10	b	2332	A
10	b	2334	A
10	b	2335	A
10	b	2336	G
10	b	2344	G
10	b	2346	C
10	b	2349	C
10	b	2360	G
10	b	2371	U
10	b	2374	G
10	b	2375	A
10	b	2378	G
10	b	2382	G
10	b	2384	C
10	b	2390	G
10	b	2395	G
10	b	2401	U
10	b	2402	C
10	b	2405	A
10	b	2412	G
10	b	2421	C
10	b	2424	A
10	b	2428	G
10	b	2429	A
10	b	2433	A
10	b	2440	U
10	b	2447	A
10	b	2457	G
10	b	2458	A
10	b	2473	U
10	b	2475	A
10	b	2483	G
10	b	2497	C
10	b	2501	G
10	b	2504	G
10	b	2517	A
10	b	2519	C
10	b	2528	G
10	b	2534	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	2546	G
10	b	2553	U
10	b	2561	U
10	b	2565	A
10	b	2566	G
10	b	2572	C
10	b	2573	G
10	b	2581	G
10	b	2601	A
10	b	2608	U
10	b	2612	U
10	b	2614	U
10	b	2628	U
10	b	2629	G
10	b	2638	A
10	b	2640	G
10	b	2645	C
10	b	2654	G
10	b	2655	U
10	b	2660	G
10	b	2661	A
10	b	2662	G
10	b	2672	G
10	b	2688	U
10	b	2713	G
10	b	2715	C
10	b	2725	A
10	b	2732	A
10	b	2735	A
10	b	2738	U
10	b	2743	G
10	b	2747	A
10	b	2752	A
10	b	2761	C
10	b	2764	A
10	b	2777	A
10	b	2778	U
10	b	2789	U
10	b	2790	G
10	b	2795	U
10	b	2796	U
10	b	2797	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	2800	G
10	b	2817	U
10	b	2819	A
10	b	2820	A
10	b	2832	U
10	b	2834	A
10	b	2847	G
10	b	2848	U
10	b	2849	A
10	b	2860	U
10	b	2864	U
10	b	2866	G
10	b	2869	C
10	b	2872	A
10	b	2876	G
10	b	2882	A
10	b	2883	U
10	b	2885	A
10	b	2897	U
10	b	2899	A
31	v	2	G
31	v	3	G
31	v	6	A
31	v	7	U
31	v	8	U
31	v	9	G
31	v	10	G
31	v	14	A
31	v	16	C
31	v	17	C
31	v	18	U
31	v	19	G
31	v	20	G
31	v	20(A)	U
31	v	21	A
31	v	47	U
31	v	48	C
31	v	53	G
31	v	66	A
31	v	74	C
31	v	76	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14454. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 191



Y Index: 211




Z Index: 194


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0606. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 688 nm³; this corresponds to an approximate mass of 622 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.437 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14454 and PDB model 7Z20. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0606 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0606).



































































9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0606) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8880	 0.6400
0	 0.9270	 0.6820
1	 0.7600	 0.6220
2	 0.8920	 0.6690
3	 0.9190	 0.6750
4	 0.8350	 0.6370
6	 0.9780	 0.7070
7	 0.9720	 0.7000
8	 0.9040	 0.6540
a	 0.9150	 0.6270
b	 0.9000	 0.6350
c	 0.9460	 0.6870
d	 0.9210	 0.6790
e	 0.8360	 0.6600
f	 0.6600	 0.5900
g	 0.6500	 0.5920
h	 0.5490	 0.5650
j	 0.9280	 0.6770
k	 0.9130	 0.6800
l	 0.9090	 0.6680
m	 0.9160	 0.6760
n	 0.9490	 0.6880
o	 0.8260	 0.6320
p	 0.8980	 0.6750
q	 0.9630	 0.6960
r	 0.8420	 0.6450
s	 0.9180	 0.6790
t	 0.8490	 0.6510
u	 0.7890	 0.6260
v	 0.8450	 0.5740
w	 0.8130	 0.6490
y	 0.8820	 0.6560
z	 0.3870	 0.4580

