



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 20, 2023 – 11:54 am GMT

PDB ID : 8B7H
Title : Crystal structure of human Gremlin-1 in complex with Fab
Authors : Schulze, M.-S.; Martinez-Fleites, C.
Deposited on : 2022-09-30
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	219	
2	H	227	
3	A	139	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4039 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab antibody fragment (light chain).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	219	1701	1064	285	346	6	0	0	0

- Molecule 2 is a protein called Fab antibody fragment (heavy chain).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	221	1668	1055	268	337	8	0	0	0

- Molecule 3 is a protein called Gremlin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	74	608	383	111	104	10	0	0	0

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	MET	-	initiating methionine	UNP O60565
A	26	GLY	-	expression tag	UNP O60565
A	27	SER	-	expression tag	UNP O60565
A	28	SER	-	expression tag	UNP O60565
A	29	HIS	-	expression tag	UNP O60565
A	30	HIS	-	expression tag	UNP O60565
A	31	HIS	-	expression tag	UNP O60565
A	32	HIS	-	expression tag	UNP O60565
A	33	HIS	-	expression tag	UNP O60565
A	34	HIS	-	expression tag	UNP O60565
A	35	SER	-	expression tag	UNP O60565
A	36	SER	-	expression tag	UNP O60565
A	37	GLY	-	expression tag	UNP O60565
A	38	GLU	-	expression tag	UNP O60565

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	ASN	-	expression tag	UNP O60565
A	40	LEU	-	expression tag	UNP O60565
A	41	TYR	-	expression tag	UNP O60565
A	42	PHE	-	expression tag	UNP O60565
A	43	GLN	-	expression tag	UNP O60565
A	44	GLY	-	expression tag	UNP O60565
A	45	SER	-	expression tag	UNP O60565


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	L	27	Total O 27 27	0	0
4	H	35	Total O 35 35	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab antibody fragment (light chain)



- Molecule 2: Fab antibody fragment (heavy chain)



- Molecule 3: Gremlin-1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	65.74Å 80.65Å 252.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.96 – 1.95 50.96 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.1 (50.96-1.95) 99.1 (50.96-1.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 1.95Å)	Xtrriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, R_{free}	0.265 , 0.275 0.265 , 0.275	Depositor DCC
R_{free} test set	2472 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	34.1	Xtrriage
Anisotropy	0.127	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4039	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	0.57	0/1738	0.73	0/2362
2	H	0.58	0/1710	0.79	0/2332
3	A	0.45	0/617	0.73	0/821
All	All	0.56	0/4065	0.76	0/5515

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1701	0	1641	40	0
2	H	1668	0	1607	88	0
3	A	608	0	613	62	0
4	H	35	0	0	0	0
4	L	27	0	0	0	0
All	All	4039	0	3861	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:33:TYR:CE1	3:A:127:LYS:HD3	1.84	1.11
2:H:33:TYR:HE1	3:A:127:LYS:HD3	1.22	1.01
2:H:2:VAL:HG11	2:H:113:TYR:CD2	1.99	0.98
3:A:107:PRO:HA	3:A:116:SER:HA	1.44	0.97
2:H:161:VAL:HG23	2:H:189:LEU:HD21	1.46	0.97
2:H:161:VAL:CG2	2:H:189:LEU:HD21	1.96	0.94
2:H:27:TYR:HD1	2:H:28:THR:H	1.18	0.89
2:H:67:ARG:HD3	2:H:87:ARG:HH11	1.35	0.89
3:A:81:THR:OG1	3:A:90:ARG:O	1.92	0.88
1:L:31:TYR:HB2	1:L:98:TYR:HE1	1.41	0.85
2:H:50:LEU:HD11	2:H:59:ILE:HG13	1.60	0.84
2:H:105:SER:HB2	3:A:127:LYS:HG2	1.59	0.83
3:A:106:ILE:HB	3:A:117:PHE:HB2	1.59	0.82
2:H:52:ASP:HB3	2:H:56:GLY:H	1.43	0.82
3:A:75:THR:HG23	3:A:96:PHE:O	1.83	0.79
3:A:110:ILE:HD12	3:A:110:ILE:O	1.83	0.79
2:H:33:TYR:CD1	3:A:127:LYS:HD3	2.18	0.78
2:H:161:VAL:CG2	2:H:189:LEU:CD2	2.62	0.78
2:H:33:TYR:N	3:A:127:LYS:NZ	2.35	0.74
2:H:32:TYR:CA	3:A:127:LYS:NZ	2.51	0.74
2:H:32:TYR:C	3:A:127:LYS:HZ1	1.89	0.74
3:A:134:THR:HG22	3:A:146:LYS:HG2	1.70	0.74
3:A:122:PHE:CE2	3:A:124:LYS:HD3	2.23	0.73
2:H:32:TYR:HA	2:H:105:SER:OG	1.91	0.71
2:H:32:TYR:CA	3:A:127:LYS:HZ1	2.03	0.71
2:H:33:TYR:H	3:A:127:LYS:HZ2	1.38	0.69
2:H:101:ARG:HG3	2:H:101:ARG:O	1.94	0.68
2:H:22:CYS:HB3	2:H:79:ALA:HB3	1.77	0.67
2:H:211:HIS:ND1	2:H:214:SER:HB2	2.11	0.66
1:L:31:TYR:HB2	1:L:98:TYR:CE1	2.29	0.66
1:L:24:LYS:HB3	1:L:24:LYS:NZ	2.11	0.65
1:L:99:ASP:OD1	1:L:100:THR:N	2.32	0.63
2:H:32:TYR:HA	3:A:127:LYS:NZ	2.14	0.61
2:H:130:PRO:HB3	2:H:156:TYR:HB3	1.82	0.61
2:H:11:VAL:HG21	2:H:158:PRO:HG3	1.82	0.61
1:L:99:ASP:CG	1:L:100:THR:H	2.03	0.61
1:L:84:LEU:HD11	1:L:109:LEU:HD21	1.83	0.60
2:H:2:VAL:HG11	2:H:113:TYR:HD2	1.60	0.60
1:L:188:LYS:O	1:L:192:GLU:HG3	2.02	0.60
2:H:28:THR:O	2:H:31:ASP:HB3	2.02	0.60
3:A:154:GLN:HG2	3:A:155:CYS:H	1.67	0.60
2:H:131:SER:HB3	2:H:133:PHE:CZ	2.37	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:25:SER:O	1:L:75:THR:HG23	2.02	0.59
2:H:207:CYS:SG	2:H:220:LYS:HB3	2.43	0.59
2:H:31:ASP:C	3:A:127:LYS:HZ3	2.05	0.59
2:H:76:THR:O	2:H:78:THR:CG2	2.51	0.58
2:H:33:TYR:H	3:A:127:LYS:NZ	1.97	0.58
3:A:122:PHE:HE2	3:A:124:LYS:HD3	1.66	0.57
2:H:2:VAL:CG1	2:H:113:TYR:CD2	2.83	0.57
2:H:166:ASN:ND2	2:H:206:ILE:H	2.02	0.56
2:H:29:PHE:C	2:H:31:ASP:N	2.54	0.56
2:H:76:THR:O	2:H:78:THR:HG23	2.04	0.56
2:H:29:PHE:C	2:H:31:ASP:H	2.09	0.56
3:A:80:GLN:HG3	3:A:81:THR:H	1.71	0.56
3:A:80:GLN:HG3	3:A:81:THR:N	2.20	0.56
2:H:33:TYR:N	3:A:127:LYS:HZ1	2.00	0.56
3:A:76:GLN:HB3	3:A:96:PHE:CZ	2.40	0.56
1:L:29:VAL:HG11	1:L:96:GLN:HB2	1.88	0.55
2:H:112:ASP:HB2	2:H:113:TYR:HD1	1.70	0.55
2:H:78:THR:OG1	2:H:80:TYR:CE2	2.59	0.55
2:H:131:SER:N	2:H:154:LYS:O	2.39	0.55
1:L:219:CYS:SG	2:H:227:CYS:SG	3.05	0.55
1:L:24:LYS:HB3	1:L:24:LYS:HZ2	1.71	0.55
2:H:33:TYR:HE1	3:A:127:LYS:CD	2.08	0.54
3:A:73:CYS:O	3:A:74:LYS:HG2	2.07	0.54
2:H:31:ASP:OD1	3:A:126:LYS:HG2	2.08	0.54
2:H:156:TYR:OH	2:H:189:LEU:HD23	2.07	0.53
3:A:78:LEU:HG	3:A:96:PHE:HD2	1.73	0.53
3:A:94:ASN:O	3:A:95:ARG:HD2	2.08	0.53
1:L:66:ASP:C	1:L:68:PHE:H	2.11	0.53
2:H:51:VAL:HG23	2:H:58:THR:HG22	1.90	0.53
1:L:26:SER:O	1:L:27:GLN:C	2.45	0.53
3:A:122:PHE:HB2	3:A:160:ILE:HD11	1.91	0.53
2:H:164:SER:OG	2:H:208:ASN:HB2	2.09	0.53
3:A:106:ILE:N	3:A:117:PHE:O	2.42	0.53
2:H:32:TYR:N	3:A:127:LYS:NZ	2.57	0.52
2:H:71:THR:OG1	2:H:80:TYR:HB2	2.09	0.52
2:H:33:TYR:N	3:A:127:LYS:HZ2	1.98	0.52
2:H:31:ASP:C	3:A:127:LYS:NZ	2.63	0.52
2:H:163:VAL:HG22	2:H:209:VAL:HG22	1.91	0.52
2:H:166:ASN:HD21	2:H:206:ILE:H	1.57	0.52
3:A:106:ILE:HB	3:A:117:PHE:CB	2.37	0.52
3:A:109:HIS:HB2	3:A:115:GLY:HA3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:110:ILE:O	3:A:114:GLU:HB2	2.11	0.51
3:A:130:THR:C	3:A:131:MET:HG3	2.31	0.51
1:L:18:ARG:HG3	1:L:82:ASN:HA	1.93	0.51
1:L:37:ASN:O	1:L:56:TRP:HA	2.11	0.51
2:H:33:TYR:HD1	3:A:127:LYS:HZ2	1.59	0.50
2:H:32:TYR:N	3:A:127:LYS:HZ1	2.09	0.50
2:H:226:SER:O	2:H:227:CYS:C	2.50	0.50
1:L:55:TYR:CE2	1:L:61:GLU:OE1	2.65	0.50
2:H:101:ARG:O	2:H:101:ARG:CG	2.58	0.50
2:H:112:ASP:HB2	2:H:113:TYR:CD1	2.47	0.50
3:A:94:ASN:C	3:A:95:ARG:HD2	2.32	0.50
1:L:20:THR:OG1	1:L:80:THR:HG22	2.12	0.50
2:H:34:MET:HG2	2:H:79:ALA:HB2	1.94	0.50
1:L:66:ASP:C	1:L:68:PHE:N	2.66	0.49
3:A:104:PHE:CZ	3:A:119:SER:HB3	2.47	0.49
1:L:21:ILE:HD12	1:L:79:LEU:HD23	1.94	0.48
2:H:2:VAL:CG1	2:H:113:TYR:HD2	2.23	0.48
3:A:122:PHE:CD2	3:A:124:LYS:HD3	2.48	0.48
2:H:31:ASP:OD1	3:A:126:LYS:CG	2.61	0.48
1:L:67:ARG:O	1:L:81:ILE:HA	2.13	0.48
1:L:75:THR:HG22	1:L:75:THR:O	2.14	0.48
2:H:32:TYR:HA	3:A:127:LYS:HZ3	1.77	0.47
1:L:31:TYR:CE1	1:L:33:SER:HB2	2.49	0.47
1:L:189:ALA:O	1:L:193:LYS:HG3	2.15	0.47
2:H:50:LEU:C	2:H:50:LEU:HD12	2.34	0.47
3:A:77:PRO:HA	3:A:95:ARG:HA	1.97	0.47
1:L:34:ASN:O	1:L:35:ASN:C	2.54	0.46
1:L:34:ASN:O	1:L:36:LYS:HD3	2.15	0.46
1:L:167:SER:OG	2:H:177:PHE:HB3	2.16	0.46
2:H:2:VAL:HG11	2:H:113:TYR:CE2	2.48	0.46
2:H:30:THR:HA	2:H:53:PRO:HB2	1.98	0.46
1:L:15:LEU:C	1:L:17:GLU:H	2.18	0.46
3:A:101:CYS:SG	3:A:123:CYS:SG	3.14	0.45
3:A:76:GLN:HB3	3:A:96:PHE:CE2	2.51	0.45
1:L:38:TYR:HB3	1:L:97:TYR:CD2	2.52	0.45
2:H:36:TRP:CE2	2:H:81:MET:HB2	2.52	0.45
1:L:168:VAL:HG22	1:L:180:LEU:HD12	1.99	0.45
1:L:99:ASP:CG	1:L:100:THR:N	2.69	0.45
2:H:130:PRO:CB	2:H:156:TYR:HB3	2.46	0.44
2:H:1:GLN:O	2:H:26:GLY:HA3	2.17	0.44
3:A:124:LYS:HB2	3:A:125:PRO:HD2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:55:TYR:CD1	1:L:59:THR:OG1	2.67	0.44
3:A:110:ILE:O	3:A:110:ILE:CD1	2.60	0.44
3:A:120:CYS:SG	3:A:121:SER:N	2.91	0.44
1:L:31:TYR:O	1:L:32:SER:C	2.57	0.44
2:H:131:SER:HB3	2:H:133:PHE:CE2	2.53	0.43
1:L:32:SER:O	1:L:33:SER:C	2.54	0.43
2:H:157:PHE:HA	2:H:158:PRO:HA	1.78	0.43
2:H:4:LEU:HD11	2:H:29:PHE:CZ	2.53	0.43
2:H:60:TYR:CE1	2:H:70:ILE:HD12	2.53	0.43
3:A:106:ILE:O	3:A:116:SER:HA	2.17	0.43
1:L:68:PHE:CE2	1:L:81:ILE:HD13	2.54	0.43
2:H:39:GLN:HB2	2:H:45:LEU:HD23	1.99	0.43
2:H:24:VAL:HG21	2:H:29:PHE:CG	2.54	0.43
3:A:101:CYS:HB3	3:A:121:SER:HB2	2.01	0.43
2:H:51:VAL:CG1	2:H:70:ILE:HG22	2.48	0.42
3:A:94:ASN:OD1	3:A:95:ARG:N	2.37	0.42
2:H:27:TYR:HD1	2:H:28:THR:N	2.00	0.42
2:H:76:THR:O	2:H:78:THR:HG22	2.18	0.42
2:H:161:VAL:CG2	2:H:189:LEU:HD23	2.48	0.42
3:A:134:THR:HG22	3:A:146:LYS:CG	2.45	0.42
1:L:129:GLN:HG2	1:L:134:THR:O	2.19	0.42
2:H:6:GLU:HA	2:H:21:SER:O	2.19	0.42
2:H:162:THR:OG1	2:H:210:ASN:HB3	2.19	0.42
1:L:55:TYR:HE1	1:L:56:TRP:CZ3	2.38	0.42
2:H:161:VAL:HG21	2:H:189:LEU:CD2	2.48	0.42
2:H:211:HIS:CE1	2:H:214:SER:HB2	2.54	0.42
3:A:105:TYR:O	3:A:106:ILE:HG13	2.20	0.42
2:H:107:TYR:CD1	2:H:108:PRO:HA	2.55	0.41
3:A:128:PHE:HB3	3:A:150:THR:HG22	2.01	0.41
2:H:32:TYR:C	3:A:127:LYS:NZ	2.59	0.41
2:H:36:TRP:CD2	2:H:81:MET:HB2	2.55	0.41
3:A:134:THR:HA	3:A:146:LYS:HA	2.02	0.41
1:L:67:ARG:HG2	1:L:83:SER:HB2	2.02	0.41
1:L:99:ASP:O	1:L:100:THR:C	2.57	0.41
1:L:145:TYR:CG	1:L:146:PRO:HA	2.56	0.41
3:A:107:PRO:HB2	3:A:108:ARG:H	1.66	0.41
3:A:71:ASP:N	3:A:102:ASN:HD21	2.18	0.41
2:H:6:GLU:OE2	2:H:95:TYR:HA	2.21	0.41
2:H:27:TYR:CE2	2:H:100:ALA:HB1	2.56	0.41
2:H:27:TYR:CE1	2:H:32:TYR:HE2	2.39	0.40
1:L:112:LYS:HE3	1:L:112:LYS:HB3	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	217/219 (99%)	197 (91%)	19 (9%)	1 (0%)	29	17
2	H	217/227 (96%)	208 (96%)	9 (4%)	0	100	100
3	A	66/139 (48%)	49 (74%)	14 (21%)	3 (4%)	2	0
All	All	500/585 (86%)	454 (91%)	42 (8%)	4 (1%)	19	9

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	107	PRO
3	A	109	HIS
1	L	32	SER
3	A	108	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	194/194 (100%)	186 (96%)	8 (4%)	30	18
2	H	187/192 (97%)	185 (99%)	2 (1%)	73	71
3	A	72/130 (55%)	70 (97%)	2 (3%)	43	33
All	All	453/516 (88%)	441 (97%)	12 (3%)	46	36

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	14	SER
1	L	18	ARG
1	L	30	LEU
1	L	33	SER
1	L	34	ASN
1	L	36	LYS
1	L	66	ASP
1	L	174	LYS
2	H	27	TYR
2	H	131	SER
3	A	109	HIS
3	A	128	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	48	GLN
1	L	152	GLN
2	H	166	ASN
3	A	118	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	219/219 (100%)	1.29	37 (16%) 1 2	23, 50, 81, 107	0
2	H	221/227 (97%)	1.40	48 (21%) 0 1	22, 39, 81, 87	0
3	A	74/139 (53%)	4.23	65 (87%) 0 0	86, 122, 144, 149	0
All	All	514/585 (87%)	1.76	150 (29%) 0 0	22, 51, 131, 149	0

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	98	TYR	13.7
2	H	29	PHE	11.2
3	A	96	PHE	11.2
3	A	106	ILE	10.1
1	L	98	TYR	9.2
3	A	104	PHE	9.1
3	A	149	VAL	8.9
2	H	106	TYR	7.8
1	L	31	TYR	7.4
2	H	27	TYR	7.4
3	A	92	ILE	7.0
3	A	78	LEU	6.8
3	A	97	CYS	6.5
2	H	101	ARG	6.3
1	L	219	CYS	6.3
3	A	153	LYS	6.3
2	H	74	THR	6.2
1	L	30	LEU	6.1
3	A	117	PHE	6.0
3	A	134	THR	6.0
3	A	71	ASP	6.0
3	A	124	LYS	5.9
3	A	95	ARG	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	A	91	THR	5.1
3	A	100	GLN	5.0
3	A	93	ILE	5.0
3	A	160	ILE	4.9
1	L	33	SER	4.9
3	A	109	HIS	4.8
3	A	128	PHE	4.8
3	A	155	CYS	4.7
3	A	76	GLN	4.7
3	A	114	GLU	4.6
2	H	1	GLN	4.6
3	A	90	ARG	4.6
3	A	102	ASN	4.6
3	A	105	TYR	4.6
3	A	72	TRP	4.5
3	A	156	ARG	4.4
3	A	137	CYS	4.4
2	H	226	SER	4.4
3	A	163	ASP	4.4
3	A	110	ILE	4.4
3	A	77	PRO	4.3
3	A	125	PRO	4.3
3	A	122	PHE	4.2
2	H	51	VAL	4.2
3	A	131	MET	4.2
3	A	158	ILE	4.2
1	L	38	TYR	4.2
1	L	59	THR	4.1
1	L	199	CYS	4.1
3	A	162	LEU	4.1
1	L	36	LYS	4.1
2	H	227	CYS	4.1
3	A	119	SER	4.1
2	H	130	PRO	4.0
2	H	131	SER	4.0
3	A	154	GLN	4.0
1	L	18	ARG	3.9
1	L	53	LEU	3.9
1	L	32	SER	3.9
2	H	31	ASP	3.9
2	H	100	ALA	3.9
2	H	32	TYR	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	A	146	LYS	3.8
3	A	147	LYS	3.8
1	L	56	TRP	3.8
3	A	79	LYS	3.8
1	L	58	SER	3.7
2	H	132	VAL	3.7
3	A	108	ARG	3.7
2	H	78	THR	3.6
3	A	101	CYS	3.6
2	H	113	TYR	3.6
1	L	60	ARG	3.5
2	H	59	ILE	3.4
3	A	130	THR	3.4
2	H	57	GLU	3.4
3	A	152	VAL	3.3
1	L	75	THR	3.3
2	H	2	VAL	3.3
3	A	116	SER	3.3
1	L	29	VAL	3.2
1	L	66	ASP	3.1
3	A	148	ARG	3.1
2	H	79	ALA	3.1
1	L	39	LEU	3.0
3	A	157	CYS	3.0
3	A	161	ASP	3.0
3	A	80	GLN	3.0
2	H	50	LEU	2.9
2	H	98	THR	2.9
3	A	121	SER	2.9
3	A	73	CYS	2.9
3	A	136	ASN	2.9
2	H	107	TYR	2.8
3	A	107	PRO	2.8
3	A	133	VAL	2.8
3	A	135	LEU	2.8
1	L	62	SER	2.8
3	A	75	THR	2.7
2	H	28	THR	2.7
2	H	43	LYS	2.6
2	H	52	ASP	2.6
2	H	55	ASP	2.6
1	L	99	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	68	PHE	2.5
3	A	103	SER	2.5
3	A	132	MET	2.5
2	H	3	GLN	2.5
1	L	26	SER	2.5
1	L	57	ALA	2.5
2	H	161	VAL	2.5
2	H	102	GLY	2.4
2	H	70	ILE	2.4
3	A	159	SER	2.4
1	L	16	GLY	2.4
2	H	99	ASP	2.4
1	L	64	VAL	2.4
1	L	35	ASN	2.4
1	L	97	TYR	2.4
3	A	81	THR	2.4
2	H	4	LEU	2.4
2	H	103	SER	2.4
2	H	77	ASP	2.3
1	L	159	LEU	2.3
2	H	33	TYR	2.3
2	H	34	MET	2.3
2	H	129	GLY	2.3
3	A	126	LYS	2.3
1	L	34	ASN	2.3
3	A	120	CYS	2.3
2	H	75	SER	2.3
3	A	150	THR	2.3
2	H	189	LEU	2.2
2	H	65	GLN	2.2
2	H	145	GLY	2.2
1	L	1	ASP	2.2
1	L	67	ARG	2.2
1	L	76	ASP	2.2
1	L	73	SER	2.1
1	L	15	LEU	2.1
2	H	73	ASP	2.1
1	L	155	VAL	2.1
2	H	24	VAL	2.1
1	L	23	CYS	2.1
2	H	23	LYS	2.1
2	H	80	TYR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	111	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.